

- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx1(Omni)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
471	10	9	11	45	50	37	31	7.484	126	56	1.904	-55
472	10	9	11	45	51	37	31	7.484	126	56	1.904	-55
473	10	9	11	45	52	37	31	7.484	126	56	1.904	-55
474	10	9	11	45	53	37	31	7.484	126	56	1.904	-55
475	10	9	11	45	54	37	31	7.484	126	56	1.904	-55
476	10	9	11	45	55	37	31	7.484	126	56	1.904	-55
477	10	9	11	45	56	37	31	7.484	126	56	1.904	-55
478	10	9	11	45	57	37	31	7.484	126	56	1.904	-55
479	10	9	11	45	58	37	31	7.484	126	56	1.904	-55
480	10	9	11	45	59	37	31	7.484	126	56	1.904	-55
481	10	9	11	46	0	37	31	7.484	126	56	1.904	-54
482	10	9	11	46	1	37	31	7.484	126	56	1.904	-54
483	10	9	11	46	2	37	31	7.484	126	56	1.904	-54
484	10	9	11	46	3	37	31	7.484	126	56	1.904	-54
485	10	9	11	46	4	37	31	7.484	126	56	1.904	-54
486	10	9	11	46	5	37	31	7.484	126	56	1.904	-54
487	10	9	11	46	6	37	31	7.484	126	56	1.904	-54
488	10	9	11	46	7	37	31	7.484	126	56	1.904	-54
489	10	9	11	46	8	37	31	7.484	126	56	1.904	-54
490	10	9	11	46	9	37	31	7.484	126	56	1.904	-53
491	10	9	11	46	10	37	31	7.484	126	56	1.904	-53
492	10	9	11	46	11	37	31	7.484	126	56	1.904	-53
493	10	9	11	46	12	37	31	7.484	126	56	1.904	-53
494	10	9	11	46	13	37	31	7.484	126	56	1.904	-53
495	10	9	11	46	14	37	31	7.484	126	56	1.904	-53
496	10	9	11	46	15	37	31	7.484	126	56	1.904	-54
497	10	9	11	46	16	37	31	7.484	126	56	1.904	-54
498	10	9	11	46	17	37	31	7.484	126	56	1.904	-54
499	10	9	11	46	18	37	31	7.484	126	56	1.904	-53
500	10	9	11	46	19	37	31	7.484	126	56	1.904	-53
501	10	9	11	46	20	37	31	7.484	126	56	1.904	-53
502	10	9	11	46	21	37	31	7.484	126	56	1.904	-54
503	10	9	11	46	22	37	31	7.484	126	56	1.904	-54
504	10	9	11	46	23	37	31	7.484	126	56	1.904	-54
505	10	9	11	46	24	37	31	7.484	126	56	1.904	-63
506	10	9	11	46	25	37	31	7.484	126	56	1.904	-63
507	10	9	11	46	26	37	31	7.484	126	56	1.904	-63
508	10	9	11	46	27	37	31	7.484	126	56	1.904	-52
509	10	9	11	46	28	37	31	7.484	126	56	1.904	-52
510	10	9	11	46	29	37	31	7.484	126	56	1.904	-52
511	10	9	11	46	30	37	31	7.484	126	56	1.904	-53
512	10	9	11	46	31	37	31	7.484	126	56	1.904	-53
513	10	9	11	46	32	37	31	7.484	126	56	1.904	-53
514	10	9	11	46	33	37	31	7.484	126	56	1.904	-51
515	10	9	11	46	34	37	31	7.484	126	56	1.904	-51
516	10	9	11	46	35	37	31	7.484	126	56	1.904	-51
517	10	9	11	46	36	37	31	7.484	126	56	1.904	-52
518	10	9	11	46	37	37	31	7.484	126	56	1.904	-52
519	10	9	11	46	38	37	31	7.484	126	56	1.868	-52
520	10	9	11	46	39	37	31	7.484	126	56	1.868	-53
521	10	9	11	46	40	37	31	7.484	126	56	1.868	-53
522	10	9	11	46	41	37	31	7.484	126	56	1.868	-53


- 서비스 : NWA Street-canyon(Tx40)
- 측정일 : 2003년 10월 21일
- 측정장소 : 여의도 PATH4

순서	시간					측정위치		전계강도(dBm)
	월	일	시	분	초	위도	경도	
1	10	21	4	33	50	37:31:8.288	126:55:42.941	-86
2	10	21	4	33	51	37:31:8.321	126:55:42.981	-86
3	10	21	4	33	52	37:31:8.322	126:55:43.021	-87
4	10	21	4	33	53	37:31:8.355	126:55:43.061	-85
5	10	21	4	33	54	37:31:8.388	126:55:43.101	-80
6	10	21	4	33	55	37:31:8.389	126:55:43.142	-80
7	10	21	4	33	56	37:31:8.421	126:55:43.141	-80
8	10	21	4	33	57	37:31:8.455	126:55:43.181	-85
9	10	21	4	33	58	37:31:8.455	126:55:43.221	-85
10	10	21	4	33	59	37:31:8.488	126:55:43.261	-89
11	10	21	4	34	0	37:31:8.522	126:55:43.301	-89
12	10	21	4	34	1	37:31:8.555	126:55:43.341	-77
13	10	21	4	34	2	37:31:8.555	126:55:43.382	-77
14	10	21	4	34	3	37:31:8.589	126:55:43.421	-77
15	10	21	4	34	4	37:31:8.622	126:55:43.461	-78
16	10	21	4	34	5	37:31:8.622	126:55:43.502	-78
17	10	21	4	34	6	37:31:8.656	126:55:43.542	-78
18	10	21	4	34	7	37:31:8.688	126:55:43.541	-82
19	10	21	4	34	8	37:31:8.689	126:55:43.582	-82
20	10	21	4	34	9	37:31:8.722	126:55:43.621	-82
21	10	21	4	34	10	37:31:8.755	126:55:43.661	-83
22	10	21	4	34	11	37:31:8.756	126:55:43.702	-83
23	10	21	4	34	12	37:31:8.789	126:55:43.742	-83
24	10	21	4	34	13	37:31:8.822	126:55:43.781	-78
25	10	21	4	34	14	37:31:8.823	126:55:43.822	-78
26	10	21	4	34	15	37:31:8.856	126:55:43.862	-78
27	10	21	4	34	16	37:31:8.889	126:55:43.902	-78
28	10	21	4	34	17	37:31:8.890	126:55:43.943	-78
29	10	21	4	34	18	37:31:8.922	126:55:43.942	-78
30	10	21	4	34	19	37:31:8.955	126:55:43.981	-74
31	10	21	4	34	20	37:31:8.988	126:55:44.021	-74
32	10	21	4	34	21	37:31:8.989	126:55:44.062	-74
33	10	21	4	34	22	37:31:9.022	126:55:44.102	-77
34	10	21	4	34	23	37:31:9.055	126:55:44.142	-77
35	10	21	4	34	24	37:31:9.056	126:55:44.182	-77
36	10	21	4	34	25	37:31:9.089	126:55:44.222	-72
37	10	21	4	34	26	37:31:9.122	126:55:44.262	-72
38	10	21	4	34	27	37:31:9.123	126:55:44.303	-72
39	10	21	4	34	28	37:31:9.156	126:55:44.342	-80
40	10	21	4	34	29	37:31:9.189	126:55:44.382	-80
41	10	21	4	34	30	37:31:9.189	126:55:44.382	-80
42	10	21	4	34	31	37:31:9.223	126:55:44.422	-74
43	10	21	4	34	32	37:31:9.256	126:55:44.462	-74
44	10	21	4	34	33	37:31:9.256	126:55:44.503	-74
45	10	21	4	34	34	37:31:9.290	126:55:44.542	-83
46	10	21	4	34	35	37:31:9.323	126:55:44.582	-83
47	10	21	4	34	36	37:31:9.323	126:55:44.623	-83
48	10	21	4	34	37	37:31:9.357	126:55:44.663	-86
49	10	21	4	34	38	37:31:9.390	126:55:44.703	-86
50	10	21	4	34	39	37:31:9.423	126:55:44.742	-86
51	10	21	4	34	40	37:31:9.424	126:55:44.783	-77
52	10	21	4	34	41	37:31:9.456	126:55:44.782	-77

53	10	21	4	34	42	37:31:9.489	126:55:44.822	-77
54	10	21	4	34	43	37:31:9.490	126:55:44.863	-90
55	10	21	4	34	44	37:31:9.523	126:55:44.903	-90
56	10	21	4	34	45	37:31:9.556	126:55:44.942	-90
57	10	21	4	34	46	37:31:9.557	126:55:44.983	-74
58	10	21	4	34	47	37:31:9.590	126:55:45.023	-74
59	10	21	4	34	48	37:31:9.623	126:55:45.063	-74
60	10	21	4	34	49	37:31:9.624	126:55:45.103	-82
61	10	21	4	34	50	37:31:9.657	126:55:45.143	-82
62	10	21	4	34	51	37:31:9.690	126:55:45.183	-82
63	10	21	4	34	52	37:31:9.690	126:55:45.183	-69
64	10	21	4	34	53	37:31:9.723	126:55:45.223	-69
65	10	21	4	34	54	37:31:9.756	126:55:45.263	-69
66	10	21	4	34	55	37:31:9.757	126:55:45.303	-67
67	10	21	4	34	56	37:31:9.790	126:55:45.343	-67
68	10	21	4	34	57	37:31:9.823	126:55:45.383	-67
69	10	21	4	34	58	37:31:9.857	126:55:45.423	-74
70	10	21	4	34	59	37:31:9.857	126:55:45.464	-74
71	10	21	4	35	0	37:31:9.890	126:55:45.503	-74
72	10	21	4	35	1	37:31:9.924	126:55:45.543	-75
73	10	21	4	35	2	37:31:9.924	126:55:45.584	-75
74	10	21	4	35	3	37:31:9.957	126:55:45.583	-75
75	10	21	4	35	4	37:31:9.990	126:55:45.623	-60
76	10	21	4	35	5	37:31:9.991	126:55:45.664	-60
77	10	21	4	35	6	37:31:10.024	126:55:45.703	-60
78	10	21	4	35	7	37:31:10.057	126:55:45.743	-65
79	10	21	4	35	8	37:31:10.058	126:55:45.784	-65
80	10	21	4	35	9	37:31:10.091	126:55:45.824	-65
81	10	21	4	35	10	37:31:10.124	126:55:45.864	-52
82	10	21	4	35	11	37:31:10.125	126:55:45.904	-52
83	10	21	4	35	12	37:31:10.158	126:55:45.944	-52
84	10	21	4	35	13	37:31:10.191	126:55:45.984	-61
85	10	21	4	35	14	37:31:10.191	126:55:45.984	-61
86	10	21	4	35	15	37:31:10.224	126:55:46.024	-61
87	10	21	4	35	16	37:31:10.257	126:55:46.064	-54
88	10	21	4	35	17	37:31:10.290	126:55:46.103	-54
89	10	21	4	35	18	37:31:10.291	126:55:46.144	-54
90	10	21	4	35	19	37:31:10.324	126:55:46.184	-55
91	10	21	4	35	20	37:31:10.357	126:55:46.224	-55
92	10	21	4	35	21	37:31:10.358	126:55:46.264	-55
93	10	21	4	35	22	37:31:10.391	126:55:46.304	-45
94	10	21	4	35	23	37:31:10.424	126:55:46.344	-45
95	10	21	4	35	24	37:31:10.425	126:55:46.385	-45
96	10	21	4	35	25	37:31:10.457	126:55:46.384	-51
97	10	21	4	35	26	37:31:10.491	126:55:46.424	-51
98	10	21	4	35	27	37:31:10.491	126:55:46.464	-51
99	10	21	4	35	28	37:31:10.524	126:55:46.504	-51
100	10	21	4	35	29	37:31:10.558	126:55:46.544	-51
101	10	21	4	35	30	37:31:10.558	126:55:46.585	-51
102	10	21	4	35	31	37:31:10.591	126:55:46.625	-65
103	10	21	4	35	32	37:31:10.625	126:55:46.664	-65
104	10	21	4	35	33	37:31:10.625	126:55:46.705	-65
105	10	21	4	35	34	37:31:10.658	126:55:46.745	-51
106	10	21	4	35	35	37:31:10.692	126:55:46.785	-51
107	10	21	4	35	36	37:31:10.692	126:55:46.785	-51
108	10	21	4	35	37	37:31:10.725	126:55:46.824	-50
109	10	21	4	35	38	37:31:10.758	126:55:46.864	-50
110	10	21	4	35	39	37:31:10.791	126:55:46.904	-50

111	10	21	4	35	40	37:31:10.792	126:55:46.945	-51
112	10	21	4	35	41	37:31:10.825	126:55:46.985	-51
113	10	21	4	35	42	37:31:10.858	126:55:47.024	-51
114	10	21	4	35	43	37:31:10.859	126:55:47.065	-54
115	10	21	4	35	44	37:31:10.892	126:55:47.105	-54
116	10	21	4	35	45	37:31:10.925	126:55:47.145	-54
117	10	21	4	35	46	37:31:10.926	126:55:47.186	-53
118	10	21	4	35	47	37:31:10.959	126:55:47.225	-53
119	10	21	4	35	48	37:31:10.991	126:55:47.224	-53
120	10	21	4	35	49	37:31:10.992	126:55:47.265	-64
121	10	21	4	35	50	37:31:11.025	126:55:47.305	-64
122	10	21	4	35	51	37:31:11.058	126:55:47.345	-64
123	10	21	4	35	52	37:31:11.059	126:55:47.386	-64
124	10	21	4	35	53	37:31:11.092	126:55:47.425	-64
125	10	21	4	35	54	37:31:11.125	126:55:47.465	-64
126	10	21	4	35	55	37:31:11.126	126:55:47.506	-57
127	10	21	4	35	56	37:31:11.159	126:55:47.546	-57
128	10	21	4	35	57	37:31:11.192	126:55:47.585	-57
129	10	21	4	35	58	37:31:11.225	126:55:47.625	-66
130	10	21	4	35	59	37:31:11.225	126:55:47.625	-66
131	10	21	4	36	0	37:31:11.258	126:55:47.665	-66
132	10	21	4	36	1	37:31:11.292	126:55:47.705	-66
133	10	21	4	36	2	37:31:11.292	126:55:47.746	-66
134	10	21	4	36	3	37:31:11.325	126:55:47.785	-66
135	10	21	4	36	4	37:31:11.359	126:55:47.825	-66
136	10	21	4	36	5	37:31:11.359	126:55:47.866	-66
137	10	21	4	36	6	37:31:11.392	126:55:47.906	-66
138	10	21	4	36	7	37:31:11.426	126:55:47.946	-66
139	10	21	4	36	8	37:31:11.426	126:55:47.986	-66
140	10	21	4	36	9	37:31:11.459	126:55:48.026	-66
141	10	21	4	36	10	37:31:11.492	126:55:48.025	-67
142	10	21	4	36	11	37:31:11.493	126:55:48.066	-67
143	10	21	4	36	12	37:31:11.526	126:55:48.106	-67
144	10	21	4	36	13	37:31:11.559	126:55:48.146	-63
145	10	21	4	36	14	37:31:11.560	126:55:48.186	-63
146	10	21	4	36	15	37:31:11.593	126:55:48.226	-63
147	10	21	4	36	16	37:31:11.626	126:55:48.266	-72
148	10	21	4	36	17	37:31:11.659	126:55:48.306	-72
149	10	21	4	36	18	37:31:11.660	126:55:48.346	-72
150	10	21	4	36	19	37:31:11.693	126:55:48.386	-72
151	10	21	4	36	20	37:31:11.726	126:55:48.426	-72
152	10	21	4	36	21	37:31:11.726	126:55:48.426	-72
153	10	21	4	36	22	37:31:11.759	126:55:48.466	-77
154	10	21	4	36	23	37:31:11.792	126:55:48.506	-77
155	10	21	4	36	24	37:31:11.793	126:55:48.546	-77
156	10	21	4	36	25	37:31:11.826	126:55:48.586	-70
157	10	21	4	36	26	37:31:11.859	126:55:48.626	-70
158	10	21	4	36	27	37:31:11.860	126:55:48.667	-70
159	10	21	4	36	28	37:31:11.893	126:55:48.707	-69
160	10	21	4	36	29	37:31:11.926	126:55:48.746	-69
161	10	21	4	36	30	37:31:11.927	126:55:48.787	-69
162	10	21	4	36	31	37:31:11.960	126:55:48.827	-66
163	10	21	4	36	32	37:31:11.993	126:55:48.826	-66
164	10	21	4	36	33	37:31:11.993	126:55:48.867	-66
165	10	21	4	36	34	37:31:12.026	126:55:48.907	-70
166	10	21	4	36	35	37:31:12.060	126:55:48.946	-70
167	10	21	4	36	36	37:31:12.093	126:55:48.986	-70
168	10	21	4	36	37	37:31:12.093	126:55:48.986	-71

169	10	21	4	36	38	37:31:12.127	126:55:49.067	-71
170	10	21	4	36	39	37:31:12.160	126:55:49.107	-71
171	10	21	4	36	40	37:31:12.160	126:55:49.147	-72
172	10	21	4	36	41	37:31:12.194	126:55:49.187	-72
173	10	21	4	36	42	37:31:12.227	126:55:49.227	-72
174	10	21	4	36	43	37:31:12.227	126:55:49.227	-81
175	10	21	4	36	44	37:31:12.260	126:55:49.267	-81
176	10	21	4	36	45	37:31:12.293	126:55:49.307	-81
177	10	21	4	36	46	37:31:12.294	126:55:49.347	-75
178	10	21	4	36	47	37:31:12.327	126:55:49.387	-75
179	10	21	4	36	48	37:31:12.360	126:55:49.427	-75
180	10	21	4	36	49	37:31:12.361	126:55:49.468	-84
181	10	21	4	36	50	37:31:12.394	126:55:49.507	-84
182	10	21	4	36	51	37:31:12.427	126:55:49.547	-84
183	10	21	4	36	52	37:31:12.428	126:55:49.588	-78
184	10	21	4	36	53	37:31:12.461	126:55:49.628	-78
185	10	21	4	36	54	37:31:12.494	126:55:49.668	-78
186	10	21	4	36	55	37:31:12.526	126:55:49.667	-81
187	10	21	4	36	56	37:31:12.527	126:55:49.707	-81
188	10	21	4	36	57	37:31:12.560	126:55:49.747	-81
189	10	21	4	36	58	37:31:12.593	126:55:49.787	-75
190	10	21	4	36	59	37:31:12.594	126:55:49.828	-75
191	10	21	4	37	0	37:31:12.627	126:55:49.868	-75
192	10	21	4	37	1	37:31:12.660	126:55:49.907	-73
193	10	21	4	37	2	37:31:12.661	126:55:49.948	-73
194	10	21	4	37	3	37:31:12.694	126:55:49.988	-73
195	10	21	4	37	4	37:31:12.727	126:55:50.028	-78
196	10	21	4	37	5	37:31:12.728	126:55:50.068	-78
197	10	21	4	37	6	37:31:12.761	126:55:50.068	-78
198	10	21	4	37	7	37:31:12.794	126:55:50.107	-82
199	10	21	4	37	8	37:31:12.794	126:55:50.148	-82
200	10	21	4	37	9	37:31:12.828	126:55:50.188	-82
201	10	21	4	37	10	37:31:12.861	126:55:50.228	-81
202	10	21	4	37	11	37:31:12.861	126:55:50.268	-81
203	10	21	4	37	12	37:31:12.895	126:55:50.308	-81
204	10	21	4	37	13	37:31:12.928	126:55:50.348	-79
205	10	21	4	37	14	37:31:12.961	126:55:50.388	-79
206	10	21	4	37	15	37:31:12.962	126:55:50.429	-79
207	10	21	4	37	16	37:31:12.995	126:55:50.468	-80
208	10	21	4	37	17	37:31:13.027	126:55:50.468	-80
209	10	21	4	37	18	37:31:13.028	126:55:50.508	-80
210	10	21	4	37	19	37:31:13.061	126:55:50.548	-82
211	10	21	4	37	20	37:31:13.094	126:55:50.588	-82
212	10	21	4	37	21	37:31:13.128	126:55:50.668	-82
평균 전계강도								-70.8




- 서비스 : NWA Street-canyon(Tx80)
- 측정일 : 2003년 10월 21일
- 측정장소 : 여의도 PATH3

순서	시간					측정위치		전계강도(dBm)
	월	일	시	분	초	위도	경도	
1	10	21	4	12	17	37:31:9.672	126:55:44.125	-74
2	10	21	4	12	18	37:31:9.703	126:55:44.083	-76
3	10	21	4	12	19	37:31:9.735	126:55:44.041	-75
4	10	21	4	12	20	37:31:9.767	126:55:44.000	-75
5	10	21	4	12	21	37:31:9.799	126:55:43.999	-75
6	10	21	4	12	22	37:31:9.831	126:55:43.957	-75
7	10	21	4	12	23	37:31:9.863	126:55:43.916	-75
8	10	21	4	12	24	37:31:9.894	126:55:43.874	-75
9	10	21	4	12	25	37:31:9.958	126:55:43.832	-76
10	10	21	4	12	26	37:31:9.990	126:55:43.790	-76
11	10	21	4	12	27	37:31:10.023	126:55:43.789	-76
12	10	21	4	12	28	37:31:10.054	126:55:43.747	-75
13	10	21	4	12	29	37:31:10.086	126:55:43.706	-75
14	10	21	4	12	30	37:31:10.118	126:55:43.664	-75
15	10	21	4	12	31	37:31:10.149	126:55:43.623	-74
16	10	21	4	12	32	37:31:10.181	126:55:43.581	-74
17	10	21	4	12	33	37:31:10.214	126:55:43.580	-74
18	10	21	4	12	34	37:31:10.245	126:55:43.538	-79
19	10	21	4	12	35	37:31:10.277	126:55:43.497	-79
20	10	21	4	12	36	37:31:10.309	126:55:43.455	-79
21	10	21	4	12	37	37:31:10.340	126:55:43.414	-92
22	10	21	4	12	38	37:31:10.372	126:55:43.372	-92
23	10	21	4	12	39	37:31:10.405	126:55:43.371	-92
24	10	21	4	12	40	37:31:10.469	126:55:43.329	-79
25	10	21	4	12	41	37:31:10.500	126:55:43.287	-79
26	10	21	4	12	42	37:31:10.532	126:55:43.245	-79
27	10	21	4	12	43	37:31:10.564	126:55:43.204	-58
28	10	21	4	12	44	37:31:10.596	126:55:43.162	-58
29	10	21	4	12	45	37:31:10.628	126:55:43.161	-58
30	10	21	4	12	46	37:31:10.660	126:55:43.120	-59
31	10	21	4	12	47	37:31:10.691	126:55:43.078	-59
32	10	21	4	12	48	37:31:10.723	126:55:43.036	-59
33	10	21	4	12	49	37:31:10.755	126:55:42.995	-66
34	10	21	4	12	50	37:31:10.787	126:55:42.953	-66
35	10	21	4	12	51	37:31:10.819	126:55:42.952	-66
36	10	21	4	12	52	37:31:10.851	126:55:42.911	-73
37	10	21	4	12	53	37:31:10.882	126:55:42.869	-73
38	10	21	4	12	54	37:31:10.914	126:55:42.828	-73
39	10	21	4	12	55	37:31:10.978	126:55:42.785	-69
40	10	21	4	12	56	37:31:11.010	126:55:42.743	-69
41	10	21	4	12	57	37:31:11.042	126:55:42.743	-69
42	10	21	4	12	58	37:31:11.074	126:55:42.701	-72
43	10	21	4	12	59	37:31:11.106	126:55:42.659	-72
44	10	21	4	13	0	37:31:11.138	126:55:42.618	-72
45	10	21	4	13	1	37:31:11.169	126:55:42.576	-70
46	10	21	4	13	2	37:31:11.201	126:55:42.534	-70
47	10	21	4	13	3	37:31:11.233	126:55:42.534	-70
48	10	21	4	13	4	37:31:11.265	126:55:42.492	-69
49	10	21	4	13	5	37:31:11.297	126:55:42.450	-69
50	10	21	4	13	6	37:31:11.329	126:55:42.409	-69
51	10	21	4	13	7	37:31:11.360	126:55:42.367	-69
52	10	21	4	13	8	37:31:11.392	126:55:42.325	-69

53	10	21	4	13	9	37:31:11.424	126:55:42.325	-69
54	10	21	4	13	10	37:31:11.489	126:55:42.282	-66
55	10	21	4	13	11	37:31:11.520	126:55:42.241	-66
56	10	21	4	13	12	37:31:11.552	126:55:42.199	-66
57	10	21	4	13	13	37:31:11.584	126:55:42.157	-67
58	10	21	4	13	14	37:31:11.615	126:55:42.116	-67
59	10	21	4	13	15	37:31:11.648	126:55:42.115	-67
60	10	21	4	13	16	37:31:11.680	126:55:42.073	-58
61	10	21	4	13	17	37:31:11.711	126:55:42.032	-58
62	10	21	4	13	18	37:31:11.743	126:55:41.990	-58
63	10	21	4	13	19	37:31:11.775	126:55:41.948	-61
64	10	21	4	13	20	37:31:11.806	126:55:41.907	-61
65	10	21	4	13	21	37:31:11.839	126:55:41.906	-61
66	10	21	4	13	22	37:31:11.871	126:55:41.864	-55
67	10	21	4	13	23	37:31:11.902	126:55:41.823	-55
68	10	21	4	13	24	37:31:11.934	126:55:41.781	-55
69	10	21	4	13	25	37:31:11.998	126:55:41.739	-69
70	10	21	4	13	26	37:31:12.030	126:55:41.697	-69
71	10	21	4	13	27	37:31:12.062	126:55:41.696	-69
72	10	21	4	13	28	37:31:12.094	126:55:41.654	-79
73	10	21	4	13	29	37:31:12.126	126:55:41.613	-79
74	10	21	4	13	30	37:31:12.157	126:55:41.571	-79
75	10	21	4	13	31	37:31:12.189	126:55:41.530	-79
76	10	21	4	13	32	37:31:12.221	126:55:41.488	-79
77	10	21	4	13	33	37:31:12.253	126:55:41.487	-79
78	10	21	4	13	34	37:31:12.285	126:55:41.445	-68
79	10	21	4	13	35	37:31:12.317	126:55:41.404	-68
80	10	21	4	13	36	37:31:12.348	126:55:41.362	-68
81	10	21	4	13	37	37:31:12.380	126:55:41.321	-67
82	10	21	4	13	38	37:31:12.412	126:55:41.279	-67
83	10	21	4	13	39	37:31:12.444	126:55:41.278	-67
84	10	21	4	13	40	37:31:12.508	126:55:41.236	-67
85	10	21	4	13	41	37:31:12.540	126:55:41.194	-67
86	10	21	4	13	42	37:31:12.572	126:55:41.152	-67
87	10	21	4	13	43	37:31:12.603	126:55:41.111	-68
88	10	21	4	13	44	37:31:12.635	126:55:41.069	-68
89	10	21	4	13	45	37:31:12.668	126:55:41.068	-68
90	10	21	4	13	46	37:31:12.699	126:55:41.027	-74
91	10	21	4	13	47	37:31:12.731	126:55:40.985	-74
92	10	21	4	13	48	37:31:12.763	126:55:40.943	-74
93	10	21	4	13	49	37:31:12.794	126:55:40.902	-68
94	10	21	4	13	50	37:31:12.826	126:55:40.860	-68
95	10	21	4	13	51	37:31:12.859	126:55:40.859	-68
96	10	21	4	13	52	37:31:12.890	126:55:40.818	-68
97	10	21	4	13	53	37:31:12.922	126:55:40.776	-68
98	10	21	4	13	54	37:31:12.954	126:55:40.735	-68
99	10	21	4	13	55	37:31:13.018	126:55:40.692	-78
100	10	21	4	13	56	37:31:13.050	126:55:40.650	-78
101	10	21	4	13	57	37:31:13.082	126:55:40.649	-78
102	10	21	4	13	58	37:31:13.114	126:55:40.608	-79
103	10	21	4	13	59	37:31:13.145	126:55:40.566	-79
104	10	21	4	14	0	37:31:13.177	126:55:40.525	-79
105	10	21	4	14	1	37:31:13.209	126:55:40.483	-72
106	10	21	4	14	2	37:31:13.241	126:55:40.441	-72
107	10	21	4	14	3	37:31:13.273	126:55:40.441	-72
108	10	21	4	14	4	37:31:13.305	126:55:40.399	-72
109	10	21	4	14	5	37:31:13.336	126:55:40.357	-72
110	10	21	4	14	6	37:31:13.368	126:55:40.316	-72

111	10	21	4	14	7	37:31:13.400	126:55:40.274	-89
112	10	21	4	14	8	37:31:13.432	126:55:40.232	-89
113	10	21	4	14	9	37:31:13.464	126:55:40.232	-89
114	10	21	4	14	10	37:31:13.496	126:55:40.190	-83
115	10	21	4	14	11	37:31:13.560	126:55:40.147	-83
116	10	21	4	14	12	37:31:13.592	126:55:40.106	-83
117	10	21	4	14	13	37:31:13.623	126:55:40.064	-78
118	10	21	4	14	14	37:31:13.655	126:55:40.023	-78
119	10	21	4	14	15	37:31:13.687	126:55:40.022	-78
120	10	21	4	14	16	37:31:13.719	126:55:39.980	-78
121	10	21	4	14	17	37:31:13.751	126:55:39.939	-78
122	10	21	4	14	18	37:31:13.783	126:55:39.897	-78
123	10	21	4	14	19	37:31:13.814	126:55:39.855	-80
124	10	21	4	14	20	37:31:13.846	126:55:39.814	-80
125	10	21	4	14	21	37:31:13.878	126:55:39.813	-80
126	10	21	4	14	22	37:31:13.910	126:55:39.771	-85
127	10	21	4	14	23	37:31:13.942	126:55:39.730	-85
128	10	21	4	14	24	37:31:13.974	126:55:39.688	-85
129	10	21	4	14	25	37:31:14.005	126:55:39.646	-80
130	10	21	4	14	26	37:31:14.069	126:55:39.604	-80
131	10	21	4	14	27	37:31:14.102	126:55:39.603	-80
132	10	21	4	14	28	37:31:14.134	126:55:39.561	-75
133	10	21	4	14	29	37:31:14.165	126:55:39.520	-75
134	10	21	4	14	30	37:31:14.197	126:55:39.478	-75
135	10	21	4	14	31	37:31:14.229	126:55:39.437	-88
136	10	21	4	14	32	37:31:14.260	126:55:39.395	-88
137	10	21	4	14	33	37:31:14.293	126:55:39.394	-88
138	10	21	4	14	34	37:31:14.325	126:55:39.352	-90
139	10	21	4	14	35	37:31:14.356	126:55:39.311	-90
140	10	21	4	14	36	37:31:14.388	126:55:39.269	-90
141	10	21	4	14	37	37:31:14.420	126:55:39.228	-78
142	10	21	4	14	38	37:31:14.451	126:55:39.186	-78
143	10	21	4	14	39	37:31:14.484	126:55:39.185	-78
144	10	21	4	14	40	37:31:14.516	126:55:39.143	-74
145	10	21	4	14	41	37:31:14.580	126:55:39.101	-74
146	10	21	4	14	42	37:31:14.611	126:55:39.059	-74
147	10	21	4	14	43	37:31:14.643	126:55:39.018	-79
148	10	21	4	14	44	37:31:14.675	126:55:38.976	-79
149	10	21	4	14	45	37:31:14.707	126:55:38.975	-79
150	10	21	4	14	46	37:31:14.739	126:55:38.934	-83
151	10	21	4	14	47	37:31:14.771	126:55:38.892	-83
152	10	21	4	14	48	37:31:14.802	126:55:38.850	-83
153	10	21	4	14	49	37:31:14.834	126:55:38.809	-78
154	10	21	4	14	50	37:31:14.866	126:55:38.767	-78
155	10	21	4	14	51	37:31:14.898	126:55:38.766	-78
156	10	21	4	14	52	37:31:14.930	126:55:38.725	-90
157	10	21	4	14	53	37:31:14.962	126:55:38.683	-90
158	10	21	4	14	54	37:31:14.993	126:55:38.641	-90
159	10	21	4	14	55	37:31:15.025	126:55:38.600	-71
160	10	21	4	14	56	37:31:15.089	126:55:38.557	-71
161	10	21	4	14	57	37:31:15.122	126:55:38.556	-71
162	10	21	4	14	58	37:31:15.153	126:55:38.515	-85
163	10	21	4	14	59	37:31:15.185	126:55:38.473	-85
164	10	21	4	15	0	37:31:15.217	126:55:38.432	-85
165	10	21	4	15	1	37:31:15.249	126:55:38.390	-82
166	10	21	4	15	2	37:31:15.280	126:55:38.348	-82
167	10	21	4	15	3	37:31:15.313	126:55:38.347	-82
168	10	21	4	15	4	37:31:15.344	126:55:38.306	-70

[illegible]



- 서비스 : NWA Street-canyon(Tx40)
- 측정일 : 2003년 10월 21일
- 측정장소 : 여의도 PATH3


순서	시간					측정위치		전계강도(dBm)
	월	일	시	분	초	위도	경도	
1	10	21	3	27	18	37:31:9.671	126:55:44.084	-75
2	10	21	3	27	19	37:31:9.703	126:55:44.042	-75
3	10	21	3	27	20	37:31:9.735	126:55:44.041	-75
4	10	21	3	27	21	37:31:9.767	126:55:44.000	-72
5	10	21	3	27	22	37:31:9.766	126:55:43.959	-72
6	10	21	3	27	23	37:31:9.798	126:55:43.958	-72
7	10	21	3	27	24	37:31:9.830	126:55:43.917	-71
8	10	21	3	27	25	37:31:9.862	126:55:43.875	-71
9	10	21	3	27	26	37:31:9.894	126:55:43.874	-71
10	10	21	3	27	27	37:31:9.926	126:55:43.832	-86
11	10	21	3	27	28	37:31:9.958	126:55:43.791	-86
12	10	21	3	27	29	37:31:9.990	126:55:43.790	-86
13	10	21	3	27	30	37:31:9.989	126:55:43.749	-86
14	10	21	3	27	31	37:31:10.021	126:55:43.708	-86
15	10	21	3	27	32	37:31:10.053	126:55:43.666	-86
16	10	21	3	27	33	37:31:10.085	126:55:43.665	-78
17	10	21	3	27	34	37:31:10.117	126:55:43.623	-78
18	10	21	3	27	35	37:31:10.149	126:55:43.582	-78
19	10	21	3	27	36	37:31:10.181	126:55:43.581	-86
20	10	21	3	27	37	37:31:10.213	126:55:43.539	-86
21	10	21	3	27	38	37:31:10.212	126:55:43.499	-86
22	10	21	3	27	39	37:31:10.245	126:55:43.498	-75
23	10	21	3	27	40	37:31:10.276	126:55:43.456	-75
24	10	21	3	27	41	37:31:10.308	126:55:43.415	-75
25	10	21	3	27	42	37:31:10.340	126:55:43.414	-79
26	10	21	3	27	43	37:31:10.372	126:55:43.372	-79
27	10	21	3	27	44	37:31:10.404	126:55:43.330	-79
28	10	21	3	27	45	37:31:10.436	126:55:43.330	-80
29	10	21	3	27	46	37:31:10.436	126:55:43.289	-80
30	10	21	3	27	47	37:31:10.467	126:55:43.247	-80
31	10	21	3	27	48	37:31:10.500	126:55:43.246	-71
32	10	21	3	27	49	37:31:10.531	126:55:43.205	-71
33	10	21	3	27	50	37:31:10.563	126:55:43.163	-71
34	10	21	3	27	51	37:31:10.596	126:55:43.162	-77
35	10	21	3	27	52	37:31:10.627	126:55:43.121	-77
36	10	21	3	27	53	37:31:10.659	126:55:43.079	-77
37	10	21	3	27	54	37:31:10.658	126:55:43.038	-82
38	10	21	3	27	55	37:31:10.691	126:55:43.037	-82
39	10	21	3	27	56	37:31:10.722	126:55:42.996	-82
40	10	21	3	27	57	37:31:10.754	126:55:42.954	-70
41	10	21	3	27	58	37:31:10.787	126:55:42.953	-70
42	10	21	3	27	59	37:31:10.818	126:55:42.912	-70
43	10	21	3	28	0	37:31:10.850	126:55:42.870	-68
44	10	21	3	28	1	37:31:10.850	126:55:42.870	-68
45	10	21	3	28	2	37:31:10.882	126:55:42.828	-68
46	10	21	3	28	3	37:31:10.913	126:55:42.787	-77
47	10	21	3	28	4	37:31:10.946	126:55:42.786	-77
48	10	21	3	28	5	37:31:10.978	126:55:42.744	-77
49	10	21	3	28	6	37:31:11.009	126:55:42.703	-72
50	10	21	3	28	7	37:31:11.042	126:55:42.702	-72
51	10	21	3	28	8	37:31:11.073	126:55:42.660	-72
52	10	21	3	28	9	37:31:11.105	126:55:42.619	-72

53	10	21	3	28	10	37:31:11.105	126:55:42.619	-72
54	10	21	3	28	11	37:31:11.137	126:55:42.577	-72
55	10	21	3	28	12	37:31:11.169	126:55:42.535	-66
56	10	21	3	28	13	37:31:11.201	126:55:42.534	-66
57	10	21	3	28	14	37:31:11.233	126:55:42.493	-66
58	10	21	3	28	15	37:31:11.264	126:55:42.451	-70
59	10	21	3	28	16	37:31:11.296	126:55:42.410	-70
60	10	21	3	28	17	37:31:11.296	126:55:42.410	-70
61	10	21	3	28	18	37:31:11.328	126:55:42.368	-63
62	10	21	3	28	19	37:31:11.360	126:55:42.326	-63
63	10	21	3	28	20	37:31:11.392	126:55:42.326	-63
64	10	21	3	28	21	37:31:11.424	126:55:42.284	-63
65	10	21	3	28	22	37:31:11.455	126:55:42.242	-63
66	10	21	3	28	23	37:31:11.488	126:55:42.241	-63
67	10	21	3	28	24	37:31:11.520	126:55:42.200	-70
68	10	21	3	28	25	37:31:11.519	126:55:42.159	-70
69	10	21	3	28	26	37:31:11.551	126:55:42.158	-70
70	10	21	3	28	27	37:31:11.583	126:55:42.117	-66
71	10	21	3	28	28	37:31:11.615	126:55:42.075	-66
72	10	21	3	28	29	37:31:11.647	126:55:42.074	-66
73	10	21	3	28	30	37:31:11.679	126:55:42.032	-74
74	10	21	3	28	31	37:31:11.711	126:55:41.991	-74
75	10	21	3	28	32	37:31:11.743	126:55:41.990	-74
76	10	21	3	28	33	37:31:11.742	126:55:41.949	-60
77	10	21	3	28	34	37:31:11.774	126:55:41.908	-60
78	10	21	3	28	35	37:31:11.806	126:55:41.907	-60
79	10	21	3	28	36	37:31:11.838	126:55:41.865	-63
80	10	21	3	28	37	37:31:11.870	126:55:41.824	-63
81	10	21	3	28	38	37:31:11.902	126:55:41.782	-63
82	10	21	3	28	39	37:31:11.934	126:55:41.781	-56
83	10	21	3	28	40	37:31:11.933	126:55:41.740	-56
84	10	21	3	28	41	37:31:11.965	126:55:41.699	-56
85	10	21	3	28	42	37:31:11.997	126:55:41.698	-56
86	10	21	3	28	43	37:31:12.029	126:55:41.656	-56
87	10	21	3	28	44	37:31:12.061	126:55:41.615	-56
88	10	21	3	28	45	37:31:12.093	126:55:41.614	-54
89	10	21	3	28	46	37:31:12.125	126:55:41.572	-54
90	10	21	3	28	47	37:31:12.157	126:55:41.530	-54
91	10	21	3	28	48	37:31:12.157	126:55:41.530	-53
92	10	21	3	28	49	37:31:12.188	126:55:41.489	-53
93	10	21	3	28	50	37:31:12.220	126:55:41.447	-53
94	10	21	3	28	51	37:31:12.252	126:55:41.446	-47
95	10	21	3	28	52	37:31:12.284	126:55:41.405	-47
96	10	21	3	28	53	37:31:12.316	126:55:41.363	-47
97	10	21	3	28	54	37:31:12.348	126:55:41.362	-71
98	10	21	3	28	55	37:31:12.380	126:55:41.321	-71
99	10	21	3	28	56	37:31:12.379	126:55:41.280	-71
100	10	21	3	28	57	37:31:12.412	126:55:41.279	-67
101	10	21	3	28	58	37:31:12.443	126:55:41.237	-67
102	10	21	3	28	59	37:31:12.475	126:55:41.196	-67
103	10	21	3	29	0	37:31:12.507	126:55:41.154	-64
104	10	21	3	29	1	37:31:12.539	126:55:41.153	-64
105	10	21	3	29	2	37:31:12.571	126:55:41.112	-64
106	10	21	3	29	3	37:31:12.603	126:55:41.070	-60
107	10	21	3	29	4	37:31:12.603	126:55:41.070	-60
108	10	21	3	29	5	37:31:12.634	126:55:41.028	-60
109	10	21	3	29	6	37:31:12.666	126:55:40.987	-51
110	10	21	3	29	7	37:31:12.698	126:55:40.986	-51

111	10	21	3	29	8	37:31:12.730	126:55:40.944	-51
112	10	21	3	29	9	37:31:12.762	126:55:40.903	-60
113	10	21	3	29	10	37:31:12.794	126:55:40.902	-60
114	10	21	3	29	11	37:31:12.826	126:55:40.860	-60
115	10	21	3	29	12	37:31:12.825	126:55:40.820	-53
116	10	21	3	29	13	37:31:12.858	126:55:40.819	-53
117	10	21	3	29	14	37:31:12.890	126:55:40.777	-53
118	10	21	3	29	15	37:31:12.921	126:55:40.735	-54
119	10	21	3	29	16	37:31:12.954	126:55:40.735	-54
120	10	21	3	29	17	37:31:12.985	126:55:40.693	-54
121	10	21	3	29	18	37:31:13.017	126:55:40.651	-64
122	10	21	3	29	19	37:31:13.017	126:55:40.651	-64
123	10	21	3	29	20	37:31:13.049	126:55:40.610	-64
124	10	21	3	29	21	37:31:13.081	126:55:40.568	-54
125	10	21	3	29	22	37:31:13.112	126:55:40.526	-54
126	10	21	3	29	23	37:31:13.145	126:55:40.526	-54
127	10	21	3	29	24	37:31:13.176	126:55:40.484	-56
128	10	21	3	29	25	37:31:13.208	126:55:40.442	-56
129	10	21	3	29	26	37:31:13.241	126:55:40.441	-56
130	10	21	3	29	27	37:31:13.240	126:55:40.401	-54
131	10	21	3	29	28	37:31:13.272	126:55:40.359	-54
132	10	21	3	29	29	37:31:13.304	126:55:40.358	-54
133	10	21	3	29	30	37:31:13.336	126:55:40.317	-57
134	10	21	3	29	31	37:31:13.367	126:55:40.275	-57
135	10	21	3	29	32	37:31:13.400	126:55:40.274	-57
136	10	21	3	29	33	37:31:13.432	126:55:40.232	-58
137	10	21	3	29	34	37:31:13.463	126:55:40.191	-58
138	10	21	3	29	35	37:31:13.463	126:55:40.191	-58
139	10	21	3	29	36	37:31:13.495	126:55:40.149	-70
140	10	21	3	29	37	37:31:13.527	126:55:40.108	-70
141	10	21	3	29	38	37:31:13.559	126:55:40.107	-70
142	10	21	3	29	39	37:31:13.591	126:55:40.065	-76
143	10	21	3	29	40	37:31:13.623	126:55:40.024	-76
144	10	21	3	29	41	37:31:13.655	126:55:40.023	-76
145	10	21	3	29	42	37:31:13.687	126:55:39.981	-67
146	10	21	3	29	43	37:31:13.686	126:55:39.940	-67
147	10	21	3	29	44	37:31:13.718	126:55:39.899	-67
148	10	21	3	29	45	37:31:13.750	126:55:39.898	-75
149	10	21	3	29	46	37:31:13.782	126:55:39.856	-75
150	10	21	3	29	47	37:31:13.814	126:55:39.815	-75
151	10	21	3	29	48	37:31:13.846	126:55:39.814	-70
152	10	21	3	29	49	37:31:13.878	126:55:39.772	-70
153	10	21	3	29	50	37:31:13.909	126:55:39.730	-70
154	10	21	3	29	51	37:31:13.909	126:55:39.730	-65
155	10	21	3	29	52	37:31:13.941	126:55:39.689	-65
156	10	21	3	29	53	37:31:13.973	126:55:39.647	-65
157	10	21	3	29	54	37:31:14.005	126:55:39.646	-76
158	10	21	3	29	55	37:31:14.037	126:55:39.605	-76
159	10	21	3	29	56	37:31:14.069	126:55:39.563	-76
160	10	21	3	29	57	37:31:14.101	126:55:39.562	-73
161	10	21	3	29	58	37:31:14.133	126:55:39.521	-73
162	10	21	3	29	59	37:31:14.132	126:55:39.480	-73
163	10	21	3	30	0	37:31:14.165	126:55:39.479	-89
164	10	21	3	30	1	37:31:14.196	126:55:39.437	-89
165	10	21	3	30	2	37:31:14.228	126:55:39.396	-89
166	10	21	3	30	3	37:31:14.260	126:55:39.395	-78
167	10	21	3	30	4	37:31:14.292	126:55:39.353	-78
168	10	21	3	30	5	37:31:14.324	126:55:39.312	-78

169	10	21	3	30	6	37:31:14.323	126:55:39.271	-75
170	10	21	3	30	7	37:31:14.356	126:55:39.270	-75
171	10	21	3	30	8	37:31:14.387	126:55:39.228	-75
172	10	21	3	30	9	37:31:14.419	126:55:39.187	-73
173	10	21	3	30	10	37:31:14.451	126:55:39.186	-73
174	10	21	3	30	11	37:31:14.483	126:55:39.144	-73
175	10	21	3	30	12	37:31:14.515	126:55:39.103	-75
176	10	21	3	30	13	37:31:14.547	126:55:39.102	-75
177	10	21	3	30	14	37:31:14.547	126:55:39.061	-75
178	10	21	3	30	15	37:31:14.578	126:55:39.020	-73
179	10	21	3	30	16	37:31:14.611	126:55:39.019	-73
180	10	21	3	30	17	37:31:14.642	126:55:38.977	-73
181	10	21	3	30	18	37:31:14.674	126:55:38.935	-78
182	10	21	3	30	19	37:31:14.707	126:55:38.935	-78
183	10	21	3	30	20	37:31:14.738	126:55:38.893	-78
184	10	21	3	30	21	37:31:14.770	126:55:38.851	-72
185	10	21	3	30	22	37:31:14.770	126:55:38.851	-72
186	10	21	3	30	23	37:31:14.802	126:55:38.810	-72
187	10	21	3	30	24	37:31:14.833	126:55:38.768	-76
188	10	21	3	30	25	37:31:14.866	126:55:38.767	-76
189	10	21	3	30	26	37:31:14.898	126:55:38.726	-76
190	10	21	3	30	27	37:31:14.929	126:55:38.684	-85
191	10	21	3	30	28	37:31:14.961	126:55:38.642	-85
192	10	21	3	30	29	37:31:14.993	126:55:38.641	-85
193	10	21	3	30	30	37:31:14.993	126:55:38.601	-84
194	10	21	3	30	31	37:31:15.024	126:55:38.559	-84
195	10	21	3	30	32	37:31:15.057	126:55:38.558	-84
196	10	21	3	30	33	37:31:15.089	126:55:38.517	-80
197	10	21	3	30	34	37:31:15.120	126:55:38.475	-80
198	10	21	3	30	35	37:31:15.153	126:55:38.474	-80
199	10	21	3	30	36	37:31:15.184	126:55:38.433	-77
200	10	21	3	30	37	37:31:15.216	126:55:38.391	-77
201	10	21	3	30	38	37:31:15.216	126:55:38.391	-77
202	10	21	3	30	39	37:31:15.248	126:55:38.349	-82
203	10	21	3	30	40	37:31:15.280	126:55:38.308	-82
204	10	21	3	30	41	37:31:15.312	126:55:38.307	-82
205	10	21	3	30	42	37:31:15.344	126:55:38.265	-79
206	10	21	3	30	43	37:31:15.375	126:55:38.224	-79
207	10	21	3	30	44	37:31:15.408	126:55:38.223	-79
208	10	21	3	30	45	37:31:15.407	126:55:38.182	-80
209	10	21	3	30	46	37:31:15.439	126:55:38.140	-80
210	10	21	3	30	47	37:31:15.471	126:55:38.139	-80
211	10	21	3	30	48	37:31:15.503	126:55:38.098	-80
212	10	21	3	30	49	37:31:15.535	126:55:38.056	-80
213	10	21	3	30	50	37:31:15.566	126:55:38.015	-80
214	10	21	3	30	51	37:31:15.599	126:55:38.014	-82
215	10	21	3	30	52	37:31:15.630	126:55:37.972	-82
216	10	21	3	30	53	37:31:15.630	126:55:37.931	-82
217	10	21	3	30	54	37:31:15.662	126:55:37.930	-81
218	10	21	3	30	55	37:31:15.694	126:55:37.889	-81
219	10	21	3	30	56	37:31:15.726	126:55:37.847	-81
220	10	21	3	30	57	37:31:15.758	126:55:37.846	-82
221	10	21	3	30	58	37:31:15.790	126:55:37.805	-82
222	10	21	3	30	59	37:31:15.821	126:55:37.763	-82
223	10	21	3	31	0	37:31:15.854	126:55:37.762	-85
224	10	21	3	31	1	37:31:15.853	126:55:37.722	-85
225	10	21	3	31	2	37:31:15.885	126:55:37.680	-85
226	10	21	3	31	3	37:31:15.917	126:55:37.670	-77

227	10	21	3	31	4	37:31:15.949	126:55:37.637	-77
228	10	21	3	31	5	37:31:15.981	126:55:37.596	-77
229	10	21	3	31	6	37:31:16.013	126:55:37.595	-79
230	10	21	3	31	7	37:31:16.045	126:55:37.553	-79
231	10	21	3	31	8	37:31:16.077	126:55:37.512	-79
232	10	21	3	31	9	37:31:16.077	126:55:37.512	-81
233	10	21	3	31	10	37:31:16.108	126:55:37.470	-81
234	10	21	3	31	11	37:31:16.140	126:55:37.428	-81
235	10	21	3	31	12	37:31:16.172	126:55:37.387	-89
236	10	21	3	31	13	37:31:16.204	126:55:37.386	-89
237	10	21	3	31	14	37:31:16.236	126:55:37.344	-89
238	10	21	3	31	15	37:31:16.268	126:55:37.303	-81
239	10	21	3	31	16	37:31:16.300	126:55:37.302	-81
240	10	21	3	31	17	37:31:16.299	126:55:37.261	-81
241	10	21	3	31	18	37:31:16.331	126:55:37.220	-93
242	10	21	3	31	19	37:31:16.395	126:55:37.177	-93
평균 전계강도								-71.5



- 서비스 : NWA nlos Tx80
- 측정일 : 2003년 10월 21일
- 측정장소 : 여의도 path2

순서	시간					측정위치		전계강도(dBm)
	월	일	시	분	초	위도	경도	
1	10	21	3	55	13	37:31:15.540	126:55:45.755	-63
2	10	21	3	55	14	37:31:15.508	126:55:45.796	-62
3	10	21	3	55	15	37:31:15.477	126:55:45.838	-62
4	10	21	3	55	16	37:31:15.444	126:55:45.839	-65
5	10	21	3	55	17	37:31:15.412	126:55:45.880	-78
6	10	21	3	55	18	37:31:15.381	126:55:45.922	-78
7	10	21	3	55	19	37:31:15.349	126:55:45.963	-70
8	10	21	3	55	20	37:31:15.317	126:55:45.964	-70
9	10	21	3	55	21	37:31:15.285	126:55:46.006	-70
10	10	21	3	55	22	37:31:15.253	126:55:46.048	-53
11	10	21	3	55	23	37:31:15.221	126:55:46.089	-53
12	10	21	3	55	24	37:31:15.189	126:55:46.090	-56
13	10	21	3	55	25	37:31:15.157	126:55:46.132	-56
14	10	21	3	55	26	37:31:15.126	126:55:46.173	-56
15	10	21	3	55	27	37:31:15.094	126:55:46.215	-54
16	10	21	3	55	28	37:31:15.061	126:55:46.216	-54
17	10	21	3	55	29	37:31:15.030	126:55:46.257	-54
18	10	21	3	55	30	37:31:14.998	126:55:46.299	-51
19	10	21	3	55	31	37:31:14.966	126:55:46.341	-51
20	10	21	3	55	32	37:31:14.934	126:55:46.342	-51
21	10	21	3	55	33	37:31:14.902	126:55:46.383	-59
22	10	21	3	55	34	37:31:14.870	126:55:46.425	-59
23	10	21	3	55	35	37:31:14.839	126:55:46.466	-59
24	10	21	3	55	36	37:31:14.806	126:55:46.467	-35
25	10	21	3	55	37	37:31:14.775	126:55:46.509	-35
26	10	21	3	55	38	37:31:14.743	126:55:46.551	-35
27	10	21	3	55	39	37:31:14.711	126:55:46.592	-45
28	10	21	3	55	40	37:31:14.679	126:55:46.593	-45
29	10	21	3	55	41	37:31:14.647	126:55:46.635	-45
30	10	21	3	55	42	37:31:14.615	126:55:46.676	-46
31	10	21	3	55	43	37:31:14.584	126:55:46.718	-46
32	10	21	3	55	44	37:31:14.551	126:55:46.719	-46
33	10	21	3	55	45	37:31:14.519	126:55:46.760	-45
34	10	21	3	55	46	37:31:14.488	126:55:46.802	-45
35	10	21	3	55	47	37:31:14.456	126:55:46.844	-45
36	10	21	3	55	48	37:31:14.424	126:55:46.844	-47
37	10	21	3	55	49	37:31:14.392	126:55:46.886	-47
38	10	21	3	55	50	37:31:14.360	126:55:46.928	-47
39	10	21	3	55	51	37:31:14.328	126:55:46.969	-57
40	10	21	3	55	52	37:31:14.296	126:55:46.970	-57
41	10	21	3	55	53	37:31:14.264	126:55:47.012	-57
42	10	21	3	55	54	37:31:14.233	126:55:47.053	-69
43	10	21	3	55	55	37:31:14.201	126:55:47.095	-69
44	10	21	3	55	56	37:31:14.169	126:55:47.137	-69
45	10	21	3	55	57	37:31:14.137	126:55:47.138	-65
46	10	21	3	55	58	37:31:14.105	126:55:47.179	-65
47	10	21	3	55	59	37:31:14.073	126:55:47.221	-65
48	10	21	3	56	0	37:31:14.042	126:55:47.262	-63
49	10	21	3	56	1	37:31:14.009	126:55:47.263	-63
50	10	21	3	56	2	37:31:13.977	126:55:47.305	-63
51	10	21	3	56	3	37:31:13.946	126:55:47.346	-55
52	10	21	3	56	4	37:31:13.914	126:55:47.388	-55

53	10	21	3	56	5	37:31:13.882	126:55:47.389	-55
54	10	21	3	56	6	37:31:13.850	126:55:47.431	-73
55	10	21	3	56	7	37:31:13.786	126:55:47.473	-73
56	10	21	3	56	8	37:31:13.754	126:55:47.515	-73
57	10	21	3	56	9	37:31:13.722	126:55:47.516	-54
58	10	21	3	56	10	37:31:13.690	126:55:47.557	-54
59	10	21	3	56	11	37:31:13.658	126:55:47.599	-54
60	10	21	3	56	12	37:31:13.626	126:55:47.640	-62
61	10	21	3	56	13	37:31:13.594	126:55:47.641	-62
62	10	21	3	56	14	37:31:13.562	126:55:47.683	-62
63	10	21	3	56	15	37:31:13.531	126:55:47.725	-59
64	10	21	3	56	16	37:31:13.499	126:55:47.766	-59
65	10	21	3	56	17	37:31:13.466	126:55:47.767	-59
66	10	21	3	56	18	37:31:13.435	126:55:47.809	-70
67	10	21	3	56	19	37:31:13.403	126:55:47.850	-70
68	10	21	3	56	20	37:31:13.371	126:55:47.892	-70
69	10	21	3	56	21	37:31:13.339	126:55:47.893	-62
70	10	21	3	56	22	37:31:13.307	126:55:47.934	-62
71	10	21	3	56	23	37:31:13.275	126:55:47.976	-62
72	10	21	3	56	24	37:31:13.244	126:55:48.018	-62
73	10	21	3	56	25	37:31:13.211	126:55:48.018	-62
74	10	21	3	56	26	37:31:13.180	126:55:48.060	-62
75	10	21	3	56	27	37:31:13.148	126:55:48.102	-60
76	10	21	3	56	28	37:31:13.116	126:55:48.143	-60
77	10	21	3	56	29	37:31:13.084	126:55:48.144	-60
78	10	21	3	56	30	37:31:13.052	126:55:48.186	-61
79	10	21	3	56	31	37:31:13.020	126:55:48.227	-61
80	10	21	3	56	32	37:31:12.989	126:55:48.269	-61
81	10	21	3	56	33	37:31:12.956	126:55:48.270	-72
82	10	21	3	56	34	37:31:12.924	126:55:48.312	-72
83	10	21	3	56	35	37:31:12.893	126:55:48.353	-72
84	10	21	3	56	36	37:31:12.861	126:55:48.395	-66
85	10	21	3	56	37	37:31:12.829	126:55:48.396	-66
86	10	21	3	56	38	37:31:12.797	126:55:48.437	-66
87	10	21	3	56	39	37:31:12.765	126:55:48.479	-72
88	10	21	3	56	40	37:31:12.733	126:55:48.520	-72
89	10	21	3	56	41	37:31:12.702	126:55:48.562	-72
90	10	21	3	56	42	37:31:12.669	126:55:48.563	-70
91	10	21	3	56	43	37:31:12.638	126:55:48.605	-70
92	10	21	3	56	44	37:31:12.606	126:55:48.646	-70
93	10	21	3	56	45	37:31:12.574	126:55:48.688	-71
94	10	21	3	56	46	37:31:12.542	126:55:48.689	-71
95	10	21	3	56	47	37:31:12.510	126:55:48.730	-71
96	10	21	3	56	48	37:31:12.478	126:55:48.772	-62
97	10	21	3	56	49	37:31:12.447	126:55:48.814	-62
98	10	21	3	56	50	37:31:12.414	126:55:48.814	-62
99	10	21	3	56	51	37:31:12.382	126:55:48.856	-75
100	10	21	3	56	52	37:31:12.351	126:55:48.898	-75
101	10	21	3	56	53	37:31:12.319	126:55:48.939	-75
102	10	21	3	56	54	37:31:12.287	126:55:48.940	-73
103	10	21	3	56	55	37:31:12.255	126:55:48.982	-73
104	10	21	3	56	56	37:31:12.223	126:55:49.023	-73
105	10	21	3	56	57	37:31:12.191	126:55:49.065	-73
106	10	21	3	56	58	37:31:12.159	126:55:49.066	-73
107	10	21	3	56	59	37:31:12.127	126:55:49.107	-73
108	10	21	3	57	0	37:31:12.096	126:55:49.149	-70
109	10	21	3	57	1	37:31:12.064	126:55:49.191	-70
110	10	21	3	57	2	37:31:12.031	126:55:49.192	-70

111	10	21	3	57	3	37:31:12.000	126:55:49.233	-70
112	10	21	3	57	4	37:31:11.968	126:55:49.275	-70
113	10	21	3	57	5	37:31:11.936	126:55:49.316	-70
114	10	21	3	57	6	37:31:11.904	126:55:49.317	-72
115	10	21	3	57	7	37:31:11.872	126:55:49.359	-72
116	10	21	3	57	8	37:31:11.840	126:55:49.401	-72
117	10	21	3	57	9	37:31:11.809	126:55:49.442	-81
118	10	21	3	57	10	37:31:11.776	126:55:49.443	-81
119	10	21	3	57	11	37:31:11.745	126:55:49.485	-81
120	10	21	3	57	12	37:31:11.713	126:55:49.526	-68
121	10	21	3	57	13	37:31:11.681	126:55:49.568	-68
122	10	21	3	57	14	37:31:11.649	126:55:49.569	-68
123	10	21	3	57	15	37:31:11.617	126:55:49.610	-81
124	10	21	3	57	16	37:31:11.585	126:55:49.652	-81
125	10	21	3	57	17	37:31:11.554	126:55:49.694	-81
126	10	21	3	57	18	37:31:11.521	126:55:49.694	-76
127	10	21	3	57	19	37:31:11.489	126:55:49.736	-76
128	10	21	3	57	20	37:31:11.458	126:55:49.778	-76
129	10	21	3	57	21	37:31:11.426	126:55:49.819	-81
130	10	21	3	57	22	37:31:11.394	126:55:49.861	-81
131	10	21	3	57	23	37:31:11.362	126:55:49.862	-81
132	10	21	3	57	24	37:31:11.330	126:55:49.903	-80
133	10	21	3	57	25	37:31:11.298	126:55:49.945	-80
134	10	21	3	57	26	37:31:11.267	126:55:49.987	-80
135	10	21	3	57	27	37:31:11.234	126:55:49.988	-75
136	10	21	3	57	28	37:31:11.203	126:55:50.029	-75
137	10	21	3	57	29	37:31:11.171	126:55:50.071	-75
138	10	21	3	57	30	37:31:11.139	126:55:50.112	-76
139	10	21	3	57	31	37:31:11.107	126:55:50.113	-76
140	10	21	3	57	32	37:31:11.075	126:55:50.155	-76
141	10	21	3	57	33	37:31:11.043	126:55:50.196	-78
142	10	21	3	57	34	37:31:11.012	126:55:50.238	-78
143	10	21	3	57	35	37:31:10.979	126:55:50.239	-78
144	10	21	3	57	36	37:31:10.947	126:55:50.281	-89
145	10	21	3	57	37	37:31:10.916	126:55:50.322	-89
146	10	21	3	57	38	37:31:10.884	126:55:50.364	-89
147	10	21	3	57	39	37:31:10.852	126:55:50.365	-83
148	10	21	3	57	40	37:31:10.820	126:55:50.406	-83
149	10	21	3	57	41	37:31:10.788	126:55:50.448	-83
150	10	21	3	57	42	37:31:10.756	126:55:50.489	-80
151	10	21	3	57	43	37:31:10.724	126:55:50.490	-80
152	10	21	3	57	44	37:31:10.692	126:55:50.532	-80
153	10	21	3	57	45	37:31:10.661	126:55:50.574	-77
154	10	21	3	57	46	37:31:10.629	126:55:50.615	-77
155	10	21	3	57	47	37:31:10.596	126:55:50.616	-77
156	10	21	3	57	48	37:31:10.565	126:55:50.658	-77
157	10	21	3	57	49	37:31:10.533	126:55:50.699	-77
158	10	21	3	57	50	37:31:10.501	126:55:50.741	-77
159	10	21	3	57	51	37:31:10.469	126:55:50.742	-96
160	10	21	3	57	52	37:31:10.437	126:55:50.783	-96
161	10	21	3	57	53	37:31:10.373	126:55:50.826	-96
162	10	21	3	57	54	37:31:10.341	126:55:50.868	-90
163	10	21	3	57	55	37:31:10.309	126:55:50.868	-90
164	10	21	3	57	56	37:31:10.277	126:55:50.910	-90
165	10	21	3	57	57	37:31:10.245	126:55:50.952	-89
166	10	21	3	57	58	37:31:10.214	126:55:50.993	-89
167	10	21	3	57	59	37:31:10.181	126:55:50.994	-89
168	10	21	3	57	60	37:31:10.150	126:55:51.036	-88

169	10	21	3	58	1	37:31:10.118	126:55:51.077	-80
170	10	21	3	58	2	37:31:10.086	126:55:51.119	-80
171	10	21	3	58	3	37:31:10.054	126:55:51.120	-82
172	10	21	3	58	4	37:31:10.022	126:55:51.161	-82
173	10	21	3	58	5	37:31:9.990	126:55:51.203	-82
174	10	21	3	58	6	37:31:9.959	126:55:51.245	-86
175	10	21	3	58	7	37:31:9.927	126:55:51.286	-86
176	10	21	3	58	8	37:31:9.894	126:55:51.287	-86
177	10	21	3	58	9	37:31:9.863	126:55:51.329	-85
178	10	21	3	58	10	37:31:9.831	126:55:51.370	-85
179	10	21	3	58	11	37:31:9.799	126:55:51.412	-85
180	10	21	3	58	12	37:31:9.767	126:55:51.413	-81
181	10	21	3	58	13	37:31:9.735	126:55:51.455	-81
182	10	21	3	58	14	37:31:9.703	126:55:51.496	-81
183	10	21	3	58	15	37:31:9.672	126:55:51.538	-84
184	10	21	3	58	16	37:31:9.639	126:55:51.539	-84
185	10	21	3	58	17	37:31:9.608	126:55:51.580	-84
186	10	21	3	58	18	37:31:9.576	126:55:51.622	-81
187	10	21	3	58	19	37:31:9.544	126:55:51.663	-81
188	10	21	3	58	20	37:31:9.512	126:55:51.664	-81
189	10	21	3	58	21	37:31:9.480	126:55:51.706	-83
190	10	21	3	58	22	37:31:9.448	126:55:51.748	-83
191	10	21	3	58	23	37:31:9.417	126:55:51.789	-83
192	10	21	3	58	24	37:31:9.384	126:55:51.790	-84
193	10	21	3	58	25	37:31:9.352	126:55:51.832	-84
194	10	21	3	58	26	37:31:9.321	126:55:51.873	-84
195	10	21	3	58	27	37:31:9.289	126:55:51.915	-81
196	10	21	3	58	28	37:31:9.257	126:55:51.916	-81
197	10	21	3	58	29	37:31:9.225	126:55:51.957	-81
198	10	21	3	58	30	37:31:9.193	126:55:51.999	-90
199	10	21	3	58	31	37:31:9.161	126:55:52.041	-90
200	10	21	3	58	32	37:31:9.129	126:55:52.042	-90
201	10	21	3	58	33	37:31:9.097	126:55:52.083	-88
202	10	21	3	58	34	37:31:9.066	126:55:52.125	-88
203	10	21	3	58	35	37:31:9.034	126:55:52.166	-88
204	10	21	3	58	36	37:31:9.001	126:55:52.167	-82
205	10	21	3	58	37	37:31:8.970	126:55:52.209	-82
206	10	21	3	58	38	37:31:8.938	126:55:52.250	-82
207	10	21	3	58	39	37:31:8.906	126:55:52.292	-85
208	10	21	3	58	40	37:31:8.874	126:55:52.293	-85
209	10	21	3	58	41	37:31:8.842	126:55:52.335	-85
210	10	21	3	58	42	37:31:8.810	126:55:52.376	-79
211	10	21	3	58	43	37:31:8.779	126:55:52.418	-79
212	10	21	3	58	44	37:31:8.746	126:55:52.419	-79
213	10	21	3	58	45	37:31:8.683	126:55:52.502	-81
214	10	21	3	58	46	37:31:7.347	126:55:50.299	-62
215	10	21	3	58	47	37:31:7.378	126:55:50.257	-64
216	10	21	3	58	48	37:31:7.410	126:55:50.215	-66
217	10	21	3	58	49	37:31:7.442	126:55:50.214	-66
218	10	21	3	58	50	37:31:7.474	126:55:50.173	-66
219	10	21	3	58	51	37:31:7.506	126:55:50.131	-57
220	10	21	3	58	52	37:31:7.538	126:55:50.090	-57
221	10	21	3	58	53	37:31:7.602	126:55:50.047	-57
222	10	21	3	58	54	37:31:7.634	126:55:50.046	-58
223	10	21	3	58	55	37:31:7.666	126:55:50.005	-58
224	10	21	3	58	56	37:31:7.698	126:55:49.963	-58
225	10	21	3	58	57	37:31:7.729	126:55:49.921	-65
226	10	21	3	58	58	37:31:7.761	126:55:49.880	-65

227	10	21	3	58	59	37:31:7.793	126:55:49.879	-65
228	10	21	3	59	0	37:31:7.825	126:55:49.837	-66
229	10	21	3	59	1	37:31:7.857	126:55:49.796	-66
230	10	21	3	59	2	37:31:7.889	126:55:49.754	-66
231	10	21	3	59	3	37:31:7.920	126:55:49.712	-59
232	10	21	3	59	4	37:31:7.952	126:55:49.671	-59
233	10	21	3	59	5	37:31:7.984	126:55:49.670	-59
234	10	21	3	59	6	37:31:8.016	126:55:49.628	-57
235	10	21	3	59	7	37:31:8.048	126:55:49.587	-57
236	10	21	3	59	8	37:31:8.112	126:55:49.544	-57
237	10	21	3	59	9	37:31:8.144	126:55:49.503	-64
238	10	21	3	59	10	37:31:8.176	126:55:49.502	-64
239	10	21	3	59	11	37:31:8.208	126:55:49.460	-64
240	10	21	3	59	12	37:31:8.240	126:55:49.419	-62
241	10	21	3	59	13	37:31:8.271	126:55:49.377	-62
242	10	21	3	59	14	37:31:8.303	126:55:49.335	-62
243	10	21	3	59	15	37:31:8.335	126:55:49.334	-64
244	10	21	3	59	16	37:31:8.367	126:55:49.293	-64
245	10	21	3	59	17	37:31:8.399	126:55:49.251	-64
246	10	21	3	59	18	37:31:8.431	126:55:49.210	-60
247	10	21	3	59	19	37:31:8.462	126:55:49.168	-60
248	10	21	3	59	20	37:31:8.495	126:55:49.167	-60
249	10	21	3	59	21	37:31:8.526	126:55:49.125	-64
250	10	21	3	59	22	37:31:8.591	126:55:49.083	-64
251	10	21	3	59	23	37:31:8.622	126:55:49.041	-64
252	10	21	3	59	24	37:31:8.654	126:55:49.000	-56
253	10	21	3	59	25	37:31:8.686	126:55:48.999	-56
254	10	21	3	59	26	37:31:8.718	126:55:48.957	-56
255	10	21	3	59	27	37:31:8.750	126:55:48.916	-56
256	10	21	3	59	28	37:31:8.782	126:55:48.874	-56
257	10	21	3	59	29	37:31:8.813	126:55:48.832	-56
258	10	21	4	0	3	37:31:8.846	126:55:48.832	-56
259	10	21	4	0	4	37:31:8.877	126:55:48.790	-56
260	10	21	4	0	5	37:31:8.909	126:55:48.748	-56
261	10	21	4	0	6	37:31:8.941	126:55:48.707	-58
262	10	21	4	0	7	37:31:8.973	126:55:48.665	-58
263	10	21	4	0	8	37:31:9.004	126:55:48.624	-58
264	10	21	4	0	9	37:31:9.069	126:55:48.622	-57
265	10	21	4	0	10	37:31:9.101	126:55:48.580	-57
266	10	21	4	0	11	37:31:9.133	126:55:48.539	-57
267	10	21	4	0	12	37:31:9.164	126:55:48.497	-54
268	10	21	4	0	13	37:31:9.196	126:55:48.455	-54
269	10	21	4	0	14	37:31:9.228	126:55:48.454	-54
270	10	21	4	0	15	37:31:9.260	126:55:48.413	-58
271	10	21	4	0	16	37:31:9.292	126:55:48.371	-58
272	10	21	4	0	17	37:31:9.324	126:55:48.330	-58
273	10	21	4	0	18	37:31:9.355	126:55:48.288	-68
274	10	21	4	0	19	37:31:9.388	126:55:48.287	-68
275	10	21	4	0	20	37:31:9.419	126:55:48.245	-68
276	10	21	4	0	21	37:31:9.451	126:55:48.204	-55
277	10	21	4	0	22	37:31:9.483	126:55:48.162	-55
278	10	21	4	0	23	37:31:9.547	126:55:48.120	-55
279	10	21	4	0	24	37:31:9.579	126:55:48.119	-52
280	10	21	4	0	25	37:31:9.611	126:55:48.077	-52
281	10	21	4	0	26	37:31:9.643	126:55:48.036	-52
282	10	21	4	0	27	37:31:9.675	126:55:47.994	-69
283	10	21	4	0	28	37:31:9.706	126:55:47.952	-69
284	10	21	4	0	29	37:31:9.738	126:55:47.950	-60

285	10	21	4	0	30	37:31:9.770	126:55:47.910	-49
286	10	21	4	0	31	37:31:9.802	126:55:47.868	-49
287	10	21	4	0	32	37:31:9.834	126:55:47.827	-49
288	10	21	4	0	33	37:31:9.866	126:55:47.785	-78
289	10	21	4	0	34	37:31:9.898	126:55:47.784	-78
290	10	21	4	0	35	37:31:9.930	126:55:47.743	-78
291	10	21	4	0	36	37:31:9.961	126:55:47.701	-63
292	10	21	4	0	37	37:31:10.026	126:55:47.658	-63
293	10	21	4	0	38	37:31:10.057	126:55:47.617	-63
294	10	21	4	0	39	37:31:10.090	126:55:47.616	-54
295	10	21	4	0	40	37:31:10.121	126:55:47.574	-54
296	10	21	4	0	41	37:31:10.153	126:55:47.533	-54
297	10	21	4	0	42	37:31:10.185	126:55:47.491	-49
298	10	21	4	0	43	37:31:10.217	126:55:47.450	-49
299	10	21	4	0	44	37:31:10.248	126:55:47.408	-49
300	10	21	4	0	45	37:31:10.281	126:55:47.407	-46
301	10	21	4	0	46	37:31:10.312	126:55:47.365	-46
302	10	21	4	0	47	37:31:10.344	126:55:47.324	-46
303	10	21	4	0	48	37:31:10.376	126:55:47.282	-52
304	10	21	4	0	49	37:31:10.408	126:55:47.241	-52
305	10	21	4	0	50	37:31:10.440	126:55:47.240	-52
306	10	21	4	0	51	37:31:10.504	126:55:47.197	-45
307	10	21	4	0	52	37:31:10.536	126:55:47.156	-45
308	10	21	4	0	53	37:31:10.568	126:55:47.114	-45
309	10	21	4	0	54	37:31:10.599	126:55:47.072	-45
310	10	21	4	0	55	37:31:10.632	126:55:47.071	-45
311	10	21	4	0	56	37:31:10.663	126:55:47.030	-45
312	10	21	4	0	57	37:31:10.695	126:55:46.988	-45
313	10	21	4	0	58	37:31:10.727	126:55:46.947	-45
314	10	21	4	0	59	37:31:10.759	126:55:46.905	-45
315	10	21	4	1	0	37:31:10.791	126:55:46.904	-54
316	10	21	4	1	1	37:31:10.823	126:55:46.863	-54
317	10	21	4	1	2	37:31:10.854	126:55:46.821	-54
318	10	21	4	1	3	37:31:10.886	126:55:46.779	-44
319	10	21	4	1	4	37:31:10.918	126:55:46.738	-44
320	10	21	4	1	5	37:31:10.983	126:55:46.736	-44
321	10	21	4	1	6	37:31:11.014	126:55:46.694	-46
322	10	21	4	1	7	37:31:11.046	126:55:46.653	-46
323	10	21	4	1	8	37:31:11.078	126:55:46.611	-46
324	10	21	4	1	9	37:31:11.110	126:55:46.569	-42
325	10	21	4	1	10	37:31:11.142	126:55:46.569	-42
326	10	21	4	1	11	37:31:11.174	126:55:46.527	-42
327	10	21	4	1	12	37:31:11.205	126:55:46.485	-44
328	10	21	4	1	13	37:31:11.237	126:55:46.444	-44
329	10	21	4	1	14	37:31:11.269	126:55:46.402	-44
330	10	21	4	1	15	37:31:11.301	126:55:46.361	-46
331	10	21	4	1	16	37:31:11.333	126:55:46.360	-46
332	10	21	4	1	17	37:31:11.365	126:55:46.318	-46
333	10	21	4	1	18	37:31:11.396	126:55:46.276	-51
334	10	21	4	1	19	37:31:11.461	126:55:46.234	-51
335	10	21	4	1	20	37:31:11.492	126:55:46.192	-51
336	10	21	4	1	21	37:31:11.525	126:55:46.191	-44
337	10	21	4	1	22	37:31:11.556	126:55:46.150	-44
338	10	21	4	1	23	37:31:11.588	126:55:46.108	-44
339	10	21	4	1	24	37:31:11.620	126:55:46.067	-45
340	10	21	4	1	25	37:31:11.651	126:55:46.025	-45
341	10	21	4	1	26	37:31:11.684	126:55:46.024	-45
342	10	21	4	1	27	37:31:11.716	126:55:45.982	-20


343	10	21	4	1	28	37:31:11.747	126:55:45.941	-39
344	10	21	4	1	29	37:31:11.779	126:55:45.899	-39
345	10	21	4	1	30	37:31:11.811	126:55:45.858	-40
346	10	21	4	1	31	37:31:11.843	126:55:45.857	-40
347	10	21	4	1	32	37:31:11.875	126:55:45.815	-40
348	10	21	4	1	33	37:31:11.939	126:55:45.773	-48
349	10	21	4	1	34	37:31:11.971	126:55:45.731	-48
350	10	21	4	1	35	37:31:12.002	126:55:45.689	-48
351	10	21	4	1	36	37:31:12.035	126:55:45.689	-39
352	10	21	4	1	37	37:31:12.067	126:55:45.647	-39
353	10	21	4	1	38	37:31:12.098	126:55:45.605	-39
354	10	21	4	1	39	37:31:12.130	126:55:45.564	-46
355	10	21	4	1	40	37:31:12.162	126:55:45.522	-46
356	10	21	4	1	41	37:31:12.194	126:55:45.521	-46
357	10	21	4	1	42	37:31:12.226	126:55:45.480	-41
358	10	21	4	1	43	37:31:12.258	126:55:45.438	-41
359	10	21	4	1	44	37:31:12.289	126:55:45.396	-41
360	10	21	4	1	45	37:31:12.321	126:55:45.355	-43
361	10	21	4	1	46	37:31:12.353	126:55:45.313	-43
362	10	21	4	1	47	37:31:12.418	126:55:45.311	-43
363	10	21	4	1	48	37:31:12.449	126:55:45.270	-45
364	10	21	4	1	49	37:31:12.481	126:55:45.228	-45
365	10	21	4	1	50	37:31:12.513	126:55:45.187	-45
366	10	21	4	1	51	37:31:12.544	126:55:45.145	-35
367	10	21	4	1	52	37:31:12.577	126:55:45.144	-35
368	10	21	4	1	53	37:31:12.609	126:55:45.102	-35
369	10	21	4	1	54	37:31:12.640	126:55:45.061	-40
370	10	21	4	1	55	37:31:12.672	126:55:45.019	-40
371	10	21	4	1	56	37:31:12.704	126:55:44.978	-40
372	10	21	4	1	57	37:31:12.736	126:55:44.977	-41
373	10	21	4	1	58	37:31:12.768	126:55:44.935	-41
374	10	21	4	1	59	37:31:12.800	126:55:44.893	-41
375	10	21	4	2	0	37:31:12.831	126:55:44.852	-40
376	10	21	4	2	1	37:31:12.895	126:55:44.809	-40
377	10	21	4	2	2	37:31:12.928	126:55:44.808	-40
378	10	21	4	2	3	37:31:12.960	126:55:44.767	-42
379	10	21	4	2	4	37:31:12.991	126:55:44.725	-42
380	10	21	4	2	5	37:31:13.023	126:55:44.684	-42
381	10	21	4	2	6	37:31:13.055	126:55:44.642	-38
382	10	21	4	2	7	37:31:13.087	126:55:44.641	-38
383	10	21	4	2	8	37:31:13.119	126:55:44.600	-38
384	10	21	4	2	9	37:31:13.151	126:55:44.558	-50
385	10	21	4	2	10	37:31:13.182	126:55:44.516	-50
386	10	21	4	2	11	37:31:13.214	126:55:44.475	-50
387	10	21	4	2	12	37:31:13.246	126:55:44.474	-47
388	10	21	4	2	13	37:31:13.278	126:55:44.432	-47
389	10	21	4	2	14	37:31:13.310	126:55:44.391	-47
390	10	21	4	2	15	37:31:13.374	126:55:44.348	-48
391	10	21	4	2	16	37:31:13.406	126:55:44.306	-48
392	10	21	4	2	17	37:31:13.438	126:55:44.306	-48
393	10	21	4	2	18	37:31:13.470	126:55:44.264	-51
394	10	21	4	2	19	37:31:13.502	126:55:44.222	-51
395	10	21	4	2	20	37:31:13.533	126:55:44.181	-51
396	10	21	4	2	21	37:31:13.565	126:55:44.139	-46
397	10	21	4	2	22	37:31:13.597	126:55:44.098	-46
398	10	21	4	2	23	37:31:13.629	126:55:44.097	-46
399	10	21	4	2	24	37:31:13.661	126:55:44.055	-40
400	10	21	4	2	25	37:31:13.693	126:55:44.013	-40

401	10	21	4	2	26	37:31:13.724	126:55:43.972	-40
402	10	21	4	2	27	37:31:13.756	126:55:43.930	-44
403	10	21	4	2	28	37:31:13.788	126:55:43.929	-44
404	10	21	4	2	29	37:31:13.853	126:55:43.887	-44
405	10	21	4	2	30	37:31:13.884	126:55:43.845	-34
406	10	21	4	2	31	37:31:13.916	126:55:43.804	-34
407	10	21	4	2	32	37:31:13.948	126:55:43.762	-40
408	10	21	4	2	33	37:31:13.980	126:55:43.761	-37
409	10	21	4	2	34	37:31:14.044	126:55:43.678	-37
410	10	21	4	2	35	37:31:14.044	126:55:43.678	-40
411	10	21	4	2	36	37:31:14.075	126:55:43.636	-40
412	10	21	4	2	37	37:31:14.139	126:55:43.594	-40
413	10	21	4	2	38	37:31:14.171	126:55:43.552	-52
414	10	21	4	2	39	37:31:14.235	126:55:43.510	-52
415	10	21	4	2	40	37:31:14.267	126:55:43.468	-52
416	10	21	4	2	41	37:31:14.331	126:55:43.425	-52
417	10	21	4	2	42	37:31:14.362	126:55:43.343	-52
418	10	21	4	2	43	37:31:14.426	126:55:43.301	-52
419	10	21	4	2	44	37:31:14.458	126:55:43.259	-46
420	10	21	4	2	45	37:31:14.522	126:55:43.217	-46
421	10	21	4	2	46	37:31:14.554	126:55:43.175	-46
422	10	21	4	2	48	37:31:14.586	126:55:43.133	-52
423	10	21	4	2	49	37:31:14.650	126:55:43.091	-52
424	10	21	4	2	50	37:31:14.681	126:55:43.049	-52
425	10	21	4	2	51	37:31:14.746	126:55:43.007	-56
426	10	21	4	2	52	37:31:14.777	126:55:42.965	-56
427	10	21	4	2	53	37:31:14.841	126:55:42.923	-56
428	10	21	4	2	54	37:31:14.873	126:55:42.881	-62
429	10	21	4	2	55	37:31:14.937	126:55:42.838	-62
430	10	21	4	2	56	37:31:14.968	126:55:42.756	-62
431	10	21	4	2	57	37:31:15.032	126:55:42.714	-49
432	10	21	4	2	58	37:31:15.064	126:55:42.672	-49
433	10	21	4	2	59	37:31:15.128	126:55:42.630	-49
434	10	21	4	3	0	37:31:15.160	126:55:42.588	-49
435	10	21	4	3	1	37:31:15.192	126:55:42.546	-49
436	10	21	4	3	2	37:31:15.256	126:55:42.504	-49
437	10	21	4	3	3	37:31:15.288	126:55:42.462	-58
438	10	21	4	3	4	37:31:15.352	126:55:42.420	-58
439	10	21	4	3	5	37:31:15.383	126:55:42.378	-58
440	10	21	4	3	6	37:31:15.448	126:55:42.336	-52
441	10	21	4	3	7	37:31:15.479	126:55:42.294	-52
442	10	21	4	3	8	37:31:15.543	126:55:42.251	-52
443	10	21	4	3	9	37:31:15.575	126:55:42.210	-48
444	10	21	4	3	10	37:31:15.639	126:55:42.127	-48
445	10	21	4	3	11	37:31:15.670	126:55:42.085	-48
446	10	21	4	3	12	37:31:15.702	126:55:42.043	-62
447	10	21	4	3	13	37:31:15.766	126:55:42.001	-62
448	10	21	4	3	14	37:31:15.798	126:55:41.959	-62
449	10	21	4	3	15	37:31:15.862	126:55:41.917	-55
450	10	21	4	3	16	37:31:15.894	126:55:41.875	-55
451	10	21	4	3	17	37:31:15.958	126:55:41.833	-55
452	10	21	4	3	18	37:31:15.990	126:55:41.791	-54
453	10	21	4	3	19	37:31:16.054	126:55:41.749	-54
454	10	21	4	3	20	37:31:16.085	126:55:41.707	-54
455	10	21	4	3	21	37:31:16.150	126:55:41.664	-56
456	10	21	4	3	22	37:31:16.181	126:55:41.623	-56
457	10	21	4	3	23	37:31:16.212	126:55:41.540	-56
458	10	21	4	3	24	37:31:16.276	126:55:41.498	-50

459	10	21	4	3	25	37:31:16.308	126:55:41.456	-59
460	10	21	4	3	26	37:31:16.372	126:55:41.414	-59
461	10	21	4	3	27	37:31:16.404	126:55:41.372	-56
462	10	21	4	3	28	37:31:16.468	126:55:41.330	-56
463	10	21	4	3	29	37:31:16.500	126:55:41.288	-56
464	10	21	4	3	30	37:31:16.564	126:55:41.246	-59
465	10	21	4	3	31	37:31:16.596	126:55:41.204	-59
466	10	21	4	3	32	37:31:16.660	126:55:41.162	-59
467	10	21	4	3	33	37:31:16.691	126:55:41.120	-54
468	10	21	4	3	34	37:31:16.723	126:55:41.078	-54
469	10	21	4	3	35	37:31:16.787	126:55:41.036	-54
470	10	21	4	3	42	37:31:16.818	126:55:40.953	-49
471	10	21	4	3	43	37:31:16.882	126:55:40.911	-49
472	10	21	4	3	44	37:31:16.914	126:55:40.869	-49
473	10	21	4	3	45	37:31:16.978	126:55:40.827	-51
474	10	21	4	3	46	37:31:17.010	126:55:40.785	-51
475	10	21	4	3	47	37:31:17.074	126:55:40.743	-51
476	10	21	4	3	48	37:31:17.106	126:55:40.701	-53
477	10	21	4	3	49	37:31:17.170	126:55:40.659	-53
478	10	21	4	3	50	37:31:17.202	126:55:40.617	-53
479	10	21	4	3	51	37:31:17.266	126:55:40.574	-54
480	10	21	4	3	52	37:31:17.298	126:55:40.533	-54
481	10	21	4	3	53	37:31:17.329	126:55:40.491	-54
482	10	21	4	3	54	37:31:17.393	126:55:40.449	-57
483	10	21	4	3	55	37:31:17.425	126:55:40.407	-57
484	10	21	4	3	56	37:31:17.489	126:55:40.324	-57
485	10	21	4	3	57	37:31:17.520	126:55:40.282	-54
486	10	21	4	3	58	37:31:17.584	126:55:40.240	-54
487	10	21	4	3	59	37:31:17.616	126:55:40.198	-54
488	10	21	4	4	0	37:31:17.680	126:55:40.156	-58
489	10	21	4	4	1	37:31:17.712	126:55:40.114	-58
490	10	21	4	4	2	37:31:17.776	126:55:40.072	-58
491	10	21	4	4	3	37:31:17.808	126:55:40.030	-63
492	10	21	4	4	4	37:31:17.840	126:55:39.988	-63
493	10	21	4	4	5	37:31:17.904	126:55:39.946	-63
494	10	21	4	4	6	37:31:17.935	126:55:39.904	-60
495	10	21	4	4	7	37:31:18.000	126:55:39.862	-60
496	10	21	4	4	8	37:31:18.031	126:55:39.820	-60
497	10	21	4	4	9	37:31:18.095	126:55:39.737	-61
498	10	21	4	4	10	37:31:18.126	126:55:39.695	-61
499	10	21	4	4	11	37:31:18.191	126:55:39.653	-61
500	10	21	4	4	12	37:31:18.222	126:55:39.611	-60
501	10	21	4	4	13	37:31:18.286	126:55:39.569	-60
502	10	21	4	4	14	37:31:18.318	126:55:39.527	-60
503	10	21	4	4	15	37:31:18.350	126:55:39.485	-57
504	10	21	4	4	16	37:31:18.414	126:55:39.443	-57
505	10	21	4	4	17	37:31:18.446	126:55:39.401	-57
506	10	21	4	4	18	37:31:18.510	126:55:39.359	-57
507	10	21	4	4	19	37:31:18.542	126:55:39.317	-57
508	10	21	4	4	20	37:31:18.606	126:55:39.275	-57
509	10	21	4	4	21	37:31:18.637	126:55:39.233	-60
510	10	21	4	4	22	37:31:18.701	126:55:39.150	-60
511	10	21	4	4	23	37:31:18.733	126:55:39.108	-60
512	10	21	4	4	24	37:31:18.797	126:55:39.066	-56
513	10	21	4	4	25	37:31:18.828	126:55:39.024	-56
514	10	21	4	4	26	37:31:18.860	126:55:38.983	-56
515	10	21	4	4	27	37:31:18.924	126:55:38.940	-59
516	10	21	4	4	28	37:31:18.956	126:55:38.898	-59

517	10	21	4	4	29	37:31:19.020	126:55:38.856	-59
518	10	21	4	4	30	37:31:19.052	126:55:38.814	-59
519	10	21	4	4	31	37:31:19.116	126:55:38.772	-59
520	10	21	4	4	32	37:31:19.148	126:55:38.730	-59
521	10	21	4	4	33	37:31:19.212	126:55:38.688	-63
522	10	21	4	4	34	37:31:19.244	126:55:38.646	-63
523	10	21	4	4	35	37:31:19.308	126:55:38.604	-63
524	10	21	4	4	36	37:31:19.339	126:55:38.521	-80
525	10	21	4	4	37	37:31:19.403	126:55:38.479	-80
526	10	21	4	4	38	37:31:19.435	126:55:38.437	-80
527	10	21	4	4	39	37:31:19.466	126:55:38.395	-74
528	10	21	4	4	40	37:31:19.530	126:55:38.353	-74
529	10	21	4	4	41	37:31:19.562	126:55:38.311	-74
530	10	21	4	4	42	37:31:19.626	126:55:38.269	-65
531	10	21	4	4	43	37:31:19.658	126:55:38.227	-65
532	10	21	4	4	44	37:31:19.722	126:55:38.185	-65
533	10	21	4	4	45	37:31:19.754	126:55:38.143	-79
534	10	21	4	4	46	37:31:19.818	126:55:38.101	-79
535	10	21	4	4	47	37:31:19.850	126:55:38.059	-79
536	10	21	4	4	48	37:31:19.914	126:55:38.016	-71
537	10	21	4	4	49	37:31:19.945	126:55:37.934	-71
538	10	21	4	4	50	37:31:19.977	126:55:37.893	-71
539	10	21	4	4	51	37:31:20.041	126:55:37.850	-65
540	10	21	4	4	52	37:31:20.072	126:55:37.808	-65
541	10	21	4	4	53	37:31:20.136	126:55:37.766	-65
542	10	21	4	4	54	37:31:20.168	126:55:37.724	-78
543	10	21	4	4	55	37:31:20.232	126:55:37.682	-78
544	10	21	4	4	56	37:31:20.264	126:55:37.640	-78
545	10	21	4	4	57	37:31:20.328	126:55:37.598	-77
546	10	21	4	4	58	37:31:20.360	126:55:37.556	-77
547	10	21	4	4	59	37:31:20.424	126:55:37.514	-77
548	10	21	4	5	0	37:31:20.456	126:55:37.472	-71
549	10	21	4	5	1	37:31:20.487	126:55:37.430	-71
550	10	21	4	5	2	37:31:20.551	126:55:37.347	-71
551	10	21	4	5	3	37:31:20.583	126:55:37.306	-68
552	10	21	4	5	4	37:31:20.647	126:55:37.263	-68
553	10	21	4	5	5	37:31:20.678	126:55:37.221	-68
554	10	21	4	5	6	37:31:20.743	126:55:37.179	-70
555	10	21	4	5	7	37:31:20.774	126:55:37.137	-70
556	10	21	4	5	8	37:31:20.838	126:55:37.095	-70
557	10	21	4	5	9	37:31:20.870	126:55:37.053	-68
558	10	21	4	5	10	37:31:20.934	126:55:37.011	-68
559	10	21	4	5	11	37:31:20.966	126:55:36.969	-68
560	10	21	4	5	12	37:31:20.998	126:55:36.927	-66
561	10	21	4	5	13	37:31:21.062	126:55:36.885	-66
562	10	21	4	5	14	37:31:21.094	126:55:36.843	-66
563	10	21	4	5	15	37:31:21.158	126:55:36.801	-67
564	10	21	4	5	16	37:31:21.189	126:55:36.718	-67
565	10	21	4	5	17	37:31:21.253	126:55:36.676	-67
566	10	21	4	5	18	37:31:21.285	126:55:36.634	-66
567	10	21	4	5	19	37:31:21.349	126:55:36.592	-66
568	10	21	4	5	20	37:31:21.380	126:55:36.550	-66
569	10	21	4	5	21	37:31:21.445	126:55:36.508	-64
570	10	21	4	5	22	37:31:21.476	126:55:36.466	-64
571	10	21	4	5	23	37:31:21.540	126:55:36.424	-64
572	10	21	4	5	24	37:31:21.572	126:55:36.382	-63
573	10	21	4	5	25	37:31:21.604	126:55:36.340	-63
574	10	21	4	5	26	37:31:21.668	126:55:36.298	-62

575	10	21	4	5	27	37:31:21.700	126:55:36.256	-64
576	10	21	4	5	28	37:31:21.764	126:55:36.214	-64
577	10	21	4	5	29	37:31:21.795	126:55:36.131	-64
578	10	21	4	5	30	37:31:21.859	126:55:36.089	-68
579	10	21	4	5	31	37:31:21.891	126:55:36.047	-68
580	10	21	4	5	32	37:31:21.955	126:55:36.005	-68
581	10	21	4	5	33	37:31:21.987	126:55:35.963	-66
582	10	21	4	5	34	37:31:22.082	126:55:35.879	-66
평균 전계강도								-61.1



● 서비스 : NWA Street-Canyon Tx40

● 측정일 : 2003년 10월 21일

● 측정장소 : 여의도 PATH2

순서	시간					측정위치		전계강도(dBm)
	월	일	시	분	초	위도	경도	
1	10	21	3	9	15	37:31:15.572	126:55:45.754	-56
2	10	21	3	9	16	37:31:15.541	126:55:45.795	-56
3	10	21	3	9	17	37:31:15.508	126:55:45.796	-56
4	10	21	3	9	18	37:31:15.477	126:55:45.838	-56
5	10	21	3	9	19	37:31:15.445	126:55:45.879	-56
6	10	21	3	9	20	37:31:15.412	126:55:45.880	-55
7	10	21	3	9	21	37:31:15.381	126:55:45.922	-55
8	10	21	3	9	22	37:31:15.349	126:55:45.963	-56
9	10	21	3	9	23	37:31:15.317	126:55:46.005	-55
10	10	21	3	9	24	37:31:15.317	126:55:46.005	-55
11	10	21	3	9	25	37:31:15.286	126:55:46.047	-56
12	10	21	3	9	26	37:31:15.254	126:55:46.088	-54
13	10	21	3	9	27	37:31:15.221	126:55:46.089	-54
14	10	21	3	9	28	37:31:15.190	126:55:46.131	-53
15	10	21	3	9	29	37:31:15.158	126:55:46.172	-70
16	10	21	3	9	30	37:31:15.126	126:55:46.173	-70
17	10	21	3	9	31	37:31:15.094	126:55:46.215	-70
18	10	21	3	9	32	37:31:15.062	126:55:46.257	-55
19	10	21	3	9	33	37:31:15.030	126:55:46.257	-55
20	10	21	3	9	34	37:31:14.998	126:55:46.299	-55
21	10	21	3	9	35	37:31:14.966	126:55:46.341	-53
22	10	21	3	9	36	37:31:14.935	126:55:46.382	-53
23	10	21	3	9	37	37:31:14.902	126:55:46.383	-53
24	10	21	3	9	38	37:31:14.870	126:55:46.425	-52
25	10	21	3	9	39	37:31:14.839	126:55:46.466	-52
26	10	21	3	9	40	37:31:14.806	126:55:46.467	-52
27	10	21	3	9	41	37:31:14.775	126:55:46.509	-51
28	10	21	3	9	42	37:31:14.775	126:55:46.550	-51
29	10	21	3	9	43	37:31:14.743	126:55:46.551	-51
30	10	21	3	9	44	37:31:14.711	126:55:46.592	-34
31	10	21	3	9	45	37:31:14.679	126:55:46.634	-34
32	10	21	3	9	46	37:31:14.648	126:55:46.675	-34
33	10	21	3	9	47	37:31:14.615	126:55:46.676	-42
34	10	21	3	9	48	37:31:14.584	126:55:46.718	-42
35	10	21	3	9	49	37:31:14.552	126:55:46.759	-42
36	10	21	3	9	50	37:31:14.519	126:55:46.760	-46
37	10	21	3	9	51	37:31:14.488	126:55:46.802	-46
38	10	21	3	9	52	37:31:14.456	126:55:46.844	-46
39	10	21	3	9	53	37:31:14.424	126:55:46.844	-56
40	10	21	3	9	54	37:31:14.392	126:55:46.886	-56
41	10	21	3	9	55	37:31:14.360	126:55:46.928	-56
42	10	21	3	9	56	37:31:14.328	126:55:46.929	-41
43	10	21	3	9	57	37:31:14.296	126:55:46.970	-41
44	10	21	3	9	58	37:31:14.264	126:55:47.012	-41
45	10	21	3	9	59	37:31:14.233	126:55:47.053	-49
46	10	21	3	10	0	37:31:14.233	126:55:47.053	-49
47	10	21	3	10	1	37:31:14.201	126:55:47.095	-49
48	10	21	3	10	2	37:31:14.169	126:55:47.137	-58
49	10	21	3	10	3	37:31:14.137	126:55:47.138	-58
50	10	21	3	10	4	37:31:14.105	126:55:47.179	-58
51	10	21	3	10	5	37:31:14.073	126:55:47.221	-55
52	10	21	3	10	6	37:31:14.041	126:55:47.222	-55

53	10	21	3	10	7	37:31:14.009	126:55:47.263	-55
54	10	21	3	10	8	37:31:13.977	126:55:47.305	-62
55	10	21	3	10	9	37:31:13.945	126:55:47.306	-62
56	10	21	3	10	10	37:31:13.913	126:55:47.347	-62
57	10	21	3	10	11	37:31:13.882	126:55:47.389	-68
58	10	21	3	10	12	37:31:13.850	126:55:47.431	-68
59	10	21	3	10	13	37:31:13.817	126:55:47.431	-68
60	10	21	3	10	14	37:31:13.786	126:55:47.473	-57
61	10	21	3	10	15	37:31:13.754	126:55:47.515	-57
62	10	21	3	10	16	37:31:13.722	126:55:47.516	-57
63	10	21	3	10	17	37:31:13.722	126:55:47.556	-64
64	10	21	3	10	18	37:31:13.691	126:55:47.598	-64
65	10	21	3	10	19	37:31:13.658	126:55:47.599	-64
66	10	21	3	10	20	37:31:13.626	126:55:47.640	-85
67	10	21	3	10	21	37:31:13.595	126:55:47.682	-85
68	10	21	3	10	22	37:31:13.563	126:55:47.724	-85
69	10	21	3	10	23	37:31:13.531	126:55:47.725	-62
70	10	21	3	10	24	37:31:13.499	126:55:47.766	-62
71	10	21	3	10	25	37:31:13.467	126:55:47.808	-62
72	10	21	3	10	26	37:31:13.435	126:55:47.809	-67
73	10	21	3	10	27	37:31:13.403	126:55:47.850	-67
74	10	21	3	10	28	37:31:13.371	126:55:47.892	-67
75	10	21	3	10	29	37:31:13.339	126:55:47.893	-62
76	10	21	3	10	30	37:31:13.307	126:55:47.934	-62
77	10	21	3	10	31	37:31:13.275	126:55:47.976	-62
78	10	21	3	10	32	37:31:13.243	126:55:47.977	-65
79	10	21	3	10	33	37:31:13.211	126:55:48.018	-65
80	10	21	3	10	34	37:31:13.180	126:55:48.060	-65
81	10	21	3	10	35	37:31:13.180	126:55:48.101	-63
82	10	21	3	10	36	37:31:13.148	126:55:48.102	-63
83	10	21	3	10	37	37:31:13.116	126:55:48.143	-63
84	10	21	3	10	38	37:31:13.084	126:55:48.185	-64
85	10	21	3	10	39	37:31:13.052	126:55:48.186	-64
86	10	21	3	10	40	37:31:13.020	126:55:48.227	-64
87	10	21	3	10	41	37:31:12.989	126:55:48.269	-86
88	10	21	3	10	42	37:31:12.956	126:55:48.270	-86
89	10	21	3	10	43	37:31:12.924	126:55:48.312	-86
90	10	21	3	10	44	37:31:12.893	126:55:48.353	-71
91	10	21	3	10	45	37:31:12.860	126:55:48.354	-71
92	10	21	3	10	46	37:31:12.829	126:55:48.396	-71
93	10	21	3	10	47	37:31:12.797	126:55:48.437	-80
94	10	21	3	10	48	37:31:12.765	126:55:48.479	-80
95	10	21	3	10	49	37:31:12.733	126:55:48.480	-80
96	10	21	3	10	50	37:31:12.701	126:55:48.521	-70
97	10	21	3	10	51	37:31:12.669	126:55:48.563	-70
98	10	21	3	10	52	37:31:12.669	126:55:48.563	-70
99	10	21	3	10	53	37:31:12.638	126:55:48.605	-74
100	10	21	3	10	54	37:31:12.606	126:55:48.646	-74
101	10	21	3	10	55	37:31:12.573	126:55:48.647	-74
102	10	21	3	10	56	37:31:12.542	126:55:48.689	-69
103	10	21	3	10	57	37:31:12.510	126:55:48.730	-69
104	10	21	3	10	58	37:31:12.478	126:55:48.772	-69
105	10	21	3	10	59	37:31:12.446	126:55:48.773	-74
106	10	21	3	11	0	37:31:12.414	126:55:48.814	-74
107	10	21	3	11	1	37:31:12.382	126:55:48.856	-74
108	10	21	3	11	2	37:31:12.350	126:55:48.857	-68
109	10	21	3	11	3	37:31:12.318	126:55:48.899	-68
110	10	21	3	11	4	37:31:12.287	126:55:48.940	-68

111	10	21	3	11	5	37:31:12.254	126:55:48.941	-69
112	10	21	3	11	6	37:31:12.222	126:55:48.983	-69
113	10	21	3	11	7	37:31:12.191	126:55:49.024	-69
114	10	21	3	11	8	37:31:12.158	126:55:49.025	-72
115	10	21	3	11	9	37:31:12.127	126:55:49.067	-72
116	10	21	3	11	10	37:31:12.127	126:55:49.107	-72
117	10	21	3	11	11	37:31:12.096	126:55:49.149	-73
118	10	21	3	11	12	37:31:12.063	126:55:49.150	-73
119	10	21	3	11	13	37:31:12.031	126:55:49.192	-73
120	10	21	3	11	14	37:31:12.000	126:55:49.233	-74
121	10	21	3	11	15	37:31:11.967	126:55:49.234	-74
122	10	21	3	11	16	37:31:11.936	126:55:49.276	-74
123	10	21	3	11	17	37:31:11.904	126:55:49.317	-78
124	10	21	3	11	18	37:31:11.871	126:55:49.318	-78
125	10	21	3	11	19	37:31:11.840	126:55:49.360	-78
126	10	21	3	11	20	37:31:11.808	126:55:49.401	-77
127	10	21	3	11	21	37:31:11.776	126:55:49.402	-77
128	10	21	3	11	22	37:31:11.744	126:55:49.444	-77
129	10	21	3	11	23	37:31:11.712	126:55:49.486	-74
130	10	21	3	11	24	37:31:11.680	126:55:49.527	-74
131	10	21	3	11	25	37:31:11.648	126:55:49.528	-74
132	10	21	3	11	26	37:31:11.616	126:55:49.570	-77
133	10	21	3	11	27	37:31:11.585	126:55:49.611	-77
134	10	21	3	11	28	37:31:11.585	126:55:49.611	-77
135	10	21	3	11	29	37:31:11.553	126:55:49.653	-76
136	10	21	3	11	30	37:31:11.521	126:55:49.694	-76
137	10	21	3	11	31	37:31:11.489	126:55:49.695	-76
138	10	21	3	11	32	37:31:11.457	126:55:49.737	-83
139	10	21	3	11	33	37:31:11.425	126:55:49.779	-83
140	10	21	3	11	34	37:31:11.394	126:55:49.820	-83
141	10	21	3	11	35	37:31:11.361	126:55:49.821	-74
142	10	21	3	11	36	37:31:11.329	126:55:49.863	-74
143	10	21	3	11	37	37:31:11.298	126:55:49.904	-74
144	10	21	3	11	38	37:31:11.265	126:55:49.905	-93
145	10	21	3	11	39	37:31:11.234	126:55:49.947	-93
146	10	21	3	11	40	37:31:11.202	126:55:49.988	-93
147	10	21	3	11	41	37:31:11.169	126:55:49.989	-94
148	10	21	3	11	42	37:31:11.138	126:55:50.031	-94
149	10	21	3	11	43	37:31:11.106	126:55:50.073	-94
150	10	21	3	11	44	37:31:11.074	126:55:50.073	-74
151	10	21	3	11	45	37:31:11.074	126:55:50.114	-74
152	10	21	3	11	46	37:31:11.043	126:55:50.156	-74
153	10	21	3	11	47	37:31:11.011	126:55:50.197	-78
154	10	21	3	11	48	37:31:10.978	126:55:50.198	-78
155	10	21	3	11	49	37:31:10.947	126:55:50.240	-78
156	10	21	3	11	50	37:31:10.915	126:55:50.281	-80
157	10	21	3	11	51	37:31:10.883	126:55:50.282	-80
158	10	21	3	11	52	37:31:10.851	126:55:50.324	-80
159	10	21	3	11	53	37:31:10.819	126:55:50.366	-88
160	10	21	3	11	54	37:31:10.787	126:55:50.366	-88
161	10	21	3	11	55	37:31:10.755	126:55:50.408	-88
162	10	21	3	11	56	37:31:10.723	126:55:50.450	-86
163	10	21	3	11	57	37:31:10.691	126:55:50.451	-86
164	10	21	3	11	58	37:31:10.659	126:55:50.492	-86
165	10	21	3	11	59	37:31:10.627	126:55:50.534	-84
166	10	21	3	12	0	37:31:10.596	126:55:50.575	-84
167	10	21	3	12	1	37:31:10.563	126:55:50.576	-84
168	10	21	3	12	2	37:31:10.532	126:55:50.618	-84

169	10	21	3	12	3	37:31:10.532	126:55:50.659	-84
170	10	21	3	12	4	37:31:10.500	126:55:50.660	-84
171	10	21	3	12	5	37:31:10.468	126:55:50.701	-80
172	10	21	3	12	6	37:31:10.436	126:55:50.743	-80
173	10	21	3	12	7	37:31:10.404	126:55:50.744	-80
174	10	21	3	12	8	37:31:10.372	126:55:50.785	-79
175	10	21	3	12	9	37:31:10.341	126:55:50.827	-79
176	10	21	3	12	10	37:31:10.309	126:55:50.868	-79
177	10	21	3	12	11	37:31:10.276	126:55:50.869	-89
178	10	21	3	12	12	37:31:10.245	126:55:50.911	-89
179	10	21	3	12	13	37:31:10.213	126:55:50.953	-89
180	10	21	3	12	14	37:31:10.181	126:55:50.953	-81
181	10	21	3	12	15	37:31:10.149	126:55:50.995	-81
182	10	21	3	12	16	37:31:10.117	126:55:51.037	-81
183	10	21	3	12	17	37:31:10.085	126:55:51.038	-82
184	10	21	3	12	18	37:31:10.053	126:55:51.079	-82
185	10	21	3	12	19	37:31:10.021	126:55:51.121	-82
186	10	21	3	12	20	37:31:10.021	126:55:51.121	-80
187	10	21	3	12	21	37:31:9.990	126:55:51.162	-80
188	10	21	3	12	22	37:31:9.958	126:55:51.204	-80
189	10	21	3	12	23	37:31:9.926	126:55:51.246	-81
190	10	21	3	12	24	37:31:9.894	126:55:51.247	-81
191	10	21	3	12	25	37:31:9.862	126:55:51.288	-81
192	10	21	3	12	26	37:31:9.830	126:55:51.330	-85
193	10	21	3	12	27	37:31:9.798	126:55:51.331	-85
194	10	21	3	12	28	37:31:9.766	126:55:51.372	-85
195	10	21	3	12	29	37:31:9.734	126:55:51.414	-85
196	10	21	3	12	30	37:31:9.702	126:55:51.415	-85
197	10	21	3	12	31	37:31:9.670	126:55:51.456	-85
198	10	21	3	12	32	37:31:9.639	126:55:51.498	-85
199	10	21	3	12	33	37:31:9.606	126:55:51.499	-85
200	10	21	3	12	34	37:31:9.574	126:55:51.540	-85
201	10	21	3	12	35	37:31:9.543	126:55:51.582	-83
202	10	21	3	12	36	37:31:9.511	126:55:51.624	-83
203	10	21	3	12	37	37:31:9.479	126:55:51.625	-83
204	10	21	3	12	38	37:31:9.479	126:55:51.665	-85
205	10	21	3	12	39	37:31:9.448	126:55:51.707	-85
206	10	21	3	12	40	37:31:9.415	126:55:51.708	-85
207	10	21	3	12	41	37:31:9.383	126:55:51.749	-86
208	10	21	3	12	42	37:31:9.352	126:55:51.791	-86
209	10	21	3	12	43	37:31:9.319	126:55:51.792	-86
210	10	21	3	12	44	37:31:9.288	126:55:51.833	-81
211	10	21	3	12	45	37:31:9.256	126:55:51.875	-81
212	10	21	3	12	46	37:31:9.224	126:55:51.917	-81
213	10	21	3	12	47	37:31:9.192	126:55:51.918	-81
214	10	21	3	12	48	37:31:9.160	126:55:51.959	-81
215	10	21	3	12	49	37:31:9.128	126:55:52.001	-81
216	10	21	3	12	50	37:31:9.096	126:55:52.002	-87
217	10	21	3	12	51	37:31:9.064	126:55:52.043	-87
218	10	21	3	12	52	37:31:9.032	126:55:52.085	-87
219	10	21	3	12	53	37:31:9.000	126:55:52.086	-82
220	10	21	3	12	54	37:31:8.968	126:55:52.127	-82
221	10	21	3	12	55	37:31:8.937	126:55:52.169	-85
222	10	21	3	12	56	37:31:8.937	126:55:52.169	-98
223	10	21	3	12	57	37:31:8.905	126:55:52.211	-98
224	10	21	3	12	58	37:31:8.873	126:55:52.252	-98
225	10	21	3	12	59	37:31:8.841	126:55:52.294	-91
226	10	21	3	12	60	37:31:8.800	126:55:52.305	-91

227	10	21	3	13	1	37:31:8.777	126:55:52.336	-91
228	10	21	3	13	2	37:31:8.746	126:55:52.378	-81
229	10	21	3	13	3	37:31:8.681	126:55:52.420	-81
230	10	21	3	13	4	37:31:7.313	126:55:50.259	-61
231	10	21	3	13	5	37:31:7.345	126:55:50.217	-62
232	10	21	3	13	6	37:31:7.377	126:55:50.176	-62
233	10	21	3	13	7	37:31:7.409	126:55:50.175	-62
234	10	21	3	13	8	37:31:7.441	126:55:50.133	-55
235	10	21	3	13	9	37:31:7.473	126:55:50.091	-55
236	10	21	3	13	10	37:31:7.504	126:55:50.050	-52
237	10	21	3	13	11	37:31:7.536	126:55:50.008	-55
238	10	21	3	13	12	37:31:7.601	126:55:50.006	-55
239	10	21	3	13	13	37:31:7.633	126:55:49.965	-55
240	10	21	3	13	14	37:31:7.664	126:55:49.923	-51
241	10	21	3	13	15	37:31:7.696	126:55:49.882	-51
242	10	21	3	13	16	37:31:7.728	126:55:49.840	-51
243	10	21	3	13	17	37:31:7.760	126:55:49.839	-56
244	10	21	3	13	18	37:31:7.792	126:55:49.797	-56
245	10	21	3	13	19	37:31:7.824	126:55:49.756	-56
246	10	21	3	13	20	37:31:7.855	126:55:49.714	-50
247	10	21	3	13	21	37:31:7.887	126:55:49.673	-50
248	10	21	3	13	22	37:31:7.919	126:55:49.631	-50
249	10	21	3	13	23	37:31:7.951	126:55:49.630	-52
250	10	21	3	13	24	37:31:7.983	126:55:49.589	-52
251	10	21	3	13	25	37:31:8.015	126:55:49.547	-52
252	10	21	3	13	26	37:31:8.046	126:55:49.505	-60
253	10	21	3	13	27	37:31:8.111	126:55:49.463	-60
254	10	21	3	13	28	37:31:8.143	126:55:49.462	-60
255	10	21	3	13	29	37:31:8.175	126:55:49.420	-48
256	10	21	3	13	30	37:31:8.206	126:55:49.379	-48
257	10	21	3	13	31	37:31:8.238	126:55:49.337	-48
258	10	21	3	13	32	37:31:8.270	126:55:49.296	-59
259	10	21	3	13	33	37:31:8.302	126:55:49.295	-59
260	10	21	3	13	34	37:31:8.334	126:55:49.253	-59
261	10	21	3	13	35	37:31:8.366	126:55:49.211	-51
262	10	21	3	13	36	37:31:8.397	126:55:49.170	-51
263	10	21	3	13	37	37:31:8.429	126:55:49.128	-51
264	10	21	3	13	38	37:31:8.462	126:55:49.127	-46
265	10	21	3	13	39	37:31:8.493	126:55:49.086	-46
266	10	21	3	13	40	37:31:8.525	126:55:49.044	-46
267	10	21	3	13	41	37:31:8.589	126:55:49.002	-49
268	10	21	3	13	42	37:31:8.621	126:55:48.960	-49
269	10	21	3	13	43	37:31:8.653	126:55:48.959	-49
270	10	21	3	13	44	37:31:8.685	126:55:48.917	-50
271	10	21	3	13	45	37:31:8.717	126:55:48.876	-50
272	10	21	3	13	46	37:31:8.748	126:55:48.834	-50
273	10	21	3	13	50	37:31:8.780	126:55:48.793	-52
274	10	21	3	13	51	37:31:8.813	126:55:48.792	-52
275	10	21	3	13	52	37:31:8.844	126:55:48.750	-52
276	10	21	3	13	53	37:31:8.876	126:55:48.709	-46
277	10	21	3	13	54	37:31:8.908	126:55:48.667	-46
278	10	21	3	13	55	37:31:8.939	126:55:48.625	-46
279	10	21	3	13	56	37:31:8.971	126:55:48.584	-48
280	10	21	3	13	57	37:31:9.004	126:55:48.583	-48
281	10	21	3	13	58	37:31:9.035	126:55:48.541	-48
282	10	21	3	14	44	37:31:9.099	126:55:48.499	-49
283	10	21	3	14	45	37:31:9.131	126:55:48.457	-49
284	10	21	3	14	46	37:31:9.162	126:55:48.415	-49

285	10	21	3	14	47	37:31:9.195	126:55:48.415	-48
286	10	21	3	14	48	37:31:9.227	126:55:48.373	-48
287	10	21	3	14	49	37:31:9.259	126:55:48.331	-48
288	10	21	3	14	50	37:31:9.290	126:55:48.290	-49
289	10	21	3	14	51	37:31:9.322	126:55:48.248	-49
290	10	21	3	14	52	37:31:9.355	126:55:48.247	-49
291	10	21	3	14	53	37:31:9.386	126:55:48.206	-46
292	10	21	3	14	54	37:31:9.418	126:55:48.164	-46
293	10	21	3	14	55	37:31:9.450	126:55:48.122	-46
294	10	21	3	14	56	37:31:9.481	126:55:48.081	-49
295	10	21	3	14	57	37:31:9.514	126:55:48.080	-49
296	10	21	3	14	58	37:31:9.546	126:55:48.038	-49
297	10	21	3	14	59	37:31:9.610	126:55:47.996	-49
298	10	21	3	15	0	37:31:9.641	126:55:47.954	-49
299	10	21	3	15	1	37:31:9.673	126:55:47.913	-49
300	10	21	3	15	2	37:31:9.706	126:55:47.912	-45
301	10	21	3	15	3	37:31:9.737	126:55:47.870	-45
302	10	21	3	15	4	37:31:9.769	126:55:47.828	-45
303	10	21	3	15	5	37:31:9.801	126:55:47.787	-44
304	10	21	3	15	6	37:31:9.832	126:55:47.745	-44
305	10	21	3	15	7	37:31:9.865	126:55:47.744	-44
306	10	21	3	15	8	37:31:9.897	126:55:47.703	-44
307	10	21	3	15	9	37:31:9.928	126:55:47.661	-44
308	10	21	3	15	10	37:31:9.960	126:55:47.620	-44
309	10	21	3	15	11	37:31:9.992	126:55:47.578	-49
310	10	21	3	15	12	37:31:10.023	126:55:47.536	-49
311	10	21	3	15	13	37:31:10.088	126:55:47.535	-49
312	10	21	3	15	14	37:31:10.120	126:55:47.493	-47
313	10	21	3	15	15	37:31:10.152	126:55:47.451	-47
314	10	21	3	15	16	37:31:10.183	126:55:47.410	-47
315	10	21	3	15	17	37:31:10.215	126:55:47.368	-47
316	10	21	3	15	18	37:31:10.248	126:55:47.367	-47
317	10	21	3	15	19	37:31:10.279	126:55:47.326	-47
318	10	21	3	15	20	37:31:10.311	126:55:47.284	-57
319	10	21	3	15	21	37:31:10.343	126:55:47.242	-57
320	10	21	3	15	22	37:31:10.374	126:55:47.201	-57
321	10	21	3	15	23	37:31:10.407	126:55:47.200	-55
322	10	21	3	15	24	37:31:10.439	126:55:47.158	-55
323	10	21	3	15	25	37:31:10.470	126:55:47.117	-55
324	10	21	3	15	26	37:31:10.502	126:55:47.075	-54
325	10	21	3	15	27	37:31:10.534	126:55:47.033	-54
326	10	21	3	15	28	37:31:10.599	126:55:47.032	-54
327	10	21	3	15	29	37:31:10.630	126:55:46.990	-48
328	10	21	3	15	30	37:31:10.662	126:55:46.948	-48
329	10	21	3	15	31	37:31:10.694	126:55:46.907	-48
330	10	21	3	15	32	37:31:10.725	126:55:46.865	-48
331	10	21	3	15	33	37:31:10.758	126:55:46.864	-48
332	10	21	3	15	34	37:31:10.790	126:55:46.823	-48
333	10	21	3	15	35	37:31:10.821	126:55:46.781	-49
334	10	21	3	15	36	37:31:10.853	126:55:46.739	-49
335	10	21	3	15	37	37:31:10.885	126:55:46.698	-49
336	10	21	3	15	38	37:31:10.917	126:55:46.697	-40
337	10	21	3	15	39	37:31:10.949	126:55:46.655	-40
338	10	21	3	15	40	37:31:10.981	126:55:46.614	-40
339	10	21	3	15	41	37:31:11.012	126:55:46.572	-45
340	10	21	3	15	42	37:31:11.044	126:55:46.531	-45
341	10	21	3	15	43	37:31:11.109	126:55:46.529	-45
342	10	21	3	15	44	37:31:11.141	126:55:46.487	-42


343	10	21	3	15	45	37:31:11.172	126:55:46.446	-42
344	10	21	3	15	46	37:31:11.204	126:55:46.404	-42
345	10	21	3	15	47	37:31:11.236	126:55:46.362	-42
346	10	21	3	15	48	37:31:11.267	126:55:46.321	-42
347	10	21	3	15	49	37:31:11.300	126:55:46.320	-42
348	10	21	3	15	50	37:31:11.332	126:55:46.278	-39
349	10	21	3	15	51	37:31:11.363	126:55:46.237	-39
350	10	21	3	15	52	37:31:11.395	126:55:46.195	-39
351	10	21	3	15	53	37:31:11.427	126:55:46.153	-54
352	10	21	3	15	54	37:31:11.459	126:55:46.152	-54
353	10	21	3	15	55	37:31:11.491	126:55:46.111	-54
354	10	21	3	15	56	37:31:11.523	126:55:46.069	-41
355	10	21	3	15	57	37:31:11.587	126:55:46.027	-41
356	10	21	3	15	58	37:31:11.618	126:55:45.985	-41
357	10	21	3	15	59	37:31:11.651	126:55:45.984	-37
358	10	21	3	16	0	37:31:11.682	126:55:45.943	-37
359	10	21	3	16	1	37:31:11.714	126:55:45.901	-37
360	10	21	3	16	2	37:31:11.746	126:55:45.859	-51
361	10	21	3	16	3	37:31:11.778	126:55:45.818	-51
362	10	21	3	16	4	37:31:11.810	126:55:45.817	-51
363	10	21	3	16	5	37:31:11.842	126:55:45.775	-38
364	10	21	3	16	6	37:31:11.873	126:55:45.734	-38
365	10	21	3	16	7	37:31:11.905	126:55:45.692	-38
366	10	21	3	16	8	37:31:11.937	126:55:45.650	-41
367	10	21	3	16	9	37:31:11.969	126:55:45.650	-41
368	10	21	3	16	10	37:31:12.001	126:55:45.608	-41
369	10	21	3	16	11	37:31:12.033	126:55:45.566	-38
370	10	21	3	16	12	37:31:12.097	126:55:45.524	-38
371	10	21	3	16	13	37:31:12.129	126:55:45.482	-38
372	10	21	3	16	14	37:31:12.161	126:55:45.481	-37
373	10	21	3	16	15	37:31:12.193	126:55:45.440	-37
374	10	21	3	16	16	37:31:12.224	126:55:45.398	-37
375	10	21	3	16	17	37:31:12.256	126:55:45.357	-48
376	10	21	3	16	18	37:31:12.288	126:55:45.315	-48
377	10	21	3	16	19	37:31:12.320	126:55:45.273	-48
378	10	21	3	16	20	37:31:12.352	126:55:45.272	-47
379	10	21	3	16	21	37:31:12.384	126:55:45.231	-47
380	10	21	3	16	22	37:31:12.415	126:55:45.189	-47
381	10	21	3	16	23	37:31:12.447	126:55:45.148	-35
382	10	21	3	16	24	37:31:12.479	126:55:45.106	-35
383	10	21	3	16	25	37:31:12.511	126:55:45.105	-35
384	10	21	3	16	26	37:31:12.543	126:55:45.063	-40
385	10	21	3	16	27	37:31:12.607	126:55:45.021	-40
386	10	21	3	16	28	37:31:12.639	126:55:44.979	-40
387	10	21	3	16	29	37:31:12.671	126:55:44.938	-39
388	10	21	3	16	30	37:31:12.703	126:55:44.937	-39
389	10	21	3	16	31	37:31:12.735	126:55:44.895	-39
390	10	21	3	16	32	37:31:12.766	126:55:44.854	-46
391	10	21	3	16	33	37:31:12.798	126:55:44.812	-46
392	10	21	3	16	34	37:31:12.830	126:55:44.770	-46
393	10	21	3	16	35	37:31:12.862	126:55:44.770	-35
394	10	21	3	16	36	37:31:12.894	126:55:44.728	-35
395	10	21	3	16	37	37:31:12.926	126:55:44.686	-35
396	10	21	3	16	38	37:31:12.957	126:55:44.645	-32
397	10	21	3	16	39	37:31:12.989	126:55:44.603	-32
398	10	21	3	16	40	37:31:13.022	126:55:44.602	-32
399	10	21	3	16	41	37:31:13.086	126:55:44.560	-40
400	10	21	3	16	42	37:31:13.117	126:55:44.519	40

401	10	21	3	16	43	37:31:13.149	126:55:44.476	-40
402	10	21	3	16	44	37:31:13.181	126:55:44.435	-34
403	10	21	3	16	45	37:31:13.213	126:55:44.434	-34
404	10	21	3	16	46	37:31:13.245	126:55:44.392	-34
405	10	21	3	16	47	37:31:13.277	126:55:44.351	-35
406	10	21	3	16	48	37:31:13.308	126:55:44.309	-35
407	10	21	3	16	49	37:31:13.340	126:55:44.268	-35
408	10	21	3	16	50	37:31:13.372	126:55:44.226	-29
409	10	21	3	16	51	37:31:13.404	126:55:44.225	-29
410	10	21	3	16	52	37:31:13.436	126:55:44.183	-29
411	10	21	3	16	53	37:31:13.468	126:55:44.142	-41
412	10	21	3	16	54	37:31:13.499	126:55:44.100	-41
413	10	21	3	16	55	37:31:13.531	126:55:44.059	-41
414	10	21	3	16	56	37:31:13.596	126:55:44.057	-41
415	10	21	3	16	57	37:31:13.628	126:55:44.015	-41
416	10	21	3	16	58	37:31:13.659	126:55:43.974	-31
417	10	21	3	16	59	37:31:13.691	126:55:43.932	-31
418	10	21	3	17	0	37:31:13.723	126:55:43.890	-31
419	10	21	3	17	1	37:31:13.755	126:55:43.889	-35
420	10	21	3	17	2	37:31:13.819	126:55:43.806	-35
421	10	21	3	17	3	37:31:13.819	126:55:43.806	-29
422	10	21	3	17	4	37:31:13.850	126:55:43.765	-29
423	10	21	3	17	5	37:31:13.915	126:55:43.722	-29
424	10	21	3	17	6	37:31:13.946	126:55:43.681	-35
425	10	21	3	17	7	37:31:13.978	126:55:43.639	-35
426	10	21	3	17	8	37:31:14.010	126:55:43.597	-35
427	10	21	3	17	9	37:31:14.074	126:55:43.555	-36
428	10	21	3	17	10	37:31:14.106	126:55:43.513	-36
429	10	21	3	17	11	37:31:14.138	126:55:43.512	-36
430	10	21	3	17	12	37:31:14.170	126:55:43.471	-36
431	10	21	3	17	13	37:31:14.234	126:55:43.428	-36
432	10	21	3	17	14	37:31:14.266	126:55:43.387	-36
433	10	21	3	17	15	37:31:14.297	126:55:43.345	-32
434	10	21	3	17	16	37:31:14.361	126:55:43.302	-32
435	10	21	3	17	17	37:31:14.393	126:55:43.261	-32
436	10	21	3	17	18	37:31:14.425	126:55:43.219	-35
437	10	21	3	17	19	37:31:14.457	126:55:43.178	-35
438	10	21	3	17	20	37:31:14.521	126:55:43.135	-35
439	10	21	3	17	21	37:31:14.552	126:55:43.094	-44
440	10	21	3	17	22	37:31:14.584	126:55:43.052	-44
441	10	21	3	17	23	37:31:14.648	126:55:43.009	-44
442	10	21	3	17	24	37:31:14.680	126:55:42.968	-36
443	10	21	3	17	25	37:31:14.712	126:55:42.926	-36
444	10	21	3	17	26	37:31:14.743	126:55:42.885	-36
445	10	21	3	17	27	37:31:14.808	126:55:42.883	-43
446	10	21	3	17	28	37:31:14.840	126:55:42.841	-43
447	10	21	3	17	29	37:31:14.872	126:55:42.800	-43
448	10	21	3	17	30	37:31:14.903	126:55:42.758	-42
449	10	21	3	17	31	37:31:14.968	126:55:42.715	-42
450	10	21	3	17	32	37:31:14.999	126:55:42.674	-42
451	10	21	3	17	33	37:31:15.031	126:55:42.632	-42
452	10	21	3	17	34	37:31:15.095	126:55:42.590	-42
453	10	21	3	17	35	37:31:15.127	126:55:42.548	-42
454	10	21	3	17	36	37:31:15.159	126:55:42.506	-53
455	10	21	3	17	37	37:31:15.190	126:55:42.465	-53
456	10	21	3	17	38	37:31:15.254	126:55:42.422	-53
457	10	21	3	17	39	37:31:15.286	126:55:42.381	-45
458	10	21	3	17	40	37:31:15.318	126:55:42.339	45

459	10	21	3	17	41	37:31:15.350	126:55:42.298	-45
460	10	21	3	17	42	37:31:15.414	126:55:42.255	-43
461	10	21	3	17	43	37:31:15.446	126:55:42.254	-43
462	10	21	3	17	44	37:31:15.478	126:55:42.213	-43
463	10	21	3	17	45	37:31:15.542	126:55:42.170	-40
464	10	21	3	17	46	37:31:15.574	126:55:42.128	-40
465	10	21	3	17	47	37:31:15.605	126:55:42.087	-40
466	10	21	3	17	48	37:31:15.637	126:55:42.045	-43
467	10	21	3	17	49	37:31:15.701	126:55:42.003	-43
468	10	21	3	17	50	37:31:15.733	126:55:41.961	-43
469	10	21	3	17	51	37:31:15.765	126:55:41.919	-46
470	10	21	3	17	52	37:31:15.829	126:55:41.877	-46
471	10	21	3	17	53	37:31:15.861	126:55:41.835	-46
472	10	21	3	17	54	37:31:15.892	126:55:41.794	-50
473	10	21	3	17	55	37:31:15.924	126:55:41.752	-50
474	10	21	3	17	56	37:31:15.988	126:55:41.710	-50
475	10	21	3	17	57	37:31:16.020	126:55:41.668	-45
476	10	21	3	17	58	37:31:16.052	126:55:41.667	-45
477	10	21	3	17	59	37:31:16.084	126:55:41.625	-45
478	10	21	3	18	0	37:31:16.148	126:55:41.583	-44
479	10	21	3	18	1	37:31:16.180	126:55:41.541	-44
480	10	21	3	18	2	37:31:16.212	126:55:41.500	-44
481	10	21	3	18	3	37:31:16.276	126:55:41.457	-44
482	10	21	3	18	4	37:31:16.307	126:55:41.416	-44
483	10	21	3	18	5	37:31:16.339	126:55:41.374	-44
484	10	21	3	18	6	37:31:16.371	126:55:41.332	-42
485	10	21	3	18	7	37:31:16.435	126:55:41.290	-42
486	10	21	3	18	8	37:31:16.467	126:55:41.248	-42
487	10	21	3	18	10	37:31:16.498	126:55:41.207	-42
488	10	21	3	18	11	37:31:16.530	126:55:41.165	-42
489	10	21	3	18	12	37:31:16.594	126:55:41.123	-42
490	10	21	3	18	13	37:31:16.626	126:55:41.081	-49
491	10	21	3	18	14	37:31:16.658	126:55:41.039	-49
492	10	21	3	18	15	37:31:16.722	126:55:41.038	-49
493	10	21	3	18	16	37:31:16.754	126:55:40.996	-45
494	10	21	3	18	17	37:31:16.786	126:55:40.954	-45
495	10	21	3	18	18	37:31:16.818	126:55:40.913	-45
496	10	21	3	18	19	37:31:16.882	126:55:40.870	-56
497	10	21	3	18	20	37:31:16.913	126:55:40.829	-56
498	10	21	3	18	21	37:31:16.945	126:55:40.787	-56
499	10	21	3	18	22	37:31:17.009	126:55:40.745	-49
500	10	21	3	18	23	37:31:17.041	126:55:40.703	-49
501	10	21	3	18	24	37:31:17.073	126:55:40.661	-49
502	10	21	3	18	25	37:31:17.104	126:55:40.620	-51
503	10	21	3	18	26	37:31:17.169	126:55:40.577	-51
504	10	21	3	18	27	37:31:17.200	126:55:40.536	-51
505	10	21	3	18	28	37:31:17.232	126:55:40.494	-60
506	10	21	3	18	29	37:31:17.264	126:55:40.452	-60
507	10	21	3	18	46	37:31:17.329	126:55:40.451	-60
508	10	21	3	18	47	37:31:17.360	126:55:40.409	-49
509	10	21	3	18	48	37:31:17.392	126:55:40.367	-49
510	10	21	3	18	49	37:31:17.456	126:55:40.325	-49
511	10	21	3	18	50	37:31:17.488	126:55:40.283	-54
512	10	21	3	18	51	37:31:17.520	126:55:40.242	-54
513	10	21	3	18	52	37:31:17.551	126:55:40.200	-54
514	10	21	3	18	53	37:31:17.615	126:55:40.157	-49
515	10	21	3	18	54	37:31:17.647	126:55:40.116	-49
516	10	21	3	18	55	37:31:17.679	126:55:40.074	-49

517	10	21	3	18	56	37:31:17.711	126:55:40.033	-53
518	10	21	3	18	57	37:31:17.775	126:55:39.990	-53
519	10	21	3	18	58	37:31:17.806	126:55:39.949	-53
520	10	21	3	18	59	37:31:17.838	126:55:39.907	-51
521	10	21	3	19	0	37:31:17.902	126:55:39.864	-51
522	10	21	3	19	1	37:31:17.934	126:55:39.823	-51
523	10	21	3	19	2	37:31:17.966	126:55:39.822	-49
524	10	21	3	19	3	37:31:17.998	126:55:39.780	-49
525	10	21	3	19	4	37:31:18.062	126:55:39.738	-49
526	10	21	3	19	5	37:31:18.094	126:55:39.696	-54
527	10	21	3	19	6	37:31:18.126	126:55:39.655	-54
528	10	21	3	19	7	37:31:18.190	126:55:39.612	-54
529	10	21	3	19	8	37:31:18.222	126:55:39.570	-50
530	10	21	3	19	9	37:31:18.253	126:55:39.529	-50
531	10	21	3	19	10	37:31:18.285	126:55:39.487	-50
532	10	21	3	19	11	37:31:18.349	126:55:39.445	-49
533	10	21	3	19	12	37:31:18.381	126:55:39.403	-49
534	10	21	3	19	13	37:31:18.413	126:55:39.361	-49
535	10	21	3	19	14	37:31:18.444	126:55:39.320	-61
536	10	21	3	19	15	37:31:18.508	126:55:39.277	-61
537	10	21	3	19	16	37:31:18.540	126:55:39.236	-61
538	10	21	3	19	17	37:31:18.572	126:55:39.194	-59
539	10	21	3	19	18	37:31:18.637	126:55:39.192	-59
540	10	21	3	19	19	37:31:18.668	126:55:39.151	-59
541	10	21	3	19	20	37:31:18.700	126:55:39.109	-56
542	10	21	3	19	21	37:31:18.732	126:55:39.068	-56
543	10	21	3	19	22	37:31:18.796	126:55:39.025	-56
544	10	21	3	19	23	37:31:18.828	126:55:38.983	-60
545	10	21	3	19	24	37:31:18.859	126:55:38.942	-60
546	10	21	3	19	25	37:31:18.891	126:55:38.900	-60
547	10	21	3	19	26	37:31:18.955	126:55:38.858	-57
548	10	21	3	19	27	37:31:18.987	126:55:38.816	-57
549	10	21	3	19	28	37:31:19.019	126:55:38.774	-57
550	10	21	3	19	29	37:31:19.083	126:55:38.732	-56
551	10	21	3	19	30	37:31:19.115	126:55:38.690	-56
552	10	21	3	19	31	37:31:19.146	126:55:38.649	-56
553	10	21	3	19	32	37:31:19.178	126:55:38.607	-58
554	10	21	3	19	33	37:31:19.243	126:55:38.605	-58
555	10	21	3	19	34	37:31:19.275	126:55:38.564	-58
556	10	21	3	19	35	37:31:19.306	126:55:38.522	-53
557	10	21	3	19	36	37:31:19.370	126:55:38.480	-53
558	10	21	3	19	37	37:31:19.402	126:55:38.438	-53
559	10	21	3	19	38	37:31:19.434	126:55:38.396	-53
560	10	21	3	19	39	37:31:19.466	126:55:38.355	-53
561	10	21	3	19	40	37:31:19.530	126:55:38.312	-53
562	10	21	3	19	41	37:31:19.561	126:55:38.271	-55
563	10	21	3	19	42	37:31:19.593	126:55:38.229	-55
564	10	21	3	19	43	37:31:19.625	126:55:38.187	-55
565	10	21	3	19	44	37:31:19.689	126:55:38.145	-53
566	10	21	3	19	45	37:31:19.721	126:55:38.103	-53
567	10	21	3	19	46	37:31:19.752	126:55:38.062	-53
568	10	21	3	19	47	37:31:19.817	126:55:38.019	-59
569	10	21	3	19	48	37:31:19.848	126:55:37.978	-59
570	10	21	3	19	49	37:31:19.881	126:55:37.977	-59
571	10	21	3	19	50	37:31:19.912	126:55:37.935	-63
572	10	21	3	19	51	37:31:19.977	126:55:37.893	-63
573	10	21	3	19	52	37:31:20.008	126:55:37.851	-63
574	10	21	3	19	53	37:31:20.040	126:55:37.800	-61

575	10	21	3	19	54	37:31:20.072	126:55:37.768	-61
576	10	21	3	19	55	37:31:20.136	126:55:37.725	-61
577	10	21	3	19	56	37:31:20.167	126:55:37.684	-66
578	10	21	3	19	57	37:31:20.199	126:55:37.642	-66
579	10	21	3	19	58	37:31:20.263	126:55:37.599	-66
580	10	21	3	19	59	37:31:20.295	126:55:37.558	-67
581	10	21	3	20	0	37:31:20.327	126:55:37.516	-67
582	10	21	3	20	1	37:31:20.358	126:55:37.475	-67
583	10	21	3	20	2	37:31:20.423	126:55:37.432	-76
584	10	21	3	20	3	37:31:20.454	126:55:37.391	-76
585	10	21	3	20	4	37:31:20.487	126:55:37.390	-76
586	10	21	3	20	5	37:31:20.551	126:55:37.347	-73
587	10	21	3	20	6	37:31:20.583	126:55:37.306	-73
588	10	21	3	20	7	37:31:20.614	126:55:37.264	-73
589	10	21	3	20	8	37:31:20.646	126:55:37.222	-67
590	10	21	3	20	9	37:31:20.710	126:55:37.180	-67
591	10	21	3	20	10	37:31:20.742	126:55:37.138	-67
592	10	21	3	20	11	37:31:20.774	126:55:37.097	-60
593	10	21	3	20	12	37:31:20.805	126:55:37.055	-60
594	10	21	3	20	13	37:31:20.869	126:55:37.012	-60
595	10	21	3	20	14	37:31:20.901	126:55:36.971	-68
596	10	21	3	20	15	37:31:20.933	126:55:36.929	-68
597	10	21	3	20	16	37:31:20.997	126:55:36.887	-68
598	10	21	3	20	17	37:31:21.029	126:55:36.845	-74
599	10	21	3	20	18	37:31:21.060	126:55:36.803	-74
600	10	21	3	20	19	37:31:21.092	126:55:36.762	-74
601	10	21	3	20	20	37:31:21.157	126:55:36.760	-64
602	10	21	3	20	21	37:31:21.189	126:55:36.718	-64
603	10	21	3	20	22	37:31:21.220	126:55:36.677	-64
604	10	21	3	20	23	37:31:21.252	126:55:36.635	-63
605	10	21	3	20	24	37:31:21.316	126:55:36.593	-63
606	10	21	3	20	25	37:31:21.348	126:55:36.551	-63
607	10	21	3	20	26	37:31:21.380	126:55:36.510	-59
608	10	21	3	20	27	37:31:21.444	126:55:36.467	-59
609	10	21	3	20	28	37:31:21.476	126:55:36.425	-59
610	10	21	3	20	29	37:31:21.507	126:55:36.384	-61
611	10	21	3	20	30	37:31:21.539	126:55:36.342	-61
612	10	21	3	20	31	37:31:21.603	126:55:36.300	-61
613	10	21	3	20	32	37:31:21.635	126:55:36.258	-63
614	10	21	3	20	33	37:31:21.667	126:55:36.216	-63
615	10	21	3	20	34	37:31:21.731	126:55:36.174	-63
616	10	21	3	20	35	37:31:21.762	126:55:36.132	-59
617	10	21	3	20	36	37:31:21.795	126:55:36.131	-59
618	10	21	3	20	37	37:31:21.827	126:55:36.090	-59
619	10	21	3	20	38	37:31:21.891	126:55:36.047	-62
620	10	21	3	20	39	37:31:21.922	126:55:36.006	-62
621	10	21	3	20	40	37:31:21.954	126:55:35.964	-62
622	10	21	3	20	41	37:31:21.986	126:55:35.922	-62
623	10	21	3	20	42	37:31:22.082	126:55:35.838	-62
평균 전계강도								-57.5



- 서비스 : NWA Street-Canyon Tx80
- 측정일 : 2003년 10월 21일
- 측정장소 : 여의도 PATH1

순서	시간					측정위치		전계강도(dBm)
	월	일	시	분	초	위도	경도	
1	10	21	3	36	50	37:31:23.034	126:55:45.710	-100
2	10	21	3	36	51	37:31:23.000	126:55:45.670	-104
3	10	21	3	36	52	37:31:22.967	126:55:45.590	-102
4	10	21	3	36	53	37:31:22.933	126:55:45.550	-95
5	10	21	3	36	54	37:31:22.900	126:55:45.510	-96
6	10	21	3	36	55	37:31:22.867	126:55:45.471	-106
7	10	21	3	36	56	37:31:22.833	126:55:45.390	-106
8	10	21	3	36	57	37:31:22.800	126:55:45.350	-106
9	10	21	3	36	58	37:31:22.767	126:55:45.310	-90
10	10	21	3	36	59	37:31:22.734	126:55:45.271	-90
11	10	21	3	37	0	37:31:22.700	126:55:45.190	-90
12	10	21	3	37	1	37:31:22.667	126:55:45.150	-94
13	10	21	3	37	2	37:31:22.634	126:55:45.110	-94
14	10	21	3	37	3	37:31:22.600	126:55:45.030	-94
15	10	21	3	37	4	37:31:22.567	126:55:44.990	-96
16	10	21	3	37	5	37:31:22.534	126:55:44.950	-96
17	10	21	3	37	6	37:31:22.500	126:55:44.910	-96
18	10	21	3	37	7	37:31:22.467	126:55:44.830	-98
19	10	21	3	37	8	37:31:22.433	126:55:44.790	-98
20	10	21	3	37	9	37:31:22.433	126:55:44.749	-98
21	10	21	3	37	10	37:31:22.400	126:55:44.709	-98
22	10	21	3	37	11	37:31:22.366	126:55:44.629	-98
23	10	21	3	37	12	37:31:22.333	126:55:44.589	-98
24	10	21	3	37	13	37:31:22.299	126:55:44.549	-95
25	10	21	3	37	14	37:31:22.266	126:55:44.469	-95
26	10	21	3	37	15	37:31:22.232	126:55:44.429	-95
27	10	21	3	37	16	37:31:22.199	126:55:44.389	-104
28	10	21	3	37	17	37:31:22.166	126:55:44.349	-104
29	10	21	3	37	18	37:31:22.132	126:55:44.269	-104
30	10	21	3	37	19	37:31:22.099	126:55:44.229	-96
31	10	21	3	37	20	37:31:22.066	126:55:44.189	-96
32	10	21	3	37	21	37:31:22.033	126:55:44.149	-96
33	10	21	3	37	22	37:31:21.999	126:55:44.069	-95
34	10	21	3	37	23	37:31:21.966	126:55:44.029	-95
35	10	21	3	37	24	37:31:21.933	126:55:43.989	-95
36	10	21	3	37	25	37:31:21.899	126:55:43.909	-93
37	10	21	3	37	26	37:31:21.866	126:55:43.869	-93
38	10	21	3	37	27	37:31:21.833	126:55:43.829	-93
39	10	21	3	37	28	37:31:21.799	126:55:43.789	-91
40	10	21	3	37	29	37:31:21.766	126:55:43.709	-91
41	10	21	3	37	30	37:31:21.732	126:55:43.669	-91
42	10	21	3	37	31	37:31:21.699	126:55:43.629	-92
43	10	21	3	37	32	37:31:21.666	126:55:43.589	-92
44	10	21	3	37	33	37:31:21.632	126:55:43.509	-92
45	10	21	3	37	34	37:31:21.599	126:55:43.469	-97
46	10	21	3	37	35	37:31:21.566	126:55:43.429	-97
47	10	21	3	37	36	37:31:21.532	126:55:43.349	-97
48	10	21	3	37	37	37:31:21.499	126:55:43.309	-91
49	10	21	3	37	38	37:31:21.466	126:55:43.269	-91
50	10	21	3	37	39	37:31:21.433	126:55:43.229	-91
51	10	21	3	37	40	37:31:21.399	126:55:43.149	-94
52	10	21	3	37	41	37:31:21.366	126:55:43.109	-94

53	10	21	3	37	42	37:31:21.333	126:55:43.069	-94
54	10	21	3	37	43	37:31:21.299	126:55:43.029	-99
55	10	21	3	37	44	37:31:21.266	126:55:42.949	-99
56	10	21	3	37	45	37:31:21.233	126:55:42.909	-99
57	10	21	3	37	46	37:31:21.199	126:55:42.869	-88
58	10	21	3	37	47	37:31:21.198	126:55:42.788	-88
59	10	21	3	37	48	37:31:21.165	126:55:42.748	-88
60	10	21	3	37	49	37:31:21.132	126:55:42.708	-97
61	10	21	3	37	50	37:31:21.099	126:55:42.668	-97
62	10	21	3	37	51	37:31:21.065	126:55:42.588	-97
63	10	21	3	37	52	37:31:21.032	126:55:42.548	-83
64	10	21	3	37	53	37:31:20.998	126:55:42.508	-83
65	10	21	3	37	54	37:31:20.965	126:55:42.468	-83
66	10	21	3	37	55	37:31:20.931	126:55:42.388	-89
67	10	21	3	37	56	37:31:20.898	126:55:42.348	-89
68	10	21	3	37	57	37:31:20.865	126:55:42.308	-89
69	10	21	3	37	58	37:31:20.831	126:55:42.227	-98
70	10	21	3	37	59	37:31:20.798	126:55:42.188	-98
71	10	21	3	38	0	37:31:20.765	126:55:42.148	-98
72	10	21	3	38	1	37:31:20.732	126:55:42.108	-86
73	10	21	3	38	2	37:31:20.698	126:55:42.027	-86
74	10	21	3	38	3	37:31:20.665	126:55:41.988	-86
75	10	21	3	38	4	37:31:20.632	126:55:41.948	-90
76	10	21	3	38	5	37:31:20.599	126:55:41.908	-90
77	10	21	3	38	6	37:31:20.565	126:55:41.827	-90
78	10	21	3	38	7	37:31:20.532	126:55:41.788	-94
79	10	21	3	38	8	37:31:20.498	126:55:41.748	-94
80	10	21	3	38	9	37:31:20.465	126:55:41.667	-94
81	10	21	3	38	10	37:31:20.431	126:55:41.627	-86
82	10	21	3	38	11	37:31:20.398	126:55:41.588	-86
83	10	21	3	38	12	37:31:20.365	126:55:41.548	-86
84	10	21	3	38	13	37:31:20.331	126:55:41.467	-93
85	10	21	3	38	14	37:31:20.298	126:55:41.427	-93
86	10	21	3	38	15	37:31:20.265	126:55:41.388	-93
87	10	21	3	38	16	37:31:20.232	126:55:41.348	-82
88	10	21	3	38	17	37:31:20.198	126:55:41.267	-82
89	10	21	3	38	18	37:31:20.165	126:55:41.227	-82
90	10	21	3	38	19	37:31:20.132	126:55:41.188	-84
91	10	21	3	38	20	37:31:20.098	126:55:41.107	-84
92	10	21	3	38	21	37:31:20.065	126:55:41.067	-84
93	10	21	3	38	22	37:31:20.032	126:55:41.028	-86
94	10	21	3	38	23	37:31:19.998	126:55:40.988	-86
95	10	21	3	38	24	37:31:19.965	126:55:40.907	-86
96	10	21	3	38	25	37:31:19.964	126:55:40.866	-88
97	10	21	3	38	26	37:31:19.931	126:55:40.827	-88
98	10	21	3	38	27	37:31:19.898	126:55:40.787	-88
99	10	21	3	38	28	37:31:19.864	126:55:40.706	-84
100	10	21	3	38	29	37:31:19.831	126:55:40.666	-84
101	10	21	3	38	30	37:31:19.797	126:55:40.627	-84
102	10	21	3	38	31	37:31:19.764	126:55:40.546	-90
103	10	21	3	38	32	37:31:19.730	126:55:40.506	-90
104	10	21	3	38	33	37:31:19.697	126:55:40.466	-90
105	10	21	3	38	34	37:31:19.664	126:55:40.427	-75
106	10	21	3	38	35	37:31:19.630	126:55:40.346	-75
107	10	21	3	38	36	37:31:19.597	126:55:40.306	-75
108	10	21	3	38	37	37:31:19.564	126:55:40.267	-78
109	10	21	3	38	38	37:31:19.531	126:55:40.227	-78
110	10	21	3	38	39	37:31:19.497	126:55:40.146	-78

111	10	21	3	38	40	37:31:19.464	126:55:40.106	-84
112	10	21	3	38	41	37:31:19.431	126:55:40.067	-84
113	10	21	3	38	42	37:31:19.397	126:55:39.986	-84
114	10	21	3	38	43	37:31:19.364	126:55:39.946	-86
115	10	21	3	38	44	37:31:19.331	126:55:39.906	-86
116	10	21	3	38	45	37:31:19.297	126:55:39.867	-86
117	10	21	3	38	46	37:31:19.264	126:55:39.786	-79
118	10	21	3	38	47	37:31:19.230	126:55:39.746	-79
119	10	21	3	38	48	37:31:19.197	126:55:39.706	-79
120	10	21	3	38	49	37:31:19.163	126:55:39.626	-74
121	10	21	3	38	50	37:31:19.130	126:55:39.586	-74
122	10	21	3	38	51	37:31:19.097	126:55:39.546	-74
123	10	21	3	38	52	37:31:19.064	126:55:39.506	-77
124	10	21	3	38	53	37:31:19.030	126:55:39.426	-77
125	10	21	3	38	54	37:31:18.997	126:55:39.386	-77
126	10	21	3	38	55	37:31:18.964	126:55:39.346	-78
127	10	21	3	38	56	37:31:18.931	126:55:39.306	-78
128	10	21	3	38	57	37:31:18.897	126:55:39.226	-78
129	10	21	3	38	58	37:31:18.864	126:55:39.186	-72
130	10	21	3	38	59	37:31:18.831	126:55:39.146	-72
131	10	21	3	39	0	37:31:18.797	126:55:39.066	-72
132	10	21	3	39	1	37:31:18.764	126:55:39.026	-75
133	10	21	3	39	2	37:31:18.730	126:55:38.986	-75
134	10	21	3	39	3	37:31:18.730	126:55:38.945	-75
135	10	21	3	39	4	37:31:18.696	126:55:38.865	-69
136	10	21	3	39	5	37:31:18.663	126:55:38.825	-69
137	10	21	3	39	6	37:31:18.630	126:55:38.785	-69
138	10	21	3	39	7	37:31:18.596	126:55:38.745	-70
139	10	21	3	39	8	37:31:18.563	126:55:38.665	-70
140	10	21	3	39	9	37:31:18.529	126:55:38.625	-70
141	10	21	3	39	10	37:31:18.496	126:55:38.585	-67
142	10	21	3	39	11	37:31:18.462	126:55:38.505	-67
143	10	21	3	39	12	37:31:18.429	126:55:38.465	-67
144	10	21	3	39	13	37:31:18.396	126:55:38.425	-71
145	10	21	3	39	14	37:31:18.363	126:55:38.385	-71
146	10	21	3	39	15	37:31:18.329	126:55:38.305	-71
147	10	21	3	39	16	37:31:18.296	126:55:38.265	-65
148	10	21	3	39	17	37:31:18.263	126:55:38.225	-65
149	10	21	3	39	18	37:31:18.230	126:55:38.185	-65
150	10	21	3	39	19	37:31:18.196	126:55:38.105	-61
151	10	21	3	39	20	37:31:18.163	126:55:38.065	-61
152	10	21	3	39	21	37:31:18.130	126:55:38.025	-61
153	10	21	3	39	22	37:31:18.096	126:55:37.945	-57
154	10	21	3	39	23	37:31:18.063	126:55:37.905	-57
155	10	21	3	39	24	37:31:18.029	126:55:37.865	-57
156	10	21	3	39	25	37:31:17.996	126:55:37.825	-68
157	10	21	3	39	26	37:31:17.962	126:55:37.745	-68
158	10	21	3	39	27	37:31:17.929	126:55:37.705	-68
159	10	21	3	39	28	37:31:17.896	126:55:37.665	-72
160	10	21	3	39	29	37:31:17.863	126:55:37.625	-72
161	10	21	3	39	30	37:31:17.829	126:55:37.545	-72
162	10	21	3	39	31	37:31:17.796	126:55:37.505	-72
163	10	21	3	39	32	37:31:17.763	126:55:37.465	-72
164	10	21	3	39	33	37:31:17.729	126:55:37.384	-72
165	10	21	3	39	34	37:31:17.696	126:55:37.345	-78
166	10	21	3	39	35	37:31:17.663	126:55:37.305	-78
167	10	21	3	39	36	37:31:17.630	126:55:37.265	-78
168	10	21	3	39	37	37:31:17.596	126:55:37.185	-75

169	10	21	3	39	38	37:31:17.563	126:55:37.145	-75
170	10	21	3	39	39	37:31:17.529	126:55:37.105	-75
171	10	21	3	39	40	37:31:17.496	126:55:37.065	-79
172	10	21	3	39	41	37:31:17.495	126:55:36.984	-79
173	10	21	3	39	42	37:31:17.462	126:55:36.944	-79
174	10	21	3	39	43	37:31:17.429	126:55:36.904	-77
175	10	21	3	39	44	37:31:17.395	126:55:36.823	-77
176	10	21	3	39	45	37:31:17.362	126:55:36.784	-77
177	10	21	3	39	46	37:31:17.328	126:55:36.744	-76
178	10	21	3	39	47	37:31:17.295	126:55:36.704	-76
179	10	21	3	39	48	37:31:17.261	126:55:36.624	-76
180	10	21	3	39	49	37:31:17.228	126:55:36.584	-81
181	10	21	3	39	50	37:31:17.195	126:55:36.544	-81
182	10	21	3	39	51	37:31:17.162	126:55:36.504	-81
183	10	21	3	39	52	37:31:17.128	126:55:36.424	-76
184	10	21	3	39	53	37:31:17.095	126:55:36.384	-76
185	10	21	3	39	54	37:31:17.062	126:55:36.344	-76
186	10	21	3	39	55	37:31:17.028	126:55:36.263	-73
187	10	21	3	39	56	37:31:16.995	126:55:36.224	-73
188	10	21	3	39	57	37:31:16.962	126:55:36.184	-73
189	10	21	3	39	58	37:31:16.929	126:55:36.144	-84
190	10	21	3	39	59	37:31:16.895	126:55:36.063	-84
191	10	21	3	40	0	37:31:16.862	126:55:36.024	-84
192	10	21	3	40	1	37:31:16.828	126:55:35.984	-82
193	10	21	3	40	2	37:31:16.795	126:55:35.944	-82
194	10	21	3	40	3	37:31:16.761	126:55:35.863	-82
195	10	21	3	40	4	37:31:16.728	126:55:35.824	-89
196	10	21	3	40	5	37:31:16.695	126:55:35.784	-89
197	10	21	3	40	6	37:31:16.661	126:55:35.703	-89
198	10	21	3	40	7	37:31:16.628	126:55:35.663	-83
199	10	21	3	40	8	37:31:16.595	126:55:35.624	-83
200	10	21	3	40	9	37:31:16.562	126:55:35.584	-83
201	10	21	3	40	10	37:31:16.528	126:55:35.503	-80
202	10	21	3	40	11	37:31:16.495	126:55:35.463	-80
203	10	21	3	40	12	37:31:16.462	126:55:35.424	-80
204	10	21	3	40	13	37:31:16.429	126:55:35.384	-89
205	10	21	3	40	14	37:31:16.395	126:55:35.303	-89
206	10	21	3	40	15	37:31:16.362	126:55:35.264	-89
207	10	21	3	40	16	37:31:16.328	126:55:35.224	-85
208	10	21	3	40	17	37:31:16.295	126:55:35.143	-85
209	10	21	3	40	18	37:31:16.261	126:55:35.103	-85
210	10	21	3	40	19	37:31:16.261	126:55:35.063	-95
211	10	21	3	40	20	37:31:16.228	126:55:35.023	-95
212	10	21	3	40	21	37:31:16.194	126:55:34.942	-95
213	10	21	3	40	22	37:31:16.161	126:55:34.902	-82
214	10	21	3	40	23	37:31:16.127	126:55:34.863	-82
215	10	21	3	40	24	37:31:16.094	126:55:34.823	-82
216	10	21	3	40	25	37:31:16.060	126:55:34.742	-85
217	10	21	3	40	26	37:31:16.027	126:55:34.702	-85
218	10	21	3	40	27	37:31:15.994	126:55:34.663	-85
219	10	21	3	40	28	37:31:15.960	126:55:34.582	-83
220	10	21	3	40	29	37:31:15.927	126:55:34.542	-83
221	10	21	3	40	30	37:31:15.894	126:55:34.503	-83
222	10	21	3	40	31	37:31:15.861	126:55:34.463	-91
223	10	21	3	40	32	37:31:15.827	126:55:34.382	-91
224	10	21	3	40	33	37:31:15.794	126:55:34.342	-91
225	10	21	3	40	34	37:31:15.761	126:55:34.303	-86
226	10	21	3	40	35	37:31:15.728	126:55:34.263	-86

227	10	21	3	40	36	37:31:15.661	126:55:34.142	-86
228	10	21	3	40	37	37:31:15.661	126:55:34.142	-101
229	10	21	3	40	38	37:31:15.629	126:55:34.184	-101
230	10	21	3	40	39	37:31:15.597	126:55:34.226	-101
231	10	21	3	40	40	37:31:15.533	126:55:34.268	-93
232	10	21	3	40	41	37:31:15.501	126:55:34.310	-93
233	10	21	3	40	42	37:31:15.470	126:55:34.351	-93
234	10	21	3	40	43	37:31:15.437	126:55:34.352	-96
235	10	21	3	40	44	37:31:15.373	126:55:34.395	-96
236	10	21	3	40	45	37:31:15.341	126:55:34.436	-96
237	10	21	3	40	46	37:31:15.310	126:55:34.478	-88
238	10	21	3	40	47	37:31:15.278	126:55:34.520	-88
239	10	21	3	40	48	37:31:15.246	126:55:34.561	-88
240	10	21	3	40	49	37:31:15.182	126:55:34.604	-87
241	10	21	3	40	50	37:31:15.150	126:55:34.645	-87
242	10	21	3	40	51	37:31:15.119	126:55:34.687	-87
243	10	21	3	40	52	37:31:15.087	126:55:34.729	-87
244	10	21	3	40	53	37:31:15.022	126:55:34.730	-87
245	10	21	3	40	54	37:31:14.990	126:55:34.772	-87
246	10	21	3	40	55	37:31:14.959	126:55:34.814	-102
247	10	21	3	40	56	37:31:14.927	126:55:34.855	-102
248	10	21	3	40	57	37:31:14.895	126:55:34.897	-102
249	10	21	3	40	58	37:31:14.831	126:55:34.939	-88
250	10	21	3	40	59	37:31:14.799	126:55:34.981	-88
251	10	21	3	41	0	37:31:14.768	126:55:35.022	-88
252	10	21	3	41	1	37:31:14.736	126:55:35.064	-87
253	10	21	3	41	2	37:31:14.704	126:55:35.106	-87
254	10	21	3	41	3	37:31:14.640	126:55:35.148	-87
255	10	21	3	41	4	37:31:14.608	126:55:35.149	-86
256	10	21	3	41	5	37:31:14.576	126:55:35.191	-86
257	10	21	3	41	6	37:31:14.544	126:55:35.232	-86
258	10	21	3	41	7	37:31:14.480	126:55:35.275	-87
259	10	21	3	41	8	37:31:14.448	126:55:35.316	-87
260	10	21	3	41	9	37:31:14.417	126:55:35.358	-87
261	10	21	3	41	10	37:31:14.385	126:55:35.400	-94
262	10	21	3	41	11	37:31:14.353	126:55:35.441	-94
263	10	21	3	41	12	37:31:14.289	126:55:35.484	-94
264	10	21	3	41	13	37:31:14.257	126:55:35.525	-85
265	10	21	3	41	14	37:31:14.225	126:55:35.526	-85
266	10	21	3	41	15	37:31:14.193	126:55:35.568	-85
267	10	21	3	41	16	37:31:14.129	126:55:35.610	-97
268	10	21	3	41	17	37:31:14.097	126:55:35.652	-97
269	10	21	3	41	18	37:31:14.066	126:55:35.694	-97
270	10	21	3	41	19	37:31:14.034	126:55:35.735	-91
271	10	21	3	41	20	37:31:14.002	126:55:35.777	-91
272	10	21	3	41	21	37:31:13.938	126:55:35.819	-91
273	10	21	3	41	22	37:31:13.906	126:55:35.861	-84
274	10	21	3	41	23	37:31:13.875	126:55:35.903	-84
275	10	21	3	41	24	37:31:13.843	126:55:35.944	-84
276	10	21	3	41	25	37:31:13.778	126:55:35.946	-87
277	10	21	3	41	26	37:31:13.746	126:55:35.988	-87
278	10	21	3	41	27	37:31:13.715	126:55:36.029	-87
279	10	21	3	41	28	37:31:13.683	126:55:36.071	-85
280	10	21	3	41	29	37:31:13.651	126:55:36.112	-85
281	10	21	3	41	30	37:31:13.587	126:55:36.155	-85
282	10	21	3	41	31	37:31:13.555	126:55:36.197	-84
283	10	21	3	41	32	37:31:13.524	126:55:36.238	-84
284	10	21	3	41	33	37:31:13.492	126:55:36.280	-84


285	10	21	3	41	34	37:31:13.460	126:55:36.321	-89
286	10	21	3	41	35	37:31:13.395	126:55:36.323	-89
287	10	21	3	41	36	37:31:13.364	126:55:36.365	-89
288	10	21	3	41	37	37:31:13.332	126:55:36.406	-81
289	10	21	3	41	38	37:31:13.300	126:55:36.448	-81
290	10	21	3	41	39	37:31:13.236	126:55:36.491	-81
291	10	21	3	41	40	37:31:13.204	126:55:36.532	-82
292	10	21	3	41	41	37:31:13.173	126:55:36.574	-82
293	10	21	3	41	42	37:31:13.141	126:55:36.615	-82
294	10	21	3	41	43	37:31:13.109	126:55:36.657	-88
295	10	21	3	41	44	37:31:13.045	126:55:36.699	-88
296	10	21	3	41	45	37:31:13.013	126:55:36.741	-88
297	10	21	3	41	46	37:31:12.981	126:55:36.742	-83
298	10	21	3	41	47	37:31:12.949	126:55:36.784	-83
299	10	21	3	41	48	37:31:12.885	126:55:36.826	-83
300	10	21	3	41	49	37:31:12.853	126:55:36.868	-82
301	10	21	3	41	50	37:31:12.822	126:55:36.909	-82
302	10	21	3	41	51	37:31:12.790	126:55:36.951	-82
303	10	21	3	41	52	37:31:12.758	126:55:36.993	-79
304	10	21	3	41	53	37:31:12.694	126:55:37.035	-79
305	10	21	3	41	54	37:31:12.662	126:55:37.077	-79
306	10	21	3	41	55	37:31:12.631	126:55:37.118	-86
307	10	21	3	41	56	37:31:12.598	126:55:37.119	-86
308	10	21	3	41	57	37:31:12.534	126:55:37.162	-86
309	10	21	3	41	58	37:31:12.502	126:55:37.203	-81
310	10	21	3	41	59	37:31:12.471	126:55:37.245	-81
311	10	21	3	42	0	37:31:12.439	126:55:37.287	-81
312	10	21	3	42	1	37:31:12.407	126:55:37.328	-75
313	10	21	3	42	2	37:31:12.343	126:55:37.371	-75
314	10	21	3	42	3	37:31:12.311	126:55:37.412	-75
315	10	21	3	42	4	37:31:12.280	126:55:37.454	-81
316	10	21	3	42	5	37:31:12.248	126:55:37.495	-81
317	10	21	3	42	6	37:31:12.216	126:55:37.537	-81
318	10	21	3	42	7	37:31:12.151	126:55:37.539	-78
319	10	21	3	42	8	37:31:12.120	126:55:37.580	-78
320	10	21	3	42	9	37:31:12.088	126:55:37.622	-78
321	10	21	3	42	10	37:31:12.056	126:55:37.664	-74
322	10	21	3	42	11	37:31:11.992	126:55:37.706	-74
323	10	21	3	42	12	37:31:11.960	126:55:37.748	-74
324	10	21	3	42	13	37:31:11.929	126:55:37.789	-83
325	10	21	3	42	14	37:31:11.897	126:55:37.831	-83
326	10	21	3	42	15	37:31:11.865	126:55:37.873	-83
327	10	21	3	42	16	37:31:11.801	126:55:37.915	-74
328	10	21	3	42	17	37:31:11.769	126:55:37.916	-74
329	10	21	3	42	18	37:31:11.737	126:55:37.958	-74
330	10	21	3	42	19	37:31:11.705	126:55:37.999	-76
331	10	21	3	42	20	37:31:11.641	126:55:38.042	-76
332	10	21	3	42	21	37:31:11.578	126:55:38.125	-76
333	10	21	3	42	22	37:31:11.578	126:55:38.125	-75
334	10	21	3	42	23	37:31:11.611	126:55:38.165	-75
335	10	21	3	42	24	37:31:11.644	126:55:38.205	-75
336	10	21	3	42	25	37:31:11.678	126:55:38.285	-79
337	10	21	3	42	26	37:31:11.679	126:55:38.326	-79
338	10	21	3	42	27	37:31:11.712	126:55:38.366	-79
339	10	21	3	42	28	37:31:11.745	126:55:38.405	-80
340	10	21	3	42	29	37:31:11.779	126:55:38.486	-80
341	10	21	3	42	30	37:31:11.812	126:55:38.526	-80
342	10	21	3	42	31	37:31:11.845	126:55:38.566	-80

343	10	21	3	42	32	37:31:11.878	126:55:38.605	-80
344	10	21	3	42	33	37:31:11.880	126:55:38.687	-80
345	10	21	3	42	34	37:31:11.913	126:55:38.727	-79
346	10	21	3	42	35	37:31:11.946	126:55:38.767	-79
347	10	21	3	42	36	37:31:11.979	126:55:38.806	-79
348	10	21	3	42	37	37:31:12.013	126:55:38.887	-74
349	10	21	3	42	38	37:31:12.046	126:55:38.927	-74
350	10	21	3	42	39	37:31:12.079	126:55:38.966	-74
351	10	21	3	42	40	37:31:12.080	126:55:39.007	-72
352	10	21	3	42	41	37:31:12.114	126:55:39.088	-72
353	10	21	3	42	42	37:31:12.147	126:55:39.128	-72
354	10	21	3	42	43	37:31:12.180	126:55:39.167	-73
355	10	21	3	42	44	37:31:12.213	126:55:39.207	-73
356	10	21	3	42	45	37:31:12.247	126:55:39.288	-73
357	10	21	3	42	46	37:31:12.248	126:55:39.328	-73
358	10	21	3	42	47	37:31:12.281	126:55:39.368	-73
359	10	21	3	42	48	37:31:12.314	126:55:39.408	-73
360	10	21	3	42	49	37:31:12.348	126:55:39.489	-67
361	10	21	3	42	50	37:31:12.381	126:55:39.528	-67
362	10	21	3	42	51	37:31:12.414	126:55:39.568	-67
363	10	21	3	42	52	37:31:12.447	126:55:39.608	-74
364	10	21	3	42	53	37:31:12.449	126:55:39.689	-74
365	10	21	3	42	54	37:31:12.482	126:55:39.729	-74
366	10	21	3	42	55	37:31:12.515	126:55:39.769	-71
367	10	21	3	42	56	37:31:12.548	126:55:39.809	-71
368	10	21	3	42	57	37:31:12.582	126:55:39.889	-71
369	10	21	3	42	58	37:31:12.615	126:55:39.929	-68
370	10	21	3	42	59	37:31:12.648	126:55:39.969	-68
371	10	21	3	43	0	37:31:12.649	126:55:40.010	-68
372	10	21	3	43	1	37:31:12.683	126:55:40.090	-67
373	10	21	3	43	2	37:31:12.716	126:55:40.130	-67
374	10	21	3	43	3	37:31:12.749	126:55:40.170	-67
375	10	21	3	43	4	37:31:12.782	126:55:40.210	-70
376	10	21	3	43	5	37:31:12.816	126:55:40.290	-70
377	10	21	3	43	6	37:31:12.849	126:55:40.330	-70
378	10	21	3	43	7	37:31:12.850	126:55:40.371	-71
379	10	21	3	43	8	37:31:12.883	126:55:40.411	-71
380	10	21	3	43	9	37:31:12.917	126:55:40.491	-71
381	10	21	3	43	10	37:31:12.950	126:55:40.531	-61
382	10	21	3	43	11	37:31:12.983	126:55:40.571	-61
383	10	21	3	43	12	37:31:13.016	126:55:40.611	-61
384	10	21	3	43	13	37:31:13.050	126:55:40.691	-76
385	10	21	3	43	14	37:31:13.051	126:55:40.732	-76
386	10	21	3	43	15	37:31:13.084	126:55:40.772	-76
387	10	21	3	43	16	37:31:13.117	126:55:40.811	-66
388	10	21	3	43	17	37:31:13.151	126:55:40.892	-66
389	10	21	3	43	18	37:31:13.184	126:55:40.932	-66
390	10	21	3	43	19	37:31:13.217	126:55:40.972	-63
391	10	21	3	43	20	37:31:13.251	126:55:41.011	-63
392	10	21	3	43	21	37:31:13.252	126:55:41.093	-63
393	10	21	3	43	22	37:31:13.285	126:55:41.133	-61
394	10	21	3	43	23	37:31:13.318	126:55:41.172	-61
395	10	21	3	43	24	37:31:13.351	126:55:41.212	-61
396	10	21	3	43	25	37:31:13.385	126:55:41.293	-64
397	10	21	3	43	26	37:31:13.418	126:55:41.333	-64
398	10	21	3	43	27	37:31:13.452	126:55:41.372	-64
399	10	21	3	43	28	37:31:13.452	126:55:41.413	-57
400	10	21	3	43	29	37:31:13.486	126:55:41.404	-57

401	10	21	3	43	30	37:31:13.519	126:55:41.534	-57
402	10	21	3	43	31	37:31:13.552	126:55:41.573	-67
403	10	21	3	43	32	37:31:13.586	126:55:41.613	-67
404	10	21	3	43	33	37:31:13.619	126:55:41.694	-67
405	10	21	3	43	34	37:31:13.620	126:55:41.734	-50
406	10	21	3	43	35	37:31:13.653	126:55:41.774	-50
407	10	21	3	43	36	37:31:13.686	126:55:41.814	-50
408	10	21	3	43	37	37:31:13.720	126:55:41.895	-58
409	10	21	3	43	38	37:31:13.753	126:55:41.934	-58
410	10	21	3	43	39	37:31:13.787	126:55:41.974	-58
411	10	21	3	43	40	37:31:13.820	126:55:42.014	-54
412	10	21	3	43	41	37:31:13.821	126:55:42.095	-54
413	10	21	3	43	42	37:31:13.854	126:55:42.135	-54
414	10	21	3	43	43	37:31:13.887	126:55:42.175	-45
415	10	21	3	43	44	37:31:13.921	126:55:42.215	-45
416	10	21	3	43	45	37:31:13.954	126:55:42.295	-45
417	10	21	3	43	46	37:31:13.988	126:55:42.335	-55
418	10	21	3	43	47	37:31:14.021	126:55:42.375	-55
419	10	21	3	43	48	37:31:14.021	126:55:42.416	-55
420	10	21	3	43	49	37:31:14.055	126:55:42.496	-47
421	10	21	3	43	50	37:31:14.122	126:55:42.576	-41
422	10	21	3	43	51	37:24:45.306	123:32:36.440	-45
423	10	21	3	43	52	37:31:14.155	126:55:42.616	-45
424	10	21	3	43	53	37:31:14.188	126:55:42.656	-44
425	10	21	3	43	54	37:31:14.222	126:55:42.736	-44
426	10	21	3	43	55	37:31:14.255	126:55:42.776	-47
427	10	21	3	43	56	37:31:14.288	126:55:42.816	-47
428	10	21	3	43	57	37:31:14.289	126:55:42.856	-42
429	10	21	3	43	58	37:31:14.323	126:55:42.937	-42
430	10	21	3	43	59	37:31:14.356	126:55:42.977	-49
431	10	21	3	44	0	37:31:14.389	126:55:43.017	-49
432	10	21	3	44	1	37:31:14.422	126:55:43.056	-49
433	10	21	3	44	2	37:31:14.455	126:55:43.096	-48
434	10	21	3	44	3	37:31:14.489	126:55:43.177	-48
435	10	21	3	44	4	37:31:14.522	126:55:43.217	-48
436	10	21	3	44	5	37:31:14.555	126:55:43.256	-49
437	10	21	3	44	6	37:31:14.588	126:55:43.296	-49
438	10	21	3	44	7	37:31:14.622	126:55:43.377	-49
439	10	21	3	44	8	37:31:14.655	126:55:43.417	-53
440	10	21	3	44	9	37:31:14.656	126:55:43.457	-53
441	10	21	3	44	10	37:31:14.689	126:55:43.497	-53
442	10	21	3	44	11	37:31:14.722	126:55:43.537	-59
443	10	21	3	44	12	37:31:14.756	126:55:43.617	-59
444	10	21	3	44	13	37:31:14.789	126:55:43.657	-59
445	10	21	3	44	14	37:31:14.823	126:55:43.697	-59
446	10	21	3	44	15	37:31:14.856	126:55:43.737	-59
447	10	21	3	44	16	37:31:14.889	126:55:43.777	-59
448	10	21	3	44	17	37:31:14.923	126:55:43.857	-55
449	10	21	3	44	18	37:31:14.956	126:55:43.897	-55
450	10	21	3	44	19	37:31:14.989	126:55:43.937	-55
451	10	21	3	44	20	37:31:14.990	126:55:43.978	-53
452	10	21	3	44	21	37:31:15.024	126:55:44.058	-53
453	10	21	3	44	22	37:31:15.057	126:55:44.098	-53
454	10	21	3	44	23	37:31:15.090	126:55:44.138	-57
455	10	21	3	44	24	37:31:15.123	126:55:44.178	-57
456	10	21	3	44	25	37:31:15.156	126:55:44.217	-57
457	10	21	3	44	26	37:31:15.190	126:55:44.298	-59
458	10	21	3	44	27	37:31:15.222	126:55:44.338	-59

459	10	21	3	44	29	37:31:15.256	126:55:44.377	-59
460	10	21	3	44	30	37:31:15.289	126:55:44.417	-60
461	10	21	3	44	31	37:31:15.323	126:55:44.498	-60
462	10	21	3	44	32	37:31:15.356	126:55:44.538	-60
463	10	21	3	44	33	37:31:15.357	126:55:44.578	-59
464	10	21	3	44	34	37:31:15.390	126:55:44.618	-59
465	10	21	3	44	35	37:31:15.423	126:55:44.658	-59
466	10	21	3	44	36	37:31:15.457	126:55:44.739	-63
467	10	21	3	44	37	37:31:15.490	126:55:44.778	-63
468	10	21	3	44	38	37:31:15.524	126:55:44.818	-63
469	10	21	3	44	39	37:31:15.557	126:55:44.858	-66
470	10	21	3	44	40	37:31:15.591	126:55:44.938	-66
471	10	21	3	44	41	37:31:15.624	126:55:44.978	-66
472	10	21	3	44	42	37:31:15.657	126:55:45.018	-57
473	10	21	3	44	43	37:31:15.690	126:55:45.058	-57
474	10	21	3	44	44	37:31:15.691	126:55:45.099	-57
475	10	21	3	44	45	37:31:15.725	126:55:45.179	-59
476	10	21	3	44	46	37:31:15.758	126:55:45.219	-59
477	10	21	3	44	47	37:31:15.791	126:55:45.259	-59
478	10	21	3	44	48	37:31:15.824	126:55:45.299	-64
479	10	21	3	44	49	37:31:15.858	126:55:45.379	-64
480	10	21	3	44	50	37:31:15.891	126:55:45.419	-64
481	10	21	3	44	51	37:31:15.924	126:55:45.459	-60
482	10	21	3	44	52	37:31:15.957	126:55:45.499	-60
483	10	21	3	44	53	37:31:15.990	126:55:45.538	-60
484	10	21	3	44	54	37:31:16.024	126:55:45.619	-68
485	10	21	3	44	55	37:31:16.057	126:55:45.659	-68
486	10	21	3	44	56	37:31:16.058	126:55:45.699	-68
487	10	21	3	44	57	37:31:16.091	126:55:45.739	-83
488	10	21	3	44	58	37:31:16.125	126:55:45.820	-83
489	10	21	3	44	59	37:31:16.158	126:55:45.860	-83
490	10	21	3	45	0	37:31:16.191	126:55:45.899	-69
491	10	21	3	45	1	37:31:16.225	126:55:45.939	-69
492	10	21	3	45	2	37:31:16.258	126:55:45.979	-69
493	10	21	3	45	3	37:31:16.292	126:55:46.060	-60
494	10	21	3	45	4	37:31:16.325	126:55:46.099	-60
495	10	21	3	45	5	37:31:16.358	126:55:46.139	-60
496	10	21	3	45	6	37:31:16.391	126:55:46.179	-61
497	10	21	3	45	7	37:31:16.392	126:55:46.220	-61
498	10	21	3	45	8	37:31:16.425	126:55:46.300	-61
499	10	21	3	45	9	37:31:16.459	126:55:46.340	-68
500	10	21	3	45	10	37:31:16.492	126:55:46.380	-68
501	10	21	3	45	11	37:31:16.525	126:55:46.420	-68
502	10	21	3	45	12	37:31:16.559	126:55:46.500	-69
503	10	21	3	45	13	37:31:16.592	126:55:46.540	-69
504	10	21	3	45	14	37:31:16.625	126:55:46.580	-69
505	10	21	3	45	15	37:31:16.658	126:55:46.620	-67
506	10	21	3	45	16	37:31:16.691	126:55:46.660	-67
507	10	21	3	45	17	37:31:16.725	126:55:46.740	-67
508	10	21	3	45	18	37:31:16.758	126:55:46.780	-77
509	10	21	3	45	19	37:31:16.759	126:55:46.821	-77
510	10	21	3	45	20	37:31:16.792	126:55:46.860	-77
511	10	21	3	45	21	37:31:16.826	126:55:46.941	-68
512	10	21	3	45	22	37:31:16.859	126:55:46.981	-68
513	10	21	3	45	23	37:31:16.892	126:55:47.021	-68
514	10	21	3	45	24	37:31:16.925	126:55:47.060	-66
515	10	21	3	45	25	37:31:16.959	126:55:47.100	-66
516	10	21	3	45	26	37:31:16.992	126:55:47.141	-66

517	10	21	3	45	27	37:31:17.026	126:55:47.221	-75
518	10	21	3	45	28	37:31:17.059	126:55:47.260	-75
519	10	21	3	45	29	37:31:17.092	126:55:47.300	-75
520	10	21	3	45	30	37:31:17.126	126:55:47.381	-72
521	10	21	3	45	31	37:31:17.126	126:55:47.421	-72
522	10	21	3	45	32	37:31:17.160	126:55:47.461	-72
523	10	21	3	45	33	37:31:17.193	126:55:47.501	-70
524	10	21	3	45	34	37:31:17.226	126:55:47.541	-70
525	10	21	3	45	35	37:31:17.260	126:55:47.621	-70
526	10	21	3	45	36	37:31:17.293	126:55:47.661	-71
527	10	21	3	45	37	37:31:17.326	126:55:47.701	-71
528	10	21	3	45	38	37:31:17.359	126:55:47.741	-71
529	10	21	3	45	39	37:31:17.393	126:55:47.821	-84
530	10	21	3	45	40	37:31:17.426	126:55:47.861	-84
531	10	21	3	45	41	37:31:17.459	126:55:47.901	-84
532	10	21	3	45	42	37:31:17.460	126:55:47.942	-79
533	10	21	3	45	43	37:31:17.493	126:55:47.982	-79
534	10	21	3	45	44	37:31:17.527	126:55:48.062	-79
535	10	21	3	45	45	37:31:17.560	126:55:48.102	-89
536	10	21	3	45	46	37:31:17.593	126:55:48.142	-89
537	10	21	3	45	47	37:31:17.626	126:55:48.182	-89
538	10	21	3	45	48	37:31:17.660	126:55:48.262	-76
539	10	21	3	45	49	37:31:17.693	126:55:48.302	-76
540	10	21	3	45	50	37:31:17.727	126:55:48.342	-76
541	10	21	3	45	51	37:31:17.760	126:55:48.382	-82
542	10	21	3	45	52	37:31:17.793	126:55:48.421	-82
543	10	21	3	45	53	37:31:17.827	126:55:48.502	-82
544	10	21	3	45	54	37:31:17.827	126:55:48.543	-88
545	10	21	3	45	55	37:31:17.861	126:55:48.582	-88
546	10	21	3	45	56	37:31:17.894	126:55:48.622	-88
547	10	21	3	45	57	37:31:17.927	126:55:48.662	-80
548	10	21	3	45	58	37:31:17.961	126:55:48.743	-80
549	10	21	3	46	9	37:31:17.994	126:55:48.782	-80
550	10	21	3	46	10	37:31:18.027	126:55:48.822	-91
551	10	21	3	46	11	37:31:18.060	126:55:48.862	-91
552	10	21	3	46	12	37:31:18.094	126:55:48.943	-91
553	10	21	3	46	13	37:31:18.127	126:55:48.982	-84
554	10	21	3	46	14	37:31:18.160	126:55:49.022	-84
555	10	21	3	46	15	37:31:18.161	126:55:49.063	-84
556	10	21	3	46	16	37:31:18.194	126:55:49.103	-77
557	10	21	3	46	17	37:31:18.228	126:55:49.183	-77
558	10	21	3	46	18	37:31:18.261	126:55:49.223	-77
559	10	21	3	46	19	37:31:18.294	126:55:49.263	-81
560	10	21	3	46	20	37:31:18.327	126:55:49.303	-81
561	10	21	3	46	21	37:31:18.361	126:55:49.383	-81
562	10	21	3	46	22	37:31:18.394	126:55:49.423	-82
563	10	21	3	46	23	37:31:18.428	126:55:49.463	-82
564	10	21	3	46	24	37:31:18.461	126:55:49.503	-82
565	10	21	3	46	25	37:31:18.494	126:55:49.543	-86
566	10	21	3	46	26	37:31:18.528	126:55:49.623	-86
567	10	21	3	46	27	37:31:18.528	126:55:49.664	-86
568	10	21	3	46	28	37:31:18.562	126:55:49.704	-90
569	10	21	3	46	29	37:31:18.595	126:55:49.743	-90
570	10	21	3	46	30	37:31:18.629	126:55:49.824	-90
571	10	21	3	46	31	37:31:18.695	126:55:49.904	-88
평균 전계강도								-77.6



● 서비스 : NWA Street-Canyon Tx40

● 측정일 : 2003년 10월 21일

● 측정장소 : 여의도 PATH1

순서	시간					측정위치		전계강도(dBm)
	월	일	시	분	초	위도	경도	
1	10	21	2	53	16	37:31:23.098	126:55:45.709	-104
2	10	21	2	53	17	37:31:23.065	126:55:45.669	-104
3	10	21	2	53	18	37:31:23.032	126:55:45.629	-104
4	10	21	2	53	19	37:31:23.031	126:55:45.588	-98
5	10	21	2	53	20	37:31:22.998	126:55:45.548	-98
6	10	21	2	53	21	37:31:22.965	126:55:45.509	-98
7	10	21	2	53	22	37:31:22.931	126:55:45.428	-98
8	10	21	2	53	23	37:31:22.898	126:55:45.388	-98
9	10	21	2	53	24	37:31:22.897	126:55:45.347	-98
10	10	21	2	53	25	37:31:22.864	126:55:45.308	-101
11	10	21	2	53	26	37:31:22.831	126:55:45.268	-101
12	10	21	2	53	27	37:31:22.798	126:55:45.228	-101
13	10	21	2	53	28	37:31:22.765	126:55:45.188	-101
14	10	21	2	53	29	37:31:22.732	126:55:45.148	-101
15	10	21	2	53	30	37:31:22.731	126:55:45.108	-101
16	10	21	2	53	31	37:31:22.698	126:55:45.068	-103
17	10	21	2	53	32	37:31:22.665	126:55:45.028	-103
18	10	21	2	53	33	37:31:22.632	126:55:44.988	-103
19	10	21	2	53	34	37:31:22.598	126:55:44.908	-98
20	10	21	2	53	35	37:31:22.597	126:55:44.867	-98
21	10	21	2	53	36	37:31:22.564	126:55:44.827	-98
22	10	21	2	53	37	37:31:22.531	126:55:44.787	-105
23	10	21	2	53	38	37:31:22.498	126:55:44.748	-105
24	10	21	2	53	39	37:31:22.464	126:55:44.708	-105
25	10	21	2	53	40	37:31:22.464	126:55:44.667	-101
26	10	21	2	53	41	37:31:22.431	126:55:44.627	-101
27	10	21	2	53	42	37:31:22.397	126:55:44.587	-101
28	10	21	2	53	43	37:31:22.364	126:55:44.548	-102
29	10	21	2	53	44	37:31:22.331	126:55:44.508	-102
30	10	21	2	53	45	37:31:22.330	126:55:44.467	-102
31	10	21	2	53	46	37:31:22.297	126:55:44.386	-96
32	10	21	2	53	47	37:31:22.263	126:55:44.347	-96
33	10	21	2	53	48	37:31:22.230	126:55:44.307	-96
34	10	21	2	53	49	37:31:22.197	126:55:44.267	-100
35	10	21	2	53	50	37:31:22.164	126:55:44.227	-100
36	10	21	2	53	51	37:31:22.163	126:55:44.186	-100
37	10	21	2	53	52	37:31:22.130	126:55:44.147	-99
38	10	21	2	53	53	37:31:22.097	126:55:44.107	-99
39	10	21	2	53	54	37:31:22.064	126:55:44.067	-99
40	10	21	2	53	55	37:31:22.031	126:55:44.027	-97
41	10	21	2	53	56	37:31:22.030	126:55:43.987	-97
42	10	21	2	53	57	37:31:21.997	126:55:43.947	-97
43	10	21	2	53	58	37:31:21.963	126:55:43.866	-92
44	10	21	2	53	59	37:31:21.930	126:55:43.826	-92
45	10	21	2	54	0	37:31:21.897	126:55:43.787	-92
46	10	21	2	54	1	37:31:21.896	126:55:43.746	-101
47	10	21	2	54	2	37:31:21.863	126:55:43.706	-101
48	10	21	2	54	3	37:31:21.830	126:55:43.666	-101
49	10	21	2	54	4	37:31:21.797	126:55:43.626	-93
50	10	21	2	54	5	37:31:21.763	126:55:43.587	-93
51	10	21	2	54	6	37:31:21.763	126:55:43.546	-93
52	10	21	2	54	7	37:31:21.730	126:55:43.506	-100

53	10	21	2	54	8	37:31:21.696	126:55:43.466	-102
54	10	21	2	54	9	37:31:21.663	126:55:43.426	-102
55	10	21	2	54	10	37:31:21.629	126:55:43.346	-98
56	10	21	2	54	11	37:31:21.596	126:55:43.306	-98
57	10	21	2	54	12	37:31:21.596	126:55:43.265	-98
58	10	21	2	54	13	37:31:21.562	126:55:43.226	-90
59	10	21	2	54	14	37:31:21.529	126:55:43.186	-90
60	10	21	2	54	15	37:31:21.496	126:55:43.146	-90
61	10	21	2	54	16	37:31:21.463	126:55:43.106	-92
62	10	21	2	54	17	37:31:21.462	126:55:43.065	-92
63	10	21	2	54	18	37:31:21.429	126:55:43.026	-92
64	10	21	2	54	19	37:31:21.396	126:55:42.986	-90
65	10	21	2	54	20	37:31:21.363	126:55:42.946	-90
66	10	21	2	54	21	37:31:21.330	126:55:42.906	-90
67	10	21	2	54	22	37:31:21.328	126:55:42.825	-89
68	10	21	2	54	23	37:31:21.295	126:55:42.785	-89
69	10	21	2	54	24	37:31:21.262	126:55:42.745	-89
70	10	21	2	54	25	37:31:21.229	126:55:42.705	-98
71	10	21	2	54	26	37:31:21.196	126:55:42.665	-98
72	10	21	2	54	27	37:31:21.195	126:55:42.625	-98
73	10	21	2	54	28	37:31:21.162	126:55:42.585	-97
74	10	21	2	54	29	37:31:21.129	126:55:42.545	-97
75	10	21	2	54	30	37:31:21.096	126:55:42.505	-97
76	10	21	2	54	31	37:31:21.063	126:55:42.465	-96
77	10	21	2	54	32	37:31:21.029	126:55:42.426	-96
78	10	21	2	54	33	37:31:21.028	126:55:42.344	-96
79	10	21	2	54	34	37:31:20.995	126:55:42.304	-88
80	10	21	2	54	35	37:31:20.962	126:55:42.265	-88
81	10	21	2	54	36	37:31:20.929	126:55:42.225	-88
82	10	21	2	54	37	37:31:20.895	126:55:42.185	-92
83	10	21	2	54	38	37:31:20.895	126:55:42.144	-92
84	10	21	2	54	39	37:31:20.862	126:55:42.104	-92
85	10	21	2	54	40	37:31:20.828	126:55:42.065	-90
86	10	21	2	54	41	37:31:20.795	126:55:42.025	-90
87	10	21	2	54	42	37:31:20.762	126:55:41.985	-90
88	10	21	2	54	43	37:31:20.761	126:55:41.944	-92
89	10	21	2	54	44	37:31:20.728	126:55:41.904	-92
90	10	21	2	54	45	37:31:20.694	126:55:41.824	-92
91	10	21	2	54	46	37:31:20.661	126:55:41.784	-96
92	10	21	2	54	47	37:31:20.628	126:55:41.744	-96
93	10	21	2	54	48	37:31:20.595	126:55:41.704	-96
94	10	21	2	54	49	37:31:20.594	126:55:41.664	-90
95	10	21	2	54	50	37:31:20.561	126:55:41.624	-90
96	10	21	2	54	51	37:31:20.528	126:55:41.584	-90
97	10	21	2	54	52	37:31:20.495	126:55:41.544	-92
98	10	21	2	54	53	37:31:20.462	126:55:41.504	-92
99	10	21	2	54	54	37:31:20.461	126:55:41.464	-92
100	10	21	2	54	55	37:31:20.428	126:55:41.424	-84
101	10	21	2	54	56	37:31:20.395	126:55:41.384	-84
102	10	21	2	54	57	37:31:20.361	126:55:41.304	-84
103	10	21	2	54	58	37:31:20.328	126:55:41.264	-81
104	10	21	2	54	59	37:31:20.327	126:55:41.223	-81
105	10	21	2	55	0	37:31:20.294	126:55:41.183	-81
106	10	21	2	55	1	37:31:20.261	126:55:41.143	-80
107	10	21	2	55	2	37:31:20.228	126:55:41.104	-80
108	10	21	2	55	3	37:31:20.194	126:55:41.064	-80
109	10	21	2	55	4	37:31:20.194	126:55:41.023	-83
110	10	21	2	55	5	37:31:20.161	126:55:40.983	-82

111	10	21	2	55	6	37:31:20.127	126:55:40.943	-83
112	10	21	2	55	7	37:31:20.094	126:55:40.904	-86
113	10	21	2	55	8	37:31:20.061	126:55:40.864	-86
114	10	21	2	55	9	37:31:20.027	126:55:40.783	-86
115	10	21	2	55	10	37:31:20.027	126:55:40.743	-85
116	10	21	2	55	11	37:31:19.993	126:55:40.703	-85
117	10	21	2	55	12	37:31:19.960	126:55:40.663	-85
118	10	21	2	55	13	37:31:19.927	126:55:40.623	-80
119	10	21	2	55	14	37:31:19.894	126:55:40.583	-80
120	10	21	2	55	15	37:31:19.893	126:55:40.543	-80
121	10	21	2	55	16	37:31:19.860	126:55:40.503	-87
122	10	21	2	55	17	37:31:19.827	126:55:40.463	-87
123	10	21	2	55	18	37:31:19.794	126:55:40.423	-87
124	10	21	2	55	19	37:31:19.761	126:55:40.383	-79
125	10	21	2	55	20	37:31:19.760	126:55:40.343	-79
126	10	21	2	55	21	37:31:19.726	126:55:40.262	-79
127	10	21	2	55	22	37:31:19.693	126:55:40.222	-71
128	10	21	2	55	23	37:31:19.660	126:55:40.182	-71
129	10	21	2	55	24	37:31:19.627	126:55:40.143	-71
130	10	21	2	55	25	37:31:19.626	126:55:40.102	-71
131	10	21	2	55	26	37:31:19.593	126:55:40.062	-71
132	10	21	2	55	27	37:31:19.560	126:55:40.022	-71
133	10	21	2	55	28	37:31:19.527	126:55:39.982	-66
134	10	21	2	55	29	37:31:19.493	126:55:39.943	-66
135	10	21	2	55	30	37:31:19.460	126:55:39.903	-66
136	10	21	2	55	31	37:31:19.460	126:55:39.862	-74
137	10	21	2	55	56	37:31:19.426	126:55:39.822	-74
138	10	21	2	55	57	37:31:19.393	126:55:39.742	-74
139	10	21	2	55	58	37:31:19.359	126:55:39.702	-91
140	10	21	2	55	59	37:31:19.326	126:55:39.662	-91
141	10	21	2	56	0	37:31:19.326	126:55:39.621	-91
142	10	21	2	56	1	37:31:19.259	126:55:39.542	-82
143	10	21	2	56	2	37:31:19.259	126:55:39.542	-68
144	10	21	2	56	3	37:31:19.226	126:55:39.502	-68
145	10	21	2	56	4	37:31:19.192	126:55:39.421	-69
146	10	21	2	56	5	37:31:19.159	126:55:39.382	-69
147	10	21	2	56	6	37:31:19.126	126:55:39.342	-69
148	10	21	2	56	7	37:31:19.093	126:55:39.302	-76
149	10	21	2	56	8	37:31:19.059	126:55:39.221	-76
150	10	21	2	56	9	37:31:19.026	126:55:39.182	-76
151	10	21	2	56	10	37:31:18.993	126:55:39.142	-68
152	10	21	2	56	11	37:31:18.959	126:55:39.061	-68
153	10	21	2	56	12	37:31:18.926	126:55:39.021	-68
154	10	21	2	56	13	37:31:18.860	126:55:38.983	-59
155	10	21	2	56	14	37:31:18.826	126:55:38.902	-59
156	10	21	2	56	15	37:31:18.793	126:55:38.862	-59
157	10	21	2	56	16	37:31:18.760	126:55:38.822	-55
158	10	21	2	56	17	37:31:18.727	126:55:38.783	-55
159	10	21	2	56	18	37:31:18.693	126:55:38.702	-55
160	10	21	2	56	19	37:31:18.660	126:55:38.662	-50
161	10	21	2	56	20	37:31:18.627	126:55:38.622	-50
162	10	21	2	56	21	37:31:18.593	126:55:38.542	-50
163	10	21	2	56	22	37:31:18.560	126:55:38.502	-54
164	10	21	2	56	23	37:31:18.527	126:55:38.462	-54
165	10	21	2	56	24	37:31:18.493	126:55:38.382	-54
166	10	21	2	56	25	37:31:18.460	126:55:38.342	-68
167	10	21	2	56	26	37:31:18.426	126:55:38.302	-68
168	10	21	2	56	27	37:31:18.393	126:55:38.262	-68

169	10	21	2	56	28	37:31:18.359	126:55:38.182	-66
170	10	21	2	56	29	37:31:18.326	126:55:38.142	-66
171	10	21	2	56	30	37:31:18.293	126:55:38.102	-66
172	10	21	2	56	31	37:31:18.259	126:55:38.022	-71
173	10	21	2	56	32	37:31:18.226	126:55:37.982	-71
174	10	21	2	56	33	37:31:18.193	126:55:37.942	-71
175	10	21	2	56	34	37:31:18.127	126:55:37.862	-71
176	10	21	2	56	35	37:31:18.094	126:55:37.822	-71
177	10	21	2	56	36	37:31:18.060	126:55:37.783	-71
178	10	21	2	56	37	37:31:18.027	126:55:37.743	-80
179	10	21	2	56	38	37:31:17.993	126:55:37.662	-80
180	10	21	2	56	39	37:31:17.960	126:55:37.622	-80
181	10	21	2	56	40	37:31:17.927	126:55:37.583	-76
182	10	21	2	56	41	37:31:17.893	126:55:37.502	-76
183	10	21	2	56	42	37:31:17.860	126:55:37.462	-76
184	10	21	2	56	43	37:31:17.827	126:55:37.423	-79
185	10	21	2	56	44	37:31:17.793	126:55:37.342	-79
186	10	21	2	56	45	37:31:17.760	126:55:37.302	-79
187	10	21	2	56	46	37:31:17.727	126:55:37.262	-78
188	10	21	2	56	47	37:31:17.694	126:55:37.223	-78
189	10	21	2	56	48	37:31:17.660	126:55:37.142	-78
190	10	21	2	56	49	37:31:17.627	126:55:37.102	-83
191	10	21	2	56	50	37:31:17.594	126:55:37.062	-83
192	10	21	2	56	51	37:31:17.560	126:55:36.982	-83
193	10	21	2	56	52	37:31:17.527	126:55:36.942	-82
194	10	21	2	56	53	37:31:17.493	126:55:36.902	-82
195	10	21	2	56	54	37:31:17.460	126:55:36.862	-82
196	10	21	2	56	55	37:31:17.394	126:55:36.783	-90
197	10	21	2	56	56	37:31:17.361	126:55:36.743	-90
198	10	21	2	56	57	37:31:17.328	126:55:36.703	-90
199	10	21	2	56	58	37:31:17.294	126:55:36.623	-100
200	10	21	2	56	59	37:31:17.261	126:55:36.583	-100
201	10	21	2	57	0	37:31:17.228	126:55:36.543	-100
202	10	21	2	57	1	37:31:17.194	126:55:36.462	-88
203	10	21	2	57	2	37:31:17.161	126:55:36.423	-88
204	10	21	2	57	3	37:31:17.127	126:55:36.383	-88
205	10	21	2	57	4	37:31:17.094	126:55:36.343	-79
206	10	21	2	57	5	37:31:17.060	126:55:36.262	-79
207	10	21	2	57	6	37:31:17.027	126:55:36.223	-79
208	10	21	2	57	7	37:31:16.994	126:55:36.183	-92
209	10	21	2	57	8	37:31:16.960	126:55:36.102	-92
210	10	21	2	57	9	37:31:16.927	126:55:36.063	-92
211	10	21	2	57	10	37:31:16.894	126:55:36.023	-90
212	10	21	2	57	11	37:31:16.860	126:55:35.942	-90
213	10	21	2	57	12	37:31:16.827	126:55:35.902	-90
214	10	21	2	57	13	37:31:16.794	126:55:35.863	-88
215	10	21	2	57	14	37:31:16.761	126:55:35.823	-88
216	10	21	2	57	15	37:31:16.694	126:55:35.743	-88
217	10	21	2	57	16	37:31:16.661	126:55:35.703	-92
218	10	21	2	57	17	37:31:16.628	126:55:35.663	-92
219	10	21	2	57	18	37:31:16.594	126:55:35.583	-92
220	10	21	2	57	19	37:31:16.561	126:55:35.543	-98
221	10	21	2	57	20	37:31:16.528	126:55:35.503	-98
222	10	21	2	57	21	37:31:16.494	126:55:35.423	-98
223	10	21	2	57	22	37:31:16.461	126:55:35.383	-87
224	10	21	2	57	23	37:31:16.428	126:55:35.343	-87
225	10	21	2	57	24	37:31:16.395	126:55:35.303	-87
226	10	21	2	57	25	37:31:16.361	126:55:35.222	-82

227	10	21	2	57	26	37:31:16.328	126:55:35.183	-93
228	10	21	2	57	27	37:31:16.295	126:55:35.143	-93
229	10	21	2	57	28	37:31:16.261	126:55:35.063	-95
230	10	21	2	57	29	37:31:16.228	126:55:35.023	-95
231	10	21	2	57	30	37:31:16.194	126:55:34.983	-95
232	10	21	2	57	31	37:31:16.161	126:55:34.902	-87
233	10	21	2	57	32	37:31:16.127	126:55:34.863	-87
234	10	21	2	57	33	37:31:16.094	126:55:34.823	-87
235	10	21	2	57	34	37:31:16.061	126:55:34.783	-86
236	10	21	2	57	35	37:31:16.027	126:55:34.702	-86
237	10	21	2	57	36	37:31:15.962	126:55:34.664	-86
238	10	21	2	57	37	37:31:15.929	126:55:34.624	-95
239	10	21	2	57	38	37:31:15.895	126:55:34.543	-95
240	10	21	2	57	39	37:31:15.862	126:55:34.503	-95
241	10	21	2	57	40	37:31:15.828	126:55:34.464	-87
242	10	21	2	57	41	37:31:15.795	126:55:34.383	-87
243	10	21	2	57	42	37:31:15.761	126:55:34.343	-87
244	10	21	2	57	43	37:31:15.728	126:55:34.303	-91
245	10	21	2	57	44	37:31:15.695	126:55:34.264	-91
246	10	21	2	57	45	37:31:15.628	126:55:34.143	-91
247	10	21	2	57	46	37:31:15.628	126:55:34.143	-100
248	10	21	2	57	47	37:31:15.596	126:55:34.185	-100
249	10	21	2	57	48	37:31:15.532	126:55:34.227	-100
250	10	21	2	57	49	37:31:15.501	126:55:34.269	-93
251	10	21	2	57	50	37:31:15.469	126:55:34.311	-93
252	10	21	2	57	51	37:31:15.405	126:55:34.353	-93
253	10	21	2	57	52	37:31:15.373	126:55:34.395	-92
254	10	21	2	57	53	37:31:15.341	126:55:34.436	-92
255	10	21	2	57	54	37:31:15.277	126:55:34.479	-92
256	10	21	2	57	55	37:31:15.245	126:55:34.520	-90
257	10	21	2	57	56	37:31:15.214	126:55:34.562	-90
258	10	21	2	57	57	37:31:15.150	126:55:34.605	-90
259	10	21	2	57	58	37:31:15.118	126:55:34.646	-94
260	10	21	2	57	59	37:31:15.086	126:55:34.688	-94
261	10	21	2	58	0	37:31:15.022	126:55:34.730	-94
262	10	21	2	58	1	37:31:14.990	126:55:34.772	-89
263	10	21	2	58	2	37:31:14.959	126:55:34.814	-89
264	10	21	2	58	3	37:31:14.894	126:55:34.856	-89
265	10	21	2	58	4	37:31:14.863	126:55:34.898	-86
266	10	21	2	58	5	37:31:14.831	126:55:34.939	-86
267	10	21	2	58	6	37:31:14.767	126:55:34.982	-86
268	10	21	2	58	7	37:31:14.735	126:55:35.023	-85
269	10	21	2	58	8	37:31:14.703	126:55:35.065	-85
270	10	21	2	58	9	37:31:14.639	126:55:35.108	-85
271	10	21	2	58	10	37:31:14.608	126:55:35.149	-98
272	10	21	2	58	11	37:31:14.576	126:55:35.191	-98
273	10	21	2	58	12	37:31:14.512	126:55:35.233	-98
274	10	21	2	58	13	37:31:14.480	126:55:35.275	-85
275	10	21	2	58	14	37:31:14.448	126:55:35.316	-85
276	10	21	2	58	15	37:31:14.384	126:55:35.359	-85
277	10	21	2	58	16	37:31:14.352	126:55:35.401	-93
278	10	21	2	58	17	37:31:14.321	126:55:35.442	-93
279	10	21	2	58	18	37:31:14.257	126:55:35.485	-93
280	10	21	2	58	19	37:31:14.225	126:55:35.526	-91
281	10	21	2	58	20	37:31:14.193	126:55:35.568	-91
282	10	21	2	58	21	37:31:14.129	126:55:35.610	-91
283	10	21	2	58	22	37:31:14.097	126:55:35.652	-88
284	10	21	2	58	23	37:31:14.066	126:55:35.694	-88

285	10	21	2	58	24	37:31:14.002	126:55:35.736	-88
286	10	21	2	58	25	37:31:13.970	126:55:35.778	-88
287	10	21	2	58	26	37:31:13.938	126:55:35.819	-88
288	10	21	2	58	27	37:31:13.874	126:55:35.862	-88
289	10	21	2	58	28	37:31:13.842	126:55:35.903	-98
290	10	21	2	58	29	37:31:13.811	126:55:35.945	-98
291	10	21	2	58	30	37:31:13.746	126:55:35.988	-98
292	10	21	2	58	31	37:31:13.715	126:55:36.029	-84
293	10	21	2	58	32	37:31:13.683	126:55:36.071	-84
294	10	21	2	58	33	37:31:13.619	126:55:36.113	-84
295	10	21	2	58	34	37:31:13.587	126:55:36.155	-85
296	10	21	2	58	35	37:31:13.555	126:55:36.197	-85
297	10	21	2	58	36	37:31:13.491	126:55:36.239	-85
298	10	21	2	58	37	37:31:13.460	126:55:36.281	-86
299	10	21	2	58	38	37:31:13.428	126:55:36.322	-86
300	10	21	2	58	39	37:31:13.364	126:55:36.365	-86
301	10	21	2	58	40	37:31:13.332	126:55:36.406	-88
302	10	21	2	58	41	37:31:13.300	126:55:36.448	-88
303	10	21	2	58	42	37:31:13.236	126:55:36.491	-88
304	10	21	2	58	43	37:31:13.204	126:55:36.532	-86
305	10	21	2	58	44	37:31:13.173	126:55:36.574	-86
306	10	21	2	58	45	37:31:13.109	126:55:36.616	-86
307	10	21	2	58	46	37:31:13.077	126:55:36.658	-94
308	10	21	2	58	47	37:31:13.045	126:55:36.699	-94
309	10	21	2	58	48	37:31:12.981	126:55:36.742	-94
310	10	21	2	58	49	37:31:12.949	126:55:36.784	-84
311	10	21	2	58	50	37:31:12.918	126:55:36.825	-84
312	10	21	2	58	51	37:31:12.853	126:55:36.868	-84
313	10	21	2	58	52	37:31:12.822	126:55:36.909	-79
314	10	21	2	58	53	37:31:12.790	126:55:36.951	-79
315	10	21	2	58	54	37:31:12.726	126:55:36.993	-79
316	10	21	2	58	55	37:31:12.694	126:55:37.035	-89
317	10	21	2	58	56	37:31:12.662	126:55:37.077	-89
318	10	21	2	58	57	37:31:12.598	126:55:37.119	-89
319	10	21	2	58	58	37:31:12.567	126:55:37.161	-99
320	10	21	2	58	59	37:31:12.535	126:55:37.202	-99
321	10	21	2	59	0	37:31:12.471	126:55:37.245	-99
322	10	21	2	59	1	37:31:12.439	126:55:37.287	-87
323	10	21	2	59	2	37:31:12.407	126:55:37.328	-87
324	10	21	2	59	3	37:31:12.343	126:55:37.371	-87
325	10	21	2	59	4	37:31:12.311	126:55:37.412	-81
326	10	21	2	59	5	37:31:12.280	126:55:37.454	-81
327	10	21	2	59	6	37:31:12.216	126:55:37.496	-81
328	10	21	2	59	7	37:31:12.184	126:55:37.538	-83
329	10	21	2	59	8	37:31:12.152	126:55:37.580	-83
330	10	21	2	59	9	37:31:12.088	126:55:37.622	-83
331	10	21	2	59	10	37:31:12.056	126:55:37.664	-83
332	10	21	2	59	11	37:31:12.025	126:55:37.705	-83
333	10	21	2	59	12	37:31:11.960	126:55:37.748	-83
334	10	21	2	59	13	37:31:11.929	126:55:37.789	-86
335	10	21	2	59	14	37:31:11.897	126:55:37.831	-86
336	10	21	2	59	15	37:31:11.833	126:55:37.874	-86
337	10	21	2	59	16	37:31:11.801	126:55:37.915	-76
338	10	21	2	59	17	37:31:11.769	126:55:37.957	-76
339	10	21	2	59	18	37:31:11.705	126:55:37.999	-76
340	10	21	2	59	19	37:31:11.674	126:55:38.041	-74
341	10	21	2	59	20	37:31:11.642	126:55:38.082	-74
342	10	21	2	59	21	37:31:11.579	126:55:38.166	-74


343	10	21	2	59	22	37:31:11.578	126:55:38.166	-63
344	10	21	2	59	23	37:31:11.612	126:55:38.206	-63
345	10	21	2	59	24	37:31:11.612	126:55:38.246	-63
346	10	21	2	59	25	37:31:11.645	126:55:38.286	-65
347	10	21	2	59	26	37:31:11.679	126:55:38.326	-65
348	10	21	2	59	27	37:31:11.679	126:55:38.367	-65
349	10	21	2	59	28	37:31:11.712	126:55:38.406	-65
350	10	21	2	59	29	37:31:11.746	126:55:38.446	-65
351	10	21	2	59	30	37:31:11.746	126:55:38.487	-65
352	10	21	2	59	31	37:31:11.779	126:55:38.527	-62
353	10	21	2	59	32	37:31:11.813	126:55:38.567	-62
354	10	21	2	59	33	37:31:11.846	126:55:38.606	-62
355	10	21	2	59	34	37:31:11.846	126:55:38.647	-73
356	10	21	2	59	35	37:31:11.880	126:55:38.687	-73
357	10	21	2	59	36	37:31:11.913	126:55:38.727	-73
358	10	21	2	59	37	37:31:11.913	126:55:38.767	-64
359	10	21	2	59	38	37:31:11.947	126:55:38.807	-64
360	10	21	2	59	39	37:31:11.980	126:55:38.847	-64
361	10	21	2	59	40	37:31:11.980	126:55:38.888	-69
362	10	21	2	59	41	37:31:12.014	126:55:38.928	-69
363	10	21	2	59	42	37:31:12.047	126:55:38.967	-69
364	10	21	2	59	43	37:31:12.047	126:55:39.008	-68
365	10	21	2	59	44	37:31:12.081	126:55:39.048	-68
366	10	21	2	59	45	37:31:12.114	126:55:39.088	-68
367	10	21	2	59	46	37:31:12.114	126:55:39.128	-69
368	10	21	2	59	47	37:31:12.148	126:55:39.168	-69
369	10	21	2	59	48	37:31:12.181	126:55:39.208	-69
370	10	21	2	59	49	37:31:12.181	126:55:39.249	-64
371	10	21	2	59	50	37:31:12.215	126:55:39.289	-64
372	10	21	2	59	51	37:31:12.248	126:55:39.328	-64
373	10	21	2	59	52	37:31:12.248	126:55:39.369	-67
374	10	21	2	59	53	37:31:12.282	126:55:39.409	-67
375	10	21	2	59	54	37:31:12.315	126:55:39.449	-67
376	10	21	2	59	55	37:31:12.348	126:55:39.489	-70
377	10	21	2	59	56	37:31:12.349	126:55:39.529	-70
378	10	21	2	59	57	37:31:12.382	126:55:39.569	-70
379	10	21	2	59	58	37:31:12.415	126:55:39.609	-67
380	10	21	2	59	59	37:31:12.416	126:55:39.650	-67
381	10	21	3	0	0	37:31:12.449	126:55:39.689	-67
382	10	21	3	0	1	37:31:12.482	126:55:39.729	-67
383	10	21	3	0	2	37:31:12.483	126:55:39.770	-67
384	10	21	3	0	3	37:31:12.516	126:55:39.810	-67
385	10	21	3	0	4	37:31:12.549	126:55:39.850	-60
386	10	21	3	0	5	37:31:12.550	126:55:39.890	-60
387	10	21	3	0	6	37:31:12.583	126:55:39.930	-60
388	10	21	3	0	7	37:31:12.616	126:55:39.970	-68
389	10	21	3	0	8	37:31:12.617	126:55:40.011	-68
390	10	21	3	0	9	37:31:12.650	126:55:40.050	-68
391	10	21	3	0	10	37:31:12.683	126:55:40.090	-67
392	10	21	3	0	11	37:31:12.684	126:55:40.131	-67
393	10	21	3	0	12	37:31:12.717	126:55:40.171	-67
394	10	21	3	0	13	37:31:12.750	126:55:40.211	-64
395	10	21	3	0	14	37:31:12.751	126:55:40.251	-64
396	10	21	3	0	15	37:31:12.784	126:55:40.291	-64
397	10	21	3	0	16	37:31:12.817	126:55:40.331	-62
398	10	21	3	0	17	37:31:12.850	126:55:40.371	-62
399	10	21	3	0	18	37:31:12.851	126:55:40.411	-62
400	10	21	3	0	19	37:31:12.884	126:55:40.451	-55

401	10	21	3	0	20	37:31:12.917	126:55:40.491	-55
402	10	21	3	0	21	37:31:12.918	126:55:40.532	-55
403	10	21	3	0	22	37:31:12.951	126:55:40.572	-58
404	10	21	3	0	23	37:31:12.984	126:55:40.611	-58
405	10	21	3	0	24	37:31:12.985	126:55:40.652	-58
406	10	21	3	0	25	37:31:13.018	126:55:40.692	-57
407	10	21	3	0	26	37:31:13.051	126:55:40.732	-57
408	10	21	3	0	27	37:31:13.052	126:55:40.773	-57
409	10	21	3	0	28	37:31:13.085	126:55:40.812	-54
410	10	21	3	0	29	37:31:13.118	126:55:40.852	-54
411	10	21	3	0	30	37:31:13.119	126:55:40.893	-54
412	10	21	3	0	31	37:31:13.152	126:55:40.933	-51
413	10	21	3	0	32	37:31:13.185	126:55:40.973	-51
414	10	21	3	0	33	37:31:13.186	126:55:41.013	-51
415	10	21	3	0	34	37:31:13.219	126:55:41.053	-53
416	10	21	3	0	35	37:31:13.252	126:55:41.093	-53
417	10	21	3	0	36	37:31:13.285	126:55:41.133	-53
418	10	21	3	0	37	37:31:13.286	126:55:41.173	-47
419	10	21	3	0	38	37:31:13.319	126:55:41.213	-47
420	10	21	3	0	39	37:31:13.352	126:55:41.253	-47
421	10	21	3	0	40	37:31:13.353	126:55:41.294	-50
422	10	21	3	0	41	37:31:13.386	126:55:41.334	-50
423	10	21	3	0	42	37:31:13.419	126:55:41.373	-50
424	10	21	3	0	43	37:31:13.420	126:55:41.414	-47
425	10	21	3	0	44	37:31:13.453	126:55:41.454	-47
426	10	21	3	0	45	37:31:13.486	126:55:41.494	-47
427	10	21	3	0	46	37:31:13.487	126:55:41.534	-42
428	10	21	3	0	47	37:31:13.520	126:55:41.574	-42
429	10	21	3	0	48	37:31:13.553	126:55:41.614	-42
430	10	21	3	0	49	37:31:13.554	126:55:41.655	-43
431	10	21	3	0	50	37:31:13.587	126:55:41.695	-43
432	10	21	3	0	51	37:31:13.620	126:55:41.734	-43
433	10	21	3	0	53	37:31:13.621	126:55:41.775	-41
434	10	21	3	0	54	37:31:13.654	126:55:41.815	-41
435	10	21	3	0	55	37:31:13.687	126:55:41.855	-41
436	10	21	3	0	56	37:31:13.688	126:55:41.895	-37
437	10	21	3	0	57	37:31:13.721	126:55:41.935	-37
438	10	21	3	0	58	37:31:13.754	126:55:41.975	-37
439	10	21	3	0	59	37:31:13.787	126:55:42.015	-38
440	10	21	3	1	0	37:31:13.788	126:55:42.056	-38
441	10	21	3	1	15	37:31:13.821	126:55:42.095	-38
442	10	21	3	1	16	37:31:13.854	126:55:42.135	-54
443	10	21	3	1	17	37:31:13.855	126:55:42.176	-54
444	10	21	3	1	18	37:31:13.888	126:55:42.216	-54
445	10	21	3	1	19	37:31:13.921	126:55:42.256	-45
446	10	21	3	1	20	37:31:13.955	126:55:42.336	-45
447	10	21	3	1	21	37:31:13.955	126:55:42.336	-45
448	10	21	3	1	22	37:31:13.988	126:55:42.376	-45
449	10	21	3	1	23	37:31:14.021	126:55:42.416	-48
450	10	21	3	1	24	37:31:14.055	126:55:42.456	-48
451	10	21	3	1	25	37:31:14.056	126:55:42.537	-48
452	10	21	3	1	26	37:31:14.089	126:55:42.577	-48
453	10	21	3	1	27	37:31:14.122	126:55:42.617	-48
454	10	21	3	1	28	37:31:14.155	126:55:42.656	-48
455	10	21	3	1	29	37:31:14.189	126:55:42.696	-51
456	10	21	3	1	30	37:31:14.222	126:55:42.736	-51
457	10	21	3	1	31	37:31:14.222	126:55:42.777	-51
458	10	21	3	1	32	37:31:14.255	126:55:42.817	-49

459	10	21	3	1	33	37:31:14.289	126:55:42.897	-49
460	10	21	3	1	34	37:31:14.323	126:55:42.937	-49
461	10	21	3	1	35	37:31:14.356	126:55:42.977	-51
462	10	21	3	1	36	37:31:14.389	126:55:43.017	-51
463	10	21	3	1	37	37:31:14.422	126:55:43.056	-51
464	10	21	3	1	38	37:31:14.423	126:55:43.097	-48
465	10	21	3	1	39	37:31:14.456	126:55:43.137	-48
466	10	21	3	1	40	37:31:14.490	126:55:43.217	-48
467	10	21	3	1	41	37:31:14.523	126:55:43.257	-56
468	10	21	3	1	42	37:31:14.556	126:55:43.297	-56
469	10	21	3	1	43	37:31:14.589	126:55:43.337	-56
470	10	21	3	1	44	37:31:14.590	126:55:43.378	-35
471	10	21	3	1	45	37:31:14.623	126:55:43.417	-35
472	10	21	3	1	46	37:31:14.656	126:55:43.457	-35
473	10	21	3	1	47	37:31:14.689	126:55:43.497	-45
474	10	21	3	1	48	37:31:14.723	126:55:43.578	-45
475	10	21	3	1	49	37:31:14.756	126:55:43.617	-45
476	10	21	3	1	50	37:31:14.757	126:55:43.658	-33
477	10	21	3	1	51	37:31:14.790	126:55:43.698	-33
478	10	21	3	1	52	37:31:14.823	126:55:43.738	-33
479	10	21	3	1	53	37:31:14.856	126:55:43.778	-33
480	10	21	3	1	54	37:31:14.890	126:55:43.817	-33
481	10	21	3	1	55	37:31:14.923	126:55:43.857	-33
482	10	21	3	1	56	37:31:14.957	126:55:43.938	-40
483	10	21	3	1	57	37:31:14.957	126:55:43.978	-40
484	10	21	3	1	58	37:31:14.990	126:55:44.018	-40
485	10	21	3	1	59	37:31:15.024	126:55:44.058	-37
486	10	21	3	2	0	37:31:15.057	126:55:44.098	-37
487	10	21	3	2	1	37:31:15.090	126:55:44.138	-37
488	10	21	3	2	2	37:31:15.123	126:55:44.178	-37
489	10	21	3	2	3	37:31:15.124	126:55:44.259	-37
490	10	21	3	2	4	37:31:15.158	126:55:44.299	-37
491	10	21	3	2	5	37:31:15.191	126:55:44.339	-38
492	10	21	3	2	6	37:31:15.224	126:55:44.378	-38
493	10	21	3	2	7	37:31:15.257	126:55:44.418	-38
494	10	21	3	2	8	37:31:15.290	126:55:44.458	-40
495	10	21	3	2	9	37:31:15.323	126:55:44.498	-40
496	10	21	3	2	10	37:31:15.324	126:55:44.539	-40
497	10	21	3	2	11	37:31:15.358	126:55:44.619	-45
498	10	21	3	2	12	37:31:15.391	126:55:44.659	-45
499	10	21	3	2	13	37:31:15.424	126:55:44.699	-45
500	10	21	3	2	14	37:31:15.457	126:55:44.739	-50
501	10	21	3	2	15	37:31:15.490	126:55:44.778	-50
502	10	21	3	2	16	37:31:15.491	126:55:44.819	-50
503	10	21	3	2	17	37:31:15.524	126:55:44.859	-48
504	10	21	3	2	18	37:31:15.558	126:55:44.939	-48
505	10	21	3	2	19	37:31:15.591	126:55:44.979	-48
506	10	21	3	2	20	37:31:15.624	126:55:45.019	-50
507	10	21	3	2	21	37:31:15.658	126:55:45.059	-50
508	10	21	3	2	22	37:31:15.691	126:55:45.099	-50
509	10	21	3	2	23	37:31:15.691	126:55:45.139	-46
510	10	21	3	2	24	37:31:15.725	126:55:45.179	-46
511	10	21	3	2	25	37:31:15.758	126:55:45.219	-46
512	10	21	3	2	26	37:31:15.792	126:55:45.300	-45
513	10	21	3	2	27	37:31:15.825	126:55:45.339	-45
514	10	21	3	2	28	37:31:15.858	126:55:45.379	-45
515	10	21	3	2	29	37:31:15.859	126:55:45.420	-45
516	10	21	3	2	30	37:31:15.900	126:55:45.460	-45

517	10	21	3	2	31	37:31:15.925	126:55:45.500	-45
518	10	21	3	2	32	37:31:15.958	126:55:45.539	-53
519	10	21	3	2	33	37:31:15.991	126:55:45.579	-53
520	10	21	3	2	34	37:31:16.025	126:55:45.660	-53
521	10	21	3	2	35	37:31:16.026	126:55:45.700	-51
522	10	21	3	2	36	37:31:16.059	126:55:45.740	-51
523	10	21	3	2	37	37:31:16.092	126:55:45.780	-51
524	10	21	3	2	38	37:31:16.125	126:55:45.820	-55
525	10	21	3	2	39	37:31:16.158	126:55:45.860	-55
526	10	21	3	2	40	37:31:16.191	126:55:45.899	-55
527	10	21	3	2	41	37:31:16.225	126:55:45.980	-58
528	10	21	3	2	42	37:31:16.226	126:55:46.021	-58
529	10	21	3	2	43	37:31:16.259	126:55:46.061	-58
530	10	21	3	2	44	37:31:16.292	126:55:46.100	-62
531	10	21	3	2	45	37:31:16.325	126:55:46.140	-62
532	10	21	3	2	46	37:31:16.358	126:55:46.180	-62
533	10	21	3	2	47	37:31:16.392	126:55:46.220	-73
534	10	21	3	2	48	37:31:16.392	126:55:46.261	-73
535	10	21	3	2	49	37:31:16.426	126:55:46.341	-73
536	10	21	3	2	50	37:31:16.459	126:55:46.381	-76
537	10	21	3	2	51	37:31:16.492	126:55:46.421	-76
538	10	21	3	2	52	37:31:16.526	126:55:46.460	-76
539	10	21	3	2	53	37:31:16.559	126:55:46.500	-67
540	10	21	3	2	54	37:31:16.592	126:55:46.540	-67
541	10	21	3	2	55	37:31:16.593	126:55:46.581	-67
542	10	21	3	2	56	37:31:16.626	126:55:46.661	-60
543	10	21	3	2	57	37:31:16.660	126:55:46.701	-60
544	10	21	3	2	58	37:31:16.693	126:55:46.741	-60
545	10	21	3	2	59	37:31:16.726	126:55:46.781	-64
546	10	21	3	3	0	37:31:16.759	126:55:46.821	-64
547	10	21	3	3	1	37:31:16.760	126:55:46.861	-64
548	10	21	3	3	2	37:31:16.793	126:55:46.901	-57
549	10	21	3	3	3	37:31:16.826	126:55:46.941	-57
550	10	21	3	3	4	37:31:16.860	126:55:47.022	-57
551	10	21	3	3	5	37:31:16.893	126:55:47.061	-68
552	10	21	3	3	6	37:31:16.926	126:55:47.101	-68
553	10	21	3	3	7	37:31:16.927	126:55:47.142	-68
554	10	21	3	3	8	37:31:16.960	126:55:47.182	-66
555	10	21	3	3	9	37:31:16.993	126:55:47.221	-66
556	10	21	3	3	10	37:31:17.026	126:55:47.261	-66
557	10	21	3	3	11	37:31:17.059	126:55:47.301	-68
558	10	21	3	3	12	37:31:17.093	126:55:47.382	-68
559	10	21	3	3	13	37:31:17.126	126:55:47.421	-68
560	10	21	3	3	14	37:31:17.127	126:55:47.462	-66
561	10	21	3	3	15	37:31:17.160	126:55:47.502	-66
562	10	21	3	3	16	37:31:17.193	126:55:47.542	-66
563	10	21	3	3	17	37:31:17.227	126:55:47.582	-66
564	10	21	3	3	18	37:31:17.260	126:55:47.621	-66
565	10	21	3	3	19	37:31:17.294	126:55:47.702	-66
566	10	21	3	3	20	37:31:17.294	126:55:47.743	-70
567	10	21	3	3	21	37:31:17.327	126:55:47.783	-70
568	10	21	3	3	22	37:31:17.361	126:55:47.822	-70
569	10	21	3	3	23	37:31:17.394	126:55:47.862	-73
570	10	21	3	3	24	37:31:17.427	126:55:47.902	-73
571	10	21	3	3	25	37:31:17.460	126:55:47.942	-73
572	10	21	3	3	26	37:31:17.493	126:55:47.982	-73
573	10	21	3	3	27	37:31:17.495	126:55:48.063	-73
574	10	21	3	3	28	37:31:17.528	126:55:48.103	-73

[illegible]



● 서비스 : NWA LOS Street-Canyon Tx80Rx27

● 측정일 : 2003년 10월 21일

● 측정장소 : 여의도 PATH1


순서	시간					측정위치		전계강도(dBm)
	월	일	시	분	초	위도	경도	
1	10	21	5	29	36	37:31:7.347	126:55:50.299	-40
2	10	21	5	29	37	37:31:7.411	126:55:50.256	-40
3	10	21	5	29	38	37:31:7.474	126:55:50.173	-40
4	10	21	5	29	39	37:31:7.506	126:55:50.131	-35
5	10	21	5	29	40	37:31:7.570	126:55:50.089	-35
6	10	21	5	29	41	37:31:7.633	126:55:50.006	-35
7	10	21	5	29	42	37:31:7.698	126:55:49.963	-55
8	10	21	5	29	43	37:31:7.729	126:55:49.921	-55
9	10	21	5	29	44	37:31:7.793	126:55:49.838	-55
10	10	21	5	29	45	37:31:7.857	126:55:49.796	-36
11	10	21	5	29	46	37:31:7.921	126:55:49.753	-36
12	10	21	5	29	47	37:31:7.985	126:55:49.711	-36
13	10	21	5	29	48	37:31:8.016	126:55:49.628	-40
14	10	21	5	29	49	37:31:8.080	126:55:49.586	-40
15	10	21	5	29	50	37:31:8.144	126:55:49.543	-40
16	10	21	5	29	51	37:31:8.208	126:55:49.460	-40
17	10	21	5	29	52	37:31:8.240	126:55:49.419	-40
18	10	21	5	29	53	37:31:8.304	126:55:49.376	-40
19	10	21	5	29	54	37:31:8.367	126:55:49.293	-37
20	10	21	5	29	55	37:31:8.431	126:55:49.250	-37
21	10	21	5	29	56	37:31:8.463	126:55:49.209	-37
22	10	21	5	29	57	37:31:8.526	126:55:49.125	-44
23	10	21	5	29	58	37:31:8.591	126:55:49.083	-44
24	10	21	5	29	59	37:31:8.655	126:55:49.040	-44
25	10	21	5	30	0	37:31:8.718	126:55:48.957	-42
26	10	21	5	30	1	37:31:8.750	126:55:48.916	-42
27	10	21	5	30	2	37:31:8.814	126:55:48.873	-42
28	10	21	5	30	3	37:31:8.877	126:55:48.790	-46
29	10	21	5	30	4	37:31:8.942	126:55:48.747	-46
30	10	21	5	30	5	37:31:8.973	126:55:48.706	-46
31	10	21	5	30	6	37:31:9.037	126:55:48.623	-45
32	10	21	5	30	7	37:31:9.101	126:55:48.580	-45
33	10	21	5	30	8	37:31:9.165	126:55:48.538	-45
34	10	21	5	30	9	37:31:9.229	126:55:48.495	-45
35	10	21	5	30	10	37:31:9.260	126:55:48.413	-45
36	10	21	5	30	11	37:31:9.324	126:55:48.370	-45
37	10	21	5	30	12	37:31:9.388	126:55:48.328	-50
38	10	21	5	30	13	37:31:9.452	126:55:48.245	-50
39	10	21	5	30	14	37:31:9.484	126:55:48.203	-50
40	10	21	5	30	15	37:31:9.548	126:55:48.160	-40
41	10	21	5	30	16	37:31:9.611	126:55:48.077	-40
42	10	21	5	30	17	37:31:9.675	126:55:48.035	-40
43	10	21	5	30	18	37:31:9.739	126:55:47.992	-46
44	10	21	5	30	19	37:31:9.770	126:55:47.910	-46
45	10	21	5	30	20	37:31:9.835	126:55:47.867	-46
46	10	21	5	30	21	37:31:9.899	126:55:47.825	-43
47	10	21	5	30	22	37:31:9.962	126:55:47.742	-43
48	10	21	5	30	23	37:31:9.994	126:55:47.700	-43
49	10	21	5	30	24	37:31:10.058	126:55:47.658	-43
50	10	21	5	30	25	37:31:10.121	126:55:47.574	-43
51	10	21	5	30	26	37:31:10.186	126:55:47.532	-43
52	10	21	5	30	27	37:31:10.247	126:55:47.490	-43

53	10	21	5	30	28	37:31:10.281	126:55:47.407	-39
54	10	21	5	30	29	37:31:10.345	126:55:47.365	-39
55	10	21	5	30	30	37:31:10.409	126:55:47.322	-42
56	10	21	5	30	31	37:31:10.473	126:55:47.280	-42
57	10	21	5	30	32	37:31:10.504	126:55:47.197	-42
58	10	21	5	30	33	37:31:10.568	126:55:47.155	-46
59	10	21	5	30	34	37:31:10.632	126:55:47.112	-46
60	10	21	5	30	35	37:31:10.696	126:55:47.029	-46
61	10	21	5	30	36	37:31:10.728	126:55:46.987	-41
62	10	21	5	30	37	37:31:10.792	126:55:46.945	-41
63	10	21	5	30	38	37:31:10.855	126:55:46.862	-41
64	10	21	5	30	39	37:31:10.919	126:55:46.819	-43
65	10	21	5	30	40	37:31:10.983	126:55:46.777	-43
66	10	21	5	30	41	37:31:11.014	126:55:46.694	-43
67	10	21	5	30	42	37:31:11.079	126:55:46.652	-60
68	10	21	5	30	43	37:31:11.143	126:55:46.609	-60
69	10	21	5	30	44	37:31:11.206	126:55:46.526	-60
70	10	21	5	30	45	37:31:11.238	126:55:46.484	-46
71	10	21	5	30	46	37:31:11.302	126:55:46.442	-46
72	10	21	5	30	47	37:31:11.365	126:55:46.359	-46
73	10	21	5	30	48	37:31:11.430	126:55:46.316	-44
74	10	21	5	30	49	37:31:11.461	126:55:46.275	-44
75	10	21	5	30	50	37:31:11.525	126:55:46.191	-44
76	10	21	5	30	51	37:31:11.589	126:55:46.149	-50
77	10	21	5	30	52	37:31:11.653	126:55:46.106	-50
78	10	21	5	30	53	37:31:11.717	126:55:46.064	-50
79	10	21	5	30	54	37:31:11.748	126:55:45.982	-51
80	10	21	5	30	55	37:31:11.812	126:55:45.939	-51
81	10	21	5	30	56	37:31:11.876	126:55:45.897	-51
82	10	21	5	30	57	37:31:11.940	126:55:45.813	-46
83	10	21	5	30	58	37:31:11.971	126:55:45.772	-46
84	10	21	5	30	59	37:31:12.036	126:55:45.729	-46
85	10	21	5	31	0	37:31:12.099	126:55:45.646	-46
86	10	21	5	31	1	37:31:12.163	126:55:45.604	-46
87	10	21	5	31	2	37:31:12.227	126:55:45.561	-46
88	10	21	5	31	3	37:31:12.258	126:55:45.479	-43
89	10	21	5	31	4	37:31:12.322	126:55:45.436	-43
90	10	21	5	31	5	37:31:12.387	126:55:45.394	-43
91	10	21	5	31	6	37:31:12.450	126:55:45.310	-44
92	10	21	5	31	7	37:31:12.482	126:55:45.269	-44
93	10	21	5	31	8	37:31:12.546	126:55:45.226	-44
94	10	21	5	31	9	37:31:12.609	126:55:45.143	-50
95	10	21	5	31	10	37:31:12.673	126:55:45.101	-50
96	10	21	5	31	11	37:31:12.738	126:55:45.058	-50
97	10	21	5	31	12	37:31:12.769	126:55:44.976	-58
98	10	21	5	31	13	37:31:12.833	126:55:44.933	-58
99	10	21	5	31	14	37:31:12.897	126:55:44.891	-58
100	10	21	5	31	15	37:31:12.961	126:55:44.848	-52
101	10	21	5	31	16	37:31:12.992	126:55:44.766	-52
102	10	21	5	31	17	37:31:13.056	126:55:44.723	-52
103	10	21	5	31	18	37:31:13.120	126:55:44.681	-53
104	10	21	5	31	19	37:31:13.184	126:55:44.598	-53
105	10	21	5	31	20	37:31:13.215	126:55:44.556	-53
106	10	21	5	31	21	37:31:13.280	126:55:44.514	-47
107	10	21	5	31	22	37:31:13.343	126:55:44.430	-47
108	10	21	5	31	23	37:31:13.407	126:55:44.388	-47
109	10	21	5	31	24	37:31:13.471	126:55:44.345	-47
110	10	21	5	31	25	37:31:13.502	126:55:44.262	-47

111	10	21	5	31	26	37:31:13.566	126:55:44.221	-47
112	10	21	5	31	27	37:31:13.631	126:55:44.178	-49
113	10	21	5	31	28	37:31:13.694	126:55:44.095	-49
114	10	21	5	31	29	37:31:13.726	126:55:44.053	-49
115	10	21	5	31	30	37:31:13.790	126:55:44.011	-51
116	10	21	5	31	31	37:31:13.853	126:55:43.927	-51
117	10	21	5	31	32	37:31:13.917	126:55:43.885	-53
118	10	21	5	31	33	37:31:13.982	126:55:43.842	-53
119	10	21	5	31	34	37:31:14.013	126:55:43.760	-55
120	10	21	5	31	35	37:31:14.077	126:55:43.718	-55
121	10	21	5	31	36	37:31:14.141	126:55:43.675	-55
122	10	21	5	31	37	37:31:14.205	126:55:43.633	-54
123	10	21	5	31	38	37:31:14.236	126:55:43.550	-54
124	10	21	5	31	39	37:31:14.300	126:55:43.508	-54
125	10	21	5	31	40	37:31:14.364	126:55:43.465	-55
126	10	21	5	32	20	37:31:14.428	126:55:43.382	-55
127	10	21	5	32	21	37:31:14.492	126:55:43.340	-55
128	10	21	5	32	22	37:31:14.524	126:55:43.298	-55
129	10	21	5	32	23	37:31:14.587	126:55:43.215	-55
130	10	21	5	32	24	37:31:14.651	126:55:43.172	-55
131	10	21	5	32	25	37:31:14.715	126:55:43.130	-52
132	10	21	5	32	26	37:31:14.746	126:55:43.047	-52
133	10	21	5	32	27	37:31:14.810	126:55:43.005	-52
134	10	21	5	32	28	37:31:14.875	126:55:42.962	-51
135	10	21	5	32	29	37:31:14.938	126:55:42.879	-51
136	10	21	5	32	30	37:31:14.970	126:55:42.838	-51
137	10	21	5	32	31	37:31:15.034	126:55:42.795	-48
138	10	21	5	32	32	37:31:15.097	126:55:42.712	-48
139	10	21	5	32	33	37:31:15.161	126:55:42.669	-48
140	10	21	5	32	34	37:31:15.226	126:55:42.627	-50
141	10	21	5	32	35	37:31:15.257	126:55:42.545	-50
142	10	21	5	32	36	37:31:15.321	126:55:42.502	-50
143	10	21	5	32	37	37:31:15.385	126:55:42.459	-49
144	10	21	5	32	38	37:31:15.449	126:55:42.417	-49
145	10	21	5	32	39	37:31:15.480	126:55:42.335	-49
146	10	21	5	32	40	37:31:15.544	126:55:42.292	-48
147	10	21	5	32	41	37:31:15.608	126:55:42.250	-48
148	10	21	5	32	42	37:31:15.672	126:55:42.166	-48
149	10	21	5	32	43	37:31:15.736	126:55:42.124	-50
150	10	21	5	32	44	37:31:15.768	126:55:42.082	-50
151	10	21	5	32	45	37:31:15.831	126:55:41.999	-50
152	10	21	5	32	46	37:31:15.895	126:55:41.957	-48
153	10	21	5	32	47	37:31:15.959	126:55:41.914	-48
154	10	21	5	32	48	37:31:15.990	126:55:41.832	-48
155	10	21	5	32	49	37:31:16.054	126:55:41.789	-49
156	10	21	5	32	50	37:31:16.119	126:55:41.747	-49
157	10	21	5	32	51	37:31:16.182	126:55:41.664	-49
158	10	21	5	32	52	37:31:16.246	126:55:41.621	-49
159	10	21	5	32	53	37:31:16.278	126:55:41.579	-49
160	10	21	5	32	54	37:31:16.341	126:55:41.496	-49
161	10	21	5	32	55	37:31:16.405	126:55:41.454	-50
162	10	21	5	32	56	37:31:16.470	126:55:41.411	-50
163	10	21	5	32	57	37:31:16.500	126:55:41.329	-50
164	10	21	5	32	58	37:31:16.565	126:55:41.286	-50
165	10	21	5	32	59	37:31:16.629	126:55:41.244	-50
166	10	21	5	33	0	37:31:16.693	126:55:41.201	-50
167	10	21	5	33	1	37:31:16.724	126:55:41.119	-49
168	10	21	5	33	2	37:31:16.788	126:55:41.076	-49

169	10	21	5	33	3	37:31:16.852	126:55:41.034	-49
170	10	21	5	33	4	37:31:16.916	126:55:40.951	-50
171	10	21	5	33	5	37:31:16.980	126:55:40.908	-50
172	10	21	5	33	6	37:31:17.011	126:55:40.867	-50
173	10	21	5	33	7	37:31:17.075	126:55:40.783	-51
174	10	21	5	33	8	37:31:17.139	126:55:40.741	-51
175	10	21	5	33	9	37:31:17.203	126:55:40.698	-51
176	10	21	5	33	10	37:31:17.234	126:55:40.616	-50
177	10	21	5	33	11	37:31:17.298	126:55:40.574	-50
178	10	21	5	33	12	37:31:17.362	126:55:40.531	-50
179	10	21	5	33	13	37:31:17.426	126:55:40.448	-52
180	10	21	5	33	14	37:31:17.490	126:55:40.405	-52
181	10	21	5	33	15	37:31:17.522	126:55:40.364	-52
182	10	21	5	33	16	37:31:17.585	126:55:40.281	-52
183	10	21	5	33	17	37:31:17.649	126:55:40.238	-52
184	10	21	5	33	18	37:31:17.713	126:55:40.196	-52
185	10	21	5	33	19	37:31:17.744	126:55:40.113	-56
186	10	21	5	33	20	37:31:17.809	126:55:40.071	-56
187	10	21	5	33	21	37:31:17.873	126:55:40.028	-56
188	10	21	5	33	22	37:31:17.937	126:55:39.986	-55
189	10	21	5	33	23	37:31:18.000	126:55:39.902	-55
190	10	21	5	33	24	37:31:18.032	126:55:39.861	-55
191	10	21	5	33	25	37:31:18.096	126:55:39.818	-60
192	10	21	5	33	26	37:31:18.160	126:55:39.735	-60
193	10	21	5	33	27	37:31:18.224	126:55:39.693	-60
194	10	21	5	33	28	37:31:18.255	126:55:39.651	-58
195	10	21	5	33	29	37:31:18.319	126:55:39.568	-58
196	10	21	5	33	30	37:31:18.383	126:55:39.525	-58
197	10	21	5	33	31	37:31:18.447	126:55:39.483	-61
198	10	21	5	33	32	37:31:18.478	126:55:39.400	-61
199	10	21	5	33	33	37:31:18.542	126:55:39.358	-61
200	10	21	5	33	34	37:31:18.606	126:55:39.315	-61
201	10	21	5	33	35	37:31:18.670	126:55:39.232	-61
202	10	21	5	33	36	37:31:18.734	126:55:39.190	-61
203	10	21	5	33	37	37:31:18.766	126:55:39.148	-58
204	10	21	5	33	38	37:31:18.829	126:55:39.065	-58
205	10	21	5	33	39	37:31:18.893	126:55:39.022	-58
206	10	21	5	33	40	37:31:18.957	126:55:38.980	-56
207	10	21	5	33	41	37:31:18.988	126:55:38.898	-56
208	10	21	5	33	42	37:31:19.053	126:55:38.855	-56
209	10	21	5	33	43	37:31:19.117	126:55:38.812	-56
210	10	21	5	33	44	37:31:19.181	126:55:38.770	-56
211	10	21	5	33	45	37:31:19.244	126:55:38.687	-56
212	10	21	5	33	46	37:31:19.276	126:55:38.645	-55
213	10	21	5	33	47	37:31:19.340	126:55:38.603	-55
214	10	21	5	33	48	37:31:19.404	126:55:38.519	-55
215	10	21	5	33	49	37:31:19.468	126:55:38.477	-56
216	10	21	5	33	50	37:31:19.499	126:55:38.435	-56
217	10	21	5	33	51	37:31:19.563	126:55:38.352	-56
218	10	21	5	33	52	37:31:19.627	126:55:38.310	-55
219	10	21	5	33	53	37:31:19.691	126:55:38.267	-55
220	10	21	5	33	54	37:31:19.722	126:55:38.185	-55
221	10	21	5	33	55	37:31:19.786	126:55:38.142	-52
222	10	21	5	33	56	37:31:19.850	126:55:38.100	-52
223	10	21	5	33	57	37:31:19.914	126:55:38.016	-52
224	10	21	5	33	58	37:31:19.978	126:55:37.974	-53
225	10	21	5	33	59	37:31:20.010	126:55:37.932	-53
226	10	21	5	33	60	37:31:20.072	126:55:37.840	-52

[illegible]



- 서비스 : NWA LOS Street-Canyon Tx80Rx14
- 측정일 : 2003년 10월 21일
- 측정장소 : 여의도 PATH1


순서	시간					측정위치		전계강도(dBm)
	월	일	시	분	초	위도	경도	
1	10	21	5	16	2	37:31:7.347	126:55:50.299	-36
2	10	21	5	16	3	37:31:7.411	126:55:50.256	-36
3	10	21	5	16	4	37:31:7.474	126:55:50.173	-36
4	10	21	5	16	5	37:31:7.506	126:55:50.131	-36
5	10	21	5	16	6	37:31:7.570	126:55:50.089	-40
6	10	21	5	16	7	37:31:7.633	126:55:50.006	-40
7	10	21	5	16	8	37:31:7.698	126:55:49.963	-40
8	10	21	5	16	9	37:31:7.762	126:55:49.921	-40
9	10	21	5	16	10	37:31:7.793	126:55:49.838	-40
10	10	21	5	16	11	37:31:7.857	126:55:49.796	-40
11	10	21	5	16	12	37:31:7.921	126:55:49.753	-39
12	10	21	5	16	13	37:31:7.984	126:55:49.670	-39
13	10	21	5	16	14	37:31:8.049	126:55:49.627	-39
14	10	21	5	16	15	37:31:8.080	126:55:49.586	-37
15	10	21	5	16	16	37:31:8.144	126:55:49.503	-37
16	10	21	5	16	17	37:31:8.208	126:55:49.460	-37
17	10	21	5	16	18	37:31:8.272	126:55:49.418	-39
18	10	21	5	16	19	37:31:8.335	126:55:49.334	-39
19	10	21	5	16	20	37:31:8.367	126:55:49.293	-39
20	10	21	5	16	21	37:31:8.431	126:55:49.250	-36
21	10	21	5	16	22	37:31:8.495	126:55:49.167	-36
22	10	21	5	16	23	37:31:8.559	126:55:49.125	-36
23	10	21	5	16	24	37:31:8.623	126:55:49.082	-34
24	10	21	5	16	25	37:31:8.654	126:55:49.000	-34
25	10	21	5	16	26	37:31:8.718	126:55:48.957	-34
26	10	21	5	16	27	37:31:8.782	126:55:48.915	-42
27	10	21	5	16	28	37:31:8.846	126:55:48.832	-42
28	10	21	5	16	29	37:31:8.910	126:55:48.789	-42
29	10	21	5	16	30	37:31:8.942	126:55:48.747	-48
30	10	21	5	16	31	37:31:9.005	126:55:48.664	-48
31	10	21	5	16	32	37:31:9.069	126:55:48.622	-48
32	10	21	5	16	33	37:31:9.133	126:55:48.579	-49
33	10	21	5	16	34	37:31:9.197	126:55:48.496	-49
34	10	21	5	16	35	37:31:9.228	126:55:48.454	-49
35	10	21	5	16	36	37:31:9.292	126:55:48.371	-42
36	10	21	5	16	37	37:31:9.356	126:55:48.329	-42
37	10	21	5	16	38	37:31:9.420	126:55:48.286	-42
38	10	21	5	16	39	37:31:9.484	126:55:48.203	-38
39	10	21	5	16	40	37:31:9.515	126:55:48.161	-38
40	10	21	5	16	41	37:31:9.579	126:55:48.119	-38
41	10	21	5	16	42	37:31:9.643	126:55:48.036	-38
42	10	21	5	16	43	37:31:9.707	126:55:47.993	-38
43	10	21	5	16	44	37:31:9.771	126:55:47.951	-38
44	10	21	5	16	45	37:31:9.802	126:55:47.868	-45
45	10	21	5	16	46	37:31:9.866	126:55:47.826	-45
46	10	21	5	16	47	37:31:9.930	126:55:47.783	-45
47	10	21	5	16	48	37:31:9.994	126:55:47.700	-42
48	10	21	5	16	49	37:31:10.058	126:55:47.658	-42
49	10	21	5	16	50	37:31:10.090	126:55:47.616	-42
50	10	21	5	16	51	37:31:10.153	126:55:47.533	-44
51	10	21	5	16	52	37:31:10.217	126:55:47.490	-44
52	10	21	5	16	53	37:31:10.281	126:55:47.448	-44

53	10	21	5	16	54	37:31:10.345	126:55:47.365	-44
54	10	21	5	16	55	37:31:10.377	126:55:47.323	-44
55	10	21	5	16	56	37:31:10.441	126:55:47.280	-44
56	10	21	5	16	57	37:31:10.504	126:55:47.197	-46
57	10	21	5	16	58	37:31:10.568	126:55:47.155	-46
58	10	21	5	16	59	37:31:10.632	126:55:47.112	-46
59	10	21	5	17	0	37:31:10.663	126:55:47.030	-49
60	10	21	5	17	1	37:31:10.728	126:55:46.987	-49
61	10	21	5	17	2	37:31:10.792	126:55:46.945	-49
62	10	21	5	17	3	37:31:10.855	126:55:46.862	-43
63	10	21	5	17	4	37:31:10.919	126:55:46.819	-43
64	10	21	5	17	5	37:31:10.951	126:55:46.778	-43
65	10	21	5	17	6	37:31:11.014	126:55:46.694	-53
66	10	21	5	17	7	37:31:11.079	126:55:46.652	-53
67	10	21	5	17	8	37:31:11.143	126:55:46.609	-53
68	10	21	5	17	9	37:31:11.206	126:55:46.526	-51
69	10	21	5	17	10	37:31:11.270	126:55:46.484	-51
70	10	21	5	17	11	37:31:11.302	126:55:46.442	-51
71	10	21	5	17	12	37:31:11.365	126:55:46.359	-51
72	10	21	5	17	13	37:31:11.430	126:55:46.316	-51
73	10	21	5	17	14	37:31:11.494	126:55:46.274	-51
74	10	21	5	17	15	37:31:11.557	126:55:46.191	-52
75	10	21	5	17	16	37:31:11.589	126:55:46.149	-52
76	10	21	5	17	17	37:31:11.653	126:55:46.106	-52
77	10	21	5	17	18	37:31:11.716	126:55:46.023	-69
78	10	21	5	17	19	37:31:11.780	126:55:45.981	-69
79	10	21	5	17	20	37:31:11.845	126:55:45.938	-69
80	10	21	5	17	21	37:31:11.876	126:55:45.856	-49
81	10	21	5	17	22	37:31:11.940	126:55:45.813	-49
82	10	21	5	17	23	37:31:12.004	126:55:45.771	-49
83	10	21	5	17	24	37:31:12.067	126:55:45.688	-46
84	10	21	5	17	25	37:31:12.131	126:55:45.645	-46
85	10	21	5	17	26	37:31:12.163	126:55:45.604	-46
86	10	21	5	17	27	37:31:12.227	126:55:45.520	-49
87	10	21	5	17	28	37:31:12.291	126:55:45.478	-49
88	10	21	5	17	29	37:31:12.355	126:55:45.435	-49
89	10	21	5	17	30	37:31:12.418	126:55:45.352	-45
90	10	21	5	17	31	37:31:12.450	126:55:45.310	-45
91	10	21	5	17	32	37:31:12.514	126:55:45.268	-45
92	10	21	5	17	33	37:31:12.578	126:55:45.185	-45
93	10	21	5	17	34	37:31:12.642	126:55:45.142	-45
94	10	21	5	17	35	37:31:12.706	126:55:45.100	-45
95	10	21	5	17	36	37:31:12.737	126:55:45.017	-50
96	10	21	5	17	37	37:31:12.801	126:55:44.975	-50
97	10	21	5	17	38	37:31:12.865	126:55:44.932	-50
98	10	21	5	17	39	37:31:12.929	126:55:44.849	-50
99	10	21	5	17	40	37:31:12.993	126:55:44.807	-50
100	10	21	5	17	41	37:31:13.024	126:55:44.724	-50
101	10	21	5	17	42	37:31:13.088	126:55:44.682	-60
102	10	21	5	17	43	37:31:13.152	126:55:44.639	-60
103	10	21	5	17	44	37:31:13.215	126:55:44.556	-60
104	10	21	5	17	45	37:31:13.280	126:55:44.514	-60
105	10	21	5	17	46	37:31:13.311	126:55:44.472	-60
106	10	21	5	17	47	37:31:13.375	126:55:44.389	-60
107	10	21	5	17	48	37:31:13.439	126:55:44.346	-56
108	10	21	5	17	49	37:31:13.503	126:55:44.304	-56
109	10	21	5	17	50	37:31:13.566	126:55:44.221	-56
110	10	21	5	17	51	37:31:13.500	126:55:44.170	-52

111	10	21	5	17	52	37:31:13.662	126:55:44.136	-53
112	10	21	5	17	53	37:31:13.726	126:55:44.053	-53
113	10	21	5	17	54	37:31:13.790	126:55:44.011	-53
114	10	21	5	17	55	37:31:13.854	126:55:43.968	-53
115	10	21	5	17	56	37:31:13.885	126:55:43.886	-53
116	10	21	5	17	57	37:31:13.949	126:55:43.843	-54
117	10	21	5	17	58	37:31:14.013	126:55:43.801	-54
118	10	21	5	17	59	37:31:14.077	126:55:43.718	-54
119	10	21	5	18	0	37:31:14.141	126:55:43.675	-53
120	10	21	5	18	1	37:31:14.173	126:55:43.634	-53
121	10	21	5	18	2	37:31:14.236	126:55:43.550	-52
122	10	21	5	18	3	37:31:14.300	126:55:43.508	-52
123	10	21	5	18	4	37:31:14.364	126:55:43.465	-52
124	10	21	5	18	5	37:31:14.428	126:55:43.382	-53
125	10	21	5	18	6	37:31:14.459	126:55:43.340	-53
126	10	21	5	18	7	37:31:14.524	126:55:43.298	-53
127	10	21	5	18	8	37:31:14.587	126:55:43.215	-55
128	10	21	5	18	9	37:31:14.651	126:55:43.172	-55
129	10	21	5	18	10	37:31:14.715	126:55:43.130	-55
130	10	21	5	18	11	37:31:14.746	126:55:43.047	-58
131	10	21	5	18	12	37:31:14.810	126:55:43.005	-58
132	10	21	5	18	13	37:31:14.875	126:55:42.962	-58
133	10	21	5	18	14	37:31:14.938	126:55:42.879	-52
134	10	21	5	18	15	37:31:15.002	126:55:42.837	-52
135	10	21	5	18	44	37:31:15.034	126:55:42.795	-52
136	10	21	5	18	45	37:31:15.097	126:55:42.712	-47
137	10	21	5	18	46	37:31:15.161	126:55:42.669	-47
138	10	21	5	18	47	37:31:15.226	126:55:42.627	-47
139	10	21	5	18	48	37:31:15.289	126:55:42.544	-47
140	10	21	5	18	49	37:31:15.321	126:55:42.502	-47
141	10	21	5	18	50	37:31:15.385	126:55:42.459	-47
142	10	21	5	18	51	37:31:15.448	126:55:42.376	-47
143	10	21	5	18	52	37:31:15.512	126:55:42.334	-47
144	10	21	5	18	53	37:31:15.577	126:55:42.291	-47
145	10	21	5	18	54	37:31:15.608	126:55:42.209	-48
146	10	21	5	18	55	37:31:15.672	126:55:42.166	-48
147	10	21	5	18	56	37:31:15.736	126:55:42.124	-48
148	10	21	5	18	57	37:31:15.799	126:55:42.041	-49
149	10	21	5	18	58	37:31:15.863	126:55:41.998	-49
150	10	21	5	18	59	37:31:15.895	126:55:41.957	-49
151	10	21	5	19	0	37:31:15.959	126:55:41.873	-48
152	10	21	5	19	1	37:31:16.023	126:55:41.831	-48
153	10	21	5	19	2	37:31:16.087	126:55:41.788	-48
154	10	21	5	19	3	37:31:16.150	126:55:41.705	-46
155	10	21	5	19	4	37:31:16.182	126:55:41.664	-46
156	10	21	5	19	5	37:31:16.246	126:55:41.621	-46
157	10	21	5	19	6	37:31:16.310	126:55:41.538	-50
158	10	21	5	19	7	37:31:16.374	126:55:41.495	-50
159	10	21	5	19	8	37:31:16.438	126:55:41.453	-50
160	10	21	5	19	9	37:31:16.469	126:55:41.370	-49
161	10	21	5	19	10	37:31:16.533	126:55:41.328	-49
162	10	21	5	19	11	37:31:16.596	126:55:41.245	-49
163	10	21	5	19	12	37:31:16.660	126:55:41.202	-48
164	10	21	5	19	13	37:31:16.725	126:55:41.160	-48
165	10	21	5	19	14	37:31:16.756	126:55:41.077	-48
166	10	21	5	19	15	37:31:16.820	126:55:41.035	-50
167	10	21	5	19	16	37:31:16.884	126:55:40.992	-50
168	10	21	5	19	17	37:31:16.947	126:55:40.950	-50

169	10	21	5	19	18	37:31:17.011	126:55:40.867	-48
170	10	21	5	19	19	37:31:17.043	126:55:40.825	-48
171	10	21	5	19	20	37:31:17.107	126:55:40.742	-48
172	10	21	5	19	21	37:31:17.171	126:55:40.699	-47
173	10	21	5	19	22	37:31:17.235	126:55:40.657	-47
174	10	21	5	19	23	37:31:17.298	126:55:40.574	-47
175	10	21	5	19	24	37:31:17.330	126:55:40.532	-48
176	10	21	5	19	25	37:31:17.394	126:55:40.489	-48
177	10	21	5	19	26	37:31:17.458	126:55:40.406	-48
178	10	21	5	19	27	37:31:17.522	126:55:40.364	-53
179	10	21	5	19	28	37:31:17.586	126:55:40.321	-53
180	10	21	5	19	29	37:31:17.617	126:55:40.239	-53
181	10	21	5	19	30	37:31:17.681	126:55:40.196	-51
182	10	21	5	19	31	37:31:17.745	126:55:40.154	-51
183	10	21	5	19	32	37:31:17.809	126:55:40.071	-51
184	10	21	5	19	33	37:31:17.873	126:55:40.028	-52
185	10	21	5	19	34	37:31:17.904	126:55:39.987	-52
186	10	21	5	19	35	37:31:17.968	126:55:39.903	-52
187	10	21	5	19	36	37:31:18.032	126:55:39.861	-54
188	10	21	5	19	37	37:31:18.096	126:55:39.818	-54
189	10	21	5	19	38	37:31:18.160	126:55:39.735	-54
190	10	21	5	19	39	37:31:18.191	126:55:39.693	-56
191	10	21	5	19	40	37:31:18.255	126:55:39.651	-56
192	10	21	5	19	41	37:31:18.319	126:55:39.568	-56
193	10	21	5	19	42	37:31:18.383	126:55:39.525	-54
194	10	21	5	19	43	37:31:18.447	126:55:39.483	-54
195	10	21	5	19	44	37:31:18.511	126:55:39.400	-54
196	10	21	5	19	45	37:31:18.542	126:55:39.358	-54
197	10	21	5	19	46	37:31:18.606	126:55:39.315	-54
198	10	21	5	19	47	37:31:18.670	126:55:39.232	-54
199	10	21	5	19	48	37:31:18.734	126:55:39.190	-52
200	10	21	5	19	49	37:31:18.798	126:55:39.147	-52
201	10	21	5	19	50	37:31:18.829	126:55:39.065	-52
202	10	21	5	19	51	37:31:18.893	126:55:39.022	-55
203	10	21	5	19	52	37:31:18.957	126:55:38.980	-55
204	10	21	5	19	53	37:31:19.021	126:55:38.897	-55
205	10	21	5	19	54	37:31:19.085	126:55:38.854	-56
206	10	21	5	19	55	37:31:19.117	126:55:38.812	-56
207	10	21	5	19	56	37:31:19.180	126:55:38.729	-56
208	10	21	5	19	57	37:31:19.244	126:55:38.687	-54
209	10	21	5	19	58	37:31:19.308	126:55:38.644	-54
210	10	21	5	19	59	37:31:19.372	126:55:38.561	-54
211	10	21	5	20	0	37:31:19.404	126:55:38.519	-60
212	10	21	5	20	1	37:31:19.468	126:55:38.477	-60
213	10	21	5	20	2	37:31:19.531	126:55:38.394	-60
214	10	21	5	20	3	37:31:19.595	126:55:38.351	-61
215	10	21	5	20	4	37:31:19.659	126:55:38.309	-61
216	10	21	5	20	5	37:31:19.690	126:55:38.226	-61
217	10	21	5	20	6	37:31:19.755	126:55:38.184	-78
218	10	21	5	20	7	37:31:19.819	126:55:38.141	-78
219	10	21	5	20	8	37:31:19.882	126:55:38.058	-78
220	10	21	5	20	9	37:31:19.946	126:55:38.016	-68
221	10	21	5	20	10	37:31:19.978	126:55:37.974	-68
222	10	21	5	20	11	37:31:20.041	126:55:37.891	-68
223	10	21	5	20	12	37:31:20.105	126:55:37.848	-65
224	10	21	5	20	13	37:31:20.170	126:55:37.806	-65
225	10	21	5	20	14	37:31:20.233	126:55:37.723	-65
226	10	21	5	20	15	37:31:20.265	126:55:37.681	-65

227	10	21	5	20	16	37:31:20.328	126:55:37.598	-65
228	10	21	5	20	17	37:31:20.392	126:55:37.555	-65
229	10	21	5	20	18	37:31:20.456	126:55:37.513	-77
230	10	21	5	20	19	37:31:20.520	126:55:37.429	-77
231	10	21	5	20	20	37:31:20.552	126:55:37.388	-77
232	10	21	5	20	21	37:31:20.616	126:55:37.345	-63
233	10	21	5	20	22	37:31:20.679	126:55:37.262	-63
234	10	21	5	20	23	37:31:20.743	126:55:37.220	-63
235	10	21	5	20	24	37:31:20.807	126:55:37.177	-64
236	10	21	5	20	25	37:31:20.838	126:55:37.095	-64
237	10	21	5	20	26	37:31:20.903	126:55:37.052	-64
238	10	21	5	20	27	37:31:20.967	126:55:37.010	-63
239	10	21	5	20	28	37:31:21.030	126:55:36.927	-63
240	10	21	5	20	29	37:31:21.094	126:55:36.884	-63
241	10	21	5	20	30	37:31:21.126	126:55:36.842	-69
242	10	21	5	20	31	37:31:21.189	126:55:36.759	-69
243	10	21	5	20	32	37:31:21.254	126:55:36.717	-69
244	10	21	5	20	33	37:31:21.318	126:55:36.674	-66
245	10	21	5	20	34	37:31:21.381	126:55:36.591	-66
246	10	21	5	20	35	37:31:21.413	126:55:36.549	-66
247	10	21	5	20	36	37:31:21.477	126:55:36.507	-62
248	10	21	5	20	37	37:31:21.540	126:55:36.424	-62
249	10	21	5	20	38	37:31:21.605	126:55:36.381	-62
250	10	21	5	20	39	37:31:21.669	126:55:36.339	-56
251	10	21	5	20	40	37:31:21.700	126:55:36.256	-56
252	10	21	5	20	41	37:31:21.764	126:55:36.214	-56
253	10	21	5	20	42	37:31:21.828	126:55:36.171	-60
254	10	21	5	20	43	37:31:21.891	126:55:36.088	-60
255	10	21	5	20	44	37:31:21.956	126:55:36.046	-60
256	10	21	5	20	45	37:31:21.987	126:55:36.004	-62
257	10	21	5	20	46	37:31:22.115	126:55:35.878	-62
평균 전계강도								-51.5



- 서비스 : NWA LOS Street-Canyon Tx40Rx27
- 측정일 : 2003년 10월 21일
- 측정장소 : 여의도 PATH1


순서	시간					측정위치		전계강도(dBm)
	월	일	시	분	초	위도	경도	
1	10	21	5	40	38	37:31:7.347	126:55:50.299	-34
2	10	21	5	40	39	37:31:7.411	126:55:50.256	-34
3	10	21	5	40	40	37:31:7.474	126:55:50.173	-34
4	10	21	5	40	41	37:31:7.538	126:55:50.130	-32
5	10	21	5	40	42	37:31:7.569	126:55:50.048	-30
6	10	21	5	40	43	37:31:7.633	126:55:50.006	-30
7	10	21	5	40	44	37:31:7.698	126:55:49.963	-30
8	10	21	5	40	45	37:31:7.761	126:55:49.880	-28
9	10	21	5	40	46	37:31:7.825	126:55:49.837	-28
10	10	21	5	40	47	37:31:7.889	126:55:49.795	-28
11	10	21	5	40	48	37:31:7.953	126:55:49.712	-35
12	10	21	5	40	49	37:31:7.984	126:55:49.670	-35
13	10	21	5	40	50	37:31:8.048	126:55:49.587	-35
14	10	21	5	40	51	37:31:8.112	126:55:49.544	-31
15	10	21	5	40	52	37:31:8.176	126:55:49.502	-31
16	10	21	5	40	53	37:31:8.240	126:55:49.419	-31
17	10	21	5	40	54	37:31:8.304	126:55:49.376	-34
18	10	21	5	40	55	37:31:8.335	126:55:49.334	-34
19	10	21	5	40	56	37:31:8.399	126:55:49.251	-34
20	10	21	5	40	57	37:31:8.463	126:55:49.209	-51
21	10	21	5	40	58	37:31:8.526	126:55:49.125	-51
22	10	21	5	40	59	37:31:8.591	126:55:49.083	-51
23	10	21	5	41	0	37:31:8.655	126:55:49.040	-41
24	10	21	5	41	1	37:31:8.718	126:55:48.957	-41
25	10	21	5	41	2	37:31:8.750	126:55:48.916	-41
26	10	21	5	41	3	37:31:8.814	126:55:48.873	-33
27	10	21	5	41	4	37:31:8.877	126:55:48.790	-33
28	10	21	5	41	5	37:31:8.942	126:55:48.747	-33
29	10	21	5	41	6	37:31:9.005	126:55:48.664	-35
30	10	21	5	41	7	37:31:9.069	126:55:48.622	-35
31	10	21	5	41	8	37:31:9.133	126:55:48.579	-35
32	10	21	5	41	9	37:31:9.164	126:55:48.497	-43
33	10	21	5	41	10	37:31:9.228	126:55:48.454	-43
34	10	21	5	41	11	37:31:9.293	126:55:48.412	-43
35	10	21	5	41	12	37:31:9.356	126:55:48.329	-41
36	10	21	5	41	13	37:31:9.420	126:55:48.286	-41
37	10	21	5	41	14	37:31:9.484	126:55:48.203	-41
38	10	21	5	41	15	37:31:9.548	126:55:48.160	-38
39	10	21	5	41	16	37:31:9.579	126:55:48.119	-38
40	10	21	5	41	17	37:31:9.643	126:55:48.036	-38
41	10	21	5	41	18	37:31:9.707	126:55:47.993	-44
42	10	21	5	41	19	37:31:9.771	126:55:47.951	-44
43	10	21	5	41	20	37:31:9.835	126:55:47.867	-44
44	10	21	5	41	21	37:31:9.899	126:55:47.825	-37
45	10	21	5	41	22	37:31:9.930	126:55:47.743	-37
46	10	21	5	41	23	37:31:9.994	126:55:47.700	-37
47	10	21	5	41	24	37:31:10.058	126:55:47.658	-43
48	10	21	5	41	25	37:31:10.121	126:55:47.574	-43
49	10	21	5	41	26	37:31:10.186	126:55:47.532	-43
50	10	21	5	41	27	37:31:10.250	126:55:47.489	-45
51	10	21	5	41	28	37:31:10.313	126:55:47.406	-45
52	10	21	5	41	29	37:31:10.345	126:55:47.325	-45

53	10	21	5	41	30	37:31:10.408	126:55:47.281	-40
54	10	21	5	41	31	37:31:10.472	126:55:47.239	-40
55	10	21	5	41	32	37:31:10.537	126:55:47.196	-40
56	10	21	5	41	33	37:31:10.600	126:55:47.113	-39
57	10	21	5	41	34	37:31:10.664	126:55:47.071	-39
58	10	21	5	41	35	37:31:10.728	126:55:47.028	-39
59	10	21	5	41	36	37:31:10.759	126:55:46.946	-44
60	10	21	5	41	37	37:31:10.823	126:55:46.903	-44
61	10	21	5	41	38	37:31:10.887	126:55:46.820	-44
62	10	21	5	41	39	37:31:10.951	126:55:46.778	-52
63	10	21	5	41	40	37:31:11.015	126:55:46.735	-52
64	10	21	5	41	41	37:31:11.079	126:55:46.652	-52
65	10	21	5	41	42	37:31:11.143	126:55:46.609	-53
66	10	21	5	41	43	37:31:11.174	126:55:46.568	-53
67	10	21	5	41	44	37:31:11.238	126:55:46.484	-53
68	10	21	5	41	45	37:31:11.302	126:55:46.442	-51
69	10	21	5	41	46	37:31:11.365	126:55:46.359	-51
70	10	21	5	41	47	37:31:11.430	126:55:46.316	-51
71	10	21	5	41	48	37:31:11.494	126:55:46.274	-45
72	10	21	5	41	49	37:31:11.525	126:55:46.191	-45
73	10	21	5	41	50	37:31:11.589	126:55:46.149	-45
74	10	21	5	41	51	37:31:11.653	126:55:46.106	-45
75	10	21	5	41	52	37:31:11.716	126:55:46.023	-45
76	10	21	5	41	53	37:31:11.780	126:55:45.981	-45
77	10	21	5	41	54	37:31:11.844	126:55:45.897	-41
78	10	21	5	41	55	37:31:11.908	126:55:45.855	-41
79	10	21	5	41	56	37:31:11.940	126:55:45.813	-41
80	10	21	5	41	57	37:31:12.003	126:55:45.730	-43
81	10	21	5	41	58	37:31:12.067	126:55:45.688	-43
82	10	21	5	41	59	37:31:12.131	126:55:45.645	-43
83	10	21	5	42	0	37:31:12.195	126:55:45.562	-45
84	10	21	5	42	1	37:31:12.259	126:55:45.519	-45
85	10	21	5	42	2	37:31:12.322	126:55:45.436	-45
86	10	21	5	42	3	37:31:12.354	126:55:45.395	-47
87	10	21	5	42	4	37:31:12.418	126:55:45.352	-47
88	10	21	5	42	5	37:31:12.482	126:55:45.269	-47
89	10	21	5	42	6	37:31:12.546	126:55:45.226	-48
90	10	21	5	42	7	37:31:12.610	126:55:45.184	-48
91	10	21	5	42	8	37:31:12.673	126:55:45.101	-48
92	10	21	5	42	9	37:31:12.738	126:55:45.058	-53
93	10	21	5	42	10	37:31:12.769	126:55:44.976	-53
94	10	21	5	42	11	37:31:12.833	126:55:44.933	-53
95	10	21	5	42	12	37:31:12.897	126:55:44.891	-53
96	10	21	5	42	13	37:31:12.960	126:55:44.808	-53
97	10	21	5	42	14	37:31:13.024	126:55:44.765	-53
98	10	21	5	42	15	37:31:13.089	126:55:44.723	-53
99	10	21	5	42	16	37:31:13.120	126:55:44.640	-53
100	10	21	5	42	17	37:31:13.184	126:55:44.598	-53
101	10	21	5	42	18	37:31:13.247	126:55:44.514	-49
102	10	21	5	42	19	37:31:13.311	126:55:44.472	-49
103	10	21	5	42	20	37:31:13.375	126:55:44.429	-49
104	10	21	5	42	21	37:31:13.439	126:55:44.346	-50
105	10	21	5	42	22	37:31:13.503	126:55:44.304	-50
106	10	21	5	42	23	37:31:13.535	126:55:44.262	-50
107	10	21	5	42	24	37:31:13.598	126:55:44.179	-48
108	10	21	5	42	25	37:31:13.662	126:55:44.136	-48
109	10	21	5	42	26	37:31:13.726	126:55:44.053	-49
110	10	21	5	42	27	37:31:13.790	126:55:44.011	-49

111	10	21	5	42	28	37:31:13.854	126:55:43.968	-49
112	10	21	5	42	29	37:31:13.917	126:55:43.885	-49
113	10	21	5	42	30	37:31:13.949	126:55:43.843	-49
114	10	21	5	42	31	37:31:14.013	126:55:43.801	-50
115	10	21	5	42	32	37:31:14.077	126:55:43.718	-50
116	10	21	5	42	33	37:31:14.141	126:55:43.675	-50
117	10	21	5	42	34	37:31:14.204	126:55:43.592	-49
118	10	21	5	42	35	37:31:14.268	126:55:43.549	-49
119	10	21	5	42	36	37:31:14.333	126:55:43.507	-49
120	10	21	5	42	37	37:31:14.364	126:55:43.425	-51
121	10	21	5	42	38	37:31:14.428	126:55:43.382	-51
122	10	21	5	42	39	37:31:14.492	126:55:43.340	-51
123	10	21	5	42	54	37:31:14.555	126:55:43.256	-46
124	10	21	5	42	55	37:31:14.619	126:55:43.214	-46
125	10	21	5	42	56	37:31:14.683	126:55:43.131	-46
126	10	21	5	42	57	37:31:14.715	126:55:43.089	-48
127	10	21	5	42	58	37:31:14.779	126:55:43.047	-48
128	10	21	5	42	59	37:31:14.842	126:55:42.963	-48
129	10	21	5	43	0	37:31:14.906	126:55:42.921	-49
130	10	21	5	43	1	37:31:14.970	126:55:42.838	-49
131	10	21	5	43	2	37:31:15.034	126:55:42.795	-49
132	10	21	5	43	3	37:31:15.098	126:55:42.753	-50
133	10	21	5	43	4	37:31:15.129	126:55:42.670	-50
134	10	21	5	43	5	37:31:15.193	126:55:42.628	-50
135	10	21	5	43	6	37:31:15.257	126:55:42.585	-61
136	10	21	5	43	7	37:31:15.321	126:55:42.502	-61
137	10	21	5	43	8	37:31:15.385	126:55:42.459	-61
138	10	21	5	43	9	37:31:15.448	126:55:42.376	-61
139	10	21	5	43	10	37:31:15.512	126:55:42.334	-61
140	10	21	5	43	11	37:31:15.544	126:55:42.292	-61
141	10	21	5	43	12	37:31:15.608	126:55:42.209	-54
142	10	21	5	43	13	37:31:15.672	126:55:42.166	-54
143	10	21	5	43	14	37:31:15.736	126:55:42.124	-54
144	10	21	5	43	15	37:31:15.799	126:55:42.041	-56
145	10	21	5	43	16	37:31:15.863	126:55:41.998	-56
146	10	21	5	43	17	37:31:15.927	126:55:41.915	-56
147	10	21	5	43	18	37:31:15.959	126:55:41.873	-55
148	10	21	5	43	19	37:31:16.023	126:55:41.831	-55
149	10	21	5	43	20	37:31:16.086	126:55:41.748	-55
150	10	21	5	43	21	37:31:16.150	126:55:41.705	-56
151	10	21	5	43	22	37:31:16.214	126:55:41.663	-56
152	10	21	5	43	23	37:31:16.278	126:55:41.579	-56
153	10	21	5	43	24	37:31:16.342	126:55:41.537	-61
154	10	21	5	43	25	37:31:16.373	126:55:41.455	-61
155	10	21	5	43	26	37:31:16.437	126:55:41.412	-61
156	10	21	5	43	27	37:31:16.501	126:55:41.370	-52
157	10	21	5	43	28	37:31:16.565	126:55:41.286	-52
158	10	21	5	43	29	37:31:16.629	126:55:41.244	-52
159	10	21	5	43	30	37:31:16.693	126:55:41.201	-52
160	10	21	5	43	31	37:31:16.724	126:55:41.119	-52
161	10	21	5	43	32	37:31:16.788	126:55:41.076	-52
162	10	21	5	43	33	37:31:16.851	126:55:40.993	-54
163	10	21	5	43	34	37:31:16.916	126:55:40.951	-54
164	10	21	5	43	35	37:31:16.980	126:55:40.908	-54
165	10	21	5	43	36	37:31:17.043	126:55:40.825	-53
166	10	21	5	43	37	37:31:17.107	126:55:40.783	-53
167	10	21	5	43	38	37:31:17.139	126:55:40.741	-53
168	10	21	5	43	39	37:31:17.202	126:55:40.659	-50

169	10	21	5	43	40	37:31:17.267	126:55:40.615	-59
170	10	21	5	43	41	37:31:17.330	126:55:40.532	-59
171	10	21	5	43	42	37:31:17.394	126:55:40.489	-65
172	10	21	5	43	43	37:31:17.458	126:55:40.447	-65
173	10	21	5	43	44	37:31:17.522	126:55:40.364	-65
174	10	21	5	43	45	37:31:17.553	126:55:40.322	-57
175	10	21	5	43	46	37:31:17.618	126:55:40.280	-57
176	10	21	5	43	47	37:31:17.681	126:55:40.196	-57
177	10	21	5	43	48	37:31:17.745	126:55:40.154	-60
178	10	21	5	43	49	37:31:17.809	126:55:40.071	-60
179	10	21	5	43	50	37:31:17.873	126:55:40.028	-60
180	10	21	5	43	51	37:31:17.937	126:55:39.986	-64
181	10	21	5	43	52	37:31:17.968	126:55:39.903	-64
182	10	21	5	43	53	37:31:18.032	126:55:39.861	-64
183	10	21	5	43	54	37:31:18.096	126:55:39.818	-60
184	10	21	5	43	55	37:31:18.160	126:55:39.735	-60
185	10	21	5	43	56	37:31:18.224	126:55:39.693	-60
186	10	21	5	43	57	37:31:18.287	126:55:39.609	-75
187	10	21	5	43	58	37:31:18.319	126:55:39.568	-75
188	10	21	5	43	59	37:31:18.383	126:55:39.525	-75
189	10	21	5	44	0	37:31:18.446	126:55:39.442	-58
190	10	21	5	44	1	37:31:18.511	126:55:39.400	-58
191	10	21	5	44	2	37:31:18.575	126:55:39.357	-58
192	10	21	5	44	3	37:31:18.638	126:55:39.274	-56
193	10	21	5	44	4	37:31:18.702	126:55:39.231	-56
194	10	21	5	44	5	37:31:18.733	126:55:39.149	-56
195	10	21	5	44	6	37:31:18.797	126:55:39.106	-88
196	10	21	5	44	7	37:31:18.862	126:55:39.064	-88
197	10	21	5	44	8	37:31:18.925	126:55:38.981	-88
198	10	21	5	44	9	37:31:18.989	126:55:38.938	-66
199	10	21	5	44	10	37:31:19.053	126:55:38.896	-66
200	10	21	5	44	11	37:31:19.117	126:55:38.812	-66
201	10	21	5	44	12	37:31:19.148	126:55:38.771	-65
202	10	21	5	44	13	37:31:19.212	126:55:38.688	-65
203	10	21	5	44	14	37:31:19.276	126:55:38.645	-65
204	10	21	5	44	15	37:31:19.340	126:55:38.603	-58
205	10	21	5	44	16	37:31:19.404	126:55:38.519	-58
206	10	21	5	44	17	37:31:19.468	126:55:38.477	-58
207	10	21	5	44	18	37:31:19.532	126:55:38.434	-57
208	10	21	5	44	19	37:31:19.563	126:55:38.352	-57
209	10	21	5	44	20	37:31:19.627	126:55:38.310	-57
210	10	21	5	44	21	37:31:19.690	126:55:38.226	-65
211	10	21	5	44	22	37:31:19.755	126:55:38.184	-65
212	10	21	5	44	23	37:31:19.819	126:55:38.141	-65
213	10	21	5	44	24	37:31:19.882	126:55:38.058	-62
214	10	21	5	44	25	37:31:19.914	126:55:38.016	-62
215	10	21	5	44	26	37:31:19.978	126:55:37.974	-62
216	10	21	5	44	27	37:31:20.041	126:55:37.891	-63
217	10	21	5	44	28	37:31:20.105	126:55:37.848	-63
218	10	21	5	44	29	37:31:20.169	126:55:37.765	-63
219	10	21	5	44	30	37:31:20.233	126:55:37.723	-61
220	10	21	5	44	31	37:31:20.297	126:55:37.680	-61
221	10	21	5	44	32	37:31:20.328	126:55:37.598	-61
222	10	21	5	44	33	37:31:20.392	126:55:37.555	-65
223	10	21	5	44	34	37:31:20.456	126:55:37.513	-65
224	10	21	5	44	35	37:31:20.520	126:55:37.429	-65
225	10	21	5	44	36	37:31:20.584	126:55:37.387	-62
226	10	21	5	44	37	37:31:20.647	126:55:37.304	-62

227	10	21	5	44	38	37:31:20.712	126:55:37.261	-62
228	10	21	5	44	39	37:31:20.743	126:55:37.220	-58
229	10	21	5	44	40	37:31:20.807	126:55:37.136	-58
230	10	21	5	44	41	37:31:20.871	126:55:37.094	-58
231	10	21	5	44	42	37:31:20.935	126:55:37.051	-60
232	10	21	5	44	43	37:31:20.998	126:55:36.968	-60
233	10	21	5	44	44	37:31:21.063	126:55:36.926	-60
234	10	21	5	44	45	37:31:21.126	126:55:36.842	-60
235	10	21	5	44	46	37:31:21.158	126:55:36.801	-60
236	10	21	5	44	47	37:31:21.222	126:55:36.758	-60
237	10	21	5	44	48	37:31:21.285	126:55:36.675	-64
238	10	21	5	44	49	37:31:21.349	126:55:36.633	-64
239	10	21	5	44	50	37:31:21.414	126:55:36.590	-64
240	10	21	5	44	51	37:31:21.477	126:55:36.507	-72
241	10	21	5	44	52	37:31:21.509	126:55:36.465	-72
242	10	21	5	44	53	37:31:21.572	126:55:36.382	-72
243	10	21	5	44	54	37:31:21.636	126:55:36.339	-67
244	10	21	5	44	55	37:31:21.700	126:55:36.297	-67
245	10	21	5	44	56	37:31:21.764	126:55:36.214	-67
246	10	21	5	44	57	37:31:21.828	126:55:36.171	-70
247	10	21	5	44	58	37:31:21.892	126:55:36.129	-70
248	10	21	5	44	59	37:31:21.923	126:55:36.046	-70
249	10	21	5	45	0	37:31:21.987	126:55:36.004	-62
250	10	21	5	45	1	37:31:22.115	126:55:35.878	-62
평균 전계강도								-52.0



- 서비스 : NWA LOS Street-Canyon Tx40Rx14
- 측정일 : 2003년 10월 21일
- 측정장소 : 여의도 PATH1


순서	시간					측정위치		전계강도(dBm)
	월	일	시	분	초	위도	경도	
1	10	21	5	7	36	37:31:7.347	126:55:50.299	-37
2	10	21	5	7	37	37:31:7.411	126:55:50.256	-43
3	10	21	5	7	38	37:31:7.474	126:55:50.173	-43
4	10	21	5	7	39	37:31:7.538	126:55:50.130	-43
5	10	21	5	7	40	37:31:7.570	126:55:50.089	-38
6	10	21	5	7	41	37:31:7.633	126:55:50.006	-38
7	10	21	5	7	42	37:31:7.698	126:55:49.963	-38
8	10	21	5	7	43	37:31:7.761	126:55:49.880	-36
9	10	21	5	7	44	37:31:7.825	126:55:49.837	-36
10	10	21	5	7	45	37:31:7.889	126:55:49.795	-36
11	10	21	5	7	46	37:31:7.920	126:55:49.712	-26
12	10	21	5	7	47	37:31:7.984	126:55:49.670	-26
13	10	21	5	7	48	37:31:8.049	126:55:49.627	-26
14	10	21	5	7	49	37:31:8.112	126:55:49.544	-33
15	10	21	5	7	50	37:31:8.176	126:55:49.502	-33
16	10	21	5	7	51	37:31:8.240	126:55:49.419	-33
17	10	21	5	7	52	37:31:8.304	126:55:49.376	-37
18	10	21	5	7	53	37:31:8.335	126:55:49.334	-37
19	10	21	5	7	54	37:31:8.399	126:55:49.251	-37
20	10	21	5	7	55	37:31:8.463	126:55:49.209	-41
21	10	21	5	7	56	37:31:8.527	126:55:49.166	-41
22	10	21	5	7	57	37:31:8.591	126:55:49.083	-41
23	10	21	5	7	58	37:31:8.655	126:55:49.040	-35
24	10	21	5	7	59	37:31:8.686	126:55:48.958	-35
25	10	21	5	8	0	37:31:8.750	126:55:48.916	-35
26	10	21	5	8	1	37:31:8.814	126:55:48.873	-35
27	10	21	5	8	2	37:31:8.877	126:55:48.790	-35
28	10	21	5	8	3	37:31:8.942	126:55:48.747	-35
29	10	21	5	8	4	37:31:9.006	126:55:48.705	-36
30	10	21	5	8	5	37:31:9.037	126:55:48.623	-36
31	10	21	5	8	6	37:31:9.101	126:55:48.580	-36
32	10	21	5	8	7	37:31:9.165	126:55:48.538	-32
33	10	21	5	8	8	37:31:9.228	126:55:48.454	-32
34	10	21	5	8	9	37:31:9.293	126:55:48.412	-32
35	10	21	5	8	10	37:31:9.356	126:55:48.329	-42
36	10	21	5	8	11	37:31:9.420	126:55:48.286	-42
37	10	21	5	8	12	37:31:9.452	126:55:48.245	-42
38	10	21	5	8	13	37:31:9.515	126:55:48.161	-39
39	10	21	5	8	14	37:31:9.579	126:55:48.119	-39
40	10	21	5	8	15	37:31:9.644	126:55:48.076	-39
41	10	21	5	8	16	37:31:9.707	126:55:47.993	-38
42	10	21	5	8	17	37:31:9.771	126:55:47.951	-38
43	10	21	5	8	18	37:31:9.802	126:55:47.868	-38
44	10	21	5	8	19	37:31:9.866	126:55:47.826	-37
45	10	21	5	8	20	37:31:9.930	126:55:47.783	-37
46	10	21	5	8	21	37:31:9.994	126:55:47.700	-37
47	10	21	5	8	22	37:31:10.058	126:55:47.658	-42
48	10	21	5	8	23	37:31:10.122	126:55:47.615	-42
49	10	21	5	8	24	37:31:10.186	126:55:47.532	-42
50	10	21	5	8	25	37:31:10.217	126:55:47.490	-51
51	10	21	5	8	26	37:31:10.281	126:55:47.407	-51
52	10	21	5	8	27	37:31:10.345	126:55:47.325	-51

53	10	21	5	8	28	37:31:10.409	126:55:47.322	-54
54	10	21	5	8	29	37:31:10.472	126:55:47.239	-54
55	10	21	5	8	30	37:31:10.537	126:55:47.196	-54
56	10	21	5	8	31	37:31:10.568	126:55:47.155	-57
57	10	21	5	8	32	37:31:10.632	126:55:47.071	-57
58	10	21	5	8	33	37:31:10.696	126:55:47.029	-57
59	10	21	5	8	34	37:31:10.760	126:55:46.986	-53
60	10	21	5	8	35	37:31:10.823	126:55:46.903	-53
61	10	21	5	8	36	37:31:10.888	126:55:46.861	-53
62	10	21	5	8	37	37:31:10.951	126:55:46.778	-41
63	10	21	5	8	38	37:31:10.983	126:55:46.736	-41
64	10	21	5	8	39	37:31:11.047	126:55:46.693	-41
65	10	21	5	8	40	37:31:11.110	126:55:46.610	-44
66	10	21	5	8	41	37:31:11.174	126:55:46.568	-44
67	10	21	5	8	42	37:31:11.239	126:55:46.525	-44
68	10	21	5	8	43	37:31:11.302	126:55:46.442	-46
69	10	21	5	8	44	37:31:11.334	126:55:46.400	-46
70	10	21	5	8	45	37:31:11.397	126:55:46.317	-46
71	10	21	5	8	46	37:31:11.461	126:55:46.275	-42
72	10	21	5	8	47	37:31:11.525	126:55:46.232	-42
73	10	21	5	8	48	37:31:11.589	126:55:46.149	-42
74	10	21	5	8	49	37:31:11.653	126:55:46.106	-43
75	10	21	5	8	50	37:31:11.717	126:55:46.064	-43
76	10	21	5	8	51	37:31:11.748	126:55:45.982	-43
77	10	21	5	8	52	37:31:11.812	126:55:45.939	-45
78	10	21	5	8	53	37:31:11.876	126:55:45.856	-45
79	10	21	5	8	54	37:31:11.940	126:55:45.813	-45
80	10	21	5	8	55	37:31:12.004	126:55:45.771	-46
81	10	21	5	8	56	37:31:12.067	126:55:45.688	-46
82	10	21	5	8	57	37:31:12.099	126:55:45.646	-46
83	10	21	5	8	58	37:31:12.163	126:55:45.604	-47
84	10	21	5	8	59	37:31:12.227	126:55:45.520	-47
85	10	21	5	9	0	37:31:12.291	126:55:45.478	-47
86	10	21	5	9	1	37:31:12.355	126:55:45.435	-46
87	10	21	5	9	2	37:31:12.418	126:55:45.352	-46
88	10	21	5	9	3	37:31:12.450	126:55:45.310	-46
89	10	21	5	9	4	37:31:12.513	126:55:45.227	-48
90	10	21	5	9	5	37:31:12.578	126:55:45.185	-48
91	10	21	5	9	6	37:31:12.642	126:55:45.142	-48
92	10	21	5	9	7	37:31:12.705	126:55:45.059	-48
93	10	21	5	9	8	37:31:12.769	126:55:45.016	-48
94	10	21	5	9	9	37:31:12.833	126:55:44.974	-48
95	10	21	5	9	10	37:31:12.864	126:55:44.892	-62
96	10	21	5	9	11	37:31:12.929	126:55:44.849	-62
97	10	21	5	9	12	37:31:12.992	126:55:44.766	-62
98	10	21	5	9	13	37:31:13.056	126:55:44.723	-65
99	10	21	5	9	14	37:31:13.120	126:55:44.681	-65
100	10	21	5	9	15	37:31:13.184	126:55:44.598	-65
101	10	21	5	9	16	37:31:13.215	126:55:44.556	-58
102	10	21	5	9	17	37:31:13.280	126:55:44.514	-58
103	10	21	5	9	18	37:31:13.343	126:55:44.430	-58
104	10	21	5	9	19	37:31:13.407	126:55:44.388	-63
105	10	21	5	9	20	37:31:13.471	126:55:44.305	-63
106	10	21	5	9	21	37:31:13.535	126:55:44.262	-63
107	10	21	5	9	22	37:31:13.599	126:55:44.220	-61
108	10	21	5	9	23	37:31:13.630	126:55:44.137	-61
109	10	21	5	9	24	37:31:13.694	126:55:44.095	-61
110	10	21	5	9	25	37:31:13.758	126:55:44.052	-59

111	10	21	5	9	26	37:31:13.822	126:55:43.969	-52
112	10	21	5	9	27	37:31:13.886	126:55:43.927	-52
113	10	21	5	9	28	37:31:13.950	126:55:43.884	-56
114	10	21	5	9	29	37:31:13.981	126:55:43.802	-56
115	10	21	5	9	30	37:31:14.045	126:55:43.759	-56
116	10	21	5	9	31	37:31:14.108	126:55:43.676	-54
117	10	21	5	9	32	37:31:14.173	126:55:43.634	-54
118	10	21	5	9	33	37:31:14.237	126:55:43.591	-54
119	10	21	5	9	34	37:31:14.300	126:55:43.508	-60
120	10	21	5	9	35	37:31:14.364	126:55:43.465	-60
121	10	21	5	9	36	37:31:14.396	126:55:43.424	-60
122	10	21	5	9	37	37:31:14.459	126:55:43.340	-59
123	10	21	5	9	38	37:31:14.524	126:55:43.298	-59
124	10	21	5	9	39	37:31:14.587	126:55:43.215	-59
125	10	21	5	9	40	37:31:14.651	126:55:43.172	-52
126	10	21	5	9	41	37:31:14.715	126:55:43.130	-52
127	10	21	5	9	42	37:31:14.746	126:55:43.047	-52
128	10	21	5	9	43	37:31:14.810	126:55:43.005	-55
129	10	21	5	9	44	37:31:14.875	126:55:42.962	-55
130	10	21	5	9	45	37:31:14.938	126:55:42.879	-55
131	10	21	5	9	46	37:31:15.002	126:55:42.837	-54
132	10	21	5	9	47	37:31:15.066	126:55:42.753	-54
133	10	21	5	9	48	37:31:15.097	126:55:42.712	-54
134	10	21	5	9	49	37:31:15.161	126:55:42.669	-52
135	10	21	5	9	50	37:31:15.225	126:55:42.586	-52
136	10	21	5	9	51	37:31:15.289	126:55:42.544	-52
137	10	21	5	9	52	37:31:15.353	126:55:42.501	-59
138	10	21	5	9	53	37:31:15.417	126:55:42.418	-59
139	10	21	5	9	54	37:31:15.481	126:55:42.375	-59
140	10	21	5	9	55	37:31:15.512	126:55:42.293	-52
141	10	21	5	9	56	37:31:15.576	126:55:42.251	-52
142	10	21	5	9	57	37:31:15.640	126:55:42.208	-52
143	10	21	5	9	58	37:31:15.703	126:55:42.125	-51
144	10	21	5	9	59	37:31:15.768	126:55:42.082	-51
145	10	21	5	10	0	37:31:15.832	126:55:42.040	-51
146	10	21	5	10	1	37:31:15.863	126:55:41.957	-53
147	10	21	5	10	2	37:31:15.927	126:55:41.915	-53
148	10	21	5	10	3	37:31:15.991	126:55:41.872	-53
149	10	21	5	10	4	37:31:16.054	126:55:41.789	-57
150	10	21	5	10	5	37:31:16.119	126:55:41.747	-57
151	10	21	5	10	6	37:31:16.182	126:55:41.664	-57
152	10	21	5	10	7	37:31:16.246	126:55:41.621	-55
153	10	21	5	10	8	37:31:16.278	126:55:41.579	-55
154	10	21	5	10	9	37:31:16.341	126:55:41.496	-55
155	10	21	5	10	10	37:31:16.405	126:55:41.454	-53
156	10	21	5	10	11	37:31:16.470	126:55:41.411	-53
157	10	21	5	10	12	37:31:16.533	126:55:41.328	-53
158	10	21	5	10	13	37:31:16.597	126:55:41.285	-50
159	10	21	5	10	14	37:31:16.628	126:55:41.203	-50
160	10	21	5	10	15	37:31:16.692	126:55:41.161	-50
161	10	21	5	10	16	37:31:16.756	126:55:41.118	-50
162	10	21	5	10	17	37:31:16.820	126:55:41.035	-50
163	10	21	5	10	18	37:31:16.884	126:55:40.992	-50
164	10	21	5	10	19	37:31:16.948	126:55:40.950	-53
165	10	21	5	10	20	37:31:17.011	126:55:40.867	-53
166	10	21	5	10	21	37:31:17.043	126:55:40.825	-53
167	10	21	5	10	22	37:31:17.107	126:55:40.742	-52
168	10	21	5	10	23	37:31:17.171	126:55:40.660	-52


169	10	21	5	10	24	37:31:17.235	126:55:40.657	-52
170	10	21	5	10	25	37:31:17.298	126:55:40.574	-55
171	10	21	5	10	26	37:31:17.362	126:55:40.531	-55
172	10	21	5	10	27	37:31:17.394	126:55:40.489	-55
173	10	21	5	10	28	37:31:17.458	126:55:40.406	-54
174	10	21	5	10	29	37:31:17.522	126:55:40.364	-54
175	10	21	5	10	30	37:31:17.586	126:55:40.321	-54
176	10	21	5	10	31	37:31:17.649	126:55:40.238	-53
177	10	21	5	10	32	37:31:17.713	126:55:40.196	-53
178	10	21	5	10	33	37:31:17.744	126:55:40.113	-53
179	10	21	5	10	34	37:31:17.809	126:55:40.071	-52
180	10	21	5	10	35	37:31:17.873	126:55:40.028	-52
181	10	21	5	10	36	37:31:17.936	126:55:39.945	-52
182	10	21	5	10	37	37:31:18.000	126:55:39.902	-50
183	10	21	5	10	38	37:31:18.064	126:55:39.860	-50
184	10	21	5	10	39	37:31:18.128	126:55:39.777	-50
185	10	21	5	10	40	37:31:18.160	126:55:39.735	-48
186	10	21	5	10	41	37:31:18.223	126:55:39.652	-48
187	10	21	5	10	42	37:31:18.287	126:55:39.609	-48
188	10	21	5	10	43	37:31:18.351	126:55:39.567	-49
189	10	21	5	10	44	37:31:18.415	126:55:39.484	-49
190	10	21	5	10	45	37:31:18.479	126:55:39.441	-49
191	10	21	5	10	46	37:31:18.511	126:55:39.400	-52
192	10	21	5	10	47	37:31:18.574	126:55:39.316	-52
193	10	21	5	10	48	37:31:18.638	126:55:39.274	-52
194	10	21	5	10	49	37:31:18.702	126:55:39.191	-53
195	10	21	5	10	50	37:31:18.766	126:55:39.148	-53
196	10	21	5	10	51	37:31:18.830	126:55:39.106	-53
197	10	21	5	10	52	37:31:18.893	126:55:39.022	-53
198	10	21	5	10	53	37:31:18.925	126:55:38.981	-53
199	10	21	5	10	54	37:31:18.989	126:55:38.938	-53
200	10	21	5	10	55	37:31:19.053	126:55:38.855	-52
201	10	21	5	10	56	37:31:19.117	126:55:38.812	-52
202	10	21	5	10	57	37:31:19.181	126:55:38.770	-52
203	10	21	5	10	58	37:31:19.244	126:55:38.687	-51
204	10	21	5	10	59	37:31:19.276	126:55:38.645	-51
205	10	21	5	11	0	37:31:19.339	126:55:38.562	-51
206	10	21	5	11	1	37:31:19.404	126:55:38.519	-53
207	10	21	5	11	2	37:31:19.468	126:55:38.477	-53
208	10	21	5	11	3	37:31:19.531	126:55:38.394	-53
209	10	21	5	11	4	37:31:19.595	126:55:38.351	-51
210	10	21	5	11	5	37:31:19.659	126:55:38.309	-51
211	10	21	5	11	6	37:31:19.690	126:55:38.226	-51
212	10	21	5	11	7	37:31:19.755	126:55:38.184	-53
213	10	21	5	11	8	37:31:19.818	126:55:38.101	-53
214	10	21	5	11	9	37:31:19.882	126:55:38.058	-53
215	10	21	5	11	10	37:31:19.946	126:55:38.016	-53
216	10	21	5	11	11	37:31:20.010	126:55:37.932	-53
217	10	21	5	11	12	37:31:20.041	126:55:37.891	-53
218	10	21	5	11	13	37:31:20.105	126:55:37.848	-52
219	10	21	5	11	14	37:31:20.169	126:55:37.765	-52
220	10	21	5	11	15	37:31:20.233	126:55:37.723	-52
221	10	21	5	11	16	37:31:20.296	126:55:37.639	-53
222	10	21	5	11	17	37:31:20.361	126:55:37.597	-53
223	10	21	5	11	18	37:31:20.425	126:55:37.554	-53
224	10	21	5	11	19	37:31:20.456	126:55:37.472	-50
225	10	21	5	11	20	37:31:20.520	126:55:37.429	-50
226	10	21	5	11	21	37:31:20.584	126:55:37.387	-50

227	10	21	5	11	22	37:31:20.647	126:55:37.304	-54
228	10	21	5	11	23	37:31:20.712	126:55:37.261	-54
229	10	21	5	11	24	37:31:20.776	126:55:37.219	-54
230	10	21	5	11	25	37:31:20.807	126:55:37.136	-52
231	10	21	5	11	26	37:31:20.871	126:55:37.094	-52
232	10	21	5	11	27	37:31:20.934	126:55:37.011	-52
233	10	21	5	11	28	37:31:20.998	126:55:36.968	-53
234	10	21	5	11	29	37:31:21.063	126:55:36.926	-53
235	10	21	5	11	30	37:31:21.126	126:55:36.842	-53
236	10	21	5	11	31	37:31:21.158	126:55:36.801	-63
237	10	21	5	11	32	37:31:21.222	126:55:36.758	-63
238	10	21	5	11	33	37:31:21.285	126:55:36.675	-63
239	10	21	5	11	34	37:31:21.349	126:55:36.633	-61
240	10	21	5	11	35	37:31:21.413	126:55:36.549	-61
241	10	21	5	11	36	37:31:21.477	126:55:36.507	-61
242	10	21	5	11	37	37:31:21.541	126:55:36.464	-59
243	10	21	5	11	38	37:31:21.572	126:55:36.382	-59
244	10	21	5	11	39	37:31:21.636	126:55:36.339	-59
245	10	21	5	11	40	37:31:21.700	126:55:36.297	-56
246	10	21	5	11	41	37:31:21.764	126:55:36.214	-56
247	10	21	5	11	42	37:31:21.828	126:55:36.171	-56
248	10	21	5	11	43	37:31:21.891	126:55:36.088	-55
249	10	21	5	11	44	37:31:21.923	126:55:36.046	-55
250	10	21	5	11	45	37:31:21.987	126:55:36.004	-55
251	10	21	5	11	46	37:31:22.115	126:55:35.878	-51
평균 전계강도								-49.7



- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(0_225)


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	21	21	37	31	1.399	126	55	49.987	-65
2	10	11	12	21	22	37	31	1.399	126	55	49.987	-65
3	10	11	12	21	23	37	31	1.399	126	55	49.987	-65
4	10	11	12	21	24	37	31	1.399	126	55	49.987	-64
5	10	11	12	21	25	37	31	1.399	126	55	49.987	-64
6	10	11	12	21	26	37	31	1.399	126	55	49.987	-64
7	10	11	12	21	27	37	31	1.399	126	55	49.987	-66
8	10	11	12	21	28	37	31	1.399	126	55	49.987	-66
9	10	11	12	21	29	37	31	1.399	126	55	49.987	-66
10	10	11	12	21	30	37	31	1.399	126	55	49.987	-66
11	10	11	12	21	31	37	31	1.399	126	55	49.987	-66
12	10	11	12	21	32	37	31	1.399	126	55	49.987	-66
13	10	11	12	21	33	37	31	1.399	126	55	49.987	-69
14	10	11	12	21	34	37	31	1.399	126	55	49.987	-69
15	10	11	12	21	35	37	31	1.399	126	55	49.987	-69
16	10	11	12	21	36	37	31	1.399	126	55	49.987	-67
17	10	11	12	21	37	37	31	1.399	126	55	49.987	-67
18	10	11	12	21	38	37	31	1.399	126	55	49.987	-67
19	10	11	12	21	39	37	31	1.399	126	55	49.987	-69
평균 전계 강도												-66.32



- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(0_0)


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	18	3	37	31	1.507	126	55	49.951	-54
2	10	11	12	18	4	37	31	1.507	126	55	49.951	-54
3	10	11	12	18	5	37	31	1.507	126	55	49.951	-54
4	10	11	12	18	6	37	31	1.507	126	55	49.951	-57
5	10	11	12	18	7	37	31	1.507	126	55	49.951	-57
6	10	11	12	18	8	37	31	1.507	126	55	49.951	-57
7	10	11	12	18	9	37	31	1.507	126	55	49.951	-55
8	10	11	12	18	10	37	31	1.507	126	55	49.951	-55
9	10	11	12	18	11	37	31	1.507	126	55	49.951	-55
10	10	11	12	18	12	37	31	1.507	126	55	49.951	-57
11	10	11	12	18	13	37	31	1.507	126	55	49.951	-57
12	10	11	12	18	14	37	31	1.507	126	55	49.951	-57
13	10	11	12	18	15	37	31	1.507	126	55	49.951	-59
14	10	11	12	18	16	37	31	1.507	126	55	49.951	-59
15	10	11	12	18	17	37	31	1.507	126	55	49.951	-59
16	10	11	12	18	18	37	31	1.507	126	55	49.951	-61
17	10	11	12	18	19	37	31	1.507	126	55	49.951	-61
18	10	11	12	18	20	37	31	1.507	126	55	49.951	-61
19	10	11	12	18	21	37	31	1.507	126	55	49.951	-58
20	10	11	12	18	22	37	31	1.471	126	55	49.951	-58
21	10	11	12	18	23	37	31	1.471	126	55	49.951	-58
22	10	11	12	18	24	37	31	1.471	126	55	49.951	-56
23	10	11	12	18	25	37	31	1.471	126	55	49.951	-56
24	10	11	12	18	26	37	31	1.471	126	55	49.951	-56
25	10	11	12	18	27	37	31	1.471	126	55	49.951	-57
26	10	11	12	18	28	37	31	1.471	126	55	49.951	-57
27	10	11	12	18	29	37	31	1.471	126	55	49.951	-57
28	10	11	12	18	30	37	31	1.471	126	55	49.951	-57
29	10	11	12	18	31	37	31	1.471	126	55	49.951	-57
30	10	11	12	18	32	37	31	1.471	126	55	49.951	-57
31	10	11	12	18	33	37	31	1.471	126	55	49.951	-56
32	10	11	12	18	34	37	31	1.471	126	55	49.951	-56
33	10	11	12	18	35	37	31	1.471	126	55	49.951	-56
34	10	11	12	18	36	37	31	1.471	126	55	49.951	-56
35	10	11	12	18	37	37	31	1.471	126	55	49.951	-56
36	10	11	12	18	38	37	31	1.471	126	55	49.951	-56
37	10	11	12	18	39	37	31	1.471	126	55	49.951	-56
38	10	11	12	18	40	37	31	1.471	126	55	49.951	-56
39	10	11	12	18	41	37	31	1.471	126	55	49.951	-56
40	10	11	12	18	42	37	31	1.471	126	55	49.951	-57
41	10	11	12	18	43	37	31	1.471	126	55	49.951	-57
42	10	11	12	18	44	37	31	1.471	126	55	49.951	-57
43	10	11	12	18	45	37	31	1.471	126	55	49.951	-56
44	10	11	12	18	46	37	31	1.471	126	55	49.951	-56
45	10	11	12	18	47	37	31	1.471	126	55	49.951	-56
46	10	11	12	18	48	37	31	1.471	126	55	49.951	-58
47	10	11	12	18	49	37	31	1.471	126	55	49.951	-58
48	10	11	12	18	50	37	31	1.471	126	55	49.951	-58
49	10	11	12	18	51	37	31	1.471	126	55	49.951	-59
50	10	11	12	18	52	37	31	1.471	126	55	49.951	-59
51	10	11	12	18	53	37	31	1.471	126	55	49.951	-59
52	10	11	12	18	54	37	31	1.471	126	55	49.951	-57

53	10	11	12	18	55	37	31	1.471	126	55	49.951	-57
54	10	11	12	18	56	37	31	1.471	126	55	49.951	-57
55	10	11	12	18	57	37	31	1.471	126	55	49.951	-60
56	10	11	12	18	58	37	31	1.471	126	55	49.951	-60
평균 전계 강도												-57.11




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(0_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	19	22	37	31	1.435	126	55	49.987	-56
2	10	11	12	19	23	37	31	1.435	126	55	49.987	-56
3	10	11	12	19	24	37	31	1.435	126	55	49.987	-55
4	10	11	12	19	25	37	31	1.435	126	55	49.987	-55
5	10	11	12	19	26	37	31	1.435	126	55	49.987	-55
6	10	11	12	19	27	37	31	1.435	126	55	49.987	-56
7	10	11	12	19	28	37	31	1.435	126	55	49.987	-56
8	10	11	12	19	29	37	31	1.435	126	55	49.987	-56
9	10	11	12	19	30	37	31	1.435	126	55	49.987	-57
10	10	11	12	19	31	37	31	1.435	126	55	49.987	-57
11	10	11	12	19	32	37	31	1.435	126	55	49.987	-57
12	10	11	12	19	33	37	31	1.435	126	55	49.987	-56
13	10	11	12	19	34	37	31	1.435	126	55	49.987	-56
14	10	11	12	19	35	37	31	1.435	126	55	49.987	-56
15	10	11	12	19	36	37	31	1.435	126	55	49.987	-58
16	10	11	12	19	37	37	31	1.435	126	55	49.987	-58
17	10	11	12	19	38	37	31	1.435	126	55	49.987	-58
평균 전계 강도												-56.35




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(0_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	19	52	37	31	1.435	126	55	49.987	-75
2	10	11	12	19	53	37	31	1.435	126	55	49.987	-75
3	10	11	12	19	54	37	31	1.435	126	55	49.987	-74
4	10	11	12	19	55	37	31	1.435	126	55	49.987	-74
5	10	11	12	19	56	37	31	1.435	126	55	49.987	-74
6	10	11	12	19	57	37	31	1.435	126	55	49.987	-72
7	10	11	12	19	58	37	31	1.435	126	55	49.987	-72
8	10	11	12	19	59	37	31	1.435	126	55	49.987	-72
9	10	11	12	20	0	37	31	1.435	126	55	49.987	-71
10	10	11	12	20	1	37	31	1.435	126	55	49.987	-71
11	10	11	12	20	2	37	31	1.435	126	55	49.987	-71
12	10	11	12	20	3	37	31	1.435	126	55	49.987	-72
13	10	11	12	20	4	37	31	1.435	126	55	49.987	-72
14	10	11	12	20	5	37	31	1.435	126	55	49.987	-72
15	10	11	12	20	6	37	31	1.435	126	55	49.987	-73
16	10	11	12	20	7	37	31	1.435	126	55	49.987	-73
17	10	11	12	20	8	37	31	1.435	126	55	49.987	-73
18	10	11	12	20	9	37	31	1.435	126	55	49.987	-73
평균 전계 강도												-72.72




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(0_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	20	19	37	31	1.435	126	55	49.987	-69
2	10	11	12	20	20	37	31	1.435	126	55	49.987	-69
3	10	11	12	20	21	37	31	1.435	126	55	49.987	-70
4	10	11	12	20	22	37	31	1.435	126	55	49.987	-70
5	10	11	12	20	23	37	31	1.435	126	55	49.987	-70
6	10	11	12	20	24	37	31	1.435	126	55	49.987	-75
7	10	11	12	20	25	37	31	1.435	126	55	49.987	-75
8	10	11	12	20	26	37	31	1.435	126	55	49.987	-75
9	10	11	12	20	27	37	31	1.435	126	55	49.987	-73
10	10	11	12	20	28	37	31	1.435	126	55	49.987	-73
11	10	11	12	20	29	37	31	1.435	126	55	49.987	-73
12	10	11	12	20	30	37	31	1.435	126	55	49.987	-70
13	10	11	12	20	31	37	31	1.435	126	55	49.987	-70
14	10	11	12	20	32	37	31	1.435	126	55	49.987	-70
15	10	11	12	20	33	37	31	1.435	126	55	49.987	-72
16	10	11	12	20	34	37	31	1.435	126	55	49.987	-72
17	10	11	12	20	35	37	31	1.435	126	55	49.987	-72
18	10	11	12	20	36	37	31	1.435	126	55	49.987	-71
19	10	11	12	20	37	37	31	1.435	126	55	49.987	-71
20	10	11	12	20	38	37	31	1.435	126	55	49.987	-71
평균 전계 강도												-71.55




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(0_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	20	51	37	31	1.399	126	55	49.987	-83
2	10	11	12	20	52	37	31	1.399	126	55	49.987	-83
3	10	11	12	20	53	37	31	1.399	126	55	49.987	-83
4	10	11	12	20	54	37	31	1.399	126	55	49.987	-85
5	10	11	12	20	55	37	31	1.399	126	55	49.987	-85
6	10	11	12	20	56	37	31	1.399	126	55	49.987	-85
7	10	11	12	20	57	37	31	1.399	126	55	49.987	-81
8	10	11	12	20	58	37	31	1.399	126	55	49.987	-81
9	10	11	12	20	59	37	31	1.399	126	55	49.987	-81
10	10	11	12	21	0	37	31	1.399	126	55	49.987	-88
11	10	11	12	21	1	37	31	1.399	126	55	49.987	-88
12	10	11	12	21	2	37	31	1.399	126	55	49.987	-88
13	10	11	12	21	3	37	31	1.399	126	55	49.987	-83
14	10	11	12	21	4	37	31	1.399	126	55	49.987	-83
15	10	11	12	21	5	37	31	1.399	126	55	49.987	-83
평균 전계 강도												-84.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(0_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	21	49	37	31	1.399	126	55	49.987	-72
2	10	11	12	21	50	37	31	1.399	126	55	49.987	-72
3	10	11	12	21	51	37	31	1.399	126	55	49.987	-69
4	10	11	12	21	52	37	31	1.399	126	55	49.987	-69
5	10	11	12	21	53	37	31	1.399	126	55	49.987	-69
6	10	11	12	21	54	37	31	1.399	126	55	49.987	-70
7	10	11	12	21	55	37	31	1.399	126	55	49.987	-70
8	10	11	12	21	56	37	31	1.399	126	55	49.987	-70
9	10	11	12	21	57	37	31	1.399	126	55	49.987	-70
10	10	11	12	21	58	37	31	1.399	126	55	49.987	-70
11	10	11	12	21	59	37	31	1.399	126	55	49.987	-70
12	10	11	12	22	0	37	31	1.399	126	55	49.987	-68
13	10	11	12	22	1	37	31	1.399	126	55	49.987	-68
14	10	11	12	22	2	37	31	1.399	126	55	49.987	-68
15	10	11	12	22	3	37	31	1.399	126	55	49.987	-69
16	10	11	12	22	4	37	31	1.399	126	55	49.987	-69
17	10	11	12	22	5	37	31	1.399	126	55	49.987	-69
18	10	11	12	22	6	37	31	1.399	126	55	49.987	-69
19	10	11	12	22	7	37	31	1.399	126	55	49.987	-69
20	10	11	12	22	8	37	31	1.399	126	55	49.987	-69
21	10	11	12	22	9	37	31	1.399	126	55	49.987	-72
평균 전계 강도												-69.57




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(0_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	22	19	37	31	1.399	126	55	50.023	-73
2	10	11	12	22	20	37	31	1.399	126	55	50.023	-73
3	10	11	12	22	21	37	31	1.399	126	55	50.023	-72
4	10	11	12	22	22	37	31	1.399	126	55	50.023	-72
5	10	11	12	22	23	37	31	1.399	126	55	50.023	-72
6	10	11	12	22	24	37	31	1.399	126	55	50.023	-68
7	10	11	12	22	25	37	31	1.399	126	55	50.023	-68
8	10	11	12	22	26	37	31	1.399	126	55	50.023	-68
9	10	11	12	22	27	37	31	1.399	126	55	50.023	-66
10	10	11	12	22	28	37	31	1.399	126	55	50.023	-66
11	10	11	12	22	29	37	31	1.399	126	55	50.023	-66
12	10	11	12	22	30	37	31	1.399	126	55	50.023	-72
13	10	11	12	22	31	37	31	1.399	126	55	50.023	-72
14	10	11	12	22	32	37	31	1.399	126	55	50.023	-72
15	10	11	12	22	33	37	31	1.399	126	55	50.023	-79
16	10	11	12	22	34	37	31	1.399	126	55	50.023	-79
17	10	11	12	22	35	37	31	1.399	126	55	50.023	-79
18	10	11	12	22	36	37	31	1.399	126	55	50.023	-73
19	10	11	12	22	37	37	31	1.363	126	55	50.023	-73
20	10	11	12	22	38	37	31	1.363	126	55	50.023	-73
21	10	11	12	22	39	37	31	1.363	126	55	50.023	-75
22	10	11	12	22	40	37	31	1.363	126	55	50.023	-75
23	10	11	12	22	41	37	31	1.363	126	55	50.023	-75
24	10	11	12	22	42	37	31	1.363	126	55	50.023	-76
25	10	11	12	22	43	37	31	1.363	126	55	50.023	-76
26	10	11	12	22	44	37	31	1.363	126	55	50.023	-76
평균 전계 강도												-72.65




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(-30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	22	59	37	31	1.363	126	55	50.023	-69
2	10	11	12	23	0	37	31	1.363	126	55	50.023	-67
3	10	11	12	23	1	37	31	1.363	126	55	50.023	-67
4	10	11	12	23	2	37	31	1.363	126	55	50.023	-67
5	10	11	12	23	3	37	31	1.363	126	55	50.023	-67
6	10	11	12	23	4	37	31	1.363	126	55	50.023	-67
7	10	11	12	23	5	37	31	1.363	126	55	50.023	-67
8	10	11	12	23	6	37	31	1.363	126	55	50.023	-61
9	10	11	12	23	7	37	31	1.363	126	55	50.023	-61
10	10	11	12	23	8	37	31	1.363	126	55	50.023	-61
11	10	11	12	23	9	37	31	1.363	126	55	50.023	-64
12	10	11	12	23	10	37	31	1.363	126	55	50.023	-64
13	10	11	12	23	11	37	31	1.363	126	55	50.023	-64
14	10	11	12	23	12	37	31	1.363	126	55	50.023	-61
15	10	11	12	23	13	37	31	1.327	126	55	50.023	-61
16	10	11	12	23	14	37	31	1.327	126	55	50.023	-61
17	10	11	12	23	15	37	31	1.327	126	55	50.023	-62
18	10	11	12	23	16	37	31	1.327	126	55	50.023	-62
19	10	11	12	23	17	37	31	1.327	126	55	50.023	-62
20	10	11	12	23	18	37	31	1.327	126	55	50.023	-61
21	10	11	12	23	19	37	31	1.327	126	55	50.023	-61
22	10	11	12	23	20	37	31	1.327	126	55	50.059	-61
23	10	11	12	23	21	37	31	1.327	126	55	50.059	-60
24	10	11	12	23	22	37	31	1.327	126	55	50.059	-60
평균 전계 강도												-63.25




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(-30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	23	31	37	31	1.327	126	55	50.059	-64
2	10	11	12	23	32	37	31	1.327	126	55	50.059	-64
3	10	11	12	23	33	37	31	1.327	126	55	50.059	-67
4	10	11	12	23	34	37	31	1.327	126	55	50.059	-67
5	10	11	12	23	35	37	31	1.327	126	55	50.059	-67
6	10	11	12	23	36	37	31	1.327	126	55	50.059	-70
7	10	11	12	23	37	37	31	1.327	126	55	50.059	-70
8	10	11	12	23	38	37	31	1.327	126	55	50.059	-70
9	10	11	12	23	39	37	31	1.327	126	55	50.059	-66
10	10	11	12	23	40	37	31	1.327	126	55	50.059	-66
11	10	11	12	23	41	37	31	1.327	126	55	50.059	-66
12	10	11	12	23	42	37	31	1.327	126	55	50.059	-63
13	10	11	12	23	43	37	31	1.291	126	55	50.059	-63
14	10	11	12	23	44	37	31	1.291	126	55	50.059	-63
15	10	11	12	23	45	37	31	1.291	126	55	50.059	-64
16	10	11	12	23	46	37	31	1.291	126	55	50.059	-64
17	10	11	12	23	47	37	31	1.291	126	55	50.059	-64
평균 전계 강도												-65.76




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(-30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	23	57	37	31	1.291	126	55	50.059	-73
2	10	11	12	23	58	37	31	1.291	126	55	50.059	-73
3	10	11	12	23	59	37	31	1.291	126	55	50.059	-73
4	10	11	12	24	0	37	31	1.291	126	55	50.059	-76
5	10	11	12	24	1	37	31	1.291	126	55	50.059	-76
6	10	11	12	24	2	37	31	1.291	126	55	50.059	-76
7	10	11	12	24	3	37	31	1.291	126	55	50.059	-74
8	10	11	12	24	4	37	31	1.291	126	55	50.059	-74
9	10	11	12	24	5	37	31	1.291	126	55	50.059	-74
10	10	11	12	24	6	37	31	1.291	126	55	50.059	-74
11	10	11	12	24	7	37	31	1.291	126	55	50.059	-74
12	10	11	12	24	8	37	31	1.291	126	55	50.059	-74
13	10	11	12	24	9	37	31	1.291	126	55	50.059	-75
14	10	11	12	24	10	37	31	1.291	126	55	50.059	-75
15	10	11	12	24	11	37	31	1.291	126	55	50.059	-75
16	10	11	12	24	12	37	31	1.291	126	55	50.059	-71
17	10	11	12	24	13	37	31	1.291	126	55	50.059	-71
18	10	11	12	24	14	37	31	1.291	126	55	50.059	-71
19	10	11	12	24	15	37	31	1.291	126	55	50.059	-75
20	10	11	12	24	16	37	31	1.291	126	55	50.059	-75
21	10	11	12	24	17	37	31	1.291	126	55	50.059	-75
22	10	11	12	24	18	37	31	1.291	126	55	50.059	-73
23	10	11	12	24	19	37	31	1.291	126	55	50.059	-73
평균 전계 강도												-73.91




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(-30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	24	37	37	31	1.291	126	55	50.095	-70
2	10	11	12	24	38	37	31	1.291	126	55	50.095	-70
3	10	11	12	24	39	37	31	1.291	126	55	50.095	-71
4	10	11	12	24	40	37	31	1.291	126	55	50.095	-71
5	10	11	12	24	41	37	31	1.291	126	55	50.095	-71
6	10	11	12	24	42	37	31	1.291	126	55	50.095	-73
7	10	11	12	24	43	37	31	1.255	126	55	50.095	-73
8	10	11	12	24	44	37	31	1.255	126	55	50.095	-73
9	10	11	12	24	45	37	31	1.255	126	55	50.095	-73
10	10	11	12	24	46	37	31	1.255	126	55	50.095	-73
11	10	11	12	24	47	37	31	1.255	126	55	50.095	-73
12	10	11	12	24	48	37	31	1.255	126	55	50.095	-73
13	10	11	12	24	49	37	31	1.255	126	55	50.095	-73
14	10	11	12	24	50	37	31	1.255	126	55	50.095	-73
15	10	11	12	24	51	37	31	1.255	126	55	50.095	-80
16	10	11	12	24	52	37	31	1.255	126	55	50.095	-80
17	10	11	12	24	53	37	31	1.255	126	55	50.095	-80
18	10	11	12	24	54	37	31	1.255	126	55	50.095	-84
19	10	11	12	24	55	37	31	1.255	126	55	50.095	-84
20	10	11	12	24	56	37	31	1.255	126	55	50.095	-84
21	10	11	12	24	57	37	31	1.255	126	55	50.095	-89
22	10	11	12	24	58	37	31	1.255	126	55	50.095	-89
23	10	11	12	24	59	37	31	1.255	126	55	50.095	-89
24	10	11	12	25	0	37	31	1.255	126	55	50.095	-74
평균 전계 강도												-76.79




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(-30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	25	14	37	31	1.255	126	55	50.095	-76
2	10	11	12	25	15	37	31	1.255	126	55	50.095	-78
3	10	11	12	25	16	37	31	1.255	126	55	50.095	-78
4	10	11	12	25	17	37	31	1.255	126	55	50.095	-78
5	10	11	12	25	18	37	31	1.255	126	55	50.095	-81
6	10	11	12	25	19	37	31	1.255	126	55	50.095	-81
7	10	11	12	25	20	37	31	1.255	126	55	50.095	-81
8	10	11	12	25	21	37	31	1.255	126	55	50.095	-82
9	10	11	12	25	22	37	31	1.255	126	55	50.095	-82
10	10	11	12	25	23	37	31	1.255	126	55	50.095	-82
11	10	11	12	25	24	37	31	1.255	126	55	50.095	-78
12	10	11	12	25	25	37	31	1.255	126	55	50.095	-78
13	10	11	12	25	26	37	31	1.255	126	55	50.095	-78
14	10	11	12	25	27	37	31	1.255	126	55	50.095	-82
15	10	11	12	25	28	37	31	1.255	126	55	50.095	-82
16	10	11	12	25	29	37	31	1.255	126	55	50.095	-82
17	10	11	12	25	30	37	31	1.255	126	55	50.095	-85
18	10	11	12	25	31	37	31	1.255	126	55	50.095	-85
19	10	11	12	25	32	37	31	1.255	126	55	50.095	-85
평균 전계 강도												-80.74




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(-30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	25	46	37	31	1.147	126	55	50.167	-64
2	10	11	12	25	47	37	31	1.147	126	55	50.167	-64
3	10	11	12	25	48	37	31	1.147	126	55	50.167	-64
4	10	11	12	25	49	37	31	1.147	126	55	50.167	-64
5	10	11	12	25	50	37	31	1.147	126	55	50.167	-64
6	10	11	12	25	51	37	31	1.147	126	55	50.167	-63
7	10	11	12	25	52	37	31	1.147	126	55	50.167	-63
8	10	11	12	25	53	37	31	1.147	126	55	50.167	-63
9	10	11	12	25	54	37	31	1.147	126	55	50.167	-63
10	10	11	12	25	55	37	31	1.147	126	55	50.167	-63
11	10	11	12	25	56	37	31	1.147	126	55	50.167	-63
12	10	11	12	25	57	37	31	1.147	126	55	50.167	-62
13	10	11	12	25	58	37	31	1.147	126	55	50.167	-62
14	10	11	12	25	59	37	31	1.147	126	55	50.203	-62
15	10	11	12	26	0	37	31	1.147	126	55	50.203	-62
16	10	11	12	26	1	37	31	1.147	126	55	50.203	-62
17	10	11	12	26	2	37	31	1.147	126	55	50.203	-62
18	10	11	12	26	3	37	31	1.147	126	55	50.203	-62
19	10	11	12	26	4	37	31	1.147	126	55	50.203	-62
20	10	11	12	26	5	37	31	1.147	126	55	50.203	-62
평균 전계 강도												-62.80




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(-30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	26	16	37	31	1.147	126	55	50.203	-76
2	10	11	12	26	17	37	31	1.147	126	55	50.203	-76
3	10	11	12	26	18	37	31	1.147	126	55	50.203	-79
4	10	11	12	26	19	37	31	1.147	126	55	50.203	-79
5	10	11	12	26	20	37	31	1.147	126	55	50.203	-79
6	10	11	12	26	21	37	31	1.147	126	55	50.203	-76
7	10	11	12	26	22	37	31	1.147	126	55	50.203	-76
8	10	11	12	26	23	37	31	1.147	126	55	50.203	-76
9	10	11	12	26	24	37	31	1.147	126	55	50.203	-75
10	10	11	12	26	25	37	31	1.111	126	55	50.203	-75
11	10	11	12	26	26	37	31	1.111	126	55	50.203	-75
12	10	11	12	26	27	37	31	1.111	126	55	50.203	-80
13	10	11	12	26	28	37	31	1.111	126	55	50.203	-80
14	10	11	12	26	29	37	31	1.111	126	55	50.203	-80
15	10	11	12	26	30	37	31	1.111	126	55	50.203	-77
16	10	11	12	26	31	37	31	1.111	126	55	50.203	-77
17	10	11	12	26	32	37	31	1.111	126	55	50.203	-77
18	10	11	12	26	33	37	31	1.111	126	55	50.203	-76
19	10	11	12	26	34	37	31	1.111	126	55	50.203	-76
평균 전계 강도												-77.11




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(-30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	26	45	37	31	1.111	126	55	50.203	-72
2	10	11	12	26	46	37	31	1.111	126	55	50.203	-72
3	10	11	12	26	47	37	31	1.111	126	55	50.203	-72
4	10	11	12	26	48	37	31	1.111	126	55	50.203	-75
5	10	11	12	26	49	37	31	1.111	126	55	50.203	-75
6	10	11	12	26	50	37	31	1.111	126	55	50.203	-75
7	10	11	12	26	51	37	31	1.111	126	55	50.203	-73
8	10	11	12	26	52	37	31	1.111	126	55	50.203	-73
9	10	11	12	26	53	37	31	1.111	126	55	50.239	-73
10	10	11	12	26	54	37	31	1.111	126	55	50.239	-70
11	10	11	12	26	55	37	31	1.111	126	55	50.239	-70
12	10	11	12	26	56	37	31	1.111	126	55	50.239	-70
13	10	11	12	26	57	37	31	1.111	126	55	50.239	-72
14	10	11	12	26	58	37	31	1.111	126	55	50.239	-72
15	10	11	12	26	59	37	31	1.111	126	55	50.239	-72
16	10	11	12	27	0	37	31	1.111	126	55	50.239	-72
17	10	11	12	27	1	37	31	1.111	126	55	50.239	-72
18	10	11	12	27	2	37	31	1.111	126	55	50.239	-72
19	10	11	12	27	3	37	31	1.111	126	55	50.239	-73
20	10	11	12	27	4	37	31	1.111	126	55	50.239	-73
평균 전계 강도												-72.40




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(+30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	27	16	37	31	1.111	126	55	50.239	-68
2	10	11	12	27	17	37	31	1.111	126	55	50.239	-68
3	10	11	12	27	18	37	31	1.111	126	55	50.239	-64
4	10	11	12	27	19	37	31	1.111	126	55	50.239	-64
5	10	11	12	27	20	37	31	1.111	126	55	50.239	-64
6	10	11	12	27	21	37	31	1.111	126	55	50.239	-66
7	10	11	12	27	22	37	31	1.111	126	55	50.239	-66
8	10	11	12	27	23	37	31	1.111	126	55	50.239	-66
9	10	11	12	27	24	37	31	1.111	126	55	50.239	-68
10	10	11	12	27	25	37	31	1.111	126	55	50.239	-68
11	10	11	12	27	26	37	31	1.111	126	55	50.239	-68
12	10	11	12	27	27	37	31	1.111	126	55	50.239	-67
13	10	11	12	27	28	37	31	1.111	126	55	50.239	-67
14	10	11	12	27	29	37	31	1.111	126	55	50.239	-67
15	10	11	12	27	30	37	31	1.111	126	55	50.239	-65
16	10	11	12	27	31	37	31	1.111	126	55	50.239	-65
17	10	11	12	27	32	37	31	1.111	126	55	50.239	-65
18	10	11	12	27	33	37	31	1.111	126	55	50.239	-67
19	10	11	12	27	34	37	31	1.111	126	55	50.239	-67
20	10	11	12	27	35	37	31	1.111	126	55	50.239	-67
평균 전계 강도												-66.35




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(+30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	27	46	37	31	1.075	126	55	50.239	-61
2	10	11	12	27	47	37	31	1.075	126	55	50.239	-61
3	10	11	12	27	48	37	31	1.075	126	55	50.239	-63
4	10	11	12	27	49	37	31	1.075	126	55	50.239	-63
5	10	11	12	27	50	37	31	1.075	126	55	50.239	-63
6	10	11	12	27	51	37	31	1.075	126	55	50.239	-60
7	10	11	12	27	52	37	31	1.075	126	55	50.239	-60
8	10	11	12	27	53	37	31	1.075	126	55	50.239	-60
9	10	11	12	27	54	37	31	1.075	126	55	50.239	-58
10	10	11	12	27	55	37	31	1.075	126	55	50.239	-58
11	10	11	12	27	56	37	31	1.075	126	55	50.239	-58
12	10	11	12	27	57	37	31	1.075	126	55	50.239	-67
13	10	11	12	27	58	37	31	1.075	126	55	50.239	-67
14	10	11	12	27	59	37	31	1.075	126	55	50.239	-67
15	10	11	12	28	0	37	31	1.075	126	55	50.239	-60
16	10	11	12	28	1	37	31	1.075	126	55	50.239	-60
17	10	11	12	28	2	37	31	1.075	126	55	50.239	-60
평균 전계 강도												-61.53




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(+30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	28	14	37	31	1.075	126	55	50.275	-67
2	10	11	12	28	15	37	31	1.075	126	55	50.275	-67
3	10	11	12	28	16	37	31	1.075	126	55	50.275	-67
4	10	11	12	28	17	37	31	1.075	126	55	50.275	-67
5	10	11	12	28	18	37	31	1.075	126	55	50.275	-65
6	10	11	12	28	19	37	31	1.075	126	55	50.275	-65
7	10	11	12	28	20	37	31	1.075	126	55	50.275	-65
8	10	11	12	28	21	37	31	1.075	126	55	50.275	-68
9	10	11	12	28	22	37	31	1.075	126	55	50.275	-68
10	10	11	12	28	23	37	31	1.075	126	55	50.275	-68
11	10	11	12	28	24	37	31	1.075	126	55	50.275	-66
12	10	11	12	28	25	37	31	1.039	126	55	50.275	-66
13	10	11	12	28	26	37	31	1.039	126	55	50.275	-66
14	10	11	12	28	27	37	31	1.039	126	55	50.275	-67
15	10	11	12	28	28	37	31	1.039	126	55	50.275	-67
16	10	11	12	28	29	37	31	1.039	126	55	50.275	-67
17	10	11	12	28	30	37	31	1.039	126	55	50.275	-68
18	10	11	12	28	31	37	31	1.039	126	55	50.275	-68
19	10	11	12	28	32	37	31	1.039	126	55	50.275	-68
평균 전계 강도												-66.84




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(+30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	28	43	37	31	1.039	126	55	50.275	-69
2	10	11	12	28	44	37	31	1.039	126	55	50.275	-69
3	10	11	12	28	45	37	31	1.039	126	55	50.275	-69
4	10	11	12	28	46	37	31	1.039	126	55	50.275	-70
5	10	11	12	28	47	37	31	1.039	126	55	50.275	-70
6	10	11	12	28	48	37	31	1.039	126	55	50.275	-70
7	10	11	12	28	49	37	31	1.039	126	55	50.275	-71
8	10	11	12	28	50	37	31	1.039	126	55	50.275	-71
9	10	11	12	28	51	37	31	1.039	126	55	50.275	-71
10	10	11	12	28	52	37	31	1.039	126	55	50.275	-70
11	10	11	12	28	53	37	31	1.039	126	55	50.275	-70
12	10	11	12	28	54	37	31	1.039	126	55	50.275	-70
13	10	11	12	28	55	37	31	1.039	126	55	50.275	-70
14	10	11	12	28	56	37	31	1.039	126	55	50.311	-70
15	10	11	12	28	57	37	31	1.039	126	55	50.311	-70
16	10	11	12	28	58	37	31	1.039	126	55	50.311	-69
17	10	11	12	28	59	37	31	1.039	126	55	50.311	-69
18	10	11	12	29	0	37	31	1.039	126	55	50.311	-69
19	10	11	12	29	1	37	31	1.039	126	55	50.311	-69
20	10	11	12	29	2	37	31	1.039	126	55	50.311	-69
평균 전계 강도												-69.75




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(+30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	29	15	37	31	1.039	126	55	50.311	-80
2	10	11	12	29	16	37	31	1.039	126	55	50.311	-90
3	10	11	12	29	17	37	31	1.039	126	55	50.311	-90
4	10	11	12	29	18	37	31	1.039	126	55	50.311	-90
5	10	11	12	29	19	37	31	1.039	126	55	50.311	-83
6	10	11	12	29	20	37	31	1.039	126	55	50.311	-83
7	10	11	12	29	21	37	31	1.039	126	55	50.311	-83
8	10	11	12	29	22	37	31	1.039	126	55	50.311	-81
9	10	11	12	29	23	37	31	1.039	126	55	50.311	-81
10	10	11	12	29	24	37	31	1.039	126	55	50.311	-81
11	10	11	12	29	25	37	31	1.039	126	55	50.311	-79
12	10	11	12	29	26	37	31	1.039	126	55	50.311	-79
13	10	11	12	29	27	37	31	1.039	126	55	50.311	-79
14	10	11	12	29	28	37	31	1.039	126	55	50.311	-80
15	10	11	12	29	29	37	31	1.039	126	55	50.311	-80
16	10	11	12	29	30	37	31	1.039	126	55	50.311	-80
17	10	11	12	29	31	37	31	1.039	126	55	50.311	-88
18	10	11	12	29	32	37	31	1.039	126	55	50.311	-88
19	10	11	12	29	33	37	31	1.039	126	55	50.311	-88
20	10	11	12	29	34	37	31	1.039	126	55	50.311	-91
21	10	11	12	29	35	37	31	1.039	126	55	50.311	-91
22	10	11	12	29	36	37	31	1.039	126	55	50.311	-91
23	10	11	12	29	37	37	31	1.039	126	55	50.311	-88
24	10	11	12	29	38	37	31	1.039	126	55	50.311	-88
25	10	11	12	29	39	37	31	1.039	126	55	50.311	-88
26	10	11	12	29	40	37	31	1.039	126	55	50.311	-80
평균 전계 강도												-84.62




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(+30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	29	48	37	31	1.039	126	55	50.311	-60
2	10	11	12	29	49	37	31	1.039	126	55	50.311	-60
3	10	11	12	29	50	37	31	1.039	126	55	50.311	-60
4	10	11	12	29	51	37	31	1.039	126	55	50.311	-60
5	10	11	12	29	52	37	31	1.039	126	55	50.311	-61
6	10	11	12	29	53	37	31	1.039	126	55	50.311	-61
7	10	11	12	29	54	37	31	1.039	126	55	50.311	-61
8	10	11	12	29	55	37	31	1.039	126	55	50.311	-61
9	10	11	12	29	56	37	31	1.039	126	55	50.311	-61
10	10	11	12	29	57	37	31	1.039	126	55	50.311	-61
11	10	11	12	29	58	37	31	1.039	126	55	50.311	-61
12	10	11	12	29	59	37	31	1.039	126	55	50.311	-61
13	10	11	12	30	0	37	31	1.039	126	55	50.311	-61
14	10	11	12	30	1	37	31	1.039	126	55	50.311	-61
15	10	11	12	30	2	37	31	1.039	126	55	50.311	-61
16	10	11	12	30	3	37	31	1.039	126	55	50.311	-61
17	10	11	12	30	4	37	31	1.039	126	55	50.311	-61
18	10	11	12	30	5	37	31	1.039	126	55	50.311	-61
19	10	11	12	30	6	37	31	1.039	126	55	50.311	-61
20	10	11	12	30	7	37	31	1.039	126	55	50.311	-61
21	10	11	12	30	8	37	31	1.039	126	55	50.311	-61
22	10	11	12	30	9	37	31	1.039	126	55	50.311	-61
23	10	11	12	30	10	37	31	1.039	126	55	50.311	-60
24	10	11	12	30	11	37	31	1.039	126	55	50.311	-60
25	10	11	12	30	12	37	31	1.039	126	55	50.311	-60
26	10	11	12	30	13	37	31	1.039	126	55	50.311	-67
평균 전계 강도												-60.96




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(+30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	30	20	37	31	1.039	126	55	50.311	-97
2	10	11	12	30	21	37	31	1.039	126	55	50.311	-97
3	10	11	12	30	22	37	31	1.039	126	55	50.311	-81
4	10	11	12	30	23	37	31	1.039	126	55	50.311	-81
5	10	11	12	30	24	37	31	1.039	126	55	50.311	-81
6	10	11	12	30	25	37	31	1.039	126	55	50.311	-75
7	10	11	12	30	26	37	31	1.039	126	55	50.311	-75
8	10	11	12	30	27	37	31	1.039	126	55	50.311	-75
9	10	11	12	30	28	37	31	1.039	126	55	50.311	-75
10	10	11	12	30	29	37	31	1.039	126	55	50.311	-75
11	10	11	12	30	30	37	31	1.039	126	55	50.311	-75
12	10	11	12	30	31	37	31	1.039	126	55	50.311	-73
13	10	11	12	30	32	37	31	1.039	126	55	50.311	-73
14	10	11	12	30	33	37	31	1.039	126	55	50.311	-73
15	10	11	12	30	34	37	31	1.039	126	55	50.311	-75
16	10	11	12	30	35	37	31	1.039	126	55	50.311	-75
17	10	11	12	30	36	37	31	1.039	126	55	50.311	-75
18	10	11	12	30	37	37	31	1.039	126	55	50.311	-72
19	10	11	12	30	38	37	31	1.039	126	55	50.311	-72
20	10	11	12	30	39	37	31	1.039	126	55	50.311	-72
21	10	11	12	30	40	37	31	1.039	126	55	50.311	-74
22	10	11	12	30	41	37	31	1.039	126	55	50.311	-74
23	10	11	12	30	42	37	31	1.039	126	55	50.311	-74
24	10	11	12	30	43	37	31	1.039	126	55	50.311	-72
25	10	11	12	30	44	37	31	1.039	126	55	50.311	-72
26	10	11	12	30	45	37	31	1.039	126	55	50.311	-72
27	10	11	12	30	55	37	31	1.075	126	55	50.311	-70
28	10	11	12	30	56	37	31	1.075	126	55	50.311	-70
29	10	11	12	30	57	37	31	1.075	126	55	50.311	-70
30	10	11	12	30	58	37	31	1.075	126	55	50.311	-71
31	10	11	12	30	59	37	31	1.075	126	55	50.311	-71
32	10	11	12	31	0	37	31	1.075	126	55	50.311	-71
33	10	11	12	31	1	37	31	1.075	126	55	50.311	-70
34	10	11	12	31	2	37	31	1.075	126	55	50.311	-70
35	10	11	12	31	3	37	31	1.075	126	55	50.311	-70
36	10	11	12	31	4	37	31	1.075	126	55	50.347	-71
37	10	11	12	31	5	37	31	1.075	126	55	50.347	-71
38	10	11	12	31	6	37	31	1.075	126	55	50.347	-71
39	10	11	12	31	7	37	31	1.075	126	55	50.347	-70
40	10	11	12	31	8	37	31	1.075	126	55	50.347	-70
41	10	11	12	31	9	37	31	1.075	126	55	50.347	-70
42	10	11	12	31	10	37	31	1.075	126	55	50.347	-68
43	10	11	12	31	11	37	31	1.075	126	55	50.347	-68
44	10	11	12	31	12	37	31	1.075	126	55	50.347	-68
45	10	11	12	31	13	37	31	1.075	126	55	50.347	-68
46	10	11	12	31	14	37	31	1.075	126	55	50.347	-68
47	10	11	12	31	15	37	31	1.075	126	55	50.347	-68
48	10	11	12	31	16	37	31	1.075	126	55	50.347	-69
49	10	11	12	31	17	37	31	1.075	126	55	50.347	-69
50	10	11	12	31	18	37	31	1.075	126	55	50.347	-69
평균 전계 강도												-73.12




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(8)(+30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	31	27	37	31	1.075	126	55	50.347	-63
2	10	11	12	31	28	37	31	1.075	126	55	50.347	-65
3	10	11	12	31	29	37	31	1.075	126	55	50.347	-65
4	10	11	12	31	30	37	31	1.075	126	55	50.347	-65
5	10	11	12	31	31	37	31	1.075	126	55	50.347	-67
6	10	11	12	31	32	37	31	1.075	126	55	50.347	-67
7	10	11	12	31	33	37	31	1.075	126	55	50.347	-67
8	10	11	12	31	34	37	31	1.075	126	55	50.347	-66
9	10	11	12	31	35	37	31	1.075	126	55	50.347	-66
10	10	11	12	31	36	37	31	1.075	126	55	50.347	-66
11	10	11	12	31	37	37	31	1.075	126	55	50.347	-65
12	10	11	12	31	38	37	31	1.075	126	55	50.347	-65
13	10	11	12	31	39	37	31	1.075	126	55	50.347	-65
14	10	11	12	31	40	37	31	1.075	126	55	50.347	-63
15	10	11	12	31	41	37	31	1.075	126	55	50.347	-63
16	10	11	12	31	42	37	31	1.075	126	55	50.347	-63
17	10	11	12	31	43	37	31	1.075	126	55	50.347	-66
18	10	11	12	31	44	37	31	1.075	126	55	50.347	-66
19	10	11	12	31	45	37	31	1.075	126	55	50.347	-66
평균 전계 강도												-65.21




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(Tx8 MAX)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	32	5	37	31	1.075	126	55	50.383	-55
2	10	11	12	32	6	37	31	1.075	126	55	50.383	-55
3	10	11	12	32	7	37	31	1.075	126	55	50.383	-55
4	10	11	12	32	8	37	31	1.075	126	55	50.383	-55
5	10	11	12	32	9	37	31	1.075	126	55	50.383	-55
6	10	11	12	32	10	37	31	1.075	126	55	50.383	-55
7	10	11	12	32	11	37	31	1.075	126	55	50.383	-55
8	10	11	12	32	12	37	31	1.075	126	55	50.383	-55
9	10	11	12	32	13	37	31	1.075	126	55	50.383	-56
10	10	11	12	32	14	37	31	1.075	126	55	50.383	-56
11	10	11	12	32	15	37	31	1.075	126	55	50.383	-56
12	10	11	12	32	16	37	31	1.111	126	55	50.383	-56
13	10	11	12	32	17	37	31	1.111	126	55	50.383	-56
14	10	11	12	32	18	37	31	1.111	126	55	50.383	-56
15	10	11	12	32	19	37	31	1.111	126	55	50.383	-56
16	10	11	12	32	20	37	31	1.111	126	55	50.383	-56
17	10	11	12	32	21	37	31	1.111	126	55	50.383	-56
18	10	11	12	32	22	37	31	1.111	126	55	50.383	-59
19	10	11	12	32	23	37	31	1.111	126	55	50.383	-59
20	10	11	12	32	24	37	31	1.111	126	55	50.383	-59
21	10	11	12	32	25	37	31	1.111	126	55	50.383	-56
22	10	11	12	32	26	37	31	1.111	126	55	50.383	-56
23	10	11	12	32	27	37	31	1.111	126	55	50.383	-56
24	10	11	12	32	28	37	31	1.111	126	55	50.383	-56
25	10	11	12	32	29	37	31	1.111	126	55	50.383	-56
26	10	11	12	32	30	37	31	1.111	126	55	50.383	-56
27	10	11	12	32	31	37	31	1.111	126	55	50.383	-56
28	10	11	12	32	32	37	31	1.111	126	55	50.383	-56
29	10	11	12	32	33	37	31	1.111	126	55	50.383	-56
30	10	11	12	32	34	37	31	1.111	126	55	50.383	-56
31	10	11	12	32	35	37	31	1.111	126	55	50.383	-56
32	10	11	12	32	36	37	31	1.111	126	55	50.383	-56
33	10	11	12	32	37	37	31	1.111	126	55	50.383	-55
34	10	11	12	32	38	37	31	1.111	126	55	50.383	-55
35	10	11	12	32	39	37	31	1.111	126	55	50.383	-55
36	10	11	12	32	40	37	31	1.111	126	55	50.383	-56
37	10	11	12	32	41	37	31	1.111	126	55	50.383	-56
38	10	11	12	32	42	37	31	1.111	126	55	50.383	-56
39	10	11	12	32	43	37	31	1.111	126	55	50.419	-56
40	10	11	12	32	44	37	31	1.111	126	55	50.419	-56
41	10	11	12	32	45	37	31	1.111	126	55	50.419	-56
평균 전계 강도												-55.95




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(Tx8 OMNI)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	33	15	37	31	1.111	126	55	50.419	-64
2	10	11	12	33	16	37	31	1.111	126	55	50.419	-64
3	10	11	12	33	17	37	31	1.111	126	55	50.419	-64
4	10	11	12	33	18	37	31	1.111	126	55	50.419	-64
5	10	11	12	33	19	37	31	1.111	126	55	50.419	-59
6	10	11	12	33	20	37	31	1.111	126	55	50.419	-59
7	10	11	12	33	21	37	31	1.111	126	55	50.419	-59
8	10	11	12	33	22	37	31	1.111	126	55	50.419	-60
9	10	11	12	33	23	37	31	1.111	126	55	50.419	-60
10	10	11	12	33	24	37	31	1.111	126	55	50.419	-60
11	10	11	12	33	25	37	31	1.111	126	55	50.419	-60
12	10	11	12	33	26	37	31	1.111	126	55	50.419	-60
13	10	11	12	33	27	37	31	1.111	126	55	50.419	-60
14	10	11	12	33	28	37	31	1.111	126	55	50.419	-60
15	10	11	12	33	29	37	31	1.111	126	55	50.419	-60
16	10	11	12	33	30	37	31	1.111	126	55	50.419	-60
17	10	11	12	33	31	37	31	1.111	126	55	50.419	-65
18	10	11	12	33	32	37	31	1.111	126	55	50.419	-65
19	10	11	12	33	33	37	31	1.111	126	55	50.419	-65
20	10	11	12	33	34	37	31	1.111	126	55	50.419	-60
21	10	11	12	33	35	37	31	1.111	126	55	50.419	-60
22	10	11	12	33	36	37	31	1.111	126	55	50.419	-60
23	10	11	12	33	37	37	31	1.111	126	55	50.419	-59
24	10	11	12	33	38	37	31	1.111	126	55	50.419	-59
25	10	11	12	33	39	37	31	1.111	126	55	50.419	-59
26	10	11	12	33	40	37	31	1.111	126	55	50.419	-59
27	10	11	12	33	41	37	31	1.111	126	55	50.419	-59
28	10	11	12	33	42	37	31	1.111	126	55	50.419	-59
29	10	11	12	33	43	37	31	1.111	126	55	50.419	-59
30	10	11	12	33	44	37	31	1.111	126	55	50.419	-59
31	10	11	12	33	45	37	31	1.111	126	55	50.419	-59
32	10	11	12	33	46	37	31	1.111	126	55	50.419	-64
33	10	11	12	33	47	37	31	1.111	126	55	50.419	-64
34	10	11	12	33	48	37	31	1.111	126	55	50.419	-64
평균 전계 강도												-60.91




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(Tx4 OMNI)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	13	6	37	31	1.795	126	55	49.699	-52
2	10	11	12	13	7	37	31	1.795	126	55	49.699	-52
3	10	11	12	13	8	37	31	1.795	126	55	49.699	-52
4	10	11	12	13	9	37	31	1.795	126	55	49.699	-52
5	10	11	12	13	10	37	31	1.795	126	55	49.699	-52
6	10	11	12	13	11	37	31	1.795	126	55	49.699	-52
7	10	11	12	13	12	37	31	1.795	126	55	49.699	-52
8	10	11	12	13	13	37	31	1.795	126	55	49.699	-52
9	10	11	12	13	14	37	31	1.795	126	55	49.699	-52
10	10	11	12	13	15	37	31	1.795	126	55	49.699	-52
11	10	11	12	13	16	37	31	1.795	126	55	49.699	-52
12	10	11	12	13	17	37	31	1.795	126	55	49.699	-52
13	10	11	12	13	18	37	31	1.795	126	55	49.699	-53
14	10	11	12	13	19	37	31	1.795	126	55	49.699	-53
15	10	11	12	13	20	37	31	1.795	126	55	49.699	-53
16	10	11	12	13	21	37	31	1.795	126	55	49.699	-54
17	10	11	12	13	22	37	31	1.795	126	55	49.699	-54
18	10	11	12	13	23	37	31	1.795	126	55	49.699	-54
19	10	11	12	13	24	37	31	1.795	126	55	49.699	-53
20	10	11	12	13	25	37	31	1.795	126	55	49.699	-53
21	10	11	12	13	26	37	31	1.795	126	55	49.699	-53
평균 전계 강도												-52.57




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(0_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	56	40	37	31	2.263	126	55	49.339	-49
2	10	11	11	56	41	37	31	2.263	126	55	49.339	-49
3	10	11	11	56	42	37	31	2.263	126	55	49.339	-49
4	10	11	11	56	43	37	31	2.263	126	55	49.339	-49
5	10	11	11	56	44	37	31	2.263	126	55	49.339	-49
6	10	11	11	56	45	37	31	2.263	126	55	49.339	-49
7	10	11	11	56	46	37	31	2.263	126	55	49.339	-49
8	10	11	11	56	47	37	31	2.263	126	55	49.339	-49
9	10	11	11	56	48	37	31	2.227	126	55	49.339	-49
10	10	11	11	56	49	37	31	2.227	126	55	49.339	-51
11	10	11	11	56	50	37	31	2.227	126	55	49.339	-51
12	10	11	11	56	51	37	31	2.227	126	55	49.339	-51
13	10	11	11	56	52	37	31	2.227	126	55	49.339	-49
14	10	11	11	56	53	37	31	2.227	126	55	49.339	-49
15	10	11	11	56	54	37	31	2.227	126	55	49.339	-49
16	10	11	11	56	55	37	31	2.227	126	55	49.339	-52
17	10	11	11	56	56	37	31	2.227	126	55	49.339	-52
18	10	11	11	56	57	37	31	2.227	126	55	49.339	-52
19	10	11	11	56	58	37	31	2.227	126	55	49.339	-52
평균 전계 강도												-49.95




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(0_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	57	10	37	31	2.227	126	55	49.339	-70
2	10	11	11	57	11	37	31	2.227	126	55	49.339	-70
3	10	11	11	57	12	37	31	2.227	126	55	49.339	-70
4	10	11	11	57	13	37	31	2.227	126	55	49.339	-72
5	10	11	11	57	14	37	31	2.227	126	55	49.339	-72
6	10	11	11	57	15	37	31	2.227	126	55	49.339	-72
7	10	11	11	57	16	37	31	2.227	126	55	49.339	-69
8	10	11	11	57	17	37	31	2.227	126	55	49.339	-69
9	10	11	11	57	18	37	31	2.227	126	55	49.339	-69
10	10	11	11	57	19	37	31	2.227	126	55	49.339	-69
11	10	11	11	57	20	37	31	2.227	126	55	49.339	-69
12	10	11	11	57	21	37	31	2.227	126	55	49.339	-69
13	10	11	11	57	22	37	31	2.227	126	55	49.339	-68
14	10	11	11	57	23	37	31	2.227	126	55	49.339	-68
15	10	11	11	57	24	37	31	2.227	126	55	49.339	-68
16	10	11	11	57	25	37	31	2.227	126	55	49.339	-68
평균 전계 강도												-69.50




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(0_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	57	36	37	31	2.191	126	55	49.339	-69
2	10	11	11	57	37	37	31	2.191	126	55	49.339	-75
3	10	11	11	57	38	37	31	2.191	126	55	49.339	-75
4	10	11	11	57	39	37	31	2.191	126	55	49.339	-75
5	10	11	11	57	40	37	31	2.191	126	55	49.339	-72
6	10	11	11	57	41	37	31	2.191	126	55	49.339	-72
7	10	11	11	57	42	37	31	2.191	126	55	49.339	-72
8	10	11	11	57	43	37	31	2.191	126	55	49.339	-71
9	10	11	11	57	44	37	31	2.191	126	55	49.339	-71
10	10	11	11	57	45	37	31	2.191	126	55	49.339	-71
11	10	11	11	57	46	37	31	2.191	126	55	49.339	-70
12	10	11	11	57	47	37	31	2.191	126	55	49.339	-70
13	10	11	11	57	48	37	31	2.191	126	55	49.339	-70
14	10	11	11	57	49	37	31	2.191	126	55	49.339	-71
15	10	11	11	57	50	37	31	2.191	126	55	49.339	-71
16	10	11	11	57	51	37	31	2.191	126	55	49.339	-71
17	10	11	11	57	52	37	31	2.191	126	55	49.339	-70
18	10	11	11	57	53	37	31	2.191	126	55	49.339	-70
19	10	11	11	57	54	37	31	2.191	126	55	49.339	-70
20	10	11	11	57	55	37	31	2.191	126	55	49.339	-67
21	10	11	11	57	56	37	31	2.191	126	55	49.339	-67
22	10	11	11	57	57	37	31	2.191	126	55	49.339	-67
23	10	11	11	57	58	37	31	2.191	126	55	49.339	-69
24	10	11	11	57	59	37	31	2.191	126	55	49.339	-69
25	10	11	11	58	0	37	31	2.191	126	55	49.339	-69
평균 전계 강도												-70.56




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(0_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	58	22	37	31	2.191	126	55	49.339	-68
2	10	11	11	58	23	37	31	2.191	126	55	49.339	-68
3	10	11	11	58	24	37	31	2.191	126	55	49.339	-68
4	10	11	11	58	25	37	31	2.155	126	55	49.339	-74
5	10	11	11	58	26	37	31	2.155	126	55	49.339	-74
6	10	11	11	58	27	37	31	2.155	126	55	49.339	-74
7	10	11	11	58	28	37	31	2.155	126	55	49.339	-73
8	10	11	11	58	29	37	31	2.155	126	55	49.339	-73
9	10	11	11	58	30	37	31	2.155	126	55	49.339	-73
10	10	11	11	58	31	37	31	2.155	126	55	49.339	-69
11	10	11	11	58	32	37	31	2.155	126	55	49.339	-69
12	10	11	11	58	33	37	31	2.155	126	55	49.339	-69
13	10	11	11	58	34	37	31	2.155	126	55	49.339	-76
14	10	11	11	58	35	37	31	2.155	126	55	49.339	-76
15	10	11	11	58	36	37	31	2.155	126	55	49.339	-76
16	10	11	11	58	37	37	31	2.155	126	55	49.339	-70
17	10	11	11	58	38	37	31	2.155	126	55	49.339	-70
18	10	11	11	58	39	37	31	2.155	126	55	49.339	-70
19	10	11	11	58	40	37	31	2.155	126	55	49.339	-69
20	10	11	11	58	41	37	31	2.155	126	55	49.339	-69
21	10	11	11	58	42	37	31	2.155	126	55	49.339	-69
22	10	11	11	58	43	37	31	2.155	126	55	49.339	-68
23	10	11	11	58	44	37	31	2.155	126	55	49.339	-68
평균 전계 강도												-71.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(0_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	58	55	37	31	2.155	126	55	49.339	-61
2	10	11	11	58	56	37	31	2.155	126	55	49.339	-61
3	10	11	11	58	57	37	31	2.155	126	55	49.339	-61
4	10	11	11	58	58	37	31	2.155	126	55	49.339	-62
5	10	11	11	58	59	37	31	2.155	126	55	49.339	-62
6	10	11	11	59	0	37	31	2.155	126	55	49.339	-62
7	10	11	11	59	1	37	31	2.155	126	55	49.339	-60
8	10	11	11	59	2	37	31	2.155	126	55	49.339	-60
9	10	11	11	59	3	37	31	2.155	126	55	49.339	-60
10	10	11	11	59	4	37	31	2.155	126	55	49.339	-58
11	10	11	11	59	5	37	31	2.155	126	55	49.339	-58
12	10	11	11	59	6	37	31	2.155	126	55	49.339	-58
13	10	11	11	59	7	37	31	2.155	126	55	49.339	-59
14	10	11	11	59	8	37	31	2.155	126	55	49.339	-59
15	10	11	11	59	9	37	31	2.155	126	55	49.339	-59
16	10	11	11	59	10	37	31	2.155	126	55	49.339	-58
17	10	11	11	59	11	37	31	2.155	126	55	49.339	-58
18	10	11	11	59	12	37	31	2.155	126	55	49.339	-58
19	10	11	11	59	13	37	31	2.155	126	55	49.339	-63
평균 전계 강도												-59.84




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(0_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	59	29	37	31	2.155	126	55	49.339	-60
2	10	11	11	59	30	37	31	2.155	126	55	49.339	-60
3	10	11	11	59	31	37	31	2.119	126	55	49.339	-57
4	10	11	11	59	32	37	31	2.119	126	55	49.339	-57
5	10	11	11	59	33	37	31	2.119	126	55	49.339	-57
6	10	11	11	59	34	37	31	2.119	126	55	49.339	-57
7	10	11	11	59	35	37	31	2.119	126	55	49.339	-57
8	10	11	11	59	36	37	31	2.119	126	55	49.339	-57
9	10	11	11	59	37	37	31	2.119	126	55	49.339	-57
10	10	11	11	59	38	37	31	2.119	126	55	49.339	-57
11	10	11	11	59	39	37	31	2.119	126	55	49.339	-57
12	10	11	11	59	40	37	31	2.119	126	55	49.339	-57
13	10	11	11	59	41	37	31	2.119	126	55	49.339	-57
14	10	11	11	59	42	37	31	2.119	126	55	49.339	-57
15	10	11	11	59	43	37	31	2.119	126	55	49.375	-57
16	10	11	11	59	44	37	31	2.119	126	55	49.375	-57
17	10	11	11	59	45	37	31	2.119	126	55	49.375	-57
18	10	11	11	59	46	37	31	2.119	126	55	49.375	-57
19	10	11	11	59	47	37	31	2.119	126	55	49.375	-57
20	10	11	11	59	48	37	31	2.119	126	55	49.375	-57
21	10	11	11	59	49	37	31	2.119	126	55	49.375	-56
22	10	11	11	59	50	37	31	2.119	126	55	49.375	-56
23	10	11	11	59	51	37	31	2.119	126	55	49.375	-56
24	10	11	11	59	52	37	31	2.119	126	55	49.375	-58
25	10	11	11	59	53	37	31	2.119	126	55	49.375	-58
평균 전계 강도												-57.20




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(0_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	0	13	37	31	2.119	126	55	49.375	-73
2	10	11	12	0	14	37	31	2.119	126	55	49.375	-73
3	10	11	12	0	15	37	31	2.119	126	55	49.375	-73
4	10	11	12	0	16	37	31	2.119	126	55	49.375	-67
5	10	11	12	0	17	37	31	2.119	126	55	49.375	-67
6	10	11	12	0	18	37	31	2.119	126	55	49.375	-67
7	10	11	12	0	19	37	31	2.119	126	55	49.375	-66
8	10	11	12	0	20	37	31	2.119	126	55	49.375	-66
9	10	11	12	0	21	37	31	2.119	126	55	49.375	-66
10	10	11	12	0	22	37	31	2.119	126	55	49.375	-67
11	10	11	12	0	23	37	31	2.119	126	55	49.375	-67
12	10	11	12	0	24	37	31	2.119	126	55	49.375	-67
13	10	11	12	0	25	37	31	2.119	126	55	49.375	-67
14	10	11	12	0	26	37	31	2.119	126	55	49.375	-67
15	10	11	12	0	27	37	31	2.119	126	55	49.375	-67
16	10	11	12	0	28	37	31	2.119	126	55	49.375	-69
17	10	11	12	0	29	37	31	2.119	126	55	49.375	-69
18	10	11	12	0	30	37	31	2.119	126	55	49.375	-69
19	10	11	12	0	31	37	31	2.119	126	55	49.375	-69
20	10	11	12	0	32	37	31	2.119	126	55	49.375	-69
21	10	11	12	0	33	37	31	2.119	126	55	49.411	-69
22	10	11	12	0	34	37	31	2.119	126	55	49.411	-67
23	10	11	12	0	35	37	31	2.119	126	55	49.411	-67
24	10	11	12	0	36	37	31	2.119	126	55	49.411	-67
평균 전계 강도												-68.13




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(0_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	0	48	37	31	2.083	126	55	49.411	-60
2	10	11	12	0	49	37	31	2.083	126	55	49.411	-60
3	10	11	12	0	50	37	31	2.083	126	55	49.411	-61
4	10	11	12	0	51	37	31	2.083	126	55	49.411	-61
5	10	11	12	0	52	37	31	2.083	126	55	49.411	-61
6	10	11	12	0	53	37	31	2.083	126	55	49.411	-62
7	10	11	12	0	54	37	31	2.083	126	55	49.411	-62
8	10	11	12	0	55	37	31	2.083	126	55	49.411	-62
9	10	11	12	0	56	37	31	2.083	126	55	49.411	-61
10	10	11	12	0	57	37	31	2.083	126	55	49.411	-61
11	10	11	12	0	58	37	31	2.083	126	55	49.411	-61
12	10	11	12	0	59	37	31	2.083	126	55	49.411	-60
13	10	11	12	1	0	37	31	2.083	126	55	49.411	-60
14	10	11	12	1	1	37	31	2.083	126	55	49.411	-60
15	10	11	12	1	2	37	31	2.083	126	55	49.411	-61
16	10	11	12	1	3	37	31	2.083	126	55	49.411	-61
17	10	11	12	1	4	37	31	2.083	126	55	49.411	-61
18	10	11	12	1	5	37	31	2.083	126	55	49.411	-61
평균 전계 강도												-60.89




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(-30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	1	17	37	31	2.083	126	55	49.447	-61
2	10	11	12	1	18	37	31	2.083	126	55	49.447	-61
3	10	11	12	1	19	37	31	2.083	126	55	49.447	-61
4	10	11	12	1	20	37	31	2.083	126	55	49.447	-61
5	10	11	12	1	21	37	31	2.083	126	55	49.447	-61
6	10	11	12	1	22	37	31	2.083	126	55	49.447	-61
7	10	11	12	1	23	37	31	2.083	126	55	49.447	-63
8	10	11	12	1	24	37	31	2.083	126	55	49.447	-63
9	10	11	12	1	25	37	31	2.083	126	55	49.447	-63
10	10	11	12	1	26	37	31	2.083	126	55	49.447	-67
11	10	11	12	1	27	37	31	2.083	126	55	49.447	-67
12	10	11	12	1	28	37	31	2.083	126	55	49.447	-67
13	10	11	12	1	29	37	31	2.083	126	55	49.447	-60
14	10	11	12	1	30	37	31	2.083	126	55	49.447	-60
15	10	11	12	1	31	37	31	2.083	126	55	49.447	-60
16	10	11	12	1	32	37	31	2.083	126	55	49.447	-60
17	10	11	12	1	33	37	31	2.083	126	55	49.447	-60
18	10	11	12	1	34	37	31	2.083	126	55	49.447	-60
19	10	11	12	1	35	37	31	2.083	126	55	49.447	-88
20	10	11	12	1	36	37	31	2.083	126	55	49.447	-88
21	10	11	12	1	37	37	31	2.083	126	55	49.447	-88
평균 전계 강도												-65.71




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(-30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	1	45	37	31	2.083	126	55	49.447	-79
2	10	11	12	1	46	37	31	2.083	126	55	49.447	-79
3	10	11	12	1	47	37	31	2.083	126	55	49.447	-79
4	10	11	12	1	48	37	31	2.083	126	55	49.447	-79
5	10	11	12	1	49	37	31	2.083	126	55	49.447	-79
6	10	11	12	1	50	37	31	2.083	126	55	49.447	-80
7	10	11	12	1	51	37	31	2.083	126	55	49.447	-80
8	10	11	12	1	52	37	31	2.083	126	55	49.447	-80
9	10	11	12	1	53	37	31	2.083	126	55	49.447	-77
10	10	11	12	1	54	37	31	2.083	126	55	49.447	-77
11	10	11	12	1	55	37	31	2.083	126	55	49.447	-77
12	10	11	12	1	56	37	31	2.083	126	55	49.447	-77
13	10	11	12	1	57	37	31	2.083	126	55	49.447	-77
14	10	11	12	1	58	37	31	2.083	126	55	49.447	-79
15	10	11	12	1	59	37	31	2.083	126	55	49.447	-79
16	10	11	12	2	0	37	31	2.083	126	55	49.447	-79
17	10	11	12	2	1	37	31	2.047	126	55	49.447	-79
18	10	11	12	2	2	37	31	2.047	126	55	49.447	-75
19	10	11	12	2	3	37	31	2.047	126	55	49.447	-75
20	10	11	12	2	4	37	31	2.047	126	55	49.447	-75
21	10	11	12	2	5	37	31	2.047	126	55	49.447	-82
22	10	11	12	2	6	37	31	2.047	126	55	49.447	-82
평균 전계 강도												-78.41




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(-30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	2	20	37	31	2.047	126	55	49.483	-69
2	10	11	12	2	21	37	31	2.047	126	55	49.483	-69
3	10	11	12	2	22	37	31	2.047	126	55	49.483	-69
4	10	11	12	2	23	37	31	2.047	126	55	49.483	-66
5	10	11	12	2	24	37	31	2.047	126	55	49.483	-66
6	10	11	12	2	25	37	31	2.047	126	55	49.483	-66
7	10	11	12	2	26	37	31	2.047	126	55	49.483	-68
8	10	11	12	2	27	37	31	2.047	126	55	49.483	-68
9	10	11	12	2	28	37	31	2.047	126	55	49.483	-68
10	10	11	12	2	29	37	31	2.047	126	55	49.483	-68
11	10	11	12	2	30	37	31	2.047	126	55	49.483	-68
12	10	11	12	2	31	37	31	2.047	126	55	49.483	-68
13	10	11	12	2	32	37	31	2.047	126	55	49.483	-67
14	10	11	12	2	33	37	31	2.047	126	55	49.483	-67
15	10	11	12	2	34	37	31	2.047	126	55	49.483	-67
16	10	11	12	2	35	37	31	2.047	126	55	49.483	-64
17	10	11	12	2	36	37	31	2.047	126	55	49.483	-64
18	10	11	12	2	37	37	31	2.047	126	55	49.483	-64
평균 전계 강도												-67.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(-30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	2	51	37	31	2.047	126	55	49.483	-69
2	10	11	12	2	52	37	31	2.047	126	55	49.483	-69
3	10	11	12	2	53	37	31	2.047	126	55	49.483	-70
4	10	11	12	2	54	37	31	2.047	126	55	49.483	-70
5	10	11	12	2	55	37	31	2.047	126	55	49.483	-70
6	10	11	12	2	56	37	31	2.047	126	55	49.483	-69
7	10	11	12	2	57	37	31	2.047	126	55	49.483	-69
8	10	11	12	2	58	37	31	2.047	126	55	49.483	-69
9	10	11	12	2	59	37	31	2.047	126	55	49.483	-69
10	10	11	12	3	0	37	31	2.047	126	55	49.483	-69
11	10	11	12	3	1	37	31	2.047	126	55	49.483	-69
12	10	11	12	3	2	37	31	2.047	126	55	49.483	-70
13	10	11	12	3	3	37	31	2.047	126	55	49.483	-70
14	10	11	12	3	4	37	31	2.047	126	55	49.483	-70
15	10	11	12	3	5	37	31	2.047	126	55	49.483	-69
16	10	11	12	3	6	37	31	2.047	126	55	49.483	-69
17	10	11	12	3	7	37	31	2.047	126	55	49.483	-69
18	10	11	12	3	8	37	31	2.047	126	55	49.483	-68
평균 전계 강도												-69.28




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(-30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	3	19	37	31	2.047	126	55	49.519	-60
2	10	11	12	3	20	37	31	2.047	126	55	49.519	-59
3	10	11	12	3	21	37	31	2.047	126	55	49.519	-59
4	10	11	12	3	22	37	31	2.047	126	55	49.519	-59
5	10	11	12	3	23	37	31	2.047	126	55	49.519	-58
6	10	11	12	3	24	37	31	2.047	126	55	49.519	-58
7	10	11	12	3	25	37	31	2.047	126	55	49.519	-58
8	10	11	12	3	26	37	31	2.047	126	55	49.519	-56
9	10	11	12	3	27	37	31	2.047	126	55	49.519	-56
10	10	11	12	3	28	37	31	2.047	126	55	49.519	-56
11	10	11	12	3	29	37	31	2.047	126	55	49.519	-56
12	10	11	12	3	30	37	31	2.047	126	55	49.519	-56
13	10	11	12	3	31	37	31	2.047	126	55	49.519	-56
14	10	11	12	3	32	37	31	2.011	126	55	49.519	-55
15	10	11	12	3	33	37	31	2.011	126	55	49.519	-55
16	10	11	12	3	34	37	31	2.011	126	55	49.519	-55
17	10	11	12	3	35	37	31	2.011	126	55	49.519	-57
18	10	11	12	3	36	37	31	2.011	126	55	49.519	-57
19	10	11	12	3	37	37	31	2.011	126	55	49.519	-57
20	10	11	12	3	38	37	31	2.011	126	55	49.519	-56
21	10	11	12	3	39	37	31	2.011	126	55	49.519	-56
22	10	11	12	3	40	37	31	2.011	126	55	49.519	-56
23	10	11	12	3	41	37	31	2.011	126	55	49.519	-57
24	10	11	12	3	42	37	31	2.011	126	55	49.519	-57
25	10	11	12	3	43	37	31	2.011	126	55	49.519	-57
평균 전계 강도												-56.88




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(-30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	3	53	37	31	2.011	126	55	49.519	-61
2	10	11	12	3	54	37	31	2.011	126	55	49.519	-61
3	10	11	12	3	55	37	31	2.011	126	55	49.519	-61
4	10	11	12	3	56	37	31	2.011	126	55	49.519	-62
5	10	11	12	3	57	37	31	2.011	126	55	49.519	-62
6	10	11	12	3	58	37	31	2.011	126	55	49.519	-62
7	10	11	12	3	59	37	31	2.011	126	55	49.519	-58
8	10	11	12	4	0	37	31	2.011	126	55	49.519	-58
9	10	11	12	4	1	37	31	2.011	126	55	49.519	-58
10	10	11	12	4	2	37	31	2.011	126	55	49.519	-60
11	10	11	12	4	3	37	31	2.011	126	55	49.519	-60
12	10	11	12	4	4	37	31	2.011	126	55	49.519	-60
13	10	11	12	4	5	37	31	2.011	126	55	49.519	-60
14	10	11	12	4	6	37	31	2.011	126	55	49.519	-60
15	10	11	12	4	7	37	31	2.011	126	55	49.519	-60
16	10	11	12	4	8	37	31	2.011	126	55	49.519	-60
17	10	11	12	4	9	37	31	2.011	126	55	49.519	-60
18	10	11	12	4	10	37	31	2.011	126	55	49.519	-60
19	10	11	12	4	11	37	31	2.011	126	55	49.519	-61
20	10	11	12	4	12	37	31	2.011	126	55	49.519	-61
21	10	11	12	4	13	37	31	2.011	126	55	49.519	-61
22	10	11	12	4	14	37	31	2.011	126	55	49.519	-63
23	10	11	12	4	15	37	31	2.011	126	55	49.519	-63
24	10	11	12	4	16	37	31	2.011	126	55	49.519	-63
평균 전계 강도												-60.63




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(-30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	4	25	37	31	2.011	126	55	49.519	-71
2	10	11	12	4	26	37	31	2.011	126	55	49.519	-61
3	10	11	12	4	27	37	31	2.011	126	55	49.519	-61
4	10	11	12	4	28	37	31	2.011	126	55	49.519	-61
5	10	11	12	4	29	37	31	2.011	126	55	49.519	-67
6	10	11	12	4	30	37	31	2.011	126	55	49.519	-67
7	10	11	12	4	31	37	31	2.011	126	55	49.519	-67
8	10	11	12	4	32	37	31	2.011	126	55	49.519	-75
9	10	11	12	4	33	37	31	2.011	126	55	49.555	-75
10	10	11	12	4	34	37	31	2.011	126	55	49.555	-75
11	10	11	12	4	35	37	31	2.011	126	55	49.555	-70
12	10	11	12	4	36	37	31	2.011	126	55	49.555	-70
13	10	11	12	4	37	37	31	2.011	126	55	49.555	-70
14	10	11	12	4	38	37	31	2.011	126	55	49.555	-71
15	10	11	12	4	39	37	31	2.011	126	55	49.555	-71
16	10	11	12	4	40	37	31	2.011	126	55	49.555	-71
17	10	11	12	4	41	37	31	2.011	126	55	49.555	-69
18	10	11	12	4	42	37	31	2.011	126	55	49.555	-69
19	10	11	12	4	43	37	31	2.011	126	55	49.555	-69
20	10	11	12	4	44	37	31	2.011	126	55	49.555	-71
21	10	11	12	4	45	37	31	2.011	126	55	49.555	-71
22	10	11	12	4	46	37	31	2.011	126	55	49.555	-71
23	10	11	12	4	47	37	31	2.011	126	55	49.555	-76
24	10	11	12	4	48	37	31	2.011	126	55	49.555	-76
25	10	11	12	4	49	37	31	2.011	126	55	49.555	-76
26	10	11	12	4	50	37	31	2.011	126	55	49.555	-77
27	10	11	12	4	51	37	31	2.011	126	55	49.555	-77
28	10	11	12	4	52	37	31	2.011	126	55	49.555	-77
29	10	11	12	4	53	37	31	2.011	126	55	49.555	-71
30	10	11	12	4	54	37	31	2.011	126	55	49.555	-71
31	10	11	12	4	55	37	31	2.011	126	55	49.555	-71
평균 전계 강도												-70.81




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(-30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	5	4	37	31	1.975	126	55	49.555	-68
2	10	11	12	5	5	37	31	1.975	126	55	49.555	-67
3	10	11	12	5	6	37	31	1.975	126	55	49.555	-67
4	10	11	12	5	7	37	31	1.975	126	55	49.555	-67
5	10	11	12	5	8	37	31	1.975	126	55	49.555	-71
6	10	11	12	5	9	37	31	1.975	126	55	49.555	-71
7	10	11	12	5	10	37	31	1.975	126	55	49.555	-71
8	10	11	12	5	11	37	31	1.975	126	55	49.555	-68
9	10	11	12	5	12	37	31	1.975	126	55	49.555	-68
10	10	11	12	5	13	37	31	1.975	126	55	49.555	-68
11	10	11	12	5	14	37	31	1.975	126	55	49.555	-65
12	10	11	12	5	15	37	31	1.975	126	55	49.555	-65
13	10	11	12	5	16	37	31	1.975	126	55	49.555	-65
14	10	11	12	5	17	37	31	1.975	126	55	49.555	-64
15	10	11	12	5	18	37	31	1.975	126	55	49.555	-64
16	10	11	12	5	19	37	31	1.975	126	55	49.555	-64
17	10	11	12	5	20	37	31	1.975	126	55	49.555	-76
18	10	11	12	5	21	37	31	1.975	126	55	49.555	-76
19	10	11	12	5	22	37	31	1.975	126	55	49.555	-76
20	10	11	12	5	23	37	31	1.975	126	55	49.555	-70
21	10	11	12	5	24	37	31	1.975	126	55	49.555	-70
22	10	11	12	5	25	37	31	1.975	126	55	49.555	-70
23	10	11	12	5	26	37	31	1.975	126	55	49.555	-63
24	10	11	12	5	27	37	31	1.975	126	55	49.555	-63
25	10	11	12	5	28	37	31	1.975	126	55	49.555	-63
평균 전계 강도												-68.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(+30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	5	40	37	31	1.975	126	55	49.555	-52
2	10	11	12	5	41	37	31	1.975	126	55	49.555	-53
3	10	11	12	5	42	37	31	1.975	126	55	49.555	-53
4	10	11	12	5	43	37	31	1.975	126	55	49.555	-53
5	10	11	12	5	44	37	31	1.975	126	55	49.555	-53
6	10	11	12	5	45	37	31	1.975	126	55	49.555	-53
7	10	11	12	5	46	37	31	1.975	126	55	49.555	-53
8	10	11	12	5	47	37	31	1.975	126	55	49.555	-54
9	10	11	12	5	48	37	31	1.975	126	55	49.555	-54
10	10	11	12	5	49	37	31	1.975	126	55	49.555	-54
11	10	11	12	5	50	37	31	1.975	126	55	49.555	-53
12	10	11	12	5	51	37	31	1.975	126	55	49.555	-53
13	10	11	12	5	52	37	31	1.975	126	55	49.555	-53
14	10	11	12	5	53	37	31	1.975	126	55	49.555	-53
15	10	11	12	5	54	37	31	1.975	126	55	49.555	-53
16	10	11	12	5	55	37	31	1.975	126	55	49.555	-53
17	10	11	12	5	56	37	31	1.975	126	55	49.591	-53
18	10	11	12	5	57	37	31	1.975	126	55	49.591	-53
19	10	11	12	5	58	37	31	1.975	126	55	49.591	-53
20	10	11	12	5	59	37	31	1.975	126	55	49.591	-52
21	10	11	12	6	0	37	31	1.975	126	55	49.591	-52
22	10	11	12	6	1	37	31	1.975	126	55	49.591	-52
23	10	11	12	6	2	37	31	1.975	126	55	49.591	-54
평균 전계 강도												-53.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(+30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	6	12	37	31	1.975	126	55	49.591	-65
2	10	11	12	6	13	37	31	1.975	126	55	49.591	-65
3	10	11	12	6	14	37	31	1.975	126	55	49.591	-65
4	10	11	12	6	15	37	31	1.975	126	55	49.591	-65
5	10	11	12	6	16	37	31	1.975	126	55	49.591	-65
6	10	11	12	6	17	37	31	1.975	126	55	49.591	-65
7	10	11	12	6	18	37	31	1.975	126	55	49.591	-65
8	10	11	12	6	19	37	31	1.975	126	55	49.591	-65
9	10	11	12	6	20	37	31	1.975	126	55	49.591	-64
10	10	11	12	6	21	37	31	1.975	126	55	49.591	-64
11	10	11	12	6	22	37	31	1.975	126	55	49.591	-64
12	10	11	12	6	23	37	31	1.975	126	55	49.591	-65
13	10	11	12	6	24	37	31	1.975	126	55	49.591	-65
14	10	11	12	6	25	37	31	1.975	126	55	49.591	-65
15	10	11	12	6	26	37	31	1.975	126	55	49.591	-68
16	10	11	12	6	27	37	31	1.975	126	55	49.591	-68
17	10	11	12	6	28	37	31	1.975	126	55	49.591	-68
18	10	11	12	6	29	37	31	1.975	126	55	49.591	-66
19	10	11	12	6	30	37	31	1.975	126	55	49.591	-66
20	10	11	12	6	31	37	31	1.975	126	55	49.591	-66
평균 전계 강도												-65.45




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(+30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	6	43	37	31	1.939	126	55	49.591	-75
2	10	11	12	6	44	37	31	1.939	126	55	49.591	-83
3	10	11	12	6	45	37	31	1.939	126	55	49.591	-83
4	10	11	12	6	46	37	31	1.939	126	55	49.591	-83
5	10	11	12	6	47	37	31	1.939	126	55	49.591	-75
6	10	11	12	6	48	37	31	1.939	126	55	49.591	-75
7	10	11	12	6	49	37	31	1.939	126	55	49.591	-75
8	10	11	12	6	50	37	31	1.939	126	55	49.591	-75
9	10	11	12	6	51	37	31	1.939	126	55	49.591	-75
10	10	11	12	6	52	37	31	1.939	126	55	49.591	-75
11	10	11	12	6	53	37	31	1.939	126	55	49.591	-87
12	10	11	12	6	54	37	31	1.939	126	55	49.591	-87
13	10	11	12	6	55	37	31	1.939	126	55	49.591	-87
14	10	11	12	6	56	37	31	1.939	126	55	49.591	-74
15	10	11	12	6	57	37	31	1.939	126	55	49.591	-74
16	10	11	12	6	58	37	31	1.939	126	55	49.591	-74
17	10	11	12	6	59	37	31	1.939	126	55	49.591	-84
18	10	11	12	7	0	37	31	1.939	126	55	49.591	-84
평균 전계 강도												-79.17




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(+30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	7	16	37	31	1.939	126	55	49.591	-81
2	10	11	12	7	17	37	31	1.939	126	55	49.591	-78
3	10	11	12	7	18	37	31	1.939	126	55	49.591	-78
4	10	11	12	7	19	37	31	1.939	126	55	49.627	-78
5	10	11	12	7	20	37	31	1.939	126	55	49.627	-85
6	10	11	12	7	21	37	31	1.939	126	55	49.627	-85
7	10	11	12	7	22	37	31	1.939	126	55	49.627	-85
8	10	11	12	7	23	37	31	1.939	126	55	49.627	-88
9	10	11	12	7	24	37	31	1.939	126	55	49.627	-88
10	10	11	12	7	25	37	31	1.939	126	55	49.627	-88
11	10	11	12	7	26	37	31	1.939	126	55	49.627	-75
12	10	11	12	7	27	37	31	1.939	126	55	49.627	-75
13	10	11	12	7	28	37	31	1.939	126	55	49.627	-75
14	10	11	12	7	29	37	31	1.939	126	55	49.627	-78
15	10	11	12	7	30	37	31	1.939	126	55	49.627	-78
16	10	11	12	7	31	37	31	1.939	126	55	49.627	-78
17	10	11	12	7	32	37	31	1.939	126	55	49.627	-91
평균 전계 강도												-81.41




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(+30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	7	50	37	31	1.903	126	55	49.627	-61
2	10	11	12	7	51	37	31	1.903	126	55	49.627	-61
3	10	11	12	7	52	37	31	1.903	126	55	49.627	-61
4	10	11	12	7	53	37	31	1.903	126	55	49.627	-60
5	10	11	12	7	54	37	31	1.903	126	55	49.627	-60
6	10	11	12	7	55	37	31	1.903	126	55	49.627	-60
7	10	11	12	7	56	37	31	1.903	126	55	49.627	-62
8	10	11	12	7	57	37	31	1.903	126	55	49.627	-62
9	10	11	12	7	58	37	31	1.903	126	55	49.627	-62
10	10	11	12	7	59	37	31	1.903	126	55	49.627	-62
11	10	11	12	8	0	37	31	1.903	126	55	49.627	-62
12	10	11	12	8	1	37	31	1.903	126	55	49.627	-62
13	10	11	12	8	2	37	31	1.903	126	55	49.627	-64
14	10	11	12	8	3	37	31	1.903	126	55	49.627	-64
15	10	11	12	8	4	37	31	1.903	126	55	49.627	-64
16	10	11	12	8	5	37	31	1.903	126	55	49.627	-67
17	10	11	12	8	6	37	31	1.903	126	55	49.627	-67
18	10	11	12	8	7	37	31	1.903	126	55	49.627	-67
19	10	11	12	8	8	37	31	1.903	126	55	49.627	-64
20	10	11	12	8	9	37	31	1.903	126	55	49.627	-64
21	10	11	12	8	10	37	31	1.903	126	55	49.627	-64
22	10	11	12	8	11	37	31	1.903	126	55	49.627	-64
23	10	11	12	8	12	37	31	1.903	126	55	49.627	-64
24	10	11	12	8	13	37	31	1.903	126	55	49.627	-64
평균 전계 강도												-63.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(+30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	9	52	37	31	1.867	126	55	49.663	-62
2	10	11	12	9	53	37	31	1.867	126	55	49.663	-62
3	10	11	12	9	54	37	31	1.867	126	55	49.663	-62
4	10	11	12	9	55	37	31	1.867	126	55	49.663	-62
5	10	11	12	9	56	37	31	1.867	126	55	49.663	-62
6	10	11	12	9	57	37	31	1.867	126	55	49.663	-62
7	10	11	12	9	58	37	31	1.867	126	55	49.663	-62
8	10	11	12	9	59	37	31	1.867	126	55	49.663	-63
9	10	11	12	10	0	37	31	1.867	126	55	49.663	-63
10	10	11	12	10	1	37	31	1.867	126	55	49.663	-63
11	10	11	12	10	2	37	31	1.867	126	55	49.663	-65
12	10	11	12	10	3	37	31	1.867	126	55	49.663	-65
13	10	11	12	10	4	37	31	1.867	126	55	49.663	-65
14	10	11	12	10	5	37	31	1.867	126	55	49.663	-59
15	10	11	12	10	6	37	31	1.867	126	55	49.663	-59
16	10	11	12	10	7	37	31	1.867	126	55	49.663	-59
17	10	11	12	10	8	37	31	1.867	126	55	49.663	-61
18	10	11	12	10	9	37	31	1.867	126	55	49.663	-61
19	10	11	12	10	10	37	31	1.867	126	55	49.663	-61
20	10	11	12	10	11	37	31	1.867	126	55	49.663	-63
21	10	11	12	10	12	37	31	1.867	126	55	49.663	-63
22	10	11	12	10	13	37	31	1.867	126	55	49.663	-63
23	10	11	12	10	14	37	31	1.867	126	55	49.663	-63
24	10	11	12	10	15	37	31	1.867	126	55	49.663	-63
25	10	11	12	10	16	37	31	1.867	126	55	49.663	-63
평균 전계 강도												-62.24




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(+30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	10	30	37	31	1.867	126	55	49.663	-63
2	10	11	12	10	31	37	31	1.831	126	55	49.663	-63
3	10	11	12	10	32	37	31	1.831	126	55	49.663	-65
4	10	11	12	10	33	37	31	1.831	126	55	49.663	-65
5	10	11	12	10	34	37	31	1.831	126	55	49.663	-65
6	10	11	12	10	35	37	31	1.831	126	55	49.663	-64
7	10	11	12	10	36	37	31	1.831	126	55	49.663	-64
8	10	11	12	10	37	37	31	1.831	126	55	49.663	-64
9	10	11	12	10	38	37	31	1.831	126	55	49.663	-66
10	10	11	12	10	39	37	31	1.831	126	55	49.663	-66
11	10	11	12	10	40	37	31	1.831	126	55	49.663	-66
12	10	11	12	10	41	37	31	1.831	126	55	49.663	-67
13	10	11	12	10	42	37	31	1.831	126	55	49.663	-67
14	10	11	12	10	43	37	31	1.831	126	55	49.663	-67
15	10	11	12	10	44	37	31	1.831	126	55	49.663	-65
16	10	11	12	10	45	37	31	1.831	126	55	49.663	-65
17	10	11	12	10	46	37	31	1.831	126	55	49.663	-65
18	10	11	12	10	47	37	31	1.831	126	55	49.663	-67
19	10	11	12	10	48	37	31	1.831	126	55	49.663	-67
20	10	11	12	10	49	37	31	1.831	126	55	49.663	-67
21	10	11	12	10	50	37	31	1.831	126	55	49.663	-67
평균 전계 강도												-65.48




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(4)(+30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	11	5	37	31	1.831	126	55	49.663	-61
2	10	11	12	11	6	37	31	1.831	126	55	49.663	-61
3	10	11	12	11	7	37	31	1.831	126	55	49.663	-61
4	10	11	12	11	8	37	31	1.831	126	55	49.663	-60
5	10	11	12	11	9	37	31	1.831	126	55	49.663	-60
6	10	11	12	11	10	37	31	1.831	126	55	49.663	-60
7	10	11	12	11	11	37	31	1.831	126	55	49.663	-61
8	10	11	12	11	12	37	31	1.831	126	55	49.699	-61
9	10	11	12	11	13	37	31	1.831	126	55	49.699	-61
10	10	11	12	11	14	37	31	1.831	126	55	49.699	-60
11	10	11	12	11	15	37	31	1.831	126	55	49.699	-60
12	10	11	12	11	16	37	31	1.831	126	55	49.699	-60
13	10	11	12	11	17	37	31	1.831	126	55	49.699	-61
14	10	11	12	11	18	37	31	1.831	126	55	49.699	-61
15	10	11	12	11	19	37	31	1.831	126	55	49.699	-61
16	10	11	12	11	20	37	31	1.831	126	55	49.699	-58
17	10	11	12	11	21	37	31	1.831	126	55	49.699	-58
18	10	11	12	11	22	37	31	1.831	126	55	49.699	-58
19	10	11	12	11	23	37	31	1.831	126	55	49.699	-60
20	10	11	12	11	24	37	31	1.831	126	55	49.699	-60
21	10	11	12	11	25	37	31	1.831	126	55	49.699	-60
22	10	11	12	11	26	37	31	1.831	126	55	49.699	-61
23	10	11	12	11	27	37	31	1.831	126	55	49.699	-61
24	10	11	12	11	28	37	31	1.831	126	55	49.699	-61
25	10	11	12	11	29	37	31	1.831	126	55	49.699	-58
26	10	11	12	11	30	37	31	1.831	126	55	49.699	-58
27	10	11	12	11	31	37	31	1.831	126	55	49.699	-58
28	10	11	12	11	32	37	31	1.831	126	55	49.699	-60
29	10	11	12	11	33	37	31	1.831	126	55	49.699	-60
평균 전계 강도												-60.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx6(Tx4 MAX)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	12	11	58	37	31	1.795	126	55	49.699	-51
2	10	11	12	11	59	37	31	1.795	126	55	49.699	-50
3	10	11	12	12	0	37	31	1.795	126	55	49.699	-50
4	10	11	12	12	1	37	31	1.795	126	55	49.699	-50
5	10	11	12	12	2	37	31	1.795	126	55	49.699	-51
6	10	11	12	12	3	37	31	1.795	126	55	49.699	-51
7	10	11	12	12	4	37	31	1.795	126	55	49.699	-51
8	10	11	12	12	5	37	31	1.795	126	55	49.699	-59
9	10	11	12	12	6	37	31	1.795	126	55	49.699	-59
10	10	11	12	12	7	37	31	1.795	126	55	49.699	-59
11	10	11	12	12	8	37	31	1.795	126	55	49.699	-54
12	10	11	12	12	9	37	31	1.795	126	55	49.699	-54
13	10	11	12	12	10	37	31	1.795	126	55	49.699	-54
14	10	11	12	12	11	37	31	1.795	126	55	49.699	-48
15	10	11	12	12	13	37	31	1.795	126	55	49.699	-48
16	10	11	12	12	14	37	31	1.795	126	55	49.699	-48
17	10	11	12	12	15	37	31	1.795	126	55	49.699	-48
18	10	11	12	12	16	37	31	1.795	126	55	49.699	-48
19	10	11	12	12	17	37	31	1.795	126	55	49.699	-48
20	10	11	12	12	18	37	31	1.795	126	55	49.699	-65
21	10	11	12	12	19	37	31	1.795	126	55	49.699	-65
22	10	11	12	12	20	37	31	1.795	126	55	49.699	-65
23	10	11	12	12	21	37	31	1.795	126	55	49.699	-50
24	10	11	12	12	22	37	31	1.795	126	55	49.699	-50
25	10	11	12	12	23	37	31	1.795	126	55	49.699	-50
26	10	11	12	12	24	37	31	1.795	126	55	49.699	-52
27	10	11	12	12	25	37	31	1.795	126	55	49.699	-52
28	10	11	12	12	26	37	31	1.795	126	55	49.699	-52
29	10	11	12	12	27	37	31	1.795	126	55	49.699	-50
30	10	11	12	12	28	37	31	1.795	126	55	49.699	-50
31	10	11	12	12	29	37	31	1.795	126	55	49.699	-50
32	10	11	12	12	30	37	31	1.795	126	55	49.699	-50
33	10	11	12	12	31	37	31	1.795	126	55	49.699	-50
34	10	11	12	12	32	37	31	1.795	126	55	49.699	-50
35	10	11	12	12	33	37	31	1.795	126	55	49.699	-52
36	10	11	12	12	34	37	31	1.795	126	55	49.699	-52
37	10	11	12	12	35	37	31	1.795	126	55	49.699	-52
38	10	11	12	12	36	37	31	1.795	126	55	49.699	-51
39	10	11	12	12	37	37	31	1.795	126	55	49.699	-51
40	10	11	12	12	38	37	31	1.795	126	55	49.699	-51
41	10	11	12	12	39	37	31	1.795	126	55	49.699	-50
42	10	11	12	12	40	37	31	1.795	126	55	49.699	-50
평균 전계 강도												-52.17




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(Tx8 OMNI)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	20	51	54	37	31	3.667	126	55	50.599	-60
2	10	9	20	51	55	37	31	3.667	126	55	50.599	-60
3	10	9	20	51	56	37	31	3.667	126	55	50.599	-60
4	10	9	20	51	57	37	31	3.667	126	55	50.599	-62
5	10	9	20	51	58	37	31	3.667	126	55	50.599	-62
6	10	9	20	51	59	37	31	3.667	126	55	50.599	-62
7	10	9	20	52	0	37	31	3.667	126	55	50.599	-62
8	10	9	20	52	1	37	31	3.667	126	55	50.599	-62
9	10	9	20	52	2	37	31	3.667	126	55	50.599	-62
10	10	9	20	52	3	37	31	3.667	126	55	50.599	-64
11	10	9	20	52	4	37	31	3.667	126	55	50.599	-64
12	10	9	20	52	5	37	31	3.667	126	55	50.599	-64
13	10	9	20	52	6	37	31	3.667	126	55	50.599	-72
14	10	9	20	52	7	37	31	3.667	126	55	50.599	-72
15	10	9	20	52	8	37	31	3.667	126	55	50.599	-72
16	10	9	20	52	9	37	31	3.667	126	55	50.599	-66
17	10	9	20	52	10	37	31	3.667	126	55	50.563	-66
18	10	9	20	52	11	37	31	3.667	126	55	50.563	-66
19	10	9	20	52	12	37	31	3.667	126	55	50.563	-64
20	14	9	20	52	13	37	31	3.667	126	55	50.563	-64
21	10	9	20	52	14	37	31	3.667	126	55	50.563	-64
22	10	9	20	52	15	37	31	3.667	126	55	50.563	-64
23	10	9	20	52	16	37	31	3.667	126	55	50.563	-64
24	10	9	20	52	17	37	31	3.667	126	55	50.563	-64
25	10	9	20	52	18	37	31	3.667	126	55	50.563	-61
26	10	9	20	52	19	37	31	3.667	126	55	50.563	-61
27	10	9	20	52	20	37	31	3.667	126	55	50.563	-61
28	10	9	20	52	21	37	31	3.667	126	55	50.563	-60
29	10	9	20	52	22	37	31	3.667	126	55	50.563	-60
30	10	9	20	52	23	37	31	3.667	126	55	50.563	-60
31	10	9	20	52	24	37	31	3.667	126	55	50.563	-63
32	10	9	20	52	25	37	31	3.667	126	55	50.563	-63
평균 전계 강도												-63.47




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(0_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	20	27	4	37	31	3.271	126	55	52.003	-64
2	10	9	20	27	5	37	31	3.271	126	55	52.003	-64
3	10	9	20	27	6	37	31	3.271	126	55	52.003	-64
4	10	9	20	27	7	37	31	3.271	126	55	52.003	-65
5	10	9	20	27	8	37	31	3.271	126	55	52.003	-65
6	10	9	20	27	9	37	31	3.271	126	55	51.967	-65
7	10	9	20	27	10	37	31	3.271	126	55	51.967	-64
8	10	9	20	27	11	37	31	3.271	126	55	51.967	-64
9	10	9	20	27	12	37	31	3.271	126	55	51.967	-64
10	10	9	20	27	13	37	31	3.271	126	55	51.967	-63
11	10	9	20	27	14	37	31	3.271	126	55	51.967	-63
12	10	9	20	27	15	37	31	3.271	126	55	51.967	-63
13	10	9	20	27	16	37	31	3.271	126	55	51.967	-65
14	10	9	20	27	17	37	31	3.271	126	55	51.967	-65
15	10	9	20	27	18	37	31	3.271	126	55	51.967	-65
16	10	9	20	27	19	37	31	3.271	126	55	51.967	-63
17	10	9	20	27	20	37	31	3.271	126	55	51.967	-63
18	10	9	20	27	21	37	31	3.307	126	55	51.967	-63
19	10	9	20	27	22	37	31	3.307	126	55	51.967	-65
20	10	9	20	27	23	37	31	3.307	126	55	51.967	-65
21	10	9	20	27	24	37	31	3.307	126	55	51.967	-65
22	10	9	20	27	25	37	31	3.307	126	55	51.967	-67
23	10	9	20	27	26	37	31	3.307	126	55	51.967	-67
24	10	9	20	27	27	37	31	3.307	126	55	51.931	-67
25	10	9	20	27	28	37	31	3.307	126	55	51.931	-62
26	10	9	20	27	29	37	31	3.307	126	55	51.931	-62
27	10	9	20	27	30	37	31	3.307	126	55	51.931	-62
28	10	9	20	27	31	37	31	3.307	126	55	51.931	-62
29	10	9	20	27	32	37	31	3.307	126	55	51.931	-62
30	10	9	20	27	33	37	31	3.307	126	55	51.931	-62
31	10	9	20	27	34	37	31	3.307	126	55	51.931	-61
32	10	9	20	27	35	37	31	3.307	126	55	51.931	-61
33	10	9	20	27	36	37	31	3.307	126	55	51.931	-61
평균 전계 강도												-63.73




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(0_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	20	27	58	37	31	3.343	126	55	51.895	-63
2	10	9	20	27	59	37	31	3.343	126	55	51.895	-63
3	10	9	20	28	0	37	31	3.343	126	55	51.895	-63
4	10	9	20	28	1	37	31	3.343	126	55	51.895	-63
5	10	9	20	28	2	37	31	3.343	126	55	51.895	-63
6	10	9	20	28	3	37	31	3.343	126	55	51.859	-63
7	10	9	20	28	4	37	31	3.343	126	55	51.859	-60
8	10	9	20	28	5	37	31	3.343	126	55	51.859	-60
9	10	9	20	28	6	37	31	3.343	126	55	51.859	-60
10	10	9	20	28	7	37	31	3.343	126	55	51.859	-62
11	10	9	20	28	8	37	31	3.343	126	55	51.859	-62
12	10	9	20	28	9	37	31	3.343	126	55	51.859	-62
13	10	9	20	28	10	37	31	3.343	126	55	51.859	-62
14	10	9	20	28	11	37	31	3.343	126	55	51.859	-62
15	10	9	20	28	12	37	31	3.343	126	55	51.859	-62
16	10	9	20	28	13	37	31	3.343	126	55	51.859	-61
17	10	9	20	28	14	37	31	3.343	126	55	51.859	-61
18	10	9	20	28	15	37	31	3.343	126	55	51.859	-61
19	10	9	20	28	16	37	31	3.343	126	55	51.859	-60
20	10	9	20	28	17	37	31	3.343	126	55	51.859	-60
21	10	9	20	28	18	37	31	3.343	126	55	51.859	-60
22	10	9	20	28	19	37	31	3.343	126	55	51.859	-60
23	10	9	20	28	20	37	31	3.343	126	55	51.859	-60
24	10	9	20	28	21	37	31	3.343	126	55	51.859	-60
25	10	9	20	28	22	37	31	3.343	126	55	51.859	-60
26	10	9	20	28	23	37	31	3.343	126	55	51.859	-60
27	10	9	20	28	24	37	31	3.343	126	55	51.859	-60
28	10	9	20	28	25	37	31	3.343	126	55	51.823	-61
29	10	9	20	28	26	37	31	3.343	126	55	51.823	-61
30	10	9	20	28	27	37	31	3.343	126	55	51.823	-61
31	10	9	20	28	28	37	31	3.343	126	55	51.823	-63
32	10	9	20	28	29	37	31	3.343	126	55	51.823	-63
33	10	9	20	28	30	37	31	3.343	126	55	51.823	-63
평균 전계 강도												-61.36




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(0_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
v	10	9	20	29	5	37	31	3.379	126	55	51.787	-72
2	10	9	20	29	6	37	31	3.379	126	55	51.787	-72
3	10	9	20	29	7	37	31	3.379	126	55	51.787	-71
4	10	9	20	29	8	37	31	3.379	126	55	51.787	-71
5	10	9	20	29	9	37	31	3.379	126	55	51.787	-71
6	10	9	20	29	10	37	31	3.379	126	55	51.787	-71
7	10	9	20	29	11	37	31	3.379	126	55	51.787	-71
8	10	9	20	29	12	37	31	3.379	126	55	51.751	-71
9	10	9	20	29	13	37	31	3.379	126	55	51.751	-71
10	10	9	20	29	14	37	31	3.379	126	55	51.751	-71
11	10	9	20	29	15	37	31	3.379	126	55	51.751	-71
12	10	9	20	29	16	37	31	3.379	126	55	51.751	-75
13	10	9	20	29	17	37	31	3.379	126	55	51.751	-75
14	10	9	20	29	18	37	31	3.379	126	55	51.751	-75
15	10	9	20	29	19	37	31	3.379	126	55	51.751	-73
16	10	9	20	29	20	37	31	3.379	126	55	51.751	-73
17	10	9	20	29	21	37	31	3.379	126	55	51.751	-73
18	10	9	20	29	22	37	31	3.379	126	55	51.751	-69
19	10	9	20	29	23	37	31	3.379	126	55	51.751	-69
20	10	9	20	29	24	37	31	3.379	126	55	51.751	-69
21	10	9	20	29	25	37	31	3.379	126	55	51.751	-71
22	10	9	20	29	26	37	31	3.379	126	55	51.751	-71
23	10	9	20	29	27	37	31	3.379	126	55	51.751	-71
24	10	9	20	29	28	37	31	3.379	126	55	51.751	-73
25	10	9	20	29	29	37	31	3.379	126	55	51.751	-73
26	10	9	20	29	30	37	31	3.379	126	55	51.751	-73
27	10	9	20	29	31	37	31	3.379	126	55	51.751	-72
28	10	9	20	29	32	37	31	3.379	126	55	51.751	-72
29	10	9	20	29	33	37	31	3.379	126	55	51.715	-72
30	10	9	20	29	34	37	31	3.379	126	55	51.715	-73
31	10	9	20	29	35	37	31	3.379	126	55	51.715	-73
평균 전계 강도												-71.87




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(0_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
v	10	9	20	29	53	37	31	3.415	126	55	51.679	-73
2	10	9	20	29	54	37	31	3.415	126	55	51.679	-73
3	10	9	20	29	55	37	31	3.415	126	55	51.679	-72
4	10	9	20	29	56	37	31	3.415	126	55	51.679	-72
5	10	9	20	29	57	37	31	3.415	126	55	51.679	-72
6	10	9	20	29	58	37	31	3.415	126	55	51.679	-71
7	10	9	20	29	59	37	31	3.415	126	55	51.679	-71
8	10	9	20	30	0	37	31	3.415	126	55	51.679	-71
9	10	9	20	30	1	37	31	3.415	126	55	51.679	-72
10	10	9	20	30	2	37	31	3.415	126	55	51.679	-72
11	10	9	20	30	3	37	31	3.415	126	55	51.679	-72
12	10	9	20	30	4	37	31	3.415	126	55	51.679	-72
13	10	9	20	30	5	37	31	3.415	126	55	51.679	-72
14	10	9	20	30	6	37	31	3.415	126	55	51.679	-72
15	10	9	20	30	7	37	31	3.415	126	55	51.679	-74
16	10	9	20	30	8	37	31	3.415	126	55	51.679	-74
17	10	9	20	30	9	37	31	3.415	126	55	51.679	-74
18	10	9	20	30	10	37	31	3.415	126	55	51.679	-77
19	10	9	20	30	11	37	31	3.415	126	55	51.679	-77
20	10	9	20	30	12	37	31	3.415	126	55	51.679	-77
21	10	9	20	30	13	37	31	3.451	126	55	51.679	-77
22	10	9	20	30	14	37	31	3.451	126	55	51.679	-77
23	10	9	20	30	15	37	31	3.451	126	55	51.679	-77
24	10	9	20	30	16	37	31	3.451	126	55	51.679	-73
25	10	9	20	30	17	37	31	3.451	126	55	51.679	-73
26	10	9	20	30	18	37	31	3.451	126	55	51.643	-73
27	10	9	20	30	19	37	31	3.451	126	55	51.643	-71
28	10	9	20	30	20	37	31	3.451	126	55	51.643	-71
29	10	9	20	30	21	37	31	3.451	126	55	51.643	-71
30	10	9	20	30	22	37	31	3.451	126	55	51.643	-77
31	10	9	20	30	23	37	31	3.451	126	55	51.643	-77
32	10	9	20	30	24	37	31	3.451	126	55	51.643	-77
33	10	9	20	30	25	37	31	3.451	126	55	51.643	-79
34	10	9	20	30	26	37	31	3.451	126	55	51.643	-79
35	10	9	20	30	27	37	31	3.451	126	55	51.643	-79
36	10	9	20	30	28	37	31	3.451	126	55	51.643	-79
평균 전계 강도												-74.17




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(0_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
v	10	9	20	30	56	37	31	3.451	126	55	51.643	-74
2	10	9	20	30	57	37	31	3.451	126	55	51.643	-74
3	10	9	20	30	58	37	31	3.451	126	55	51.607	-69
4	10	9	20	30	59	37	31	3.451	126	55	51.607	-69
5	10	9	20	31	0	37	31	3.451	126	55	51.607	-69
6	10	9	20	31	1	37	31	3.451	126	55	51.607	-67
7	10	9	20	31	2	37	31	3.451	126	55	51.607	-67
8	10	9	20	31	3	37	31	3.451	126	55	51.607	-67
9	10	9	20	31	4	37	31	3.451	126	55	51.607	-75
10	10	9	20	31	5	37	31	3.451	126	55	51.607	-75
11	10	9	20	31	6	37	31	3.451	126	55	51.607	-75
12	10	9	20	31	7	37	31	3.451	126	55	51.607	-69
13	10	9	20	31	8	37	31	3.451	126	55	51.607	-69
14	10	9	20	31	9	37	31	3.451	126	55	51.607	-69
15	10	9	20	31	10	37	31	3.451	126	55	51.607	-70
16	10	9	20	31	11	37	31	3.451	126	55	51.607	-70
17	10	9	20	31	12	37	31	3.451	126	55	51.607	-70
18	10	9	20	31	13	37	31	3.451	126	55	51.607	-72
19	10	9	20	31	14	37	31	3.451	126	55	51.607	-72
20	10	9	20	31	15	37	31	3.451	126	55	51.607	-72
21	10	9	20	31	16	37	31	3.451	126	55	51.607	-76
22	10	9	20	31	17	37	31	3.451	126	55	51.607	-76
23	10	9	20	31	18	37	31	3.451	126	55	51.607	-76
24	10	9	20	31	19	37	31	3.451	126	55	51.607	-75
25	10	9	20	31	20	37	31	3.451	126	55	51.607	-75
26	10	9	20	31	21	37	31	3.451	126	55	51.607	-75
27	10	9	20	31	22	37	31	3.451	126	55	51.607	-72
28	10	9	20	31	23	37	31	3.451	126	55	51.607	-72
29	10	9	20	31	24	37	31	3.451	126	55	51.607	-72
30	10	9	20	31	25	37	31	3.451	126	55	51.607	-76
31	10	9	20	31	26	37	31	3.451	126	55	51.607	-76
32	10	9	20	31	27	37	31	3.451	126	55	51.607	-76
평균 전계 강도												-72.22



- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(0_225)


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
v	10	9	20	31	58	37	31	3.451	126	55	51.571	-79
2	10	9	20	31	59	37	31	3.451	126	55	51.571	-79
3	10	9	20	32	0	37	31	3.451	126	55	51.571	-79
4	10	9	20	32	1	37	31	3.451	126	55	51.571	-71
5	10	9	20	32	2	37	31	3.451	126	55	51.571	-71
6	10	9	20	32	3	37	31	3.451	126	55	51.571	-71
7	10	9	20	32	4	37	31	3.451	126	55	51.571	-73
8	10	9	20	32	5	37	31	3.451	126	55	51.571	-73
9	10	9	20	32	6	37	31	3.451	126	55	51.571	-73
10	10	9	20	32	7	37	31	3.451	126	55	51.571	-77
11	10	9	20	32	8	37	31	3.451	126	55	51.571	-77
12	10	9	20	32	9	37	31	3.451	126	55	51.571	-77
13	10	9	20	32	10	37	31	3.451	126	55	51.571	-72
14	10	9	20	32	11	37	31	3.451	126	55	51.571	-72
15	10	9	20	32	12	37	31	3.451	126	55	51.571	-72
16	10	9	20	32	13	37	31	3.451	126	55	51.571	-74
17	10	9	20	32	14	37	31	3.451	126	55	51.535	-74
18	10	9	20	32	15	37	31	3.451	126	55	51.535	-74
19	10	9	20	32	16	37	31	3.451	126	55	51.535	-71
20	10	9	20	32	17	37	31	3.451	126	55	51.535	-71
21	10	9	20	32	18	37	31	3.451	126	55	51.535	-71
22	10	9	20	32	19	37	31	3.451	126	55	51.535	-76
23	10	9	20	32	20	37	31	3.451	126	55	51.535	-76
24	10	9	20	32	21	37	31	3.451	126	55	51.535	-76
25	10	9	20	32	22	37	31	3.451	126	55	51.535	-69
26	10	9	20	32	23	37	31	3.451	126	55	51.535	-69
27	10	9	20	32	24	37	31	3.451	126	55	51.535	-69
28	10	9	20	32	25	37	31	3.451	126	55	51.535	-74
29	10	9	20	32	26	37	31	3.451	126	55	51.535	-74
30	10	9	20	32	27	37	31	3.451	126	55	51.535	-74
평균 전계 강도												-73.60



- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(0_270)


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
v	10	9	20	32	54	37	31	3.451	126	55	51.499	-73
2	10	9	20	32	55	37	31	3.451	126	55	51.499	-69
3	10	9	20	32	56	37	31	3.451	126	55	51.499	-69
4	10	9	20	32	57	37	31	3.451	126	55	51.499	-69
5	10	9	20	32	58	37	31	3.451	126	55	51.499	-70
6	10	9	20	32	59	37	31	3.451	126	55	51.499	-70
7	10	9	20	33	0	37	31	3.451	126	55	51.499	-70
8	10	9	20	33	1	37	31	3.451	126	55	51.499	-70
9	10	9	20	33	2	37	31	3.451	126	55	51.499	-70
10	10	9	20	33	3	37	31	3.451	126	55	51.499	-70
11	10	9	20	33	4	37	31	3.451	126	55	51.499	-72
12	10	9	20	33	5	37	31	3.451	126	55	51.499	-72
13	10	9	20	33	6	37	31	3.451	126	55	51.499	-72
14	10	9	20	33	7	37	31	3.451	126	55	51.499	-78
15	10	9	20	33	8	37	31	3.451	126	55	51.499	-78
16	10	9	20	33	9	37	31	3.451	126	55	51.499	-78
17	10	9	20	33	10	37	31	3.451	126	55	51.499	-77
18	10	9	20	33	11	37	31	3.451	126	55	51.499	-77
19	10	9	20	33	12	37	31	3.451	126	55	51.499	-77
20	10	9	20	33	13	37	31	3.451	126	55	51.499	-73
21	10	9	20	33	14	37	31	3.451	126	55	51.499	-73
22	10	9	20	33	15	37	31	3.451	126	55	51.499	-73
23	10	9	20	33	16	37	31	3.451	126	55	51.499	-76
24	10	9	20	33	17	37	31	3.451	126	55	51.499	-76
25	10	9	20	33	18	37	31	3.451	126	55	51.463	-76
26	10	9	20	33	19	37	31	3.451	126	55	51.463	-79
27	10	9	20	33	20	37	31	3.451	126	55	51.463	-79
28	10	9	20	33	21	37	31	3.451	126	55	51.463	-79
29	10	9	20	33	22	37	31	3.451	126	55	51.463	-76
30	10	9	20	33	23	37	31	3.451	126	55	51.463	-76
31	10	9	20	33	24	37	31	3.451	126	55	51.463	-76
32	10	9	20	33	25	37	31	3.451	126	55	51.463	-74
33	10	9	20	33	26	37	31	3.451	126	55	51.463	-74
34	10	9	20	33	27	37	31	3.451	126	55	51.463	-74
35	10	9	20	33	28	37	31	3.451	126	55	51.463	-77
36	10	9	20	33	29	37	31	3.451	126	55	51.463	-77
37	10	9	20	33	30	37	31	3.451	126	55	51.463	-77
38	10	9	20	33	31	37	31	3.451	126	55	51.463	-80
39	10	9	20	33	32	37	31	3.451	126	55	51.463	-80
40	10	9	20	33	33	37	31	3.451	126	55	51.463	-80
41	10	9	20	33	34	37	31	3.451	126	55	51.463	-80
42	10	9	20	33	35	37	31	3.451	126	55	51.463	-80
43	10	9	20	33	36	37	31	3.451	126	55	51.463	-80
44	10	9	20	33	37	37	31	3.451	126	55	51.463	-80
45	10	9	20	33	38	37	31	3.487	126	55	51.463	-80
46	10	9	20	33	39	37	31	3.487	126	55	51.463	-80
47	10	9	20	33	40	37	31	3.487	126	55	51.463	-87
48	10	9	20	33	41	37	31	3.487	126	55	51.463	-87
49	10	9	20	33	42	37	31	3.487	126	55	51.463	-87
50	10	9	20	33	43	37	31	3.487	126	55	51.463	-75
51	10	9	20	33	44	37	31	3.487	126	55	51.427	-75
52	10	9	20	33	45	37	31	3.487	126	55	51.427	-75

53	10	9	20	33	46	37	31	3.487	126	55	51.427	-75
54	10	9	20	33	47	37	31	3.487	126	55	51.427	-75
55	10	9	20	33	48	37	31	3.487	126	55	51.427	-75
56	10	9	20	33	49	37	31	3.487	126	55	51.427	-78
57	10	9	20	33	50	37	31	3.487	126	55	51.427	-78
58	10	9	20	33	51	37	31	3.487	126	55	51.427	-78
59	10	9	20	33	52	37	31	3.487	126	55	51.427	-77
60	10	9	20	33	53	37	31	3.487	126	55	51.427	-77
61	10	9	20	33	54	37	31	3.487	126	55	51.427	-77
62	10	9	20	33	55	37	31	3.487	126	55	51.427	-75
63	10	9	20	33	56	37	31	3.487	126	55	51.427	-75
64	10	9	20	33	57	37	31	3.487	126	55	51.427	-75
65	10	9	20	33	58	37	31	3.487	126	55	51.427	-80
66	10	9	20	33	59	37	31	3.487	126	55	51.427	-80
67	10	9	20	34	0	37	31	3.487	126	55	51.427	-80
68	10	9	20	34	1	37	31	3.487	126	55	51.427	-75
69	10	9	20	34	2	37	31	3.487	126	55	51.427	-75
70	10	9	20	34	3	37	31	3.487	126	55	51.427	-75
71	10	9	20	34	4	37	31	3.487	126	55	51.427	-74
72	10	9	20	34	5	37	31	3.487	126	55	51.427	-74
73	10	9	20	34	6	37	31	3.487	126	55	51.391	-74
평균 전계 강도												-76.08




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(0_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
v	10	9	20	34	50	37	31	3.487	126	55	51.355	-67
2	10	9	20	34	51	37	31	3.487	126	55	51.355	-67
3	10	9	20	34	52	37	31	3.487	126	55	51.355	-67
4	10	9	20	34	53	37	31	3.487	126	55	51.355	-67
5	10	9	20	34	54	37	31	3.487	126	55	51.355	-67
6	10	9	20	34	55	37	31	3.487	126	55	51.355	-69
7	10	9	20	34	56	37	31	3.487	126	55	51.355	-69
8	10	9	20	34	57	37	31	3.487	126	55	51.355	-69
9	10	9	20	34	58	37	31	3.487	126	55	51.355	-71
10	10	9	20	34	59	37	31	3.487	126	55	51.355	-71
11	10	9	20	35	0	37	31	3.487	126	55	51.355	-71
12	10	9	20	35	1	37	31	3.487	126	55	51.355	-68
13	10	9	20	35	2	37	31	3.487	126	55	51.355	-68
14	10	9	20	35	3	37	31	3.487	126	55	51.355	-68
15	10	9	20	35	4	37	31	3.487	126	55	51.355	-70
16	10	9	20	35	5	37	31	3.487	126	55	51.355	-70
17	10	9	20	35	6	37	31	3.487	126	55	51.355	-70
18	10	9	20	35	7	37	31	3.487	126	55	51.355	-70
19	10	9	20	35	8	37	31	3.487	126	55	51.355	-70
20	10	9	20	35	9	37	31	3.487	126	55	51.355	-70
21	10	9	20	35	10	37	31	3.487	126	55	51.355	-69
22	10	9	20	35	11	37	31	3.487	126	55	51.355	-69
23	10	9	20	35	12	37	31	3.487	126	55	51.355	-69
24	10	9	20	35	13	37	31	3.487	126	55	51.355	-69
평균 전계 강도												-68.96




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(-30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
v	10	9	20	35	41	37	31	3.487	126	55	51.319	-64
2	10	9	20	35	42	37	31	3.487	126	55	51.319	-64
3	10	9	20	35	43	37	31	3.487	126	55	51.319	-68
4	10	9	20	35	44	37	31	3.487	126	55	51.319	-68
5	10	9	20	35	45	37	31	3.487	126	55	51.319	-68
6	10	9	20	35	46	37	31	3.487	126	55	51.319	-72
7	10	9	20	35	47	37	31	3.487	126	55	51.319	-72
8	10	9	20	35	48	37	31	3.487	126	55	51.319	-72
9	10	9	20	35	49	37	31	3.487	126	55	51.319	-64
10	10	9	20	35	50	37	31	3.487	126	55	51.319	-64
11	10	9	20	35	51	37	31	3.487	126	55	51.319	-64
12	10	9	20	35	52	37	31	3.487	126	55	51.319	-66
13	10	9	20	35	53	37	31	3.487	126	55	51.319	-66
14	10	9	20	35	54	37	31	3.487	126	55	51.319	-66
15	10	9	20	35	55	37	31	3.487	126	55	51.319	-68
16	10	9	20	35	56	37	31	3.487	126	55	51.319	-68
17	10	9	20	35	57	37	31	3.487	126	55	51.319	-68
18	10	9	20	35	58	37	31	3.487	126	55	51.319	-65
19	10	9	20	35	59	37	31	3.487	126	55	51.319	-65
20	10	9	20	36	0	37	31	3.487	126	55	51.319	-65
21	10	9	20	36	1	37	31	3.487	126	55	51.319	-68
22	10	9	20	36	2	37	31	3.487	126	55	51.319	-68
23	10	9	20	36	3	37	31	3.487	126	55	51.319	-68
24	10	9	20	36	4	37	31	3.487	126	55	51.319	-66
25	10	9	20	36	5	37	31	3.487	126	55	51.319	-66
26	10	9	20	36	6	37	31	3.487	126	55	51.319	-66
27	10	9	20	36	7	37	31	3.487	126	55	51.319	-68
28	10	9	20	36	8	37	31	3.487	126	55	51.319	-68
29	10	9	20	36	9	37	31	3.487	126	55	51.319	-68
30	10	9	20	36	10	37	31	3.487	126	55	51.319	-66
평균 전계 강도												-66.97




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(-30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
v	10	9	20	36	35	37	31	3.487	126	55	51.283	-64
2	10	9	20	36	36	37	31	3.487	126	55	51.283	-64
3	10	9	20	36	37	37	31	3.487	126	55	51.283	-64
4	10	9	20	36	38	37	31	3.487	126	55	51.283	-64
5	10	9	20	36	39	37	31	3.487	126	55	51.283	-64
6	10	9	20	36	40	37	31	3.487	126	55	51.283	-62
7	10	9	20	36	41	37	31	3.487	126	55	51.283	-62
8	10	9	20	36	42	37	31	3.487	126	55	51.283	-62
9	10	9	20	36	43	37	31	3.487	126	55	51.283	-60
10	10	9	20	36	44	37	31	3.487	126	55	51.283	-60
11	10	9	20	36	45	37	31	3.487	126	55	51.283	-60
12	10	9	20	36	46	37	31	3.487	126	55	51.283	-61
13	10	9	20	36	47	37	31	3.487	126	55	51.283	-61
14	10	9	20	36	48	37	31	3.487	126	55	51.283	-61
15	10	9	20	36	49	37	31	3.487	126	55	51.283	-63
16	10	9	20	36	50	37	31	3.487	126	55	51.283	-63
17	10	9	20	36	51	37	31	3.487	126	55	51.283	-63
18	10	9	20	36	52	37	31	3.487	126	55	51.283	-63
19	10	9	20	36	53	37	31	3.487	126	55	51.283	-63
20	10	9	20	36	54	37	31	3.487	126	55	51.283	-63
21	10	9	20	36	55	37	31	3.487	126	55	51.283	-61
22	10	9	20	36	56	37	31	3.487	126	55	51.283	-61
23	10	9	20	36	57	37	31	3.487	126	55	51.283	-61
24	10	9	20	36	58	37	31	3.487	126	55	51.247	-62
25	10	9	20	36	59	37	31	3.487	126	55	51.247	-62
26	10	9	20	37	0	37	31	3.487	126	55	51.247	-62
27	10	9	20	37	1	37	31	3.487	126	55	51.247	-61
평균 전계 강도												-62.11




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(-30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
v	10	9	20	37	23	37	31	3.487	126	55	51.247	-74
2	10	9	20	37	24	37	31	3.487	126	55	51.247	-74
3	10	9	20	37	25	37	31	3.487	126	55	51.247	-76
4	10	9	20	37	26	37	31	3.487	126	55	51.247	-76
5	10	9	20	37	27	37	31	3.487	126	55	51.247	-76
6	10	9	20	37	28	37	31	3.487	126	55	51.247	-74
7	10	9	20	37	29	37	31	3.487	126	55	51.247	-74
8	10	9	20	37	30	37	31	3.487	126	55	51.247	-74
9	10	9	20	37	31	37	31	3.487	126	55	51.247	-74
10	10	9	20	37	32	37	31	3.487	126	55	51.247	-74
11	10	9	20	37	33	37	31	3.487	126	55	51.247	-74
12	10	9	20	37	34	37	31	3.487	126	55	51.247	-73
13	10	9	20	37	35	37	31	3.487	126	55	51.211	-73
14	10	9	20	37	36	37	31	3.487	126	55	51.211	-73
15	10	9	20	37	37	37	31	3.487	126	55	51.211	-73
16	10	9	20	37	38	37	31	3.487	126	55	51.211	-73
17	10	9	20	37	39	37	31	3.523	126	55	51.211	-73
18	10	9	20	37	40	37	31	3.523	126	55	51.211	-75
19	10	9	20	37	41	37	31	3.523	126	55	51.211	-75
20	10	9	20	37	42	37	31	3.523	126	55	51.211	-75
21	10	9	20	37	43	37	31	3.523	126	55	51.211	-73
22	10	9	20	37	44	37	31	3.523	126	55	51.211	-73
23	10	9	20	37	45	37	31	3.523	126	55	51.211	-73
24	10	9	20	37	46	37	31	3.523	126	55	51.211	-75
25	10	9	20	37	47	37	31	3.523	126	55	51.211	-75
26	10	9	20	37	48	37	31	3.523	126	55	51.211	-75
27	10	9	20	37	49	37	31	3.523	126	55	51.211	-78
28	10	9	20	37	50	37	31	3.523	126	55	51.211	-78
29	10	9	20	37	51	37	31	3.523	126	55	51.211	-78
30	10	9	20	37	52	37	31	3.523	126	55	51.211	-73
31	10	9	20	37	53	37	31	3.523	126	55	51.211	-73
32	10	9	20	37	54	37	31	3.523	126	55	51.211	-73
33	10	9	20	37	55	37	31	3.523	126	55	51.211	-75
34	10	9	20	37	56	37	31	3.523	126	55	51.211	-75
평균 전계 강도												-74.41




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(-30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
v	10	9	20	38	13	37	31	3.523	126	55	51.211	-74
2	10	9	20	38	14	37	31	3.523	126	55	51.211	-74
3	10	9	20	38	15	37	31	3.523	126	55	51.211	-74
4	10	9	20	38	16	37	31	3.523	126	55	51.211	-73
5	10	9	20	38	17	37	31	3.523	126	55	51.175	-73
6	10	9	20	38	18	37	31	3.523	126	55	51.175	-73
7	10	9	20	38	19	37	31	3.523	126	55	51.175	-71
8	10	9	20	38	20	37	31	3.523	126	55	51.175	-71
9	10	9	20	38	21	37	31	3.523	126	55	51.175	-71
10	10	9	20	38	22	37	31	3.523	126	55	51.175	-78
11	10	9	20	38	23	37	31	3.523	126	55	51.175	-78
12	10	9	20	38	24	37	31	3.523	126	55	51.175	-78
13	10	9	20	38	25	37	31	3.523	126	55	51.175	-75
14	10	9	20	38	26	37	31	3.523	126	55	51.175	-75
15	10	9	20	38	27	37	31	3.523	126	55	51.175	-75
16	10	9	20	38	28	37	31	3.523	126	55	51.175	-72
17	10	9	20	38	29	37	31	3.523	126	55	51.175	-72
18	10	9	20	38	30	37	31	3.523	126	55	51.175	-72
19	10	9	20	38	31	37	31	3.523	126	55	51.175	-77
20	10	9	20	38	32	37	31	3.523	126	55	51.175	-77
21	10	9	20	38	33	37	31	3.523	126	55	51.175	-77
22	10	9	20	38	34	37	31	3.523	126	55	51.175	-75
23	10	9	20	38	36	37	31	3.523	126	55	51.175	-75
24	10	9	20	38	37	37	31	3.523	126	55	51.175	-75
25	10	9	20	38	38	37	31	3.523	126	55	51.175	-75
26	10	9	20	38	39	37	31	3.523	126	55	51.175	-75
27	10	9	20	38	40	37	31	3.523	126	55	51.175	-75
평균 전계 강도												-74.44




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(-30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
v	10	9	20	39	6	37	31	3.523	126	55	51.139	-77
2	10	9	20	39	7	37	31	3.523	126	55	51.139	-77
3	10	9	20	39	8	37	31	3.523	126	55	51.139	-74
4	10	9	20	39	9	37	31	3.523	126	55	51.139	-74
5	10	9	20	39	10	37	31	3.523	126	55	51.139	-74
6	10	9	20	39	11	37	31	3.523	126	55	51.139	-74
7	10	9	20	39	12	37	31	3.523	126	55	51.139	-74
8	10	9	20	39	13	37	31	3.523	126	55	51.139	-74
9	10	9	20	39	14	37	31	3.523	126	55	51.139	-75
10	10	9	20	39	15	37	31	3.523	126	55	51.139	-75
11	10	9	20	39	16	37	31	3.523	126	55	51.139	-75
12	10	9	20	39	17	37	31	3.523	126	55	51.139	-83
13	10	9	20	39	18	37	31	3.523	126	55	51.139	-83
14	10	9	20	39	19	37	31	3.523	126	55	51.139	-83
15	10	9	20	39	20	37	31	3.523	126	55	51.139	-81
16	10	9	20	39	21	37	31	3.523	126	55	51.139	-81
17	10	9	20	39	22	37	31	3.523	126	55	51.139	-81
18	10	9	20	39	23	37	31	3.523	126	55	51.139	-89
19	10	9	20	39	24	37	31	3.523	126	55	51.139	-89
20	10	9	20	39	25	37	31	3.523	126	55	51.139	-89
21	10	9	20	39	26	37	31	3.523	126	55	51.139	-76
22	10	9	20	39	27	37	31	3.523	126	55	51.139	-76
23	10	9	20	39	28	37	31	3.523	126	55	51.139	-76
24	10	9	20	39	29	37	31	3.523	126	55	51.139	-88
25	10	9	20	39	30	37	31	3.523	126	55	51.139	-88
26	10	9	20	39	31	37	31	3.523	126	55	51.139	-88
27	10	9	20	39	32	37	31	3.523	126	55	51.139	-76
28	10	9	20	39	33	37	31	3.523	126	55	51.139	-76
29	10	9	20	39	34	37	31	3.523	126	55	51.139	-76
30	10	9	20	39	35	37	31	3.523	126	55	51.139	-80
31	10	9	20	39	36	37	31	3.523	126	55	51.139	-80
32	10	9	20	39	37	37	31	3.523	126	55	51.139	-80
33	10	9	20	39	38	37	31	3.523	126	55	51.139	-82
34	10	9	20	39	39	37	31	3.523	126	55	51.139	-82
35	10	9	20	39	40	37	31	3.523	126	55	51.139	-82
36	10	9	20	39	41	37	31	3.523	126	55	51.139	-85
평균 전계 강도												-79.81




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(-30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
v	10	9	20	40	6	37	31	3.523	126	55	51.103	-74
2	10	9	20	40	7	37	31	3.559	126	55	51.103	-74
3	10	9	20	40	8	37	31	3.559	126	55	51.103	-70
4	10	9	20	40	9	37	31	3.559	126	55	51.103	-70
5	10	9	20	40	10	37	31	3.559	126	55	51.103	-70
6	10	9	20	40	11	37	31	3.559	126	55	51.103	-75
7	10	9	20	40	12	37	31	3.559	126	55	51.103	-75
8	10	9	20	40	13	37	31	3.559	126	55	51.103	-75
9	10	9	20	40	14	37	31	3.559	126	55	51.103	-71
10	10	9	20	40	15	37	31	3.559	126	55	51.103	-71
11	10	9	20	40	16	37	31	3.559	126	55	51.103	-71
12	10	9	20	40	17	37	31	3.559	126	55	51.103	-78
13	10	9	20	40	18	37	31	3.559	126	55	51.103	-78
14	10	9	20	40	19	37	31	3.559	126	55	51.103	-78
15	10	9	20	40	20	37	31	3.559	126	55	51.103	-76
16	10	9	20	40	21	37	31	3.559	126	55	51.103	-76
17	10	9	20	40	22	37	31	3.559	126	55	51.103	-76
18	10	9	20	40	23	37	31	3.559	126	55	51.103	-71
19	10	9	20	40	24	37	31	3.559	126	55	51.103	-71
20	10	9	20	40	25	37	31	3.559	126	55	51.103	-71
21	10	9	20	40	26	37	31	3.559	126	55	51.103	-70
22	10	9	20	40	27	37	31	3.559	126	55	51.103	-70
23	10	9	20	40	28	37	31	3.559	126	55	51.103	-70
24	10	9	20	40	29	37	31	3.559	126	55	51.103	-71
25	10	9	20	40	30	37	31	3.559	126	55	51.103	-71
26	10	9	20	40	31	37	31	3.559	126	55	51.103	-71
27	10	9	20	40	32	37	31	3.559	126	55	51.103	-72
28	10	9	20	40	33	37	31	3.559	126	55	51.103	-72
29	10	9	20	40	34	37	31	3.559	126	55	51.067	-72
평균 전계 강도												-72.76




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(-30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
v	10	9	20	40	53	37	31	3.559	126	55	51.067	-79
2	10	9	20	40	54	37	31	3.559	126	55	51.067	-79
3	10	9	20	40	55	37	31	3.559	126	55	51.067	-79
4	10	9	20	40	56	37	31	3.559	126	55	51.067	-81
5	10	9	20	40	57	37	31	3.559	126	55	51.067	-81
6	10	9	20	40	58	37	31	3.559	126	55	51.067	-81
7	10	9	20	40	59	37	31	3.559	126	55	51.067	-81
8	10	9	20	41	0	37	31	3.559	126	55	51.067	-81
9	10	9	20	41	1	37	31	3.559	126	55	51.067	-81
10	10	9	20	41	2	37	31	3.559	126	55	51.067	-82
11	10	9	20	41	3	37	31	3.559	126	55	51.067	-82
12	10	9	20	41	4	37	31	3.559	126	55	51.067	-82
13	10	9	20	41	5	37	31	3.559	126	55	51.067	-81
14	10	9	20	41	6	37	31	3.559	126	55	51.067	-81
15	10	9	20	41	7	37	31	3.559	126	55	51.067	-81
16	10	9	20	41	8	37	31	3.559	126	55	51.067	-70
17	10	9	20	41	9	37	31	3.559	126	55	51.031	-70
18	10	9	20	41	10	37	31	3.559	126	55	51.031	-70
19	10	9	20	41	11	37	31	3.559	126	55	51.031	-73
20	10	9	20	41	12	37	31	3.559	126	55	51.031	-73
21	10	9	20	41	13	37	31	3.559	126	55	51.031	-73
22	10	9	20	41	14	37	31	3.559	126	55	51.031	-76
23	10	9	20	41	15	37	31	3.559	126	55	51.031	-76
24	10	9	20	41	16	37	31	3.559	126	55	51.031	-76
25	10	9	20	41	17	37	31	3.559	126	55	51.031	-76
26	10	9	20	41	18	37	31	3.559	126	55	51.031	-82
27	10	9	20	41	19	37	31	3.559	126	55	51.031	-82
28	10	9	20	41	20	37	31	3.559	126	55	51.031	-82
29	10	9	20	41	21	37	31	3.559	126	55	51.031	-82
평균 전계 강도												-78.38




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(-30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
v	10	9	20	41	42	37	31	3.559	126	55	51.031	-87
2	10	9	20	41	43	37	31	3.559	126	55	51.031	-87
3	10	9	20	41	44	37	31	3.559	126	55	50.995	-83
4	10	9	20	41	45	37	31	3.559	126	55	50.995	-83
5	10	9	20	41	46	37	31	3.559	126	55	50.995	-83
6	10	9	20	41	47	37	31	3.559	126	55	50.995	-79
7	10	9	20	41	48	37	31	3.559	126	55	50.995	-79
8	10	9	20	41	49	37	31	3.559	126	55	50.995	-79
9	10	9	20	41	50	37	31	3.559	126	55	50.995	-77
10	10	9	20	41	51	37	31	3.559	126	55	50.995	-77
11	10	9	20	41	52	37	31	3.559	126	55	50.995	-77
12	10	9	20	41	53	37	31	3.559	126	55	50.995	-75
13	10	9	20	41	54	37	31	3.559	126	55	50.995	-75
14	10	9	20	41	55	37	31	3.559	126	55	50.995	-75
15	10	9	20	41	56	37	31	3.559	126	55	50.995	-74
16	10	9	20	41	57	37	31	3.559	126	55	50.995	-74
17	10	9	20	41	58	37	31	3.559	126	55	50.995	-74
18	10	9	20	41	59	37	31	3.559	126	55	50.995	-77
19	10	9	20	42	0	37	31	3.559	126	55	50.995	-77
20	10	9	20	42	1	37	31	3.559	126	55	50.995	-77
21	10	9	20	42	2	37	31	3.559	126	55	50.995	-83
22	10	9	20	42	3	37	31	3.559	126	55	50.995	-83
23	10	9	20	42	4	37	31	3.559	126	55	50.995	-83
24	10	9	20	42	5	37	31	3.595	126	55	50.995	-75
25	10	9	20	42	6	37	31	3.595	126	55	50.995	-75
26	10	9	20	42	7	37	31	3.595	126	55	50.995	-75
27	10	9	20	42	8	37	31	3.595	126	55	50.995	-83
28	10	9	20	42	9	37	31	3.595	126	55	50.995	-83
29	10	9	20	42	10	37	31	3.595	126	55	50.995	-83
평균 전계 강도												-79.03




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(+30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
v	10	9	20	42	30	37	31	3.595	126	55	50.959	-63
2	10	9	20	42	31	37	31	3.595	126	55	50.959	-63
3	10	9	20	42	32	37	31	3.595	126	55	50.959	-62
4	10	9	20	42	33	37	31	3.595	126	55	50.959	-62
5	10	9	20	42	34	37	31	3.595	126	55	50.959	-62
6	10	9	20	42	35	37	31	3.595	126	55	50.959	-65
7	10	9	20	42	36	37	31	3.595	126	55	50.959	-65
8	10	9	20	42	37	37	31	3.595	126	55	50.959	-65
9	10	9	20	42	38	37	31	3.595	126	55	50.959	-67
10	10	9	20	42	39	37	31	3.595	126	55	50.959	-67
11	10	9	20	42	40	37	31	3.595	126	55	50.959	-67
12	10	9	20	42	41	37	31	3.595	126	55	50.959	-66
13	10	9	20	42	42	37	31	3.595	126	55	50.959	-66
14	10	9	20	42	43	37	31	3.595	126	55	50.959	-66
15	10	9	20	42	44	37	31	3.595	126	55	50.959	-66
16	10	9	20	42	45	37	31	3.595	126	55	50.959	-66
17	10	9	20	42	46	37	31	3.595	126	55	50.959	-66
18	10	9	20	42	47	37	31	3.595	126	55	50.959	-72
19	10	9	20	42	48	37	31	3.595	126	55	50.959	-72
20	10	9	20	42	49	37	31	3.595	126	55	50.959	-72
21	10	9	20	42	50	37	31	3.595	126	55	50.923	-67
22	10	9	20	42	51	37	31	3.595	126	55	50.923	-67
23	10	9	20	42	52	37	31	3.595	126	55	50.923	-67
24	10	9	20	42	53	37	31	3.595	126	55	50.923	-67
25	10	9	20	42	54	37	31	3.595	126	55	50.923	-67
26	10	9	20	42	55	37	31	3.595	126	55	50.923	-67
평균 전계 강도												-66.23




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(+30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
v	10	9	20	43	13	37	31	3.595	126	55	50.923	-65
2	10	9	20	43	14	37	31	3.595	126	55	50.923	-69
3	10	9	20	43	15	37	31	3.595	126	55	50.923	-69
4	10	9	20	43	16	37	31	3.595	126	55	50.923	-69
5	10	9	20	43	17	37	31	3.595	126	55	50.923	-69
6	10	9	20	43	18	37	31	3.595	126	55	50.923	-69
7	10	9	20	43	19	37	31	3.595	126	55	50.923	-69
8	10	9	20	43	20	37	31	3.595	126	55	50.923	-64
9	10	9	20	43	21	37	31	3.595	126	55	50.923	-64
10	10	9	20	43	22	37	31	3.595	126	55	50.923	-64
11	10	9	20	43	23	37	31	3.595	126	55	50.923	-66
12	10	9	20	43	24	37	31	3.595	126	55	50.923	-66
13	10	9	20	43	25	37	31	3.595	126	55	50.923	-66
14	10	9	20	43	26	37	31	3.595	126	55	50.923	-63
15	10	9	20	43	27	37	31	3.631	126	55	50.923	-63
16	10	9	20	43	28	37	31	3.631	126	55	50.887	-63
17	10	9	20	43	29	37	31	3.631	126	55	50.887	-63
18	10	9	20	43	30	37	31	3.631	126	55	50.887	-63
19	10	9	20	43	31	37	31	3.631	126	55	50.887	-63
20	10	9	20	43	32	37	31	3.631	126	55	50.887	-61
21	10	9	20	43	33	37	31	3.631	126	55	50.887	-61
22	10	9	20	43	34	37	31	3.631	126	55	50.887	-61
23	10	9	20	43	35	37	31	3.631	126	55	50.887	-62
24	10	9	20	43	36	37	31	3.631	126	55	50.887	-62
25	10	9	20	43	37	37	31	3.631	126	55	50.887	-62
26	10	9	20	43	38	37	31	3.631	126	55	50.887	-63
27	10	9	20	43	39	37	31	3.631	126	55	50.887	-63
28	10	9	20	43	40	37	31	3.631	126	55	50.887	-63
29	10	9	20	43	41	37	31	3.631	126	55	50.887	-64
30	10	9	20	43	42	37	31	3.631	126	55	50.887	-64
31	10	9	20	43	43	37	31	3.631	126	55	50.887	-64
32	10	9	20	43	44	37	31	3.631	126	55	50.887	-62
평균 전계 강도												-64.34




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(+30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	20	43	59	37	31	3.631	126	55	50.887	-72
2	10	9	20	44	0	37	31	3.631	126	55	50.887	-72
3	10	9	20	44	1	37	31	3.631	126	55	50.887	-72
4	10	9	20	44	2	37	31	3.631	126	55	50.887	-75
5	10	9	20	44	3	37	31	3.631	126	55	50.887	-75
6	10	9	20	44	4	37	31	3.631	126	55	50.851	-75
7	10	9	20	44	5	37	31	3.631	126	55	50.851	-73
8	10	9	20	44	6	37	31	3.631	126	55	50.851	-73
9	10	9	20	44	7	37	31	3.631	126	55	50.851	-73
10	10	9	20	44	8	37	31	3.631	126	55	50.851	-78
11	10	9	20	44	9	37	31	3.631	126	55	50.851	-78
12	10	9	20	44	10	37	31	3.631	126	55	50.851	-78
13	10	9	20	44	11	37	31	3.631	126	55	50.851	-81
14	10	9	20	44	12	37	31	3.631	126	55	50.851	-81
15	10	9	20	44	13	37	31	3.631	126	55	50.851	-81
16	10	9	20	44	14	37	31	3.631	126	55	50.851	-73
17	10	9	20	44	15	37	31	3.631	126	55	50.851	-73
18	10	9	20	44	16	37	31	3.631	126	55	50.851	-73
19	10	9	20	44	17	37	31	3.631	126	55	50.851	-75
20	10	9	20	44	18	37	31	3.631	126	55	50.851	-75
21	10	9	20	44	19	37	31	3.631	126	55	50.851	-75
22	10	9	20	44	20	37	31	3.631	126	55	50.851	-74
23	10	9	20	44	21	37	31	3.631	126	55	50.851	-74
24	10	9	20	44	22	37	31	3.631	126	55	50.851	-74
25	10	9	20	44	23	37	31	3.631	126	55	50.851	-74
26	10	9	20	44	24	37	31	3.631	126	55	50.851	-74
27	10	9	20	44	25	37	31	3.631	126	55	50.851	-74
평균 전계 강도												-75.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(+30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	20	44	41	37	31	3.631	126	55	50.851	-83
2	10	9	20	44	42	37	31	3.631	126	55	50.851	-83
3	10	9	20	44	43	37	31	3.631	126	55	50.851	-83
4	10	9	20	44	44	37	31	3.631	126	55	50.815	-77
5	10	9	20	44	45	37	31	3.631	126	55	50.815	-77
6	10	9	20	44	46	37	31	3.631	126	55	50.815	-77
7	10	9	20	44	47	37	31	3.631	126	55	50.815	-75
8	10	9	20	44	48	37	31	3.631	126	55	50.815	-75
9	10	9	20	44	49	37	31	3.631	126	55	50.815	-75
10	10	9	20	44	50	37	31	3.631	126	55	50.815	-77
11	10	9	20	44	51	37	31	3.631	126	55	50.815	-77
12	10	9	20	44	52	37	31	3.631	126	55	50.815	-77
13	10	9	20	44	53	37	31	3.631	126	55	50.815	-77
14	10	9	20	44	54	37	31	3.631	126	55	50.815	-77
15	10	9	20	44	55	37	31	3.631	126	55	50.815	-77
16	10	9	20	44	56	37	31	3.631	126	55	50.815	-76
17	10	9	20	44	57	37	31	3.631	126	55	50.815	-76
18	10	9	20	44	58	37	31	3.631	126	55	50.815	-76
19	10	9	20	44	59	37	31	3.631	126	55	50.815	-78
20	10	9	20	45	0	37	31	3.631	126	55	50.815	-78
21	10	9	20	45	1	37	31	3.631	126	55	50.815	-78
22	10	9	20	45	2	37	31	3.667	126	55	50.815	-73
23	10	9	20	45	3	37	31	3.667	126	55	50.815	-73
24	10	9	20	45	4	37	31	3.667	126	55	50.815	-73
25	10	9	20	45	5	37	31	3.667	126	55	50.815	-77
26	10	9	20	45	6	37	31	3.667	126	55	50.815	-77
27	10	9	20	45	7	37	31	3.667	126	55	50.815	-77
28	10	9	20	45	8	37	31	3.667	126	55	50.815	-73
29	10	9	20	45	9	37	31	3.667	126	55	50.815	-73
30	10	9	20	45	10	37	31	3.667	126	55	50.815	-73
31	10	9	20	45	11	37	31	3.667	126	55	50.815	-73
32	10	9	20	45	12	37	31	3.667	126	55	50.815	-73
33	10	9	20	45	13	37	31	3.667	126	55	50.815	-73
34	10	9	20	45	14	37	31	3.667	126	55	50.815	-74
35	10	9	20	45	15	37	31	3.667	126	55	50.815	-74
36	10	9	20	45	16	37	31	3.667	126	55	50.815	-74
평균 전계 강도												-76.08




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(+30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	20	45	32	37	31	3.631	126	55	50.779	-84
2	10	9	20	45	33	37	31	3.631	126	55	50.779	-84
3	10	9	20	45	34	37	31	3.631	126	55	50.779	-84
4	10	9	20	45	35	37	31	3.631	126	55	50.779	-84
5	10	9	20	45	36	37	31	3.631	126	55	50.779	-84
6	10	9	20	45	37	37	31	3.631	126	55	50.779	-84
7	10	9	20	45	38	37	31	3.631	126	55	50.779	-90
8	10	9	20	45	39	37	31	3.631	126	55	50.779	-90
9	10	9	20	45	40	37	31	3.631	126	55	50.779	-90
10	10	9	20	45	41	37	31	3.631	126	55	50.779	-90
11	10	9	20	45	42	37	31	3.631	126	55	50.779	-90
12	10	9	20	45	43	37	31	3.631	126	55	50.779	-85
13	10	9	20	45	44	37	31	3.631	126	55	50.779	-85
14	10	9	20	45	45	37	31	3.631	126	55	50.779	-85
15	10	9	20	45	46	37	31	3.631	126	55	50.779	-85
16	10	9	20	45	47	37	31	3.631	126	55	50.779	-86
17	10	9	20	45	48	37	31	3.631	126	55	50.779	-86
18	10	9	20	45	49	37	31	3.631	126	55	50.779	-86
19	10	9	20	45	50	37	31	3.631	126	55	50.779	-96
20	10	9	20	45	51	37	31	3.631	126	55	50.779	-96
21	10	9	20	45	52	37	31	3.631	126	55	50.779	-96
22	10	9	20	45	53	37	31	3.631	126	55	50.779	-103
23	10	9	20	45	54	37	31	3.631	126	55	50.779	-103
24	10	9	20	45	55	37	31	3.631	126	55	50.779	-103
25	10	9	20	45	56	37	31	3.631	126	55	50.779	-94
26	10	9	20	45	57	37	31	3.631	126	55	50.779	-94
27	10	9	20	45	58	37	31	3.631	126	55	50.779	-94
28	10	9	20	45	59	37	31	3.631	126	55	50.779	-87
29	10	9	20	46	0	37	31	3.631	126	55	50.779	-87
30	10	9	20	46	1	37	31	3.631	126	55	50.779	-87
31	10	9	20	46	2	37	31	3.631	126	55	50.779	-86
32	10	9	20	46	3	37	31	3.631	126	55	50.779	-86
33	10	9	20	46	4	37	31	3.631	126	55	50.779	-86
34	10	9	20	46	5	37	31	3.631	126	55	50.779	-87
35	10	9	20	46	6	37	31	3.631	126	55	50.779	-87
36	10	9	20	46	7	37	31	3.631	126	55	50.779	-87
평균 전계 강도												-89.19




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(+30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	20	46	43	37	31	3.667	126	55	50.743	-76
2	10	9	20	46	44	37	31	3.667	126	55	50.743	-86
3	10	9	20	46	45	37	31	3.667	126	55	50.743	-86
4	10	9	20	46	46	37	31	3.667	126	55	50.743	-86
5	10	9	20	46	47	37	31	3.667	126	55	50.743	-82
6	10	9	20	46	48	37	31	3.667	126	55	50.743	-82
7	10	9	20	46	49	37	31	3.667	126	55	50.743	-82
8	10	9	20	46	50	37	31	3.667	126	55	50.743	-98
9	10	9	20	46	51	37	31	3.667	126	55	50.743	-98
10	10	9	20	46	52	37	31	3.667	126	55	50.743	-98
11	10	9	20	46	53	37	31	3.667	126	55	50.743	-75
12	10	9	20	46	54	37	31	3.667	126	55	50.743	-75
13	10	9	20	46	55	37	31	3.667	126	55	50.743	-75
14	10	9	20	46	56	37	31	3.667	126	55	50.743	-76
15	10	9	20	46	57	37	31	3.667	126	55	50.743	-76
16	10	9	20	46	58	37	31	3.667	126	55	50.743	-76
17	10	9	20	46	59	37	31	3.667	126	55	50.743	-80
18	10	9	20	47	0	37	31	3.667	126	55	50.743	-80
19	10	9	20	47	1	37	31	3.667	126	55	50.743	-80
20	10	9	20	47	2	37	31	3.667	126	55	50.743	-78
21	10	9	20	47	3	37	31	3.667	126	55	50.743	-78
22	10	9	20	47	4	37	31	3.667	126	55	50.743	-78
23	10	9	20	47	5	37	31	3.667	126	55	50.743	-80
24	10	9	20	47	6	37	31	3.667	126	55	50.743	-80
25	10	9	20	47	7	37	31	3.667	126	55	50.743	-80
26	10	9	20	47	8	37	31	3.667	126	55	50.743	-76
27	10	9	20	47	9	37	31	3.667	126	55	50.743	-76
28	10	9	20	47	10	37	31	3.667	126	55	50.743	-76
29	10	9	20	47	11	37	31	3.667	126	55	50.743	-77
30	10	9	20	47	12	37	31	3.667	126	55	50.743	-77
31	10	9	20	47	13	37	31	3.667	126	55	50.743	-77
32	10	9	20	47	14	37	31	3.667	126	55	50.743	-73
33	10	9	20	47	15	37	31	3.667	126	55	50.743	-73
34	10	9	20	47	16	37	31	3.667	126	55	50.743	-73
35	10	9	20	47	17	37	31	3.667	126	55	50.707	-75
36	10	9	20	47	18	37	31	3.667	126	55	50.707	-75
37	10	9	20	47	19	37	31	3.667	126	55	50.707	-75
38	10	9	20	47	20	37	31	3.667	126	55	50.707	-75
39	10	9	20	47	21	37	31	3.667	126	55	50.707	-75
평균 전계 강도												-79.33




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(+30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	20	47	40	37	31	3.667	126	55	50.707	-71
2	10	9	20	47	41	37	31	3.667	126	55	50.707	-72
3	10	9	20	47	42	37	31	3.667	126	55	50.707	-72
4	10	9	20	47	43	37	31	3.667	126	55	50.707	-72
5	10	9	20	47	44	37	31	3.667	126	55	50.707	-71
6	10	9	20	47	45	37	31	3.667	126	55	50.707	-71
7	10	9	20	47	46	37	31	3.667	126	55	50.707	-71
8	10	9	20	47	47	37	31	3.667	126	55	50.707	-70
9	10	9	20	47	48	37	31	3.667	126	55	50.707	-70
10	10	9	20	47	49	37	31	3.667	126	55	50.707	-70
11	10	9	20	47	50	37	31	3.667	126	55	50.707	-71
12	10	9	20	47	51	37	31	3.667	126	55	50.707	-71
13	10	9	20	47	52	37	31	3.667	126	55	50.707	-71
14	10	9	20	47	53	37	31	3.667	126	55	50.707	-72
15	10	9	20	47	54	37	31	3.667	126	55	50.707	-72
16	10	9	20	47	55	37	31	3.667	126	55	50.707	-72
17	10	9	20	47	56	37	31	3.667	126	55	50.707	-73
18	10	9	20	47	57	37	31	3.667	126	55	50.707	-73
19	10	9	20	47	58	37	31	3.667	126	55	50.707	-73
20	10	9	20	47	59	37	31	3.667	126	55	50.707	-75
21	10	9	20	48	0	37	31	3.667	126	55	50.707	-75
22	10	9	20	48	1	37	31	3.667	126	55	50.707	-75
23	10	9	20	48	2	37	31	3.667	126	55	50.707	-74
24	10	9	20	48	3	37	31	3.667	126	55	50.671	-74
25	10	9	20	48	4	37	31	3.667	126	55	50.671	-74
26	10	9	20	48	5	37	31	3.667	126	55	50.671	-76
27	10	9	20	48	6	37	31	3.667	126	55	50.671	-76
28	10	9	20	48	7	37	31	3.667	126	55	50.671	-76
29	10	9	20	48	8	37	31	3.667	126	55	50.671	-79
30	10	9	20	48	9	37	31	3.667	126	55	50.671	-79
평균 전계 강도												-73.03




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(8)(+30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	20	48	50	37	31	3.667	126	55	50.671	-69
2	10	9	20	48	51	37	31	3.667	126	55	50.671	-69
3	10	9	20	48	52	37	31	3.667	126	55	50.671	-69
4	10	9	20	48	53	37	31	3.667	126	55	50.671	-66
5	10	9	20	48	54	37	31	3.667	126	55	50.671	-66
6	10	9	20	48	55	37	31	3.667	126	55	50.671	-66
7	10	9	20	48	56	37	31	3.667	126	55	50.671	-67
8	10	9	20	48	57	37	31	3.667	126	55	50.671	-67
9	10	9	20	48	58	37	31	3.667	126	55	50.671	-67
10	10	9	20	48	59	37	31	3.667	126	55	50.671	-66
11	10	9	20	49	0	37	31	3.667	126	55	50.671	-66
12	10	9	20	49	1	37	31	3.667	126	55	50.671	-66
13	10	9	20	49	2	37	31	3.667	126	55	50.671	-67
14	10	9	20	49	3	37	31	3.667	126	55	50.635	-67
15	10	9	20	49	4	37	31	3.667	126	55	50.635	-67
16	10	9	20	49	5	37	31	3.667	126	55	50.635	-68
17	10	9	20	49	6	37	31	3.667	126	55	50.635	-68
18	10	9	20	49	7	37	31	3.667	126	55	50.635	-68
19	10	9	20	49	8	37	31	3.667	126	55	50.635	-69
20	10	9	20	49	9	37	31	3.667	126	55	50.635	-69
21	10	9	20	49	10	37	31	3.667	126	55	50.635	-69
22	10	9	20	49	11	37	31	3.667	126	55	50.635	-68
23	10	9	20	49	12	37	31	3.667	126	55	50.635	-68
24	10	9	20	49	13	37	31	3.667	126	55	50.635	-68
25	10	9	20	49	14	37	31	3.667	126	55	50.635	-69
26	10	9	20	49	15	37	31	3.667	126	55	50.635	-69
27	10	9	20	49	16	37	31	3.667	126	55	50.635	-69
28	10	9	20	49	17	37	31	3.667	126	55	50.635	-68
평균 전계 강도												-67.68




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(Tx8 MAX)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	20	50	42	37	31	3.667	126	55	50.635	-60
2	10	9	20	50	43	37	31	3.667	126	55	50.635	-60
3	10	9	20	50	44	37	31	3.667	126	55	50.635	-60
4	10	9	20	50	45	37	31	3.667	126	55	50.635	-58
5	10	9	20	50	46	37	31	3.667	126	55	50.635	-58
6	10	9	20	50	47	37	31	3.667	126	55	50.635	-58
7	10	9	20	50	48	37	31	3.667	126	55	50.635	-58
8	10	9	20	50	49	37	31	3.667	126	55	50.635	-58
9	10	9	20	50	50	37	31	3.667	126	55	50.635	-58
10	10	9	20	50	51	37	31	3.667	126	55	50.635	-57
11	10	9	20	50	52	37	31	3.667	126	55	50.635	-57
12	10	9	20	50	53	37	31	3.667	126	55	50.635	-57
13	10	9	20	50	54	37	31	3.667	126	55	50.635	-59
14	10	9	20	50	55	37	31	3.667	126	55	50.599	-59
15	10	9	20	50	56	37	31	3.667	126	55	50.599	-59
16	10	9	20	50	57	37	31	3.667	126	55	50.599	-58
17	10	9	20	50	58	37	31	3.667	126	55	50.599	-58
18	10	9	20	50	59	37	31	3.667	126	55	50.599	-58
19	10	9	20	51	0	37	31	3.667	126	55	50.599	-59
20	10	9	20	51	1	37	31	3.667	126	55	50.599	-59
21	10	9	20	51	2	37	31	3.667	126	55	50.599	-59
22	10	9	20	51	3	37	31	3.667	126	55	50.599	-60
23	10	9	20	51	4	37	31	3.667	126	55	50.599	-60
24	10	9	20	51	5	37	31	3.667	126	55	50.599	-60
25	10	9	20	51	6	37	31	3.667	126	55	50.599	-61
26	10	9	20	51	7	37	31	3.667	126	55	50.599	-61
27	10	9	20	51	8	37	31	3.667	126	55	50.599	-61
28	10	9	20	51	9	37	31	3.667	126	55	50.599	-62
29	10	9	20	51	10	37	31	3.667	126	55	50.599	-62
30	10	9	20	51	11	37	31	3.667	126	55	50.599	-62
평균 전계 강도												-59.20




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(Tx4 OMNI)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	20	1	37	31	2.695	126	55	50.563	-49
2	10	9	21	20	2	37	31	2.695	126	55	50.563	-49
3	10	9	21	20	3	37	31	2.695	126	55	50.563	-49
4	10	9	21	20	4	37	31	2.695	126	55	50.563	-49
5	10	9	21	20	5	37	31	2.695	126	55	50.563	-49
6	10	9	21	20	6	37	31	2.695	126	55	50.563	-49
7	10	9	21	20	7	37	31	2.695	126	55	50.563	-49
8	10	9	21	20	8	37	31	2.695	126	55	50.563	-49
9	10	9	21	20	9	37	31	2.695	126	55	50.563	-49
10	10	9	21	20	10	37	31	2.695	126	55	50.563	-50
11	10	9	21	20	11	37	31	2.695	126	55	50.563	-50
12	10	9	21	20	12	37	31	2.695	126	55	50.563	-50
13	10	9	21	20	13	37	31	2.695	126	55	50.563	-49
14	10	9	21	20	14	37	31	2.695	126	55	50.563	-49
15	10	9	21	20	15	37	31	2.695	126	55	50.563	-49
16	10	9	21	20	16	37	31	2.695	126	55	50.527	-48
17	10	9	21	20	17	37	31	2.695	126	55	50.527	-48
18	10	9	21	20	18	37	31	2.695	126	55	50.527	-48
19	10	9	21	20	19	37	31	2.695	126	55	50.527	-50
20	10	9	21	20	20	37	31	2.695	126	55	50.527	-50
21	10	9	21	20	21	37	31	2.695	126	55	50.527	-50
22	10	9	21	20	22	37	31	2.695	126	55	50.527	-50
23	10	9	21	20	23	37	31	2.695	126	55	50.527	-50
24	10	9	21	20	24	37	31	2.695	126	55	50.527	-50
25	10	9	21	20	25	37	31	2.695	126	55	50.527	-48
26	10	9	21	20	26	37	31	2.695	126	55	50.527	-48
27	10	9	21	20	27	37	31	2.695	126	55	50.527	-48
28	10	9	21	20	28	37	31	2.695	126	55	50.527	-50
29	10	9	21	20	29	37	31	2.695	126	55	50.527	-50
30	10	9	21	20	30	37	31	2.695	126	55	50.527	-50
31	10	9	21	20	31	37	31	2.695	126	55	50.527	-53
32	10	9	21	20	32	37	31	2.695	126	55	50.527	-53
평균 전계 강도												-49.44




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(0_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	20	56	11	37	31	3.667	126	55	50.491	-60
2	10	9	20	56	12	37	31	3.667	126	55	50.491	-60
3	10	9	20	56	13	37	31	3.667	126	55	50.491	-60
4	10	9	20	56	14	37	31	3.667	126	55	50.491	-56
5	10	9	20	56	15	37	31	3.667	126	55	50.491	-56
6	10	9	20	56	16	37	31	3.667	126	55	50.491	-56
7	10	9	20	56	17	37	31	3.667	126	55	50.491	-53
8	10	9	20	56	18	37	31	3.667	126	55	50.491	-53
9	10	9	20	56	19	37	31	3.667	126	55	50.491	-53
10	10	9	20	56	20	37	31	3.667	126	55	50.491	-52
11	10	9	20	56	21	37	31	3.667	126	55	50.491	-52
12	10	9	20	56	22	37	31	3.667	126	55	50.491	-52
13	10	9	20	56	23	37	31	3.667	126	55	50.491	-52
14	10	9	20	56	24	37	31	3.667	126	55	50.491	-52
15	10	9	20	56	25	37	31	3.667	126	55	50.491	-52
16	10	9	20	56	26	37	31	3.667	126	55	50.491	-53
17	10	9	20	56	27	37	31	3.667	126	55	50.491	-53
18	10	9	20	56	28	37	31	3.667	126	55	50.491	-53
19	10	9	20	56	29	37	31	3.667	126	55	50.491	-54
20	10	9	20	56	30	37	31	3.667	126	55	50.491	-54
21	10	9	20	56	31	37	31	3.667	126	55	50.491	-54
22	10	9	20	56	32	37	31	3.667	126	55	50.491	-54
23	10	9	20	56	33	37	31	3.667	126	55	50.491	-54
24	10	9	20	56	34	37	31	3.667	126	55	50.491	-54
25	10	9	20	56	35	37	31	3.667	126	55	50.491	-51
26	10	9	20	56	36	37	31	3.667	126	55	50.491	-51
27	10	9	20	56	37	37	31	3.667	126	55	50.491	-51
28	10	9	20	56	38	37	31	3.667	126	55	50.491	-54
29	10	9	20	56	39	37	31	3.667	126	55	50.491	-54
30	10	9	20	56	40	37	31	3.667	126	55	50.491	-54
31	10	9	20	56	41	37	31	3.667	126	55	50.491	-52
32	10	9	20	56	42	37	31	3.703	126	55	50.491	-52
33	10	9	20	56	43	37	31	3.703	126	55	50.491	-52
34	10	9	20	56	44	37	31	3.667	126	55	50.491	-54
35	10	9	20	56	45	37	31	3.667	126	55	50.491	-54
36	10	9	20	56	46	37	31	3.667	126	55	50.491	-54
37	10	9	20	56	47	37	31	3.667	126	55	50.491	-53
38	10	9	20	56	48	37	31	3.667	126	55	50.491	-53
39	10	9	20	56	49	37	31	3.667	126	55	50.491	-53




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(0_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	20	57	12	37	31	3.667	126	55	50.491	-53
2	10	9	20	57	13	37	31	3.667	126	55	50.491	-53
3	10	9	20	57	14	37	31	3.667	126	55	50.491	-53
4	10	9	20	57	15	37	31	3.667	126	55	50.491	-53
5	10	9	20	57	16	37	31	3.667	126	55	50.491	-53
6	10	9	20	57	17	37	31	3.667	126	55	50.491	-55
7	10	9	20	57	18	37	31	3.667	126	55	50.491	-55
8	10	9	20	57	19	37	31	3.667	126	55	50.491	-55
9	10	9	20	57	20	37	31	3.667	126	55	50.491	-56
10	10	9	20	57	21	37	31	3.667	126	55	50.491	-56
11	10	9	20	57	22	37	31	3.667	126	55	50.491	-56
12	10	9	20	57	23	37	31	3.667	126	55	50.491	-55
13	10	9	20	57	24	37	31	3.667	126	55	50.491	-55
14	10	9	20	57	25	37	31	3.667	126	55	50.491	-55
15	10	9	20	57	26	37	31	3.667	126	55	50.491	-55
16	10	9	20	57	27	37	31	3.667	126	55	50.491	-55
17	10	9	20	57	28	37	31	3.667	126	55	50.491	-55
18	10	9	20	57	29	37	31	3.667	126	55	50.491	-52
19	10	9	20	57	30	37	31	3.667	126	55	50.491	-52
20	10	9	20	57	31	37	31	3.667	126	55	50.491	-52
21	10	9	20	57	32	37	31	3.667	126	55	50.491	-52
22	10	9	20	57	33	37	31	3.667	126	55	50.491	-52
23	10	9	20	57	34	37	31	3.667	126	55	50.491	-52
24	10	9	20	57	35	37	31	3.667	126	55	50.491	-57
25	10	9	20	57	36	37	31	3.667	126	55	50.491	-57
26	10	9	20	57	37	37	31	3.667	126	55	50.491	-57
27	10	9	20	57	38	37	31	3.667	126	55	50.491	-52
28	10	9	20	57	39	37	31	3.667	126	55	50.491	-52
29	10	9	20	57	40	37	31	3.667	126	55	50.491	-52
30	10	9	20	57	41	37	31	3.667	126	55	50.491	-51
31	10	9	20	57	42	37	31	3.667	126	55	50.491	-51
32	10	9	20	57	43	37	31	3.667	126	55	50.491	-51
33	10	9	20	57	44	37	31	3.667	126	55	50.491	-52
34	10	9	20	57	45	37	31	3.667	126	55	50.491	-52
35	10	9	20	57	46	37	31	3.667	126	55	50.491	-52
36	10	9	20	57	47	37	31	3.667	126	55	50.491	-51
37	10	9	20	57	48	37	31	3.667	126	55	50.491	-51
38	10	9	20	57	49	37	31	3.667	126	55	50.491	-51
평균 전계 강도												-53.39




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(0_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	20	58	21	37	31	3.667	126	55	50.455	-65
2	10	9	20	58	22	37	31	3.667	126	55	50.455	-65
3	10	9	20	58	23	37	31	3.667	126	55	50.455	-64
4	10	9	20	58	24	37	31	3.667	126	55	50.455	-64
5	10	9	20	58	25	37	31	3.667	126	55	50.455	-64
6	10	9	20	58	26	37	31	3.667	126	55	50.455	-63
7	10	9	20	58	27	37	31	3.667	126	55	50.455	-63
8	10	9	20	58	28	37	31	3.667	126	55	50.455	-63
9	10	9	20	58	29	37	31	3.667	126	55	50.455	-63
10	10	9	20	58	30	37	31	3.667	126	55	50.455	-63
11	10	9	20	58	31	37	31	3.667	126	55	50.455	-63
12	10	9	20	58	32	37	31	3.667	126	55	50.455	-66
13	10	9	20	58	33	37	31	3.667	126	55	50.455	-66
14	10	9	20	58	34	37	31	3.667	126	55	50.455	-66
15	10	9	20	58	35	37	31	3.667	126	55	50.455	-62
16	10	9	20	58	36	37	31	3.667	126	55	50.455	-62
17	10	9	20	58	37	37	31	3.667	126	55	50.455	-62
18	10	9	20	58	38	37	31	3.667	126	55	50.455	-61
19	10	9	20	58	39	37	31	3.667	126	55	50.455	-61
20	10	9	20	58	40	37	31	3.667	126	55	50.455	-61
21	10	9	20	58	41	37	31	3.667	126	55	50.455	-61
22	10	9	20	58	42	37	31	3.667	126	55	50.455	-61
23	10	9	20	58	43	37	31	3.667	126	55	50.455	-61
24	10	9	20	58	44	37	31	3.667	126	55	50.455	-61
25	10	9	20	58	45	37	31	3.667	126	55	50.455	-61
26	10	9	20	58	46	37	31	3.667	126	55	50.455	-61
27	10	9	20	58	47	37	31	3.667	126	55	50.455	-63
28	10	9	20	58	48	37	31	3.667	126	55	50.455	-63
29	10	9	20	58	49	37	31	3.667	126	55	50.455	-63
30	10	9	20	58	50	37	31	3.667	126	55	50.455	-60
31	10	9	20	58	51	37	31	3.667	126	55	50.455	-60
32	10	9	20	58	52	37	31	3.667	126	55	50.455	-60
평균 전계 강도												-62.56




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(0_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	20	59	16	37	31	3.667	126	55	50.455	-77
2	10	9	20	59	17	37	31	3.667	126	55	50.455	-75
3	10	9	20	59	18	37	31	3.667	126	55	50.455	-75
4	10	9	20	59	19	37	31	3.667	126	55	50.455	-75
5	10	9	20	59	20	37	31	3.667	126	55	50.455	-70
6	10	9	20	59	21	37	31	3.667	126	55	50.455	-70
7	10	9	20	59	22	37	31	3.667	126	55	50.455	-70
8	10	9	20	59	23	37	31	3.667	126	55	50.455	-76
9	10	9	20	59	24	37	31	3.667	126	55	50.455	-76
10	10	9	20	59	25	37	31	3.667	126	55	50.455	-76
11	10	9	20	59	26	37	31	3.667	126	55	50.455	-71
12	10	9	20	59	27	37	31	3.667	126	55	50.455	-71
13	10	9	20	59	28	37	31	3.667	126	55	50.455	-71
14	10	9	20	59	29	37	31	3.667	126	55	50.455	-76
15	10	9	20	59	30	37	31	3.667	126	55	50.455	-76
16	10	9	20	59	31	37	31	3.667	126	55	50.455	-76
17	10	9	20	59	32	37	31	3.667	126	55	50.455	-85
18	10	9	20	59	33	37	31	3.667	126	55	50.455	-85
19	10	9	20	59	34	37	31	3.667	126	55	50.455	-85
20	10	9	20	59	35	37	31	3.667	126	55	50.455	-69
21	10	9	20	59	36	37	31	3.667	126	55	50.455	-69
22	10	9	20	59	37	37	31	3.667	126	55	50.455	-69
23	10	9	20	59	38	37	31	3.667	126	55	50.455	-71
24	10	9	20	59	39	37	31	3.667	126	55	50.455	-71
25	10	9	20	59	40	37	31	3.667	126	55	50.455	-71
평균 전계 강도												-74.24




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(0_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	0	10	37	31	3.667	126	55	50.455	-70
2	10	9	21	0	11	37	31	3.667	126	55	50.455	-71
3	10	9	21	0	12	37	31	3.667	126	55	50.455	-71
4	10	9	21	0	13	37	31	3.667	126	55	50.455	-71
5	10	9	21	0	14	37	31	3.667	126	55	50.455	-68
6	10	9	21	0	15	37	31	3.667	126	55	50.455	-68
7	10	9	21	0	16	37	31	3.667	126	55	50.455	-68
8	10	9	21	0	17	37	31	3.667	126	55	50.455	-70
9	10	9	21	0	18	37	31	3.667	126	55	50.455	-70
10	10	9	21	0	19	37	31	3.667	126	55	50.455	-70
11	10	9	21	0	20	37	31	3.667	126	55	50.455	-68
12	10	9	21	0	21	37	31	3.667	126	55	50.455	-68
13	10	9	21	0	22	37	31	3.667	126	55	50.455	-68
14	10	9	21	0	23	37	31	3.667	126	55	50.455	-70
15	10	9	21	0	24	37	31	3.667	126	55	50.455	-70
16	10	9	21	0	25	37	31	3.667	126	55	50.455	-70
17	10	9	21	0	26	37	31	3.667	126	55	50.455	-73
18	10	9	21	0	27	37	31	3.667	126	55	50.455	-73
19	10	9	21	0	28	37	31	3.667	126	55	50.455	-73
20	10	9	21	0	29	37	31	3.667	126	55	50.455	-73
21	10	9	21	0	30	37	31	3.667	126	55	50.455	-73
22	10	9	21	0	31	37	31	3.667	126	55	50.455	-73
23	10	9	21	0	32	37	31	3.667	126	55	50.455	-73
24	10	9	21	0	33	37	31	3.667	126	55	50.455	-73
25	10	9	21	0	34	37	31	3.667	126	55	50.455	-73
26	10	9	21	0	35	37	31	3.667	126	55	50.455	-69
27	10	9	21	0	36	37	31	3.667	126	55	50.455	-69
28	10	9	21	0	37	37	31	3.631	126	55	50.455	-69
29	10	9	21	0	38	37	31	3.631	126	55	50.455	-80
30	10	9	21	0	39	37	31	3.631	126	55	50.455	-80
31	10	9	21	0	40	37	31	3.631	126	55	50.455	-80
평균 전계 강도												-71.45




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(0_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	1	14	37	31	3.667	126	55	50.455	-65
2	10	9	21	1	15	37	31	3.667	126	55	50.419	-65
3	10	9	21	1	16	37	31	3.667	126	55	50.419	-65
4	10	9	21	1	17	37	31	3.667	126	55	50.419	-63
5	10	9	21	1	18	37	31	3.667	126	55	50.419	-63
6	10	9	21	1	19	37	31	3.667	126	55	50.419	-63
7	10	9	21	1	20	37	31	3.667	126	55	50.419	-64
8	10	9	21	1	21	37	31	3.667	126	55	50.419	-64
9	10	9	21	1	22	37	31	3.667	126	55	50.419	-64
10	10	9	21	1	23	37	31	3.667	126	55	50.419	-62
11	10	9	21	1	24	37	31	3.667	126	55	50.419	-62
12	10	9	21	1	25	37	31	3.667	126	55	50.419	-62
13	10	9	21	1	26	37	31	3.667	126	55	50.419	-64
14	10	9	21	1	27	37	31	3.667	126	55	50.419	-64
15	10	9	21	1	28	37	31	3.667	126	55	50.419	-64
16	10	9	21	1	29	37	31	3.667	126	55	50.419	-67
17	10	9	21	1	30	37	31	3.667	126	55	50.419	-67
18	10	9	21	1	31	37	31	3.667	126	55	50.419	-67
19	10	9	21	1	32	37	31	3.667	126	55	50.419	-72
20	10	9	21	1	33	37	31	3.667	126	55	50.419	-72
21	10	9	21	1	34	37	31	3.667	126	55	50.419	-72
22	10	9	21	1	35	37	31	3.667	126	55	50.419	-60
23	10	9	21	1	36	37	31	3.667	126	55	50.419	-60
24	10	9	21	1	37	37	31	3.667	126	55	50.419	-60
25	10	9	21	1	38	37	31	3.667	126	55	50.419	-84
26	10	9	21	1	39	37	31	3.667	126	55	50.419	-84
27	10	9	21	1	40	37	31	3.667	126	55	50.419	-84
28	10	9	21	1	41	37	31	3.667	126	55	50.419	-70
29	10	9	21	1	42	37	31	3.667	126	55	50.419	-70
30	10	9	21	1	43	37	31	3.667	126	55	50.419	-70
31	10	9	21	1	44	37	31	3.667	126	55	50.419	-70
32	10	9	21	1	45	37	31	3.667	126	55	50.419	-71
33	10	9	21	1	46	37	31	3.667	126	55	50.419	-73
34	10	9	21	1	47	37	31	3.667	126	55	50.419	-73
35	10	9	21	1	48	37	31	3.667	126	55	50.419	-73
36	10	9	21	1	49	37	31	3.667	126	55	50.419	-73
37	10	9	21	1	50	37	31	3.667	126	55	50.419	-67
38	10	9	21	1	51	37	31	3.667	126	55	50.419	-67
39	10	9	21	1	52	37	31	3.667	126	55	50.419	-67
40	10	9	21	1	53	37	31	3.667	126	55	50.419	-63
41	10	9	21	1	54	37	31	3.667	126	55	50.419	-63
42	10	9	21	1	55	37	31	3.667	126	55	50.419	-63
43	10	9	21	1	56	37	31	3.667	126	55	50.419	-71
44	10	9	21	1	57	37	31	3.667	126	55	50.419	-71
45	10	9	21	1	58	37	31	3.667	126	55	50.419	-71
평균 전계 강도												-67.76




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(0_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	2	18	37	31	3.631	126	55	50.419	-51
2	10	9	21	2	19	37	31	3.631	126	55	50.419	-51
3	10	9	21	2	20	37	31	3.631	126	55	50.419	-52
4	10	9	21	2	21	37	31	3.631	126	55	50.419	-52
5	10	9	21	2	22	37	31	3.631	126	55	50.419	-52
6	10	9	21	2	23	37	31	3.631	126	55	50.419	-51
7	10	9	21	2	24	37	31	3.631	126	55	50.419	-51
8	10	9	21	2	25	37	31	3.631	126	55	50.419	-51
9	10	9	21	2	26	37	31	3.631	126	55	50.419	-51
10	10	9	21	2	27	37	31	3.631	126	55	50.419	-51
11	10	9	21	2	28	37	31	3.631	126	55	50.419	-51
12	10	9	21	2	29	37	31	3.631	126	55	50.419	-52
13	10	9	21	2	30	37	31	3.631	126	55	50.419	-52
14	10	9	21	2	31	37	31	3.631	126	55	50.419	-52
15	10	9	21	2	32	37	31	3.631	126	55	50.419	-52
16	10	9	21	2	33	37	31	3.631	126	55	50.419	-52
17	10	9	21	2	34	37	31	3.631	126	55	50.419	-52
18	10	9	21	2	35	37	31	3.631	126	55	50.419	-51
19	10	9	21	2	36	37	31	3.631	126	55	50.419	-51
20	10	9	21	2	37	37	31	3.631	126	55	50.419	-51
21	10	9	21	2	38	37	31	3.631	126	55	50.419	-51
22	10	9	21	2	39	37	31	3.631	126	55	50.419	-51
23	10	9	21	2	40	37	31	3.631	126	55	50.419	-51
24	10	9	21	2	41	37	31	3.631	126	55	50.419	-51
25	10	9	21	2	42	37	31	3.631	126	55	50.419	-51
26	10	9	21	2	43	37	31	3.631	126	55	50.419	-51
27	10	9	21	2	44	37	31	3.631	126	55	50.419	-52
28	10	9	21	2	45	37	31	3.631	126	55	50.419	-52
29	10	9	21	2	46	37	31	3.631	126	55	50.419	-52
30	10	9	21	2	47	37	31	3.631	126	55	50.419	-51
31	10	9	21	2	48	37	31	3.631	126	55	50.419	-51
32	10	9	21	2	49	37	31	3.631	126	55	50.419	-51
33	10	9	21	2	50	37	31	3.631	126	55	50.419	-51
34	10	9	21	2	51	37	31	3.631	126	55	50.419	-51
35	10	9	21	2	52	37	31	3.631	126	55	50.419	-51
36	10	9	21	2	53	37	31	3.631	126	55	50.419	-51
37	10	9	21	2	54	37	31	3.631	126	55	50.419	-51
38	10	9	21	2	55	37	31	3.631	126	55	50.419	-51
39	10	9	21	2	56	37	31	3.631	126	55	50.419	-50
평균 전계 강도												-51.28




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(0_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	3	23	37	31	3.631	126	55	50.419	-55
2	10	9	21	3	24	37	31	3.631	126	55	50.419	-55
3	10	9	21	3	25	37	31	3.631	126	55	50.419	-55
4	10	9	21	3	26	37	31	3.631	126	55	50.419	-56
5	10	9	21	3	27	37	31	3.631	126	55	50.419	-56
6	10	9	21	3	28	37	31	3.631	126	55	50.419	-56
7	10	9	21	3	29	37	31	3.631	126	55	50.419	-64
8	10	9	21	3	30	37	31	3.631	126	55	50.419	-64
9	10	9	21	3	31	37	31	3.631	126	55	50.419	-64
10	10	9	21	3	32	37	31	3.631	126	55	50.419	-55
11	10	9	21	3	33	37	31	3.631	126	55	50.419	-55
12	10	9	21	3	34	37	31	3.631	126	55	50.419	-55
13	10	9	21	3	35	37	31	3.631	126	55	50.419	-61
14	10	9	21	3	36	37	31	3.631	126	55	50.419	-61
15	10	9	21	3	37	37	31	3.631	126	55	50.419	-61
16	10	9	21	3	38	37	31	3.631	126	55	50.419	-53
17	10	9	21	3	39	37	31	3.631	126	55	50.419	-53
18	10	9	21	3	40	37	31	3.631	126	55	50.419	-53
19	10	9	21	3	41	37	31	3.631	126	55	50.419	-61
20	10	9	21	3	42	37	31	3.631	126	55	50.383	-61
21	10	9	21	3	43	37	31	3.631	126	55	50.383	-61
22	10	9	21	3	44	37	31	3.631	126	55	50.383	-55
23	10	9	21	3	45	37	31	3.631	126	55	50.383	-55
24	10	9	21	3	46	37	31	3.631	126	55	50.383	-55
25	10	9	21	3	47	37	31	3.631	126	55	50.383	-55
26	10	9	21	3	48	37	31	3.631	126	55	50.383	-55
27	10	9	21	3	49	37	31	3.631	126	55	50.383	-55
28	10	9	21	3	50	37	31	3.631	126	55	50.383	-57
29	10	9	21	3	51	37	31	3.631	126	55	50.383	-57
30	10	9	21	3	52	37	31	3.631	126	55	50.383	-57
31	10	9	21	3	53	37	31	3.631	126	55	50.383	-55
32	10	9	21	3	54	37	31	3.631	126	55	50.383	-55
33	10	9	21	3	55	37	31	3.631	126	55	50.383	-55
34	10	9	21	3	56	37	31	3.631	126	55	50.383	-54
35	10	9	21	3	57	37	31	3.631	126	55	50.383	-54
36	10	9	21	3	58	37	31	3.631	126	55	50.383	-54
37	10	9	21	3	59	37	31	3.631	126	55	50.383	-55
38	10	9	21	4	0	37	31	3.631	126	55	50.383	-55
39	10	9	21	4	1	37	31	3.631	126	55	50.383	-55
40	10	9	21	4	2	37	31	3.631	126	55	50.383	-56
41	10	9	21	4	3	37	31	3.631	126	55	50.383	-56
42	10	9	21	4	4	37	31	3.631	126	55	50.383	-56
43	10	9	21	4	5	37	31	3.631	126	55	50.383	-57
44	10	9	21	4	6	37	31	3.631	126	55	50.383	-57
45	10	9	21	4	7	37	31	3.631	126	55	50.383	-57
평균 전계 강도												-56.60




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(-30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	4	22	37	31	3.631	126	55	50.383	-53
2	10	9	21	4	23	37	31	3.631	126	55	50.383	-55
3	10	9	21	4	24	37	31	3.631	126	55	50.383	-55
4	10	9	21	4	25	37	31	3.631	126	55	50.383	-55
5	10	9	21	4	26	37	31	3.631	126	55	50.383	-57
6	10	9	21	4	27	37	31	3.631	126	55	50.383	-57
7	10	9	21	4	28	37	31	3.631	126	55	50.383	-57
8	10	9	21	4	29	37	31	3.631	126	55	50.383	-55
9	10	9	21	4	30	37	31	3.631	126	55	50.383	-55
10	10	9	21	4	31	37	31	3.631	126	55	50.383	-55
11	10	9	21	4	32	37	31	3.631	126	55	50.383	-55
12	10	9	21	4	33	37	31	3.631	126	55	50.383	-55
13	10	9	21	4	34	37	31	3.631	126	55	50.383	-55
14	10	9	21	4	35	37	31	3.631	126	55	50.383	-55
15	10	9	21	4	36	37	31	3.631	126	55	50.383	-55
16	10	9	21	4	37	37	31	3.631	126	55	50.383	-55
17	10	9	21	4	38	37	31	3.631	126	55	50.383	-54
18	10	9	21	4	39	37	31	3.631	126	55	50.383	-54
19	10	9	21	4	40	37	31	3.631	126	55	50.383	-54
20	10	9	21	4	41	37	31	3.631	126	55	50.383	-54
21	10	9	21	4	42	37	31	3.631	126	55	50.383	-54
22	10	9	21	4	43	37	31	3.631	126	55	50.383	-54
23	10	9	21	4	44	37	31	3.631	126	55	50.383	-56
24	10	9	21	4	45	37	31	3.631	126	55	50.383	-56
25	10	9	21	4	46	37	31	3.631	126	55	50.383	-56
26	10	9	21	4	48	37	31	3.631	126	55	50.383	-54
27	10	9	21	4	49	37	31	3.631	126	55	50.383	-54
28	10	9	21	4	50	37	31	3.631	126	55	50.383	-54
29	10	9	21	4	51	37	31	3.631	126	55	50.383	-54
30	10	9	21	4	52	37	31	3.631	126	55	50.383	-54
31	10	9	21	4	53	37	31	3.631	126	55	50.383	-54
32	10	9	21	4	54	37	31	3.631	126	55	50.383	-53
33	10	9	21	4	55	37	31	3.631	126	55	50.383	-53
34	10	9	21	4	56	37	31	3.631	126	55	50.383	-53
35	10	9	21	4	57	37	31	3.631	126	55	50.383	-55
36	10	9	21	4	58	37	31	3.631	126	55	50.383	-55
37	10	9	21	4	59	37	31	3.631	126	55	50.383	-55
38	10	9	21	5	0	37	31	3.631	126	55	50.383	-56
39	10	9	21	5	1	37	31	3.631	126	55	50.383	-56
40	10	9	21	5	2	37	31	3.631	126	55	50.383	-56
41	10	9	21	5	3	37	31	3.631	126	55	50.383	-54
42	10	9	21	5	4	37	31	3.631	126	55	50.383	-54
43	10	9	21	5	5	37	31	3.631	126	55	50.383	-54
평균 전계 강도												-54.74




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(-30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	5	24	37	31	3.631	126	55	50.383	-61
2	10	9	21	5	25	37	31	3.631	126	55	50.383	-61
3	10	9	21	5	26	37	31	3.631	126	55	50.383	-61
4	10	9	21	5	27	37	31	3.631	126	55	50.383	-61
5	10	9	21	5	28	37	31	3.631	126	55	50.383	-61
6	10	9	21	5	29	37	31	3.631	126	55	50.383	-61
7	10	9	21	5	30	37	31	3.631	126	55	50.383	-57
8	10	9	21	5	31	37	31	3.631	126	55	50.383	-57
9	10	9	21	5	32	37	31	3.631	126	55	50.383	-57
10	10	9	21	5	33	37	31	2.299	126	55	50.995	-59
11	10	9	21	5	34	37	31	2.335	126	55	50.923	-59
12	10	9	21	5	35	37	31	2.371	126	55	50.923	-59
13	10	9	21	5	36	37	31	2.371	126	55	50.923	-59
14	10	9	21	5	37	37	31	2.335	126	55	50.923	-59
15	10	9	21	5	38	37	31	2.299	126	55	50.923	-59
16	10	9	21	5	39	37	31	2.299	126	55	50.923	-60
17	10	9	21	5	40	37	31	2.299	126	55	50.923	-60
18	10	9	21	5	41	37	31	2.299	126	55	50.923	-60
19	10	9	21	5	42	37	31	2.299	126	55	50.923	-62
20	10	9	21	5	43	37	31	2.299	126	55	50.923	-62
21	10	9	21	5	44	37	31	2.299	126	55	50.923	-62
22	10	9	21	5	45	37	31	2.299	126	55	50.923	-60
23	10	9	21	5	46	37	31	2.299	126	55	50.923	-60
24	10	9	21	5	47	37	31	2.299	126	55	50.923	-60
25	10	9	21	5	48	37	31	2.299	126	55	50.923	-60
26	10	9	21	5	49	37	31	2.299	126	55	50.923	-60
27	10	9	21	5	50	37	31	2.335	126	55	50.923	-60
28	10	9	21	5	51	37	31	2.335	126	55	50.923	-62
29	10	9	21	5	52	37	31	2.335	126	55	50.923	-62
30	10	9	21	5	53	37	31	2.335	126	55	50.923	-62
31	10	9	21	5	54	37	31	2.335	126	55	50.923	-57
32	10	9	21	5	55	37	31	2.335	126	55	50.923	-57
33	10	9	21	5	56	37	31	2.335	126	55	50.923	-57
34	10	9	21	5	57	37	31	2.335	126	55	50.923	-58
35	10	9	21	5	58	37	31	2.335	126	55	50.923	-58
36	10	9	21	5	59	37	31	2.335	126	55	50.923	-58
37	10	9	21	6	0	37	31	2.335	126	55	50.923	-57
38	10	9	21	6	1	37	31	2.335	126	55	50.923	-57
평균 전계 강도												-59.53




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(-30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	6	20	37	31	2.335	126	55	50.923	-61
2	10	9	21	6	21	37	31	2.335	126	55	50.923	-69
3	10	9	21	6	22	37	31	2.335	126	55	50.923	-69
4	10	9	21	6	23	37	31	2.335	126	55	50.923	-69
5	10	9	21	6	24	37	31	2.335	126	55	50.923	-68
6	10	9	21	6	25	37	31	2.335	126	55	50.923	-68
7	10	9	21	6	26	37	31	2.335	126	55	50.923	-68
8	10	9	21	6	27	37	31	2.335	126	55	50.923	-67
9	10	9	21	6	28	37	31	2.335	126	55	50.923	-67
10	10	9	21	6	29	37	31	2.335	126	55	50.923	-67
11	10	9	21	6	30	37	31	2.335	126	55	50.923	-66
12	10	9	21	6	31	37	31	2.335	126	55	50.923	-66
13	10	9	21	6	32	37	31	2.335	126	55	50.923	-66
14	10	9	21	6	33	37	31	2.335	126	55	50.923	-64
15	10	9	21	6	34	37	31	2.335	126	55	50.923	-64
16	10	9	21	6	35	37	31	2.335	126	55	50.923	-64
17	10	9	21	6	36	37	31	2.335	126	55	50.923	-71
18	10	9	21	6	37	37	31	2.335	126	55	50.923	-71
19	10	9	21	6	38	37	31	2.335	126	55	50.923	-71
20	10	9	21	6	39	37	31	2.335	126	55	50.923	-67
21	10	9	21	6	40	37	31	2.335	126	55	50.923	-67
22	10	9	21	6	41	37	31	2.335	126	55	50.923	-67
23	10	9	21	6	42	37	31	2.335	126	55	50.923	-69
24	10	9	21	6	43	37	31	2.335	126	55	50.923	-69
25	10	9	21	6	44	37	31	2.335	126	55	50.923	-69
26	10	9	21	6	45	37	31	2.335	126	55	50.923	-67
27	10	9	21	6	46	37	31	2.335	126	55	50.923	-67
28	10	9	21	6	47	37	31	2.335	126	55	50.923	-67
29	10	9	21	6	48	37	31	2.335	126	55	50.923	-64
30	10	9	21	6	49	37	31	2.335	126	55	50.923	-64
31	10	9	21	6	50	37	31	2.335	126	55	50.923	-64
32	10	9	21	6	51	37	31	2.335	126	55	50.923	-65
33	10	9	21	6	52	37	31	2.335	126	55	50.923	-65
34	10	9	21	6	53	37	31	2.335	126	55	50.923	-65
35	10	9	21	6	54	37	31	2.335	126	55	50.923	-68
36	10	9	21	6	55	37	31	2.335	126	55	50.923	-68
37	10	9	21	6	56	37	31	2.335	126	55	50.923	-68
평균 전계 강도												-66.92




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(-30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	7	5	37	31	2.335	126	55	50.923	-67
2	10	9	21	7	6	37	31	2.335	126	55	50.923	-68
3	10	9	21	7	7	37	31	2.335	126	55	50.923	-68
4	10	9	21	7	8	37	31	2.335	126	55	50.923	-68
5	10	9	21	7	9	37	31	2.335	126	55	50.887	-70
6	10	9	21	7	10	37	31	2.335	126	55	50.887	-70
7	10	9	21	7	11	37	31	2.335	126	55	50.887	-70
8	10	9	21	7	12	37	31	2.335	126	55	50.887	-70
9	10	9	21	7	13	37	31	2.335	126	55	50.887	-70
10	10	9	21	7	14	37	31	2.335	126	55	50.887	-70
11	10	9	21	7	15	37	31	2.335	126	55	50.887	-64
12	10	9	21	7	16	37	31	2.335	126	55	50.887	-64
13	10	9	21	7	17	37	31	2.335	126	55	50.887	-64
14	10	9	21	7	18	37	31	2.335	126	55	50.887	-67
15	10	9	21	7	19	37	31	2.335	126	55	50.887	-67
16	10	9	21	7	20	37	31	2.335	126	55	50.887	-67
17	10	9	21	7	21	37	31	2.335	126	55	50.887	-65
18	10	9	21	7	22	37	31	2.335	126	55	50.887	-65
19	10	9	21	7	23	37	31	2.335	126	55	50.887	-65
20	10	9	21	7	24	37	31	2.335	126	55	50.887	-65
21	10	9	21	7	25	37	31	2.335	126	55	50.887	-65
22	10	9	21	7	26	37	31	2.335	126	55	50.887	-65
23	10	9	21	7	27	37	31	2.335	126	55	50.887	-66
24	10	9	21	7	28	37	31	2.335	126	55	50.887	-66
25	10	9	21	7	29	37	31	2.335	126	55	50.887	-66
26	10	9	21	7	30	37	31	2.335	126	55	50.887	-67
27	10	9	21	7	31	37	31	2.335	126	55	50.887	-67
28	10	9	21	7	32	37	31	2.335	126	55	50.887	-67
29	10	9	21	7	33	37	31	2.335	126	55	50.887	-67
30	10	9	21	7	34	37	31	2.335	126	55	50.887	-67
31	10	9	21	7	35	37	31	2.335	126	55	50.887	-67
32	10	9	21	7	36	37	31	2.335	126	55	50.887	-66
33	10	9	21	7	37	37	31	2.335	126	55	50.887	-66
34	10	9	21	7	38	37	31	2.335	126	55	50.887	-66
35	10	9	21	7	39	37	31	2.335	126	55	50.887	-70
36	10	9	21	7	40	37	31	2.335	126	55	50.887	-70
평균 전계 강도												-67.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(-30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	7	57	37	31	2.335	126	55	50.887	-66
2	10	9	21	7	58	37	31	2.335	126	55	50.887	-66
3	10	9	21	7	59	37	31	2.335	126	55	50.887	-66
4	10	9	21	8	0	37	31	2.335	126	55	50.887	-66
5	10	9	21	8	1	37	31	2.335	126	55	50.887	-66
6	10	9	21	8	2	37	31	2.335	126	55	50.851	-66
7	10	9	21	8	3	37	31	2.335	126	55	50.851	-65
8	10	9	21	8	4	37	31	2.335	126	55	50.851	-65
9	10	9	21	8	5	37	31	2.335	126	55	50.851	-65
10	10	9	21	8	6	37	31	2.335	126	55	50.851	-67
11	10	9	21	8	7	37	31	2.335	126	55	50.851	-67
12	10	9	21	8	8	37	31	2.371	126	55	50.851	-67
13	10	9	21	8	9	37	31	2.371	126	55	50.851	-67
14	10	9	21	8	10	37	31	2.371	126	55	50.851	-67
15	10	9	21	8	11	37	31	2.371	126	55	50.851	-67
16	10	9	21	8	12	37	31	2.371	126	55	50.851	-69
17	10	9	21	8	13	37	31	2.371	126	55	50.851	-69
18	10	9	21	8	14	37	31	2.371	126	55	50.851	-69
19	10	9	21	8	15	37	31	2.371	126	55	50.851	-69
20	10	9	21	8	16	37	31	2.371	126	55	50.851	-69
21	10	9	21	8	17	37	31	2.371	126	55	50.851	-69
22	10	9	21	8	18	37	31	2.371	126	55	50.851	-67
23	10	9	21	8	19	37	31	2.371	126	55	50.851	-67
24	10	9	21	8	20	37	31	2.371	126	55	50.851	-67
25	10	9	21	8	21	37	31	2.371	126	55	50.851	-68
26	10	9	21	8	22	37	31	2.371	126	55	50.851	-68
27	10	9	21	8	23	37	31	2.371	126	55	50.851	-68
28	10	9	21	8	24	37	31	2.371	126	55	50.851	-69
29	10	9	21	8	25	37	31	2.371	126	55	50.851	-69
30	10	9	21	8	26	37	31	2.371	126	55	50.851	-69
31	10	9	21	8	27	37	31	2.371	126	55	50.851	-70
32	10	9	21	8	28	37	31	2.371	126	55	50.851	-70
33	10	9	21	8	29	37	31	2.371	126	55	50.851	-70
34	10	9	21	8	30	37	31	2.371	126	55	50.851	-65
35	10	9	21	8	31	37	31	2.371	126	55	50.851	-65
36	10	9	21	8	32	37	31	2.371	126	55	50.851	-65
37	10	9	21	8	33	37	31	2.371	126	55	50.851	-67
38	10	9	21	8	34	37	31	2.371	126	55	50.851	-67
39	10	9	21	8	35	37	31	2.371	126	55	50.851	-67
40	10	9	21	8	36	37	31	2.371	126	55	50.851	-69
41	10	9	21	8	37	37	31	2.371	126	55	50.851	-69
42	10	9	21	8	38	37	31	2.371	126	55	50.851	-69
평균 전계 강도												-67.43




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(-30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	8	52	37	31	2.371	126	55	50.851	-63
2	10	9	21	8	53	37	31	2.371	126	55	50.851	-63
3	10	9	21	8	54	37	31	2.371	126	55	50.851	-60
4	10	9	21	8	55	37	31	2.371	126	55	50.851	-60
5	10	9	21	8	56	37	31	2.371	126	55	50.851	-60
6	10	9	21	8	57	37	31	2.371	126	55	50.851	-66
7	10	9	21	8	58	37	31	2.371	126	55	50.851	-66
8	10	9	21	8	59	37	31	2.371	126	55	50.851	-66
9	10	9	21	9	0	37	31	2.371	126	55	50.851	-63
10	10	9	21	9	1	37	31	2.371	126	55	50.851	-63
11	10	9	21	9	2	37	31	2.407	126	55	50.815	-63
12	10	9	21	9	3	37	31	2.407	126	55	50.815	-60
13	10	9	21	9	4	37	31	2.407	126	55	50.815	-60
14	10	9	21	9	5	37	31	2.407	126	55	50.815	-60
15	10	9	21	9	6	37	31	2.407	126	55	50.815	-62
16	10	9	21	9	7	37	31	2.407	126	55	50.815	-62
17	10	9	21	9	8	37	31	2.407	126	55	50.815	-62
18	10	9	21	9	9	37	31	2.407	126	55	50.815	-59
19	10	9	21	9	10	37	31	2.407	126	55	50.815	-59
20	10	9	21	9	11	37	31	2.407	126	55	50.815	-59
21	10	9	21	9	12	37	31	2.407	126	55	50.815	-63
22	10	9	21	9	13	37	31	2.407	126	55	50.815	-63
23	10	9	21	9	14	37	31	2.407	126	55	50.815	-63
24	10	9	21	9	15	37	31	2.407	126	55	50.815	-59
25	10	9	21	9	16	37	31	2.407	126	55	50.815	-59
26	10	9	21	9	17	37	31	2.407	126	55	50.815	-59
27	10	9	21	9	18	37	31	2.407	126	55	50.815	-61
28	10	9	21	9	19	37	31	2.407	126	55	50.815	-61
29	10	9	21	9	20	37	31	2.407	126	55	50.815	-61
30	10	9	21	9	21	37	31	2.407	126	55	50.815	-60
31	10	9	21	9	22	37	31	2.407	126	55	50.815	-60
32	10	9	21	9	23	37	31	2.407	126	55	50.815	-60
33	10	9	21	9	24	37	31	2.407	126	55	50.815	-59
34	10	9	21	9	25	37	31	2.407	126	55	50.815	-59
35	10	9	21	9	26	37	31	2.407	126	55	50.815	-59
36	10	9	21	9	27	37	31	2.407	126	55	50.815	-58
37	10	9	21	9	28	37	31	2.407	126	55	50.815	-58
38	10	9	21	9	29	37	31	2.407	126	55	50.815	-58
평균 전계 강도												-60.95




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(-30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	9	44	37	31	2.443	126	55	50.779	-57
2	10	9	21	9	45	37	31	2.443	126	55	50.779	-56
3	10	9	21	9	46	37	31	2.443	126	55	50.779	-56
4	10	9	21	9	47	37	31	2.443	126	55	50.779	-56
5	10	9	21	9	48	37	31	2.443	126	55	50.779	-58
6	10	9	21	9	49	37	31	2.443	126	55	50.779	-58
7	10	9	21	9	50	37	31	2.443	126	55	50.779	-58
8	10	9	21	9	51	37	31	2.443	126	55	50.779	-58
9	10	9	21	9	52	37	31	2.443	126	55	50.779	-58
10	10	9	21	9	53	37	31	2.443	126	55	50.779	-58
11	10	9	21	9	54	37	31	2.443	126	55	50.779	-57
12	10	9	21	9	55	37	31	2.443	126	55	50.779	-57
13	10	9	21	9	56	37	31	2.443	126	55	50.779	-57
14	10	9	21	9	57	37	31	2.443	126	55	50.779	-57
15	10	9	21	9	58	37	31	2.443	126	55	50.779	-57
16	10	9	21	9	59	37	31	2.479	126	55	50.779	-57
17	10	9	21	10	0	37	31	2.479	126	55	50.743	-56
18	10	9	21	10	1	37	31	2.479	126	55	50.743	-56
19	10	9	21	10	2	37	31	2.479	126	55	50.743	-56
20	10	9	21	10	3	37	31	2.479	126	55	50.743	-57
21	10	9	21	10	4	37	31	2.479	126	55	50.743	-57
22	10	9	21	10	5	37	31	2.479	126	55	50.743	-57
23	10	9	21	10	6	37	31	2.479	126	55	50.743	-56
24	10	9	21	10	7	37	31	2.479	126	55	50.743	-56
25	10	9	21	10	8	37	31	2.479	126	55	50.743	-56
26	10	9	21	10	9	37	31	2.479	126	55	50.743	-56
27	10	9	21	10	10	37	31	2.479	126	55	50.743	-56
28	10	9	21	10	11	37	31	2.479	126	55	50.743	-56
29	10	9	21	10	12	37	31	2.479	126	55	50.743	-56
30	10	9	21	10	13	37	31	2.479	126	55	50.743	-56
평균 전계 강도												-56.73




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(-30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	10	28	37	31	2.479	126	55	50.743	-69
2	10	9	21	10	29	37	31	2.479	126	55	50.743	-69
3	10	9	21	10	30	37	31	2.479	126	55	50.743	-69
4	10	9	21	10	31	37	31	2.479	126	55	50.743	-69
5	10	9	21	10	32	37	31	2.479	126	55	50.743	-69
6	10	9	21	10	33	37	31	2.479	126	55	50.743	-65
7	10	9	21	10	34	37	31	2.479	126	55	50.743	-65
8	10	9	21	10	35	37	31	2.479	126	55	50.743	-65
9	10	9	21	10	36	37	31	2.479	126	55	50.743	-66
10	10	9	21	10	37	37	31	2.479	126	55	50.743	-66
11	10	9	21	10	38	37	31	2.479	126	55	50.743	-66
12	10	9	21	10	39	37	31	2.479	126	55	50.743	-69
13	10	9	21	10	40	37	31	2.479	126	55	50.743	-69
14	10	9	21	10	41	37	31	2.479	126	55	50.743	-69
15	10	9	21	10	42	37	31	2.479	126	55	50.743	-61
16	10	9	21	10	43	37	31	2.479	126	55	50.743	-61
17	10	9	21	10	44	37	31	2.479	126	55	50.743	-61
18	10	9	21	10	45	37	31	2.479	126	55	50.743	-76
19	10	9	21	10	46	37	31	2.479	126	55	50.743	-76
20	10	9	21	10	47	37	31	2.479	126	55	50.743	-76
21	10	9	21	10	48	37	31	2.479	126	55	50.743	-71
22	10	9	21	10	49	37	31	2.479	126	55	50.743	-71
23	10	9	21	10	50	37	31	2.479	126	55	50.743	-71
24	10	9	21	10	51	37	31	2.479	126	55	50.707	-69
25	10	9	21	10	52	37	31	2.479	126	55	50.707	-69
26	10	9	21	10	53	37	31	2.479	126	55	50.707	-69
27	10	9	21	10	54	37	31	2.479	126	55	50.707	-68
28	10	9	21	10	55	37	31	2.479	126	55	50.707	-68
29	10	9	21	10	56	37	31	2.479	126	55	50.707	-68
30	10	9	21	10	57	37	31	2.479	126	55	50.707	-70
31	10	9	21	10	58	37	31	2.479	126	55	50.707	-70
32	10	9	21	10	59	37	31	2.479	126	55	50.707	-70
33	10	9	21	11	0	37	31	2.479	126	55	50.707	-73
34	10	9	21	11	1	37	31	2.479	126	55	50.707	-73
35	10	9	21	11	2	37	31	2.479	126	55	50.707	-73
36	10	9	21	11	3	37	31	2.479	126	55	50.707	-71
37	10	9	21	11	4	37	31	2.479	126	55	50.707	-71
38	10	9	21	11	5	37	31	2.479	126	55	50.707	-71
39	10	9	21	11	6	37	31	2.479	126	55	50.707	-68
40	10	9	21	11	7	37	31	2.479	126	55	50.707	-68
41	10	9	21	11	8	37	31	2.515	126	55	50.707	-68
42	10	9	21	11	9	37	31	2.515	126	55	50.707	-69
43	10	9	21	11	10	37	31	2.515	126	55	50.707	-69
44	10	9	21	11	11	37	31	2.515	126	55	50.707	-69
45	10	9	21	11	12	37	31	2.515	126	55	50.707	-70
46	10	9	21	11	13	37	31	2.515	126	55	50.707	-70
47	10	9	21	11	14	37	31	2.515	126	55	50.707	-70
48	10	9	21	11	15	37	31	2.515	126	55	50.707	-74
49	10	9	21	11	16	37	31	2.515	126	55	50.707	-74
50	10	9	21	11	17	37	31	2.515	126	55	50.707	-74
평균 전계 강도												-69.30




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(+30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	11	39	37	31	2.515	126	55	50.707	-55
2	10	9	21	11	40	37	31	2.515	126	55	50.671	-55
3	10	9	21	11	41	37	31	2.515	126	55	50.671	-55
4	10	9	21	11	42	37	31	2.515	126	55	50.671	-54
5	10	9	21	11	43	37	31	2.515	126	55	50.671	-54
6	10	9	21	11	44	37	31	2.515	126	55	50.671	-54
7	10	9	21	11	45	37	31	2.515	126	55	50.671	-55
8	10	9	21	11	46	37	31	2.515	126	55	50.671	-55
9	10	9	21	11	47	37	31	2.515	126	55	50.671	-55
10	10	9	21	11	48	37	31	2.515	126	55	50.671	-56
11	10	9	21	11	49	37	31	2.515	126	55	50.671	-56
12	10	9	21	11	50	37	31	2.515	126	55	50.671	-56
13	10	9	21	11	51	37	31	2.515	126	55	50.671	-55
14	10	9	21	11	52	37	31	2.515	126	55	50.671	-55
15	10	9	21	11	53	37	31	2.515	126	55	50.671	-55
16	10	9	21	11	54	37	31	2.515	126	55	50.671	-55
17	10	9	21	11	55	37	31	2.515	126	55	50.671	-55
18	10	9	21	11	56	37	31	2.515	126	55	50.671	-55
19	10	9	21	11	57	37	31	2.515	126	55	50.671	-56
20	10	9	21	11	58	37	31	2.515	126	55	50.671	-56
21	10	9	21	11	59	37	31	2.515	126	55	50.671	-56
22	10	9	21	12	0	37	31	2.515	126	55	50.671	-54
23	10	9	21	12	1	37	31	2.515	126	55	50.671	-54
24	10	9	21	12	2	37	31	2.515	126	55	50.671	-54
25	10	9	21	12	3	37	31	2.515	126	55	50.671	-54
26	10	9	21	12	4	37	31	2.515	126	55	50.671	-54
27	10	9	21	12	5	37	31	2.515	126	55	50.671	-54
28	10	9	21	12	6	37	31	2.515	126	55	50.671	-56
29	10	9	21	12	7	37	31	2.515	126	55	50.671	-56
30	10	9	21	12	8	37	31	2.515	126	55	50.671	-56
31	10	9	21	12	9	37	31	2.515	126	55	50.671	-53
32	10	9	21	12	10	37	31	2.515	126	55	50.671	-53
33	10	9	21	12	11	37	31	2.515	126	55	50.671	-53
34	10	9	21	12	12	37	31	2.515	126	55	50.671	-55
35	10	9	21	12	13	37	31	2.515	126	55	50.671	-55
36	10	9	21	12	14	37	31	2.515	126	55	50.671	-55
37	10	9	21	12	15	37	31	2.515	126	55	50.671	-57
38	10	9	21	12	16	37	31	2.515	126	55	50.671	-57
39	10	9	21	12	17	37	31	2.515	126	55	50.671	-57
평균 전계 강도												-55.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(+30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	12	33	37	31	2.515	126	55	50.671	-64
2	10	9	21	12	34	37	31	2.515	126	55	50.671	-64
3	10	9	21	12	35	37	31	2.515	126	55	50.671	-64
4	10	9	21	12	36	37	31	2.515	126	55	50.671	-60
5	10	9	21	12	37	37	31	2.515	126	55	50.671	-60
6	10	9	21	12	38	37	31	2.515	126	55	50.671	-60
7	10	9	21	12	39	37	31	2.515	126	55	50.671	-60
8	10	9	21	12	40	37	31	2.515	126	55	50.671	-60
9	10	9	21	12	41	37	31	2.515	126	55	50.671	-60
10	10	9	21	12	42	37	31	2.551	126	55	50.671	-57
11	10	9	21	12	43	37	31	2.551	126	55	50.671	-57
12	10	9	21	12	44	37	31	2.551	126	55	50.671	-57
13	10	9	21	12	45	37	31	2.551	126	55	50.671	-59
14	10	9	21	12	46	37	31	2.551	126	55	50.671	-59
15	10	9	21	12	47	37	31	2.551	126	55	50.671	-59
16	10	9	21	12	48	37	31	2.551	126	55	50.671	-62
17	10	9	21	12	49	37	31	2.551	126	55	50.671	-62
18	10	9	21	12	50	37	31	2.551	126	55	50.671	-62
19	10	9	21	12	51	37	31	2.551	126	55	50.671	-60
20	10	9	21	12	52	37	31	2.551	126	55	50.671	-60
21	10	9	21	12	53	37	31	2.551	126	55	50.671	-60
22	10	9	21	12	54	37	31	2.551	126	55	50.671	-60
23	10	9	21	12	55	37	31	2.551	126	55	50.671	-60
24	10	9	21	12	56	37	31	2.551	126	55	50.671	-60
25	10	9	21	12	57	37	31	2.551	126	55	50.671	-60
26	10	9	21	12	58	37	31	2.551	126	55	50.671	-60
27	10	9	21	12	59	37	31	2.551	126	55	50.671	-60
28	10	9	21	13	0	37	31	2.551	126	55	50.671	-59
29	10	9	21	13	1	37	31	2.551	126	55	50.635	-59
30	10	9	21	13	2	37	31	2.551	126	55	50.635	-59
31	10	9	21	13	3	37	31	2.551	126	55	50.635	-59
32	10	9	21	13	4	37	31	2.551	126	55	50.635	-59
33	10	9	21	13	5	37	31	2.551	126	55	50.635	-59
34	10	9	21	13	6	37	31	2.551	126	55	50.635	-57
35	10	9	21	13	7	37	31	2.551	126	55	50.635	-57
36	10	9	21	13	8	37	31	2.551	126	55	50.635	-57
37	10	9	21	13	9	37	31	2.551	126	55	50.635	-59
38	10	9	21	13	10	37	31	2.551	126	55	50.635	-59
39	10	9	21	13	11	37	31	2.551	126	55	50.635	-59
40	10	9	21	13	12	37	31	2.551	126	55	50.635	-58
41	10	9	21	13	13	37	31	2.551	126	55	50.635	-58
42	10	9	21	13	14	37	31	2.551	126	55	50.635	-58
43	10	9	21	13	15	37	31	2.551	126	55	50.635	-58
44	10	9	21	13	16	37	31	2.551	126	55	50.635	-58
45	10	9	21	13	17	37	31	2.551	126	55	50.635	-58
46	10	9	21	13	18	37	31	2.551	126	55	50.635	-56
47	10	9	21	13	19	37	31	2.551	126	55	50.635	-56
평균 전계 강도												-59.32




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(+30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	13	34	37	31	2.551	126	55	50.635	-69
2	10	9	21	13	35	37	31	2.551	126	55	50.635	-69
3	10	9	21	13	36	37	31	2.551	126	55	50.635	-67
4	10	9	21	13	37	37	31	2.551	126	55	50.635	-67
5	10	9	21	13	38	37	31	2.587	126	55	50.635	-67
6	10	9	21	13	39	37	31	2.587	126	55	50.635	-71
7	10	9	21	13	40	37	31	2.587	126	55	50.635	-71
8	10	9	21	13	41	37	31	2.587	126	55	50.635	-71
9	10	9	21	13	42	37	31	2.587	126	55	50.635	-76
10	10	9	21	13	43	37	31	2.587	126	55	50.635	-76
11	10	9	21	13	44	37	31	2.587	126	55	50.635	-76
12	10	9	21	13	45	37	31	2.587	126	55	50.635	-68
13	10	9	21	13	46	37	31	2.587	126	55	50.635	-68
14	10	9	21	13	47	37	31	2.587	126	55	50.635	-68
15	10	9	21	13	48	37	31	2.587	126	55	50.635	-71
16	10	9	21	13	49	37	31	2.587	126	55	50.635	-71
17	10	9	21	13	50	37	31	2.587	126	55	50.635	-71
18	10	9	21	13	51	37	31	2.587	126	55	50.635	-70
19	10	9	21	13	52	37	31	2.587	126	55	50.635	-70
20	10	9	21	13	53	37	31	2.587	126	55	50.635	-70
21	10	9	21	13	54	37	31	2.587	126	55	50.635	-67
22	10	9	21	13	55	37	31	2.587	126	55	50.635	-67
23	10	9	21	13	56	37	31	2.587	126	55	50.635	-67
24	10	9	21	13	57	37	31	2.587	126	55	50.635	-72
25	10	9	21	13	58	37	31	2.587	126	55	50.635	-72
26	10	9	21	13	59	37	31	2.587	126	55	50.635	-72
27	10	9	21	14	0	37	31	2.587	126	55	50.635	-69
28	10	9	21	14	1	37	31	2.587	126	55	50.635	-69
29	10	9	21	14	2	37	31	2.587	126	55	50.635	-69
30	10	9	21	14	3	37	31	2.587	126	55	50.635	-70
31	10	9	21	14	4	37	31	2.587	126	55	50.635	-70
32	10	9	21	14	5	37	31	2.587	126	55	50.635	-70
33	10	9	21	14	6	37	31	2.587	126	55	50.635	-67
34	10	9	21	14	7	37	31	2.587	126	55	50.635	-67
35	10	9	21	14	8	37	31	2.587	126	55	50.635	-67
36	10	9	21	14	9	37	31	2.587	126	55	50.635	-67
37	10	9	21	14	10	37	31	2.587	126	55	50.635	-67
38	10	9	21	14	11	37	31	2.587	126	55	50.635	-67
39	10	9	21	14	12	37	31	2.587	126	55	50.635	-67
평균 전계 강도												-69.49




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(+30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	14	25	37	31	2.587	126	55	50.635	-68
2	10	9	21	14	26	37	31	2.587	126	55	50.635	-68
3	10	9	21	14	27	37	31	2.587	126	55	50.635	-68
4	10	9	21	14	28	37	31	2.587	126	55	50.635	-68
5	10	9	21	14	29	37	31	2.587	126	55	50.635	-68
6	10	9	21	14	30	37	31	2.587	126	55	50.599	-67
7	10	9	21	14	31	37	31	2.587	126	55	50.599	-67
8	10	9	21	14	32	37	31	2.587	126	55	50.599	-67
9	10	9	21	14	33	37	31	2.587	126	55	50.599	-66
10	10	9	21	14	34	37	31	2.587	126	55	50.599	-66
11	10	9	21	14	35	37	31	2.587	126	55	50.599	-66
12	10	9	21	14	36	37	31	2.587	126	55	50.599	-67
13	10	9	21	14	37	37	31	2.587	126	55	50.599	-67
14	10	9	21	14	38	37	31	2.587	126	55	50.599	-67
15	10	9	21	14	39	37	31	2.587	126	55	50.599	-70
16	10	9	21	14	40	37	31	2.587	126	55	50.599	-70
17	10	9	21	14	41	37	31	2.587	126	55	50.599	-70
18	10	9	21	14	42	37	31	2.587	126	55	50.599	-68
19	10	9	21	14	43	37	31	2.587	126	55	50.599	-68
20	10	9	21	14	44	37	31	2.587	126	55	50.599	-68
21	10	9	21	14	45	37	31	2.587	126	55	50.599	-69
22	10	9	21	14	46	37	31	2.587	126	55	50.599	-69
23	10	9	21	14	47	37	31	2.587	126	55	50.599	-69
24	10	9	21	14	48	37	31	2.587	126	55	50.599	-68
25	10	9	21	14	49	37	31	2.587	126	55	50.599	-68
26	10	9	21	14	50	37	31	2.587	126	55	50.599	-68
27	10	9	21	14	51	37	31	2.587	126	55	50.599	-67
28	10	9	21	14	52	37	31	2.587	126	55	50.599	-67
29	10	9	21	14	53	37	31	2.587	126	55	50.599	-67
30	10	9	21	14	54	37	31	2.587	126	55	50.599	-68
31	10	9	21	14	55	37	31	2.587	126	55	50.599	-68
32	10	9	21	14	56	37	31	2.587	126	55	50.599	-68
33	10	9	21	14	57	37	31	2.587	126	55	50.599	-68
34	10	9	21	14	58	37	31	2.587	126	55	50.599	-68
35	10	9	21	14	59	37	31	2.587	126	55	50.599	-68
36	10	9	21	15	0	37	31	2.587	126	55	50.599	-68
37	10	9	21	15	1	37	31	2.587	126	55	50.599	-68
38	10	9	21	15	2	37	31	2.587	126	55	50.599	-68
평균 전계 강도												-67.84




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(+30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	15	13	37	31	2.623	126	55	50.599	-67
2	10	9	21	15	14	37	31	2.623	126	55	50.599	-67
3	10	9	21	15	15	37	31	2.623	126	55	50.599	-68
4	10	9	21	15	16	37	31	2.623	126	55	50.599	-68
5	10	9	21	15	17	37	31	2.623	126	55	50.599	-68
6	10	9	21	15	18	37	31	2.623	126	55	50.599	-72
7	10	9	21	15	19	37	31	2.623	126	55	50.599	-72
8	10	9	21	15	20	37	31	2.623	126	55	50.599	-72
9	10	9	21	15	21	37	31	2.623	126	55	50.599	-69
10	10	9	21	15	22	37	31	2.623	126	55	50.599	-69
11	10	9	21	15	23	37	31	2.623	126	55	50.599	-69
12	10	9	21	15	24	37	31	2.623	126	55	50.599	-73
13	10	9	21	15	25	37	31	2.623	126	55	50.599	-73
14	10	9	21	15	26	37	31	2.623	126	55	50.599	-73
15	10	9	21	15	27	37	31	2.623	126	55	50.599	-81
16	10	9	21	15	28	37	31	2.623	126	55	50.599	-81
17	10	9	21	15	29	37	31	2.623	126	55	50.599	-81
18	10	9	21	15	30	37	31	2.623	126	55	50.599	-66
19	10	9	21	15	31	37	31	2.623	126	55	50.599	-66
20	10	9	21	15	32	37	31	2.623	126	55	50.599	-66
21	10	9	21	15	33	37	31	2.623	126	55	50.599	-72
22	10	9	21	15	34	37	31	2.623	126	55	50.599	-72
23	10	9	21	15	35	37	31	2.623	126	55	50.599	-72
24	10	9	21	15	36	37	31	2.623	126	55	50.599	-75
25	10	9	21	15	37	37	31	2.623	126	55	50.599	-75
26	10	9	21	15	38	37	31	2.623	126	55	50.599	-75
27	10	9	21	15	39	37	31	2.623	126	55	50.599	-72
28	10	9	21	15	40	37	31	2.623	126	55	50.599	-72
29	10	9	21	15	41	37	31	2.623	126	55	50.599	-72
30	10	9	21	15	42	37	31	2.623	126	55	50.599	-78
31	10	9	21	15	43	37	31	2.623	126	55	50.599	-78
32	10	9	21	15	44	37	31	2.623	126	55	50.599	-78
33	10	9	21	15	45	37	31	2.623	126	55	50.599	-77
34	10	9	21	15	46	37	31	2.623	126	55	50.599	-77
35	10	9	21	15	47	37	31	2.623	126	55	50.599	-77
36	10	9	21	15	48	37	31	2.623	126	55	50.599	-89
37	10	9	21	15	49	37	31	2.623	126	55	50.599	-89
38	10	9	21	15	50	37	31	2.623	126	55	50.599	-89
39	10	9	21	15	51	37	31	2.623	126	55	50.599	-75




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(+30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	16	19	37	31	2.623	126	55	50.599	-60
2	10	9	21	16	20	37	31	2.623	126	55	50.599	-60
3	10	9	21	16	21	37	31	2.623	126	55	50.563	-64
4	10	9	21	16	23	37	31	2.623	126	55	50.563	-64
5	10	9	21	16	24	37	31	2.623	126	55	50.563	-64
6	10	9	21	16	25	37	31	2.623	126	55	50.563	-63
7	10	9	21	16	26	37	31	2.623	126	55	50.563	-63
8	10	9	21	16	27	37	31	2.623	126	55	50.563	-63
9	10	9	21	16	28	37	31	2.659	126	55	50.563	-63
10	10	9	21	16	29	37	31	2.659	126	55	50.563	-63
11	10	9	21	16	30	37	31	2.659	126	55	50.563	-64
12	10	9	21	16	31	37	31	2.659	126	55	50.563	-64
13	10	9	21	16	32	37	31	2.659	126	55	50.563	-64
14	10	9	21	16	33	37	31	2.659	126	55	50.563	-64
15	10	9	21	16	34	37	31	2.659	126	55	50.563	-61
16	10	9	21	16	35	37	31	2.659	126	55	50.563	-61
17	10	9	21	16	36	37	31	2.659	126	55	50.563	-61
18	10	9	21	16	37	37	31	2.659	126	55	50.563	-65
19	10	9	21	16	38	37	31	2.659	126	55	50.563	-65
20	10	9	21	16	39	37	31	2.659	126	55	50.563	-65
21	10	9	21	16	40	37	31	2.659	126	55	50.563	-60
22	10	9	21	16	41	37	31	2.659	126	55	50.563	-60
23	10	9	21	16	42	37	31	2.659	126	55	50.563	-60
24	10	9	21	16	43	37	31	2.659	126	55	50.563	-64
25	10	9	21	16	44	37	31	2.659	126	55	50.563	-64
26	10	9	21	16	45	37	31	2.659	126	55	50.563	-64
27	10	9	21	16	46	37	31	2.659	126	55	50.563	-64
28	10	9	21	16	47	37	31	2.659	126	55	50.563	-64
29	10	9	21	16	48	37	31	2.659	126	55	50.563	-64
30	10	9	21	16	49	37	31	2.659	126	55	50.563	-69
31	10	9	21	16	50	37	31	2.659	126	55	50.563	-69
32	10	9	21	16	51	37	31	2.659	126	55	50.563	-69
33	10	9	21	16	52	37	31	2.659	126	55	50.563	-66
34	10	9	21	16	53	37	31	2.659	126	55	50.563	-66
35	10	9	21	16	54	37	31	2.659	126	55	50.563	-66
36	10	9	21	16	55	37	31	2.659	126	55	50.563	-65
37	10	9	21	16	56	37	31	2.659	126	55	50.563	-65
38	10	9	21	16	57	37	31	2.659	126	55	50.563	-65
39	10	9	21	16	58	37	31	2.659	126	55	50.563	-67




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(+30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	17	16	37	31	2.659	126	55	50.563	-53
2	10	9	21	17	17	37	31	2.659	126	55	50.563	-53
3	10	9	21	17	18	37	31	2.659	126	55	50.563	-53
4	10	9	21	17	19	37	31	2.659	126	55	50.563	-54
5	10	9	21	17	20	37	31	2.659	126	55	50.563	-54
6	10	9	21	17	21	37	31	2.659	126	55	50.563	-54
7	10	9	21	17	22	37	31	2.659	126	55	50.563	-52
8	10	9	21	17	23	37	31	2.659	126	55	50.563	-52
9	10	9	21	17	24	37	31	2.659	126	55	50.563	-52
10	10	9	21	17	25	37	31	2.659	126	55	50.563	-53
11	10	9	21	17	26	37	31	2.659	126	55	50.563	-53
12	10	9	21	17	27	37	31	2.659	126	55	50.563	-53
13	10	9	21	17	28	37	31	2.659	126	55	50.563	-54
14	10	9	21	17	29	37	31	2.659	126	55	50.563	-54
15	10	9	21	17	30	37	31	2.659	126	55	50.563	-54
16	10	9	21	17	31	37	31	2.659	126	55	50.563	-53
17	10	9	21	17	32	37	31	2.659	126	55	50.563	-53
18	10	9	21	17	33	37	31	2.659	126	55	50.563	-53
19	10	9	21	17	34	37	31	2.659	126	55	50.563	-53
20	10	9	21	17	35	37	31	2.659	126	55	50.563	-53
21	10	9	21	17	36	37	31	2.659	126	55	50.563	-53
22	10	9	21	17	37	37	31	2.659	126	55	50.563	-54
23	10	9	21	17	38	37	31	2.659	126	55	50.563	-54
24	10	9	21	17	39	37	31	2.659	126	55	50.563	-54
25	10	9	21	17	40	37	31	2.659	126	55	50.563	-53
26	10	9	21	17	41	37	31	2.659	126	55	50.563	-53
27	10	9	21	17	42	37	31	2.659	126	55	50.563	-53
28	10	9	21	17	43	37	31	2.659	126	55	50.563	-55
29	10	9	21	17	44	37	31	2.659	126	55	50.563	-55
30	10	9	21	17	45	37	31	2.659	126	55	50.563	-55
31	10	9	21	17	46	37	31	2.659	126	55	50.563	-53
평균 전계 강도												-53.39




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(4)(+30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	18	1	37	31	2.659	126	55	50.563	-60
2	10	9	21	18	2	37	31	2.659	126	55	50.563	-60
3	10	9	21	18	3	37	31	2.659	126	55	50.563	-60
4	10	9	21	18	4	37	31	2.659	126	55	50.563	-59
5	10	9	21	18	5	37	31	2.659	126	55	50.563	-59
6	10	9	21	18	6	37	31	2.659	126	55	50.563	-59
7	10	9	21	18	7	37	31	2.659	126	55	50.563	-59
8	10	9	21	18	8	37	31	2.659	126	55	50.563	-59
9	10	9	21	18	9	37	31	2.659	126	55	50.563	-59
10	10	9	21	18	10	37	31	2.659	126	55	50.563	-60
11	10	9	21	18	11	37	31	2.659	126	55	50.563	-60
12	10	9	21	18	12	37	31	2.659	126	55	50.563	-60
13	10	9	21	18	13	37	31	2.659	126	55	50.563	-58
14	10	9	21	18	14	37	31	2.659	126	55	50.563	-58
15	10	9	21	18	15	37	31	2.659	126	55	50.563	-58
16	10	9	21	18	16	37	31	2.659	126	55	50.563	-59
17	10	9	21	18	17	37	31	2.659	126	55	50.563	-59
18	10	9	21	18	18	37	31	2.659	126	55	50.563	-59
19	10	9	21	18	19	37	31	2.659	126	55	50.563	-61
20	10	9	21	18	20	37	31	2.659	126	55	50.563	-61
21	10	9	21	18	21	37	31	2.659	126	55	50.563	-61
22	10	9	21	18	22	37	31	2.659	126	55	50.563	-60
23	10	9	21	18	23	37	31	2.659	126	55	50.563	-60
24	10	9	21	18	24	37	31	2.659	126	55	50.563	-60
25	10	9	21	18	25	37	31	2.659	126	55	50.563	-58
26	10	9	21	18	26	37	31	2.659	126	55	50.563	-58
27	10	9	21	18	27	37	31	2.659	126	55	50.563	-58
28	10	9	21	18	28	37	31	2.659	126	55	50.563	-60
29	10	9	21	18	29	37	31	2.659	126	55	50.563	-60
30	10	9	21	18	30	37	31	2.659	126	55	50.563	-60
31	10	9	21	18	31	37	31	2.659	126	55	50.563	-61
32	10	9	21	18	32	37	31	2.659	126	55	50.563	-61
33	10	9	21	18	33	37	31	2.659	126	55	50.563	-61
34	10	9	21	18	34	37	31	2.659	126	55	50.563	-59
평균 전계 강도												-59.53




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx5(Tx4 MAX)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	18	46	37	31	2.659	126	55	50.563	-50
2	10	9	21	18	47	37	31	2.659	126	55	50.563	-50
3	10	9	21	18	48	37	31	2.659	126	55	50.563	-50
4	10	9	21	18	49	37	31	2.659	126	55	50.563	-50
5	10	9	21	18	50	37	31	2.659	126	55	50.563	-50
6	10	9	21	18	51	37	31	2.659	126	55	50.563	-50
7	10	9	21	18	52	37	31	2.659	126	55	50.563	-49
8	10	9	21	18	53	37	31	2.659	126	55	50.563	-49
9	10	9	21	18	54	37	31	2.659	126	55	50.563	-49
10	10	9	21	18	55	37	31	2.659	126	55	50.563	-49
11	10	9	21	18	56	37	31	2.659	126	55	50.563	-49
12	10	9	21	18	57	37	31	2.659	126	55	50.563	-49
13	10	9	21	18	58	37	31	2.659	126	55	50.563	-51
14	10	9	21	18	59	37	31	2.659	126	55	50.563	-51
15	10	9	21	19	0	37	31	2.659	126	55	50.563	-51
16	10	9	21	19	1	37	31	2.659	126	55	50.563	-50
17	10	9	21	19	2	37	31	2.659	126	55	50.563	-50
18	10	9	21	19	3	37	31	2.659	126	55	50.563	-50
19	10	9	21	19	4	37	31	2.659	126	55	50.563	-51
20	10	9	21	19	5	37	31	2.659	126	55	50.563	-51
21	10	9	21	19	6	37	31	2.659	126	55	50.563	-51
22	10	9	21	19	7	37	31	2.659	126	55	50.563	-49
23	10	9	21	19	8	37	31	2.659	126	55	50.563	-49
24	10	9	21	19	9	37	31	2.695	126	55	50.563	-49
25	10	9	21	19	10	37	31	2.695	126	55	50.563	-50
26	10	9	21	19	11	37	31	2.695	126	55	50.563	-50
27	10	9	21	19	12	37	31	2.695	126	55	50.563	-50
28	10	9	21	19	13	37	31	2.695	126	55	50.563	-49
29	10	9	21	19	14	37	31	2.695	126	55	50.563	-49
30	10	9	21	19	15	37	31	2.695	126	55	50.563	-49
31	10	9	21	19	16	37	31	2.695	126	55	50.563	-57
32	10	9	21	19	17	37	31	2.695	126	55	50.563	-57
33	10	9	21	19	18	37	31	2.695	126	55	50.563	-57
34	10	9	21	19	19	37	31	2.695	126	55	50.563	-48
35	10	9	21	19	20	37	31	2.695	126	55	50.563	-48
36	10	9	21	19	21	37	31	2.695	126	55	50.563	-48
37	10	9	21	19	22	37	31	2.695	126	55	50.563	-50
38	10	9	21	19	23	37	31	2.695	126	55	50.563	-50
39	10	9	21	19	24	37	31	2.695	126	55	50.563	-50
40	10	9	21	19	25	37	31	2.695	126	55	50.563	-49
41	10	9	21	19	26	37	31	2.695	126	55	50.563	-49
42	10	9	21	19	27	37	31	2.695	126	55	50.563	-49
43	10	9	21	19	28	37	31	2.695	126	55	50.563	-52
44	10	9	21	19	29	37	31	2.695	126	55	50.563	-52
평균 전계 강도												-50.23




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(+30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	16	52	37	31	8.564	126	55	45.343	-78
2	10	9	22	16	53	37	31	8.564	126	55	45.343	-78
3	10	9	22	16	54	37	31	8.528	126	55	45.343	-78
4	10	9	22	16	55	37	31	8.528	126	55	45.379	-78
5	10	9	22	16	56	37	31	8.528	126	55	45.379	-80
6	10	9	22	16	57	37	31	8.528	126	55	45.379	-80
7	10	9	22	16	58	37	31	8.132	126	55	45.667	-80
8	10	9	22	16	59	37	31	7.772	126	55	45.883	-78
9	10	9	22	17	0	37	31	7.772	126	55	45.919	-78
10	10	9	22	17	1	37	31	7.772	126	55	45.919	-78
11	10	9	22	17	2	37	31	7.772	126	55	45.919	-81
12	10	9	22	17	3	37	31	7.772	126	55	45.919	-81
13	10	9	22	17	4	37	31	7.772	126	55	45.919	-81
14	10	9	22	17	5	37	31	7.772	126	55	45.919	-79
15	10	9	22	17	6	37	31	7.772	126	55	45.919	-79
16	10	9	22	17	7	37	31	7.736	126	55	45.919	-79
17	10	9	22	17	8	37	31	7.736	126	55	45.919	-80
18	10	9	22	17	9	37	31	7.736	126	55	45.919	-80
19	10	9	22	17	10	37	31	7.736	126	55	45.919	-80
20	10	9	22	17	11	37	31	7.736	126	55	45.919	-79
21	10	9	22	17	12	37	31	7.736	126	55	45.919	-79
22	10	9	22	17	13	37	31	7.736	126	55	45.919	-79
23	10	9	22	17	14	37	31	7.736	126	55	45.919	-81
24	10	9	22	17	15	37	31	7.952	126	55	45.667	-81
25	10	9	22	17	16	37	31	8.096	126	55	45.487	-81
평균 전계 강도												-79.44




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(0_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	3	13	37	31	6.584	126	55	44.875	-81
2	10	9	22	3	14	37	31	6.584	126	55	44.875	-81
3	10	9	22	3	15	37	31	6.584	126	55	44.875	-81
4	10	9	22	3	16	37	31	6.584	126	55	44.875	-85
5	10	9	22	3	17	37	31	6.584	126	55	44.875	-85
6	10	9	22	3	18	37	31	6.584	126	55	44.875	-85
7	10	9	22	3	19	37	31	6.584	126	55	44.875	-93
8	10	9	22	3	20	37	31	6.584	126	55	44.875	-93
9	10	9	22	3	21	37	31	6.584	126	55	44.875	-93
10	10	9	22	3	22	37	31	6.584	126	55	44.875	-93
11	10	9	22	3	23	37	31	6.584	126	55	44.875	-93
12	10	9	22	3	24	37	31	6.584	126	55	44.875	-93
13	10	9	22	3	25	37	31	6.584	126	55	44.875	-91
14	10	9	22	3	26	37	31	6.584	126	55	44.875	-91
15	10	9	22	3	27	37	31	6.584	126	55	44.875	-91
16	10	9	22	3	28	37	31	6.584	126	55	44.875	-93
17	10	9	22	3	29	37	31	6.584	126	55	44.875	-93
18	10	9	22	3	30	37	31	6.584	126	55	44.875	-93
19	10	9	22	3	31	37	31	6.584	126	55	44.875	-89
20	10	9	22	3	32	37	31	6.584	126	55	44.875	-89
21	10	9	22	3	33	37	31	6.584	126	55	44.875	-89
22	10	9	22	3	34	37	31	6.584	126	55	44.875	-92
23	10	9	22	3	35	37	31	6.584	126	55	44.875	-92
24	10	9	22	3	36	37	31	6.548	126	55	44.875	-92
25	10	9	22	3	37	37	31	6.548	126	55	44.875	-86
26	10	9	22	3	38	37	31	6.548	126	55	44.875	-86
27	10	9	22	3	39	37	31	6.548	126	55	44.875	-86
28	10	9	22	3	40	37	31	6.548	126	55	44.875	-87
29	10	9	22	3	41	37	31	6.548	126	55	44.875	-87
30	10	9	22	3	42	37	31	6.548	126	55	44.875	-87
31	10	9	22	3	43	37	31	6.548	126	55	44.875	-90
32	10	9	22	3	44	37	31	6.548	126	55	44.875	-90
33	10	9	22	3	45	37	31	6.548	126	55	44.875	-90
34	10	9	22	3	46	37	31	6.548	126	55	44.875	-87
평균 전계 강도												-89.03




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(0_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	3	57	37	31	6.548	126	55	44.875	-83
2	10	9	22	3	58	37	31	6.548	126	55	44.875	-79
3	10	9	22	3	59	37	31	6.548	126	55	44.875	-79
4	10	9	22	4	0	37	31	6.548	126	55	44.875	-79
5	10	9	22	4	1	37	31	6.548	126	55	44.875	-77
6	10	9	22	4	2	37	31	6.548	126	55	44.875	-77
7	10	9	22	4	3	37	31	6.548	126	55	44.875	-77
8	10	9	22	4	4	37	31	6.548	126	55	44.875	-79
9	10	9	22	4	5	37	31	6.548	126	55	44.875	-79
10	10	9	22	4	6	37	31	6.548	126	55	44.875	-79
11	10	9	22	4	7	37	31	6.548	126	55	44.875	-78
12	10	9	22	4	8	37	31	6.548	126	55	44.875	-78
13	10	9	22	4	9	37	31	6.548	126	55	44.875	-78
14	10	9	22	4	10	37	31	6.548	126	55	44.875	-78
15	10	9	22	4	11	37	31	6.548	126	55	44.875	-78
16	10	9	22	4	12	37	31	6.548	126	55	44.875	-78
17	10	9	22	4	13	37	31	6.548	126	55	44.875	-77
18	10	9	22	4	14	37	31	6.548	126	55	44.875	-77
19	10	9	22	4	15	37	31	6.548	126	55	44.875	-77
20	10	9	22	4	16	37	31	6.548	126	55	44.875	-80
21	10	9	22	4	17	37	31	6.548	126	55	44.875	-80
22	10	9	22	4	18	37	31	6.548	126	55	44.875	-80
23	10	9	22	4	19	37	31	6.548	126	55	44.875	-85
24	10	9	22	4	20	37	31	6.548	126	55	44.875	-85
25	10	9	22	4	21	37	31	6.548	126	55	44.875	-85
26	10	9	22	4	22	37	31	6.548	126	55	44.875	-79
27	10	9	22	4	23	37	31	6.548	126	55	44.875	-79
28	10	9	22	4	24	37	31	6.548	126	55	44.875	-79
평균 전계 강도												-79.25




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(0_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	4	41	37	31	6.548	126	55	44.875	-81
2	10	9	22	4	42	37	31	6.548	126	55	44.875	-81
3	10	9	22	4	43	37	31	6.548	126	55	44.875	-82
4	10	9	22	4	44	37	31	6.512	126	55	44.875	-82
5	10	9	22	4	45	37	31	6.512	126	55	44.839	-82
6	10	9	22	4	46	37	31	6.512	126	55	44.839	-82
7	10	9	22	4	47	37	31	6.512	126	55	44.839	-82
8	10	9	22	4	48	37	31	6.512	126	55	44.839	-82
9	10	9	22	4	49	37	31	6.512	126	55	44.839	-87
10	10	9	22	4	50	37	31	6.512	126	55	44.839	-87
11	10	9	22	4	51	37	31	6.512	126	55	44.839	-87
12	10	9	22	4	52	37	31	6.512	126	55	44.839	-81
13	10	9	22	4	53	37	31	6.512	126	55	44.839	-81
14	10	9	22	4	54	37	31	6.512	126	55	44.839	-81
15	10	9	22	4	55	37	31	6.512	126	55	44.839	-81
16	10	9	22	4	56	37	31	6.512	126	55	44.839	-81
17	10	9	22	4	57	37	31	6.512	126	55	44.839	-81
18	10	9	22	4	58	37	31	6.512	126	55	44.839	-82
19	10	9	22	4	59	37	31	6.512	126	55	44.839	-82
20	10	9	22	5	0	37	31	6.512	126	55	44.839	-82
21	10	9	22	5	1	37	31	6.512	126	55	44.839	-81
22	10	9	22	5	2	37	31	6.512	126	55	44.839	-81
23	10	9	22	5	3	37	31	6.512	126	55	44.839	-81
24	10	9	22	5	4	37	31	6.512	126	55	44.839	-82
25	10	9	22	5	5	37	31	6.512	126	55	44.839	-82
평균 전계 강도												-82.16




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(0_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	5	24	37	31	6.548	126	55	44.875	-91
2	10	9	22	5	25	37	31	6.548	126	55	44.875	-91
3	10	9	22	5	26	37	31	6.548	126	55	44.875	-91
4	10	9	22	5	27	37	31	6.548	126	55	44.875	-91
5	10	9	22	5	28	37	31	6.548	126	55	44.875	-91
6	10	9	22	5	29	37	31	6.548	126	55	44.875	-91
7	10	9	22	5	30	37	31	6.548	126	55	44.875	-91
8	10	9	22	5	31	37	31	6.548	126	55	44.875	-89
9	10	9	22	5	32	37	31	6.548	126	55	44.875	-89
10	10	9	22	5	33	37	31	6.548	126	55	44.875	-89
11	10	9	22	5	34	37	31	6.548	126	55	44.875	-91
12	10	9	22	5	35	37	31	6.548	126	55	44.875	-91
13	10	9	22	5	36	37	31	6.548	126	55	44.875	-91
14	10	9	22	5	37	37	31	6.548	126	55	44.875	-90
15	10	9	22	5	38	37	31	6.548	126	55	44.875	-90
16	10	9	22	5	39	37	31	6.548	126	55	44.875	-90
17	10	9	22	5	40	37	31	6.548	126	55	44.875	-93
18	10	9	22	5	41	37	31	6.548	126	55	44.875	-93
19	10	9	22	5	42	37	31	6.548	126	55	44.875	-93
20	10	9	22	5	43	37	31	6.548	126	55	44.911	-92
21	10	9	22	5	44	37	31	6.548	126	55	44.911	-92
평균 전계 강도												-90.95




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(0_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	6	5	37	31	6.548	126	55	44.911	-98
2	10	9	22	6	6	37	31	6.548	126	55	44.911	-98
3	10	9	22	6	7	37	31	6.548	126	55	44.911	-102
4	10	9	22	6	8	37	31	6.548	126	55	44.911	-102
5	10	9	22	6	9	37	31	6.548	126	55	44.911	-102
6	10	9	22	6	10	37	31	6.548	126	55	44.911	-101
7	10	9	22	6	11	37	31	6.548	126	55	44.911	-101
8	10	9	22	6	12	37	31	6.548	126	55	44.911	-101
평균 전계 강도												-100.63




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(0_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	6	31	37	31	6.548	126	55	44.911	-91
2	10	9	22	6	32	37	31	6.548	126	55	44.911	-91
3	10	9	22	6	33	37	31	6.548	126	55	44.911	-91
4	10	9	22	6	34	37	31	6.548	126	55	44.911	-90
5	10	9	22	6	35	37	31	6.548	126	55	44.911	-90
6	10	9	22	6	36	37	31	6.548	126	55	44.911	-90
7	10	9	22	6	37	37	31	6.548	126	55	44.911	-89
8	10	9	22	6	38	37	31	6.548	126	55	44.911	-89
9	10	9	22	6	39	37	31	6.548	126	55	44.911	-89
10	10	9	22	6	40	37	31	6.548	126	55	44.911	-87
11	10	9	22	6	41	37	31	6.548	126	55	44.911	-87
12	10	9	22	6	42	37	31	6.548	126	55	44.911	-87
13	10	9	22	6	43	37	31	6.548	126	55	44.911	-87
14	10	9	22	6	44	37	31	6.548	126	55	44.911	-87
15	10	9	22	6	45	37	31	6.548	126	55	44.911	-87
16	10	9	22	6	46	37	31	6.548	126	55	44.911	-89
17	10	9	22	6	47	37	31	6.548	126	55	44.911	-89
18	10	9	22	6	48	37	31	6.548	126	55	44.911	-89
19	10	9	22	6	49	37	31	6.548	126	55	44.911	-89
20	10	9	22	6	50	37	31	6.548	126	55	44.911	-89
21	10	9	22	6	51	37	31	6.548	126	55	44.911	-89
22	10	9	22	6	52	37	31	6.548	126	55	44.911	-94
23	10	9	22	6	53	37	31	6.548	126	55	44.911	-94
24	10	9	22	6	54	37	31	6.548	126	55	44.911	-94
25	10	9	22	6	55	37	31	6.548	126	55	44.911	-90
평균 전계 강도												-89.52




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(0_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	7	4	37	31	6.548	126	55	44.911	-80
2	10	9	22	7	5	37	31	6.548	126	55	44.911	-80
3	10	9	22	7	6	37	31	6.548	126	55	44.911	-80
4	10	9	22	7	7	37	31	6.548	126	55	44.911	-80
5	10	9	22	7	8	37	31	6.548	126	55	44.911	-80
6	10	9	22	7	9	37	31	6.548	126	55	44.911	-80
7	10	9	22	7	10	37	31	6.548	126	55	44.911	-80
8	10	9	22	7	11	37	31	6.548	126	55	44.911	-80
9	10	9	22	7	12	37	31	6.548	126	55	44.911	-80
10	10	9	22	7	13	37	31	6.548	126	55	44.911	-82
11	10	9	22	7	14	37	31	6.548	126	55	44.911	-82
12	10	9	22	7	15	37	31	6.548	126	55	44.911	-82
13	10	9	22	7	16	37	31	6.548	126	55	44.911	-79
14	10	9	22	7	17	37	31	6.548	126	55	44.911	-79
15	10	9	22	7	18	37	31	6.548	126	55	44.911	-79
16	10	9	22	7	19	37	31	6.548	126	55	44.911	-80
17	10	9	22	7	20	37	31	6.548	126	55	44.911	-80
18	10	9	22	7	21	37	31	6.548	126	55	44.911	-80
19	10	9	22	7	22	37	31	6.548	126	55	44.911	-80
20	10	9	22	7	23	37	31	6.548	126	55	44.911	-80
21	10	9	22	7	24	37	31	6.548	126	55	44.911	-80
22	10	9	22	7	25	37	31	6.548	126	55	44.911	-79
23	10	9	22	7	26	37	31	6.548	126	55	44.911	-79
24	10	9	22	7	27	37	31	6.548	126	55	44.911	-79
25	10	9	22	7	28	37	31	6.548	126	55	44.911	-78
26	10	9	22	7	29	37	31	6.548	126	55	44.911	-78
27	10	9	22	7	30	37	31	6.548	126	55	44.911	-78
28	10	9	22	7	31	37	31	6.548	126	55	44.911	-79
29	10	9	22	7	32	37	31	6.548	126	55	44.911	-79
30	10	9	22	7	33	37	31	6.548	126	55	44.911	-79
31	10	9	22	7	34	37	31	6.548	126	55	44.911	-79
32	10	9	22	7	35	37	31	6.548	126	55	44.911	-79
평균 전계 강도												-79.66




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(0_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	7	48	37	31	6.548	126	55	44.911	-82
2	10	9	22	7	49	37	31	6.548	126	55	44.911	-80
3	10	9	22	7	50	37	31	6.548	126	55	44.911	-80
4	10	9	22	7	51	37	31	6.548	126	55	44.911	-80
5	10	9	22	7	52	37	31	6.548	126	55	44.911	-84
6	10	9	22	7	53	37	31	6.548	126	55	44.911	-84
7	10	9	22	7	54	37	31	6.548	126	55	44.911	-84
8	10	9	22	7	55	37	31	6.548	126	55	44.911	-86
9	10	9	22	7	56	37	31	6.548	126	55	44.911	-86
10	10	9	22	7	57	37	31	6.548	126	55	44.911	-86
11	10	9	22	7	58	37	31	6.548	126	55	44.911	-81
12	10	9	22	7	59	37	31	6.548	126	55	44.911	-81
13	10	9	22	8	0	37	31	6.548	126	55	44.911	-81
14	10	9	22	8	1	37	31	6.548	126	55	44.911	-83
15	10	9	22	8	2	37	31	6.548	126	55	44.911	-83
16	10	9	22	8	3	37	31	6.548	126	55	44.911	-83
17	10	9	22	8	4	37	31	6.548	126	55	44.911	-85
18	10	9	22	8	5	37	31	6.548	126	55	44.911	-85
19	10	9	22	8	6	37	31	6.548	126	55	44.911	-85
20	10	9	22	8	7	37	31	6.548	126	55	44.911	-85
평균 전계 강도												-83.20




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(-30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	8	17	37	31	6.584	126	55	44.911	-88
2	10	9	22	8	18	37	31	6.584	126	55	44.911	-88
3	10	9	22	8	19	37	31	6.584	126	55	44.911	-98
4	10	9	22	8	20	37	31	6.584	126	55	44.911	-98
5	10	9	22	8	21	37	31	6.584	126	55	44.911	-98
6	10	9	22	8	22	37	31	6.584	126	55	44.911	-90
7	10	9	22	8	23	37	31	6.584	126	55	44.911	-90
8	10	9	22	8	24	37	31	6.584	126	55	44.911	-90
9	10	9	22	8	25	37	31	6.584	126	55	44.947	-88
10	10	9	22	8	26	37	31	6.584	126	55	44.947	-88
11	10	9	22	8	27	37	31	6.584	126	55	44.947	-88
12	10	9	22	8	28	37	31	6.584	126	55	44.947	-89
13	10	9	22	8	29	37	31	6.584	126	55	44.947	-89
14	10	9	22	8	30	37	31	6.584	126	55	44.947	-89
15	10	9	22	8	31	37	31	6.548	126	55	44.947	-88
16	10	9	22	8	32	37	31	6.548	126	55	44.947	-88
17	10	9	22	8	33	37	31	6.548	126	55	44.947	-88
18	10	9	22	8	34	37	31	6.548	126	55	44.947	-93
19	10	9	22	8	35	37	31	6.548	126	55	44.947	-93
평균 전계 강도												-90.58




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(-30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	8	46	37	31	6.548	126	55	44.947	-83
2	10	9	22	8	47	37	31	6.548	126	55	44.947	-83
3	10	9	22	8	48	37	31	6.548	126	55	44.947	-83
4	10	9	22	8	49	37	31	6.548	126	55	44.947	-83
5	10	9	22	8	50	37	31	6.548	126	55	44.947	-83
6	10	9	22	8	51	37	31	6.548	126	55	44.947	-83
7	10	9	22	8	52	37	31	6.548	126	55	44.947	-80
8	10	9	22	8	53	37	31	6.548	126	55	44.947	-80
9	10	9	22	8	54	37	31	6.548	126	55	44.947	-80
10	10	9	22	8	55	37	31	6.548	126	55	44.947	-81
11	10	9	22	8	56	37	31	6.548	126	55	44.947	-81
12	10	9	22	8	57	37	31	6.548	126	55	44.947	-81
13	10	9	22	8	58	37	31	6.548	126	55	44.947	-81
14	10	9	22	8	59	37	31	6.548	126	55	44.947	-81
15	10	9	22	9	0	37	31	6.548	126	55	44.947	-81
16	10	9	22	9	1	37	31	6.548	126	55	44.947	-83
17	10	9	22	9	2	37	31	6.548	126	55	44.947	-83
18	10	9	22	9	3	37	31	6.548	126	55	44.947	-83
19	10	9	22	9	4	37	31	6.548	126	55	44.947	-84
20	10	9	22	9	5	37	31	6.548	126	55	44.947	-84
21	10	9	22	9	6	37	31	6.548	126	55	44.947	-84
22	10	9	22	9	7	37	31	6.548	126	55	44.947	-81
23	10	9	22	9	8	37	31	6.548	126	55	44.947	-81
24	10	9	22	9	9	37	31	6.548	126	55	44.947	-81
25	10	9	22	9	10	37	31	6.548	126	55	44.947	-81
26	10	9	22	9	11	37	31	6.548	126	55	44.947	-81
27	10	9	22	9	12	37	31	6.548	126	55	44.947	-81
28	10	9	22	9	13	37	31	6.548	126	55	44.947	-81
29	10	9	22	9	14	37	31	6.548	126	55	44.947	-81
평균 전계 강도												-81.83




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(-30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	9	38	37	31	6.548	126	55	44.947	-90
2	10	9	22	9	39	37	31	6.548	126	55	44.947	-90
3	10	9	22	9	40	37	31	6.548	126	55	44.947	-95
4	10	9	22	9	41	37	31	6.548	126	55	44.947	-95
5	10	9	22	9	42	37	31	6.548	126	55	44.947	-95
6	10	9	22	9	43	37	31	6.548	126	55	44.947	-91
7	10	9	22	9	44	37	31	6.548	126	55	44.947	-91
8	10	9	22	9	45	37	31	6.548	126	55	44.947	-91
9	10	9	22	9	46	37	31	6.548	126	55	44.947	-92
10	10	9	22	9	47	37	31	6.548	126	55	44.947	-92
11	10	9	22	9	48	37	31	6.548	126	55	44.947	-92
12	10	9	22	9	49	37	31	6.548	126	55	44.947	-90
13	10	9	22	9	50	37	31	6.548	126	55	44.947	-90
14	10	9	22	9	51	37	31	6.548	126	55	44.947	-90
15	10	9	22	9	52	37	31	6.548	126	55	44.947	-92
16	10	9	22	9	53	37	31	6.548	126	55	44.947	-92
17	10	9	22	9	54	37	31	6.548	126	55	44.947	-92
18	10	9	22	9	55	37	31	6.548	126	55	44.947	-93
19	10	9	22	9	56	37	31	6.548	126	55	44.947	-93
20	10	9	22	9	57	37	31	6.548	126	55	44.947	-93
21	10	9	22	9	58	37	31	6.548	126	55	44.947	-91
22	10	9	22	9	59	37	31	6.548	126	55	44.947	-91
23	10	9	22	10	0	37	31	6.548	126	55	44.947	-91
평균 전계 강도												-91.83




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(-30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	10	8	37	31	6.548	126	55	44.947	-93
2	10	9	22	10	9	37	31	6.548	126	55	44.947	-93
3	10	9	22	10	10	37	31	6.548	126	55	44.947	-87
4	10	9	22	10	11	37	31	6.584	126	55	44.911	-87
5	10	9	22	10	12	37	31	6.584	126	55	44.911	-87
6	10	9	22	10	13	37	31	6.584	126	55	44.911	-88
7	10	9	22	10	14	37	31	6.584	126	55	44.911	-88
8	10	9	22	10	15	37	31	6.584	126	55	44.911	-88
9	10	9	22	10	16	37	31	6.584	126	55	44.911	-88
10	10	9	22	10	17	37	31	6.584	126	55	44.911	-88
11	10	9	22	10	18	37	31	6.584	126	55	44.911	-88
12	10	9	22	10	19	37	31	6.584	126	55	44.911	-90
13	10	9	22	10	20	37	31	6.584	126	55	44.911	-90
14	10	9	22	10	21	37	31	6.584	126	55	44.911	-90
15	10	9	22	10	22	37	31	6.584	126	55	44.911	-88
16	10	9	22	10	23	37	31	6.584	126	55	44.911	-88
17	10	9	22	10	24	37	31	6.584	126	55	44.911	-88
18	10	9	22	10	25	37	31	6.584	126	55	44.911	-90
19	10	9	22	10	26	37	31	6.584	126	55	44.911	-90
20	10	9	22	10	27	37	31	6.584	126	55	44.911	-90
21	10	9	22	10	28	37	31	6.584	126	55	44.911	-89
22	10	9	22	10	29	37	31	6.584	126	55	44.911	-89
23	10	9	22	10	30	37	31	6.584	126	55	44.911	-89
24	10	9	22	10	31	37	31	6.584	126	55	44.911	-88
25	10	9	22	10	32	37	31	6.908	126	55	44.551	-88
26	10	9	22	10	33	37	31	6.908	126	55	44.551	-88
27	10	9	22	10	34	37	31	6.908	126	55	44.551	-90
28	10	9	22	10	35	37	31	6.908	126	55	44.551	-90
29	10	9	22	10	36	37	31	6.908	126	55	44.551	-90
평균 전계 강도												-88.97




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(-30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	10	45	37	31	6.836	126	55	44.623	-93
2	10	9	22	10	46	37	31	6.836	126	55	44.623	-92
3	10	9	22	10	47	37	31	6.836	126	55	44.623	-92
4	10	9	22	10	48	37	31	6.836	126	55	44.623	-92
5	10	9	22	10	49	37	31	6.692	126	55	44.803	-98
6	10	9	22	10	50	37	31	6.656	126	55	44.839	-98
7	10	9	22	10	51	37	31	6.656	126	55	44.839	-98
8	10	9	22	10	52	37	31	6.656	126	55	44.839	-97
9	10	9	22	10	53	37	31	6.656	126	55	44.839	-97
10	10	9	22	10	54	37	31	6.656	126	55	44.875	-97
11	10	9	22	10	55	37	31	6.656	126	55	44.875	-94
12	10	9	22	10	56	37	31	6.620	126	55	44.875	-94
13	10	9	22	10	57	37	31	6.620	126	55	44.875	-94
14	10	9	22	10	58	37	31	6.620	126	55	44.875	-93
15	10	9	22	10	59	37	31	6.620	126	55	44.875	-93
16	10	9	22	11	0	37	31	6.620	126	55	44.875	-93
17	10	9	22	11	1	37	31	6.620	126	55	44.875	-94
18	10	9	22	11	2	37	31	6.620	126	55	44.875	-94
19	10	9	22	11	3	37	31	6.620	126	55	44.875	-94
20	10	9	22	11	4	37	31	6.620	126	55	44.875	-93
평균 전계 강도												-94.50




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(-30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	11	14	37	31	6.620	126	55	44.911	-91
2	10	9	22	11	15	37	31	6.584	126	55	44.911	-91
3	10	9	22	11	16	37	31	6.656	126	55	44.911	-90
4	10	9	22	11	17	37	31	6.656	126	55	44.911	-90
5	10	9	22	11	18	37	31	6.692	126	55	44.911	-90
6	10	9	22	11	19	37	31	6.728	126	55	44.911	-89
7	10	9	22	11	20	37	31	6.728	126	55	44.911	-89
8	10	9	22	11	21	37	31	6.728	126	55	44.911	-89
9	10	9	22	11	22	37	31	6.728	126	55	44.911	-90
10	10	9	22	11	23	37	31	6.728	126	55	44.911	-90
11	10	9	22	11	24	37	31	6.728	126	55	44.947	-90
12	10	9	22	11	25	37	31	6.728	126	55	44.947	-89
13	10	9	22	11	26	37	31	6.728	126	55	44.947	-89
14	10	9	22	11	27	37	31	6.728	126	55	44.947	-89
15	10	9	22	11	28	37	31	6.728	126	55	44.947	-89
16	10	9	22	11	29	37	31	6.728	126	55	44.947	-89
17	10	9	22	11	30	37	31	6.728	126	55	44.947	-89
18	10	9	22	11	31	37	31	6.728	126	55	44.947	-87
19	10	9	22	11	32	37	31	6.728	126	55	44.947	-87
20	10	9	22	11	33	37	31	6.728	126	55	44.947	-87
21	10	9	22	11	34	37	31	6.728	126	55	44.911	-88
22	10	9	22	11	35	37	31	6.692	126	55	44.911	-88
23	10	9	22	11	36	37	31	6.692	126	55	44.911	-88
24	10	9	22	11	37	37	31	6.692	126	55	44.911	-89
25	10	9	22	11	38	37	31	6.692	126	55	44.911	-89
26	10	9	22	11	39	37	31	6.692	126	55	44.911	-89
27	10	9	22	11	40	37	31	6.692	126	55	44.911	-92
28	10	9	22	11	41	37	31	6.692	126	55	44.911	-92
29	10	9	22	11	42	37	31	6.692	126	55	44.911	-92
30	10	9	22	11	43	37	31	6.692	126	55	44.911	-88
평균 전계 강도												-89.30




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(-30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	11	56	37	31	6.656	126	55	44.947	-84
2	10	9	22	11	57	37	31	6.656	126	55	44.947	-84
3	10	9	22	11	58	37	31	6.656	126	55	44.947	-84
4	10	9	22	11	59	37	31	6.692	126	55	44.947	-83
5	10	9	22	12	0	37	31	6.692	126	55	44.947	-83
6	10	9	22	12	1	37	31	6.692	126	55	44.947	-83
7	10	9	22	12	2	37	31	6.692	126	55	44.947	-84
8	10	9	22	12	3	37	31	6.692	126	55	44.947	-84
9	10	9	22	12	4	37	31	6.692	126	55	44.947	-84
10	10	9	22	12	5	37	31	6.692	126	55	44.947	-83
11	10	9	22	12	6	37	31	6.692	126	55	44.947	-83
12	10	9	22	12	7	37	31	6.692	126	55	44.947	-83
13	10	9	22	12	8	37	31	6.692	126	55	44.983	-85
14	10	9	22	12	9	37	31	6.692	126	55	44.983	-85
15	10	9	22	12	10	37	31	6.692	126	55	44.983	-85
16	10	9	22	12	11	37	31	6.692	126	55	44.983	-83
17	10	9	22	12	12	37	31	6.692	126	55	44.983	-83
18	10	9	22	12	13	37	31	6.692	126	55	44.983	-83
19	10	9	22	12	14	37	31	6.692	126	55	44.983	-86
20	10	9	22	12	15	37	31	6.692	126	55	44.983	-86
21	10	9	22	12	16	37	31	6.692	126	55	44.983	-86
22	10	9	22	12	17	37	31	6.692	126	55	44.983	-85
23	10	9	22	12	18	37	31	6.692	126	55	44.983	-85
24	10	9	22	12	19	37	31	6.692	126	55	44.983	-85
평균 전계 강도												-84.13




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(-30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	12	31	37	31	6.692	126	55	45.019	-86
2	10	9	22	12	32	37	31	6.692	126	55	45.019	-86
3	10	9	22	12	33	37	31	6.692	126	55	45.019	-86
4	10	9	22	12	34	37	31	6.692	126	55	45.019	-86
5	10	9	22	12	35	37	31	6.692	126	55	45.019	-87
6	10	9	22	12	36	37	31	6.692	126	55	45.019	-87
7	10	9	22	12	37	37	31	6.692	126	55	45.019	-87
8	10	9	22	12	38	37	31	6.692	126	55	45.019	-87
9	10	9	22	12	39	37	31	6.692	126	55	45.019	-87
10	10	9	22	12	40	37	31	6.692	126	55	45.019	-87
11	10	9	22	12	41	37	31	6.692	126	55	45.019	-86
12	10	9	22	12	42	37	31	6.692	126	55	45.019	-86
13	10	9	22	12	43	37	31	6.692	126	55	45.019	-86
14	10	9	22	12	44	37	31	6.692	126	55	45.019	-87
15	10	9	22	12	45	37	31	6.692	126	55	45.019	-87
16	10	9	22	12	46	37	31	6.692	126	55	45.019	-87
17	10	9	22	12	47	37	31	6.692	126	55	45.019	-88
18	10	9	22	12	48	37	31	6.692	126	55	45.019	-88
19	10	9	22	12	49	37	31	6.692	126	55	45.019	-88
20	10	9	22	12	50	37	31	6.692	126	55	45.019	-85
21	10	9	22	12	51	37	31	6.692	126	55	45.019	-85
22	10	9	22	12	52	37	31	6.692	126	55	45.019	-85
23	10	9	22	12	53	37	31	6.692	126	55	45.019	-89
24	10	9	22	12	54	37	31	6.692	126	55	45.019	-89
25	10	9	22	12	55	37	31	6.692	126	55	45.019	-89
26	10	9	22	12	56	37	31	6.692	126	55	45.019	-87
27	10	9	22	12	57	37	31	6.692	126	55	45.019	-87
28	10	9	22	12	58	37	31	6.692	126	55	45.019	-87
29	10	9	22	12	59	37	31	6.692	126	55	45.019	-87
30	10	9	22	13	0	37	31	6.692	126	55	45.019	-87
31	10	9	22	13	1	37	31	6.692	126	55	45.019	-87
32	10	9	22	13	2	37	31	6.692	126	55	45.019	-86
평균 전계 강도												-86.84




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(+30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	13	17	37	31	12.057	126	55	46.135	-79
2	10	9	22	13	18	37	31	11.228	126	55	46.135	-79
3	10	9	22	13	19	37	31	10.940	126	55	46.135	-79
4	10	9	22	13	20	37	31	10.760	126	55	46.171	-78
5	10	9	22	13	21	37	31	10.688	126	55	46.171	-78
6	10	9	22	13	22	37	31	10.688	126	55	46.171	-78
7	10	9	22	13	23	37	31	10.688	126	55	46.171	-78
8	10	9	22	13	24	37	31	10.688	126	55	46.171	-78
9	10	9	22	13	25	37	31	10.688	126	55	46.171	-78
10	10	9	22	13	26	37	31	10.688	126	55	46.171	-78
11	10	9	22	13	27	37	31	10.688	126	55	46.171	-78
12	10	9	22	13	28	37	31	10.688	126	55	46.171	-78
13	10	9	22	13	29	37	31	10.688	126	55	46.171	-79
14	10	9	22	13	30	37	31	10.688	126	55	46.171	-79
15	10	9	22	13	31	37	31	10.688	126	55	46.171	-79
16	10	9	22	13	32	37	31	10.688	126	55	46.171	-77
17	10	9	22	13	33	37	31	10.688	126	55	46.171	-77
18	10	9	22	13	34	37	31	10.688	126	55	46.171	-77
19	10	9	22	13	35	37	31	10.688	126	55	46.171	-79
20	10	9	22	13	36	37	31	10.688	126	55	46.171	-79
21	10	9	22	13	37	37	31	10.688	126	55	46.171	-79
22	10	9	22	13	38	37	31	10.688	126	55	46.171	-79
23	10	9	22	13	39	37	31	10.688	126	55	46.171	-79
24	10	9	22	13	40	37	31	10.688	126	55	46.171	-79
25	10	9	22	13	41	37	31	10.688	126	55	46.171	-79
26	10	9	22	13	42	37	31	10.688	126	55	46.171	-79
27	10	9	22	13	43	37	31	10.688	126	55	46.171	-79
평균 전계 강도												-78.44




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(+30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	13	56	37	31	10.688	126	55	46.171	-82
2	10	9	22	13	57	37	31	10.688	126	55	46.171	-82
3	10	9	22	13	58	37	31	10.688	126	55	46.171	-82
4	10	9	22	13	59	37	31	10.688	126	55	46.171	-82
5	10	9	22	14	0	37	31	10.688	126	55	46.171	-82
6	10	9	22	14	1	37	31	10.688	126	55	46.171	-82
7	10	9	22	14	2	37	31	10.688	126	55	46.171	-81
8	10	9	22	14	3	37	31	10.688	126	55	46.171	-81
9	10	9	22	14	4	37	31	10.688	126	55	46.171	-81
10	10	9	22	14	5	37	31	10.688	126	55	46.171	-83
11	10	9	22	14	6	37	31	10.688	126	55	46.171	-83
12	10	9	22	14	7	37	31	10.688	126	55	46.171	-83
13	10	9	22	14	8	37	31	10.688	126	55	46.171	-82
14	10	9	22	14	9	37	31	10.688	126	55	46.171	-82
15	10	9	22	14	10	37	31	10.688	126	55	46.171	-82
16	10	9	22	14	11	37	31	10.688	126	55	46.171	-83
17	10	9	22	14	12	37	31	10.688	126	55	46.171	-83
18	10	9	22	14	13	37	31	10.688	126	55	46.171	-83
19	10	9	22	14	14	37	31	10.688	126	55	46.171	-84
20	10	9	22	14	15	37	31	10.688	126	55	46.171	-84
21	10	9	22	14	16	37	31	10.688	126	55	46.171	-84
22	10	9	22	14	17	37	31	10.688	126	55	46.171	-84
23	10	9	22	14	18	37	31	10.688	126	55	46.171	-84
평균 전계 강도												-82.57




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(+30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	14	30	37	31	8.600	126	55	46.279	-85
2	10	9	22	14	31	37	31	8.600	126	55	46.279	-85
3	10	9	22	14	32	37	31	8.240	126	55	46.279	-96
4	10	9	22	14	33	37	31	7.916	126	55	46.279	-96
5	10	9	22	14	34	37	31	7.736	126	55	46.171	-96
6	10	9	22	14	35	37	31	7.592	126	55	46.063	-87
7	10	9	22	14	36	37	31	7.448	126	55	45.955	-87
8	10	9	22	14	37	37	31	7.448	126	55	45.955	-87
9	10	9	22	14	38	37	31	7.448	126	55	45.955	-90
10	10	9	22	14	39	37	31	7.448	126	55	45.955	-90
11	10	9	22	14	40	37	31	7.448	126	55	45.955	-90
12	10	9	22	14	41	37	31	7.448	126	55	45.955	-86
13	10	9	22	14	42	37	31	7.448	126	55	45.955	-86
14	10	9	22	14	43	37	31	7.448	126	55	45.955	-86
15	10	9	22	14	44	37	31	7.448	126	55	45.955	-89
16	10	9	22	14	45	37	31	7.448	126	55	45.955	-89
17	10	9	22	14	46	37	31	7.448	126	55	45.955	-89
18	10	9	22	14	47	37	31	7.448	126	55	45.955	-86
19	10	9	22	14	48	37	31	7.448	126	55	45.955	-86
20	10	9	22	14	49	37	31	7.448	126	55	45.955	-86
21	10	9	22	14	50	37	31	7.448	126	55	45.955	-87
22	10	9	22	14	51	37	31	7.448	126	55	45.955	-87
23	10	9	22	14	52	37	31	7.448	126	55	45.955	-87
24	10	9	22	14	53	37	31	7.448	126	55	45.955	-88
평균 전계 강도												-88.38




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(+30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	15	6	37	31	8.168	126	55	45.415	-91
2	10	9	22	15	7	37	31	8.348	126	55	45.343	-91
3	10	9	22	15	8	37	31	8.492	126	55	45.271	-89
4	10	9	22	15	9	37	31	8.600	126	55	45.235	-89
5	10	9	22	15	10	37	31	8.600	126	55	45.235	-89
6	10	9	22	15	11	37	31	8.600	126	55	45.235	-92
7	10	9	22	15	12	37	31	8.600	126	55	45.235	-92
8	10	9	22	15	13	37	31	8.600	126	55	45.235	-92
9	10	9	22	15	14	37	31	8.600	126	55	45.235	-87
10	10	9	22	15	15	37	31	8.600	126	55	45.235	-87
11	10	9	22	15	16	37	31	8.600	126	55	45.235	-87
12	10	9	22	15	17	37	31	8.600	126	55	45.235	-87
13	10	9	22	15	18	37	31	8.600	126	55	45.235	-87
14	10	9	22	15	19	37	31	8.600	126	55	45.235	-87
15	10	9	22	15	20	37	31	8.600	126	55	45.235	-89
16	10	9	22	15	21	37	31	8.600	126	55	45.235	-89
17	10	9	22	15	22	37	31	8.600	126	55	45.235	-89
18	10	9	22	15	23	37	31	8.600	126	55	45.235	-88
19	10	9	22	15	24	37	31	8.600	126	55	45.235	-88
20	10	9	22	15	25	37	31	8.600	126	55	45.235	-88
21	10	9	22	15	26	37	31	8.600	126	55	45.235	-88
22	10	9	22	15	27	37	31	8.600	126	55	45.235	-88
평균 전계 강도												-88.82




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(+30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	15	38	37	31	8.564	126	55	45.271	-95
2	10	9	22	15	39	37	31	8.564	126	55	45.271	-95
3	10	9	22	15	40	37	31	8.564	126	55	45.271	-95
4	10	9	22	15	41	37	31	8.564	126	55	45.271	-93
5	10	9	22	15	42	37	31	8.564	126	55	45.271	-93
6	10	9	22	15	43	37	31	8.564	126	55	45.271	-93
7	10	9	22	15	44	37	31	8.564	126	55	45.271	-93
8	10	9	22	15	45	37	31	8.564	126	55	45.271	-93
9	10	9	22	15	46	37	31	8.564	126	55	45.271	-93
10	10	9	22	15	47	37	31	8.564	126	55	45.271	-95
11	10	9	22	15	48	37	31	8.564	126	55	45.271	-95
12	10	9	22	15	49	37	31	8.564	126	55	45.271	-95
13	10	9	22	15	50	37	31	8.564	126	55	45.271	-94
14	10	9	22	15	51	37	31	8.564	126	55	45.271	-94
15	10	9	22	15	52	37	31	8.564	126	55	45.271	-94
16	10	9	22	15	53	37	31	8.564	126	55	45.271	-94
17	10	9	22	15	54	37	31	8.564	126	55	45.271	-94
18	10	9	22	15	55	37	31	8.564	126	55	45.271	-94
19	10	9	22	15	56	37	31	8.564	126	55	45.271	-96
20	10	9	22	15	57	37	31	8.564	126	55	45.271	-96
21	10	9	22	15	58	37	31	8.564	126	55	45.271	-96
22	10	9	22	15	59	37	31	8.564	126	55	45.235	-98
23	10	9	22	16	0	37	31	8.564	126	55	45.235	-98
24	10	9	22	16	1	37	31	8.564	126	55	45.235	-98
25	10	9	22	16	2	37	31	8.564	126	55	45.235	-96
26	10	9	22	16	3	37	31	8.564	126	55	45.235	-96
평균 전계 강도												-94.85




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(+30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	16	19	37	31	8.564	126	55	45.271	-99
2	10	9	22	16	20	37	31	8.564	126	55	45.271	-96
3	10	9	22	16	21	37	31	8.564	126	55	45.271	-96
4	10	9	22	16	22	37	31	8.564	126	55	45.271	-96
5	10	9	22	16	23	37	31	8.564	126	55	45.271	-102
6	10	9	22	16	24	37	31	8.564	126	55	45.271	-102
7	10	9	22	16	25	37	31	8.564	126	55	45.271	-102
8	10	9	22	16	26	37	31	8.564	126	55	45.307	-100
9	10	9	22	16	27	37	31	8.564	126	55	45.307	-100
10	10	9	22	16	28	37	31	8.564	126	55	45.307	-100
11	10	9	22	16	29	37	31	8.564	126	55	45.307	-96
12	10	9	22	16	30	37	31	8.564	126	55	45.307	-96
13	10	9	22	16	31	37	31	8.564	126	55	45.307	-96
14	10	9	22	16	32	37	31	8.564	126	55	45.307	-93
15	10	9	22	16	33	37	31	8.564	126	55	45.307	-93
16	10	9	22	16	34	37	31	8.564	126	55	45.307	-93
17	10	9	22	16	35	37	31	8.564	126	55	45.307	-99
18	10	9	22	16	36	37	31	8.564	126	55	45.307	-99
19	10	9	22	16	37	37	31	8.564	126	55	45.307	-99
20	10	9	22	16	38	37	31	8.528	126	55	45.307	-98
21	10	9	22	16	39	37	31	8.528	126	55	45.343	-98
22	10	9	22	16	40	37	31	8.528	126	55	45.343	-98
23	10	9	22	16	41	37	31	8.564	126	55	45.343	-98
평균 전계 강도												-97.78




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(8)(+30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	17	27	37	31	8.420	126	55	45.055	-79
2	10	9	22	17	28	37	31	8.384	126	55	45.055	-79
3	10	9	22	17	29	37	31	8.384	126	55	45.055	-80
4	10	9	22	17	30	37	31	8.384	126	55	45.055	-80
5	10	9	22	17	31	37	31	8.384	126	55	45.055	-80
6	10	9	22	17	32	37	31	8.384	126	55	45.055	-81
7	10	9	22	17	33	37	31	8.384	126	55	45.055	-81
8	10	9	22	17	34	37	31	8.384	126	55	45.091	-81
9	10	9	22	17	35	37	31	8.384	126	55	45.091	-82
10	10	9	22	17	36	37	31	8.348	126	55	45.091	-82
11	10	9	22	17	37	37	31	8.348	126	55	45.091	-82
12	10	9	22	17	38	37	31	8.348	126	55	45.091	-80
13	10	9	22	17	39	37	31	8.348	126	55	45.091	-80
14	10	9	22	17	40	37	31	8.348	126	55	45.091	-80
15	10	9	22	17	41	37	31	8.348	126	55	45.091	-82
16	10	9	22	17	42	37	31	8.348	126	55	45.091	-82
17	10	9	22	17	43	37	31	8.348	126	55	45.091	-82
18	10	9	22	17	44	37	31	8.348	126	55	45.091	-81
19	10	9	22	17	45	37	31	8.348	126	55	45.091	-81
20	10	9	22	17	46	37	31	8.348	126	55	45.091	-81
21	10	9	22	17	47	37	31	8.348	126	55	45.127	-81
22	10	9	22	17	48	37	31	8.348	126	55	45.127	-81
23	10	9	22	17	49	37	31	8.348	126	55	45.127	-81
평균 전계 강도												-80.83




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(Tx8 max)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	18	3	37	31	8.456	126	55	44.947	-77
2	10	9	22	18	4	37	31	8.456	126	55	44.947	-77
3	10	9	22	18	5	37	31	8.456	126	55	44.947	-77
4	10	9	22	18	6	37	31	8.456	126	55	44.947	-77
5	10	9	22	18	7	37	31	13.173	126	55	39.294	-77
6	10	9	22	18	8	37	31	13.173	126	55	39.294	-77
7	10	9	22	18	9	37	31	13.173	126	55	39.294	-77
8	10	9	22	18	10	37	31	11.949	126	55	39.906	-77
9	10	9	22	18	11	37	31	10.868	126	55	40.446	-77
10	10	9	22	18	12	37	31	9.968	126	55	40.914	-77
11	10	9	22	18	13	37	31	9.968	126	55	40.914	-77
12	10	9	22	18	14	37	31	9.932	126	55	40.914	-77
13	10	9	22	18	15	37	31	9.932	126	55	40.914	-77
14	10	9	22	18	16	37	31	9.932	126	55	40.914	-77
15	10	9	22	18	17	37	31	9.932	126	55	40.914	-77
16	10	9	22	18	18	37	31	9.932	126	55	40.914	-77
17	10	9	22	18	19	37	31	9.932	126	55	40.914	-77
18	10	9	22	18	20	37	31	9.932	126	55	40.950	-77
19	10	9	22	18	21	37	31	9.896	126	55	40.950	-77
20	10	9	22	18	22	37	31	9.896	126	55	40.950	-77
21	10	9	22	18	23	37	31	9.896	126	55	40.950	-77
22	10	9	22	18	24	37	31	9.896	126	55	40.950	-77
23	10	9	22	18	25	37	31	9.896	126	55	40.950	-77
24	10	9	22	18	26	37	31	9.896	126	55	40.950	-78
25	10	9	22	18	27	37	31	9.896	126	55	40.986	-78
평균 전계 강도												-77.08




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(Tx8 omni)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	19	2	37	31	9.752	126	55	41.166	-97
2	10	9	22	19	3	37	31	9.716	126	55	41.166	-97
3	10	9	22	19	4	37	31	9.716	126	55	41.166	-97
4	10	9	22	19	5	37	31	9.716	126	55	41.166	-91
5	10	9	22	19	6	37	31	9.716	126	55	41.166	-91
6	10	9	22	19	7	37	31	9.716	126	55	41.202	-91
7	10	9	22	19	8	37	31	9.716	126	55	41.202	-89
8	10	9	22	19	9	37	31	9.716	126	55	41.202	-89
9	10	9	22	19	10	37	31	9.716	126	55	41.202	-89
10	10	9	22	19	11	37	31	9.680	126	55	41.202	-86
11	10	9	22	19	12	37	31	9.680	126	55	41.202	-86
12	10	9	22	19	13	37	31	9.680	126	55	41.238	-86
13	10	9	22	19	14	37	31	9.680	126	55	41.238	-86
14	10	9	22	19	15	37	31	9.680	126	55	41.238	-86
15	10	9	22	19	16	37	31	9.680	126	55	41.238	-86
16	10	9	22	19	17	37	31	9.680	126	55	41.238	-92
17	10	9	22	19	18	37	31	9.644	126	55	41.238	-92
18	10	9	22	19	19	37	31	9.644	126	55	41.274	-92
19	10	9	22	19	20	37	31	9.644	126	55	41.274	-94
20	10	9	22	19	21	37	31	9.644	126	55	41.274	-94
21	10	9	22	19	22	37	31	9.644	126	55	41.274	-94
22	10	9	22	19	23	37	31	9.644	126	55	41.274	-87
23	10	9	22	19	24	37	31	9.644	126	55	41.274	-87
24	10	9	22	19	25	37	31	9.644	126	55	41.274	-87
25	10	9	22	19	26	37	31	9.644	126	55	41.274	-88
26	10	9	22	19	27	37	31	9.644	126	55	41.274	-88
27	10	9	22	19	28	37	31	9.644	126	55	41.274	-88
28	10	9	22	19	29	37	31	9.644	126	55	41.274	-88
29	10	9	22	19	30	37	31	9.644	126	55	41.274	-88
30	10	9	22	19	31	37	31	9.644	126	55	41.274	-88
31	10	9	22	19	32	37	31	9.644	126	55	41.274	-89
32	10	9	22	19	33	37	31	9.644	126	55	41.274	-89
33	10	9	22	19	34	37	31	9.644	126	55	41.274	-89
34	10	9	22	19	35	37	31	9.644	126	55	41.274	-89
35	10	9	22	19	36	37	31	9.644	126	55	41.274	-89
36	10	9	22	19	37	37	31	9.644	126	55	41.274	-89
37	10	9	22	19	38	37	31	9.644	126	55	41.274	-90
38	10	9	22	19	39	37	31	9.644	126	55	41.274	-90
평균 전계 강도												-89.68




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(+30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	51	45	37	31	7.772	126	55	45.487	-92
2	10	9	21	51	46	37	31	7.772	126	55	45.487	-92
3	10	9	21	51	47	37	31	7.772	126	55	45.487	-92
4	10	9	21	51	48	37	31	7.772	126	55	45.487	-92
5	10	9	21	51	49	37	31	7.772	126	55	45.487	-90
6	10	9	21	51	50	37	31	7.772	126	55	45.487	-90
7	10	9	21	51	51	37	31	7.772	126	55	45.487	-90
8	10	9	21	51	52	37	31	7.772	126	55	45.487	-92
9	10	9	21	51	53	37	31	7.772	126	55	45.487	-92
10	10	9	21	51	54	37	31	7.772	126	55	45.487	-92
11	10	9	21	51	55	37	31	7.772	126	55	45.487	-93
12	10	9	21	51	56	37	31	7.772	126	55	45.487	-93
13	10	9	21	51	57	37	31	7.772	126	55	45.487	-93
14	10	9	21	51	58	37	31	7.772	126	55	45.487	-91
15	10	9	21	51	59	37	31	7.772	126	55	45.487	-91
16	10	9	21	52	0	37	31	7.772	126	55	45.487	-91
17	10	9	21	52	1	37	31	7.772	126	55	45.487	-88
18	10	9	21	52	2	37	31	7.772	126	55	45.487	-88
19	10	9	21	52	3	37	31	7.772	126	55	45.487	-88
20	10	9	21	52	4	37	31	7.772	126	55	45.487	-91
21	10	9	21	52	5	37	31	7.772	126	55	45.487	-91
22	10	9	21	52	6	37	31	7.772	126	55	45.487	-91
23	10	9	21	52	7	37	31	7.772	126	55	45.487	-87
24	10	9	21	52	8	37	31	7.772	126	55	45.487	-87
평균 전계 강도												-90.71




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(0_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	40	21	37	31	7.340	126	55	45.343	-87
2	10	9	21	40	22	37	31	7.340	126	55	45.343	-87
3	10	9	21	40	23	37	31	7.340	126	55	45.343	-87
4	10	9	21	40	24	37	31	7.340	126	55	45.343	-89
5	10	9	21	40	25	37	31	7.340	126	55	45.343	-89
6	10	9	21	40	26	37	31	7.340	126	55	45.343	-89
7	10	9	21	40	27	37	31	7.340	126	55	45.343	-82
8	10	9	21	40	28	37	31	7.340	126	55	45.343	-82
9	10	9	21	40	29	37	31	7.340	126	55	45.343	-82
10	10	9	21	40	30	37	31	7.340	126	55	45.343	-79
11	10	9	21	40	31	37	31	7.340	126	55	45.343	-79
12	10	9	21	40	32	37	31	7.340	126	55	45.343	-79
13	10	9	21	40	33	37	31	7.340	126	55	45.343	-94
14	10	9	21	40	34	37	31	7.340	126	55	45.343	-94
15	10	9	21	40	35	37	31	7.340	126	55	45.343	-94
16	10	9	21	40	36	37	31	7.340	126	55	45.343	-86
17	10	9	21	40	37	37	31	7.340	126	55	45.343	-86
18	10	9	21	40	40	37	31	7.340	126	55	45.343	-82
19	10	9	21	40	41	37	31	7.340	126	55	45.343	-82
20	10	9	21	40	42	37	31	7.340	126	55	45.343	-82
21	10	9	21	40	43	37	31	7.340	126	55	45.343	-87
22	10	9	21	40	44	37	31	7.340	126	55	45.343	-87
23	10	9	21	40	45	37	31	7.340	126	55	45.343	-87
24	10	9	21	40	46	37	31	7.340	126	55	45.343	-81
25	10	9	21	40	47	37	31	7.340	126	55	45.343	-81
26	10	9	21	40	48	37	31	7.340	126	55	45.343	-81
27	10	9	21	40	49	37	31	8.204	126	55	46.747	-85
28	10	9	21	40	50	37	31	8.096	126	55	46.783	-85
29	10	9	21	40	51	37	31	8.096	126	55	46.783	-85
30	10	9	21	40	52	37	31	8.060	126	55	46.783	-81
31	10	9	21	40	53	37	31	8.060	126	55	46.783	-81
32	10	9	21	40	54	37	31	8.024	126	55	46.783	-81
33	10	9	21	40	55	37	31	8.024	126	55	46.783	-80
34	10	9	21	40	56	37	31	8.024	126	55	46.783	-80
35	10	9	21	40	57	37	31	8.024	126	55	46.783	-80
36	10	9	21	40	58	37	31	8.024	126	55	46.783	-91
37	10	9	21	40	59	37	31	8.024	126	55	46.783	-91
38	10	9	21	41	0	37	31	8.024	126	55	46.783	-91
39	10	9	21	41	1	37	31	8.024	126	55	46.783	-90




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(0_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	41	30	37	31	7.772	126	55	45.487	-81
2	10	9	21	41	31	37	31	7.772	126	55	45.487	-84
3	10	9	21	41	32	37	31	7.772	126	55	45.487	-84
4	10	9	21	41	33	37	31	7.772	126	55	45.487	-84
5	10	9	21	41	34	37	31	7.772	126	55	45.487	-84
6	10	9	21	41	35	37	31	7.772	126	55	45.487	-84
7	10	9	21	41	36	37	31	7.772	126	55	45.487	-84
8	10	9	21	41	37	37	31	7.772	126	55	45.487	-81
9	10	9	21	41	38	37	31	7.772	126	55	45.487	-81
10	10	9	21	41	39	37	31	7.772	126	55	45.487	-81
11	10	9	21	41	40	37	31	7.772	126	55	45.487	-84
12	10	9	21	41	41	37	31	7.772	126	55	45.487	-84
13	10	9	21	41	42	37	31	7.772	126	55	45.487	-84
14	10	9	21	41	43	37	31	7.772	126	55	45.487	-81
15	10	9	21	41	44	37	31	7.772	126	55	45.487	-81
16	10	9	21	41	45	37	31	7.772	126	55	45.487	-81
17	10	9	21	41	46	37	31	7.772	126	55	45.487	-82
18	10	9	21	41	47	37	31	7.772	126	55	45.487	-82
19	10	9	21	41	48	37	31	7.772	126	55	45.487	-82
20	10	9	21	41	49	37	31	7.772	126	55	45.487	-81
21	10	9	21	41	50	37	31	7.772	126	55	45.487	-81
22	10	9	21	41	51	37	31	7.772	126	55	45.487	-81
23	10	9	21	41	52	37	31	7.772	126	55	45.487	-83
24	10	9	21	41	53	37	31	7.772	126	55	45.487	-83
25	10	9	21	41	54	37	31	7.772	126	55	45.487	-83
26	10	9	21	41	55	37	31	7.772	126	55	45.487	-82
평균 전계 강도												-82.42




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(0_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	42	8	37	31	7.772	126	55	45.487	-93
2	10	9	21	42	9	37	31	7.772	126	55	45.487	-93
3	10	9	21	42	10	37	31	7.772	126	55	45.487	-90
4	10	9	21	42	11	37	31	7.772	126	55	45.487	-90
5	10	9	21	42	12	37	31	7.772	126	55	45.487	-90
6	10	9	21	42	13	37	31	7.772	126	55	45.487	-90
7	10	9	21	42	14	37	31	7.772	126	55	45.487	-88
8	10	9	21	42	15	37	31	7.772	126	55	45.487	-90
9	10	9	21	42	16	37	31	7.772	126	55	45.487	-90
10	10	9	21	42	17	37	31	7.772	126	55	45.487	-90
11	10	9	21	42	18	37	31	7.772	126	55	45.487	-90
12	10	9	21	42	19	37	31	7.772	126	55	45.487	-94
13	10	9	21	42	20	37	31	7.772	126	55	45.487	-94
14	10	9	21	42	21	37	31	7.772	126	55	45.487	-94
15	10	9	21	42	22	37	31	7.772	126	55	45.487	-91
16	10	9	21	42	23	37	31	7.772	126	55	45.487	-91
17	10	9	21	42	24	37	31	7.772	126	55	45.487	-91
18	10	9	21	42	25	37	31	7.772	126	55	45.487	-93
19	10	9	21	42	26	37	31	7.772	126	55	45.487	-93
20	10	9	21	42	27	37	31	7.772	126	55	45.487	-93
21	10	9	21	42	28	37	31	7.772	126	55	45.487	-95
22	10	9	21	42	29	37	31	7.772	126	55	45.487	-95
23	10	9	21	42	30	37	31	7.772	126	55	45.487	-95
24	10	9	21	42	31	37	31	7.772	126	55	45.487	-93
25	10	9	21	42	32	37	31	7.772	126	55	45.487	-93
26	10	9	21	42	33	37	31	7.772	126	55	45.487	-93
27	10	9	21	42	34	37	31	7.772	126	55	45.487	-90
평균 전계 강도												-91.93




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(0_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	42	57	37	31	7.772	126	55	45.487	-94
2	10	9	21	42	58	37	31	7.772	126	55	45.487	-91
3	10	9	21	42	59	37	31	7.772	126	55	45.487	-91
4	10	9	21	43	0	37	31	7.772	126	55	45.487	-91
5	10	9	21	43	1	37	31	7.772	126	55	45.487	-85
6	10	9	21	43	2	37	31	7.772	126	55	45.487	-85
7	10	9	21	43	3	37	31	7.772	126	55	45.487	-85
8	10	9	21	43	4	37	31	7.772	126	55	45.487	-92
9	10	9	21	43	5	37	31	7.772	126	55	45.487	-92
10	10	9	21	43	6	37	31	7.772	126	55	45.487	-92
11	10	9	21	43	7	37	31	7.772	126	55	45.487	-92
12	10	9	21	43	8	37	31	7.772	126	55	45.487	-92
13	10	9	21	43	9	37	31	7.772	126	55	45.487	-92
14	10	9	21	43	10	37	31	7.772	126	55	45.487	-93
15	10	9	21	43	11	37	31	7.772	126	55	45.487	-93
16	10	9	21	43	12	37	31	7.772	126	55	45.487	-93
17	10	9	21	43	13	37	31	7.772	126	55	45.487	-86
18	10	9	21	43	14	37	31	7.772	126	55	45.487	-86
19	10	9	21	43	15	37	31	7.772	126	55	45.487	-86
20	10	9	21	43	16	37	31	7.772	126	55	45.487	-89
21	10	9	21	43	17	37	31	7.772	126	55	45.487	-89
22	10	9	21	43	18	37	31	7.772	126	55	45.487	-89
23	10	9	21	43	19	37	31	7.772	126	55	45.487	-90
24	10	9	21	43	20	37	31	7.772	126	55	45.487	-90
25	10	9	21	43	21	37	31	7.772	126	55	45.487	-90
26	10	9	21	43	22	37	31	7.772	126	55	45.487	-92
평균 전계 강도												-90.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(0_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	43	39	37	31	7.772	126	55	45.487	-96
2	10	9	21	43	40	37	31	7.772	126	55	45.487	-97
3	10	9	21	43	41	37	31	7.772	126	55	45.487	-97
4	10	9	21	43	42	37	31	7.772	126	55	45.487	-97
5	10	9	21	43	43	37	31	7.772	126	55	45.487	-97
6	10	9	21	43	44	37	31	7.772	126	55	45.487	-97
7	10	9	21	43	45	37	31	7.772	126	55	45.487	-97
8	10	9	21	43	46	37	31	7.772	126	55	45.487	-96
9	10	9	21	43	47	37	31	7.772	126	55	45.487	-96
10	10	9	21	43	48	37	31	7.772	126	55	45.487	-96
11	10	9	21	43	49	37	31	7.772	126	55	45.487	-99
12	10	9	21	43	50	37	31	7.772	126	55	45.487	-99
13	10	9	21	43	51	37	31	7.772	126	55	45.487	-99
14	10	9	21	43	52	37	31	7.772	126	55	45.487	-101
15	10	9	21	43	53	37	31	7.772	126	55	45.487	-101
16	10	9	21	43	54	37	31	7.772	126	55	45.487	-101
17	10	9	21	43	55	37	31	7.772	126	55	45.487	-96
18	10	9	21	43	56	37	31	7.772	126	55	45.487	-96
19	10	9	21	43	57	37	31	7.772	126	55	45.487	-96
20	10	9	21	43	58	37	31	7.772	126	55	45.487	-98
21	10	9	21	43	59	37	31	7.772	126	55	45.487	-98
22	10	9	21	44	0	37	31	7.772	126	55	45.487	-98
23	10	9	21	44	1	37	31	7.772	126	55	45.487	-98
24	10	9	21	44	2	37	31	7.772	126	55	45.487	-98
25	10	9	21	44	3	37	31	7.772	126	55	45.487	-98
26	10	9	21	44	4	37	31	7.772	126	55	45.487	-99
평균 전계 강도												-97.73




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(0_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	44	21	37	31	7.772	126	55	45.487	-93
2	10	9	21	44	22	37	31	7.772	126	55	45.487	-89
3	10	9	21	44	23	37	31	7.772	126	55	45.487	-89
4	10	9	21	44	24	37	31	7.772	126	55	45.487	-89
5	10	9	21	44	25	37	31	7.772	126	55	45.487	-92
6	10	9	21	44	26	37	31	7.772	126	55	45.487	-92
7	10	9	21	44	27	37	31	7.772	126	55	45.487	-92
8	10	9	21	44	28	37	31	7.772	126	55	45.487	-92
9	10	9	21	44	29	37	31	7.772	126	55	45.487	-92
10	10	9	21	44	30	37	31	7.772	126	55	45.487	-92
11	10	9	21	44	31	37	31	7.772	126	55	45.487	-95
12	10	9	21	44	32	37	31	7.772	126	55	45.487	-95
13	10	9	21	44	33	37	31	7.772	126	55	45.487	-95
14	10	9	21	44	34	37	31	7.772	126	55	45.487	-90
15	10	9	21	44	35	37	31	7.772	126	55	45.487	-90
16	10	9	21	44	36	37	31	7.772	126	55	45.487	-90
17	10	9	21	44	37	37	31	7.772	126	55	45.487	-92
18	10	9	21	44	38	37	31	7.772	126	55	45.487	-92
19	10	9	21	44	39	37	31	7.772	126	55	45.487	-92
20	10	9	21	44	40	37	31	7.772	126	55	45.487	-89
평균 전계 강도												-91.60




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(0_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	44	56	37	31	7.772	126	55	45.487	-92
2	10	9	21	44	57	37	31	7.772	126	55	45.487	-92
3	10	9	21	44	58	37	31	7.772	126	55	45.487	-98
4	10	9	21	44	59	37	31	7.772	126	55	45.487	-98
5	10	9	21	45	0	37	31	7.772	126	55	45.487	-98
6	10	9	21	45	1	37	31	7.772	126	55	45.487	-103
7	10	9	21	45	2	37	31	7.772	126	55	45.487	-103
8	10	9	21	45	3	37	31	7.772	126	55	45.487	-103
9	10	9	21	45	4	37	31	7.772	126	55	45.487	-89
10	10	9	21	45	5	37	31	7.772	126	55	45.487	-89
11	10	9	21	45	6	37	31	7.772	126	55	45.487	-89
12	10	9	21	45	7	37	31	7.772	126	55	45.487	-92
13	10	9	21	45	8	37	31	7.772	126	55	45.487	-92
14	10	9	21	45	9	37	31	7.772	126	55	45.487	-92
평균 전계 강도												-95.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(0_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	45	41	37	31	7.772	126	55	45.487	-77
2	10	9	21	45	42	37	31	7.772	126	55	45.487	-77
3	10	9	21	45	43	37	31	7.772	126	55	45.487	-77
평균 전계 강도												-77.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(-30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	45	53	37	31	7.772	126	55	45.487	-91
2	10	9	21	45	54	37	31	7.772	126	55	45.487	-91
3	10	9	21	45	55	37	31	7.772	126	55	45.487	-93
4	10	9	21	45	56	37	31	7.772	126	55	45.487	-93
5	10	9	21	45	57	37	31	7.772	126	55	45.487	-93
6	10	9	21	45	58	37	31	7.772	126	55	45.487	-103
7	10	9	21	45	59	37	31	7.772	126	55	45.487	-103
8	10	9	21	46	0	37	31	7.772	126	55	45.487	-103
9	10	9	21	46	1	37	31	7.772	126	55	45.487	-90
10	10	9	21	46	2	37	31	7.772	126	55	45.487	-90
11	10	9	21	46	3	37	31	7.772	126	55	45.487	-90
12	10	9	21	46	4	37	31	7.772	126	55	45.487	-84
13	10	9	21	46	5	37	31	7.772	126	55	45.487	-84
14	10	9	21	46	6	37	31	7.772	126	55	45.487	-84
15	10	9	21	46	7	37	31	7.772	126	55	45.487	-93
16	10	9	21	46	8	37	31	7.772	126	55	45.487	-93
17	10	9	21	46	9	37	31	7.772	126	55	45.487	-93
18	10	9	21	46	10	37	31	7.772	126	55	45.487	-92
19	10	9	21	46	11	37	31	7.772	126	55	45.487	-92
평균 전계 강도												-92.37




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(-30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	46	21	37	31	7.772	126	55	45.487	-94
2	10	9	21	46	22	37	31	7.772	126	55	45.487	-87
3	10	9	21	46	23	37	31	7.772	126	55	45.487	-87
4	10	9	21	46	24	37	31	7.772	126	55	45.487	-87
5	10	9	21	46	25	37	31	7.772	126	55	45.487	-89
6	10	9	21	46	26	37	31	7.772	126	55	45.487	-89
7	10	9	21	46	27	37	31	7.772	126	55	45.487	-89
8	10	9	21	46	28	37	31	7.772	126	55	45.487	-85
9	10	9	21	46	29	37	31	7.772	126	55	45.487	-85
10	10	9	21	46	30	37	31	7.772	126	55	45.487	-85
11	10	9	21	46	31	37	31	7.772	126	55	45.487	-90
12	10	9	21	46	32	37	31	7.772	126	55	45.487	-90
13	10	9	21	46	33	37	31	7.772	126	55	45.487	-90
14	10	9	21	46	34	37	31	7.772	126	55	45.487	-91
15	10	9	21	46	35	37	31	7.772	126	55	45.487	-91
16	10	9	21	46	36	37	31	7.772	126	55	45.487	-91
17	10	9	21	46	37	37	31	7.772	126	55	45.487	-88
18	10	9	21	46	38	37	31	7.772	126	55	45.487	-88
19	10	9	21	46	39	37	31	7.772	126	55	45.487	-88
20	10	9	21	46	40	37	31	7.772	126	55	45.487	-88
21	10	9	21	46	41	37	31	7.772	126	55	45.487	-88
22	10	9	21	46	42	37	31	7.772	126	55	45.487	-88
23	10	9	21	46	43	37	31	7.772	126	55	45.487	-100
24	10	9	21	46	44	37	31	7.772	126	55	45.487	-100
25	10	9	21	46	45	37	31	7.772	126	55	45.487	-100
평균 전계 강도												-89.92




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(-30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	47	4	37	31	7.772	126	55	45.487	-92
2	10	9	21	47	5	37	31	7.772	126	55	45.487	-92
3	10	9	21	47	6	37	31	7.772	126	55	45.487	-92
4	10	9	21	47	7	37	31	7.772	126	55	45.487	-99
5	10	9	21	47	8	37	31	7.772	126	55	45.487	-99
6	10	9	21	47	9	37	31	7.772	126	55	45.487	-99
7	10	9	21	47	10	37	31	7.772	126	55	45.487	-95
8	10	9	21	47	11	37	31	7.772	126	55	45.487	-95
9	10	9	21	47	12	37	31	7.772	126	55	45.487	-95
10	10	9	21	47	13	37	31	7.772	126	55	45.487	-92
11	10	9	21	47	14	37	31	7.772	126	55	45.487	-92
12	10	9	21	47	15	37	31	7.772	126	55	45.487	-92
13	10	9	21	47	16	37	31	7.772	126	55	45.487	-91
14	10	9	21	47	17	37	31	7.772	126	55	45.487	-91
15	10	9	21	47	18	37	31	7.772	126	55	45.487	-91
평균 전계 강도												-93.80




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(-30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	47	28	37	31	7.772	126	55	45.487	-101
2	10	9	21	47	29	37	31	7.772	126	55	45.487	-101
3	10	9	21	47	30	37	31	7.772	126	55	45.487	-101
4	10	9	21	47	31	37	31	7.772	126	55	45.487	-102
5	10	9	21	47	32	37	31	7.772	126	55	45.487	-102
6	10	9	21	47	33	37	31	7.772	126	55	45.487	-102
7	10	9	21	47	34	37	31	7.772	126	55	45.487	-98
8	10	9	21	47	35	37	31	7.772	126	55	45.487	-98
9	10	9	21	47	36	37	31	7.772	126	55	45.487	-98
10	10	9	21	47	37	37	31	7.772	126	55	45.487	-100
11	10	9	21	47	38	37	31	7.772	126	55	45.487	-100
12	10	9	21	47	39	37	31	7.772	126	55	45.487	-100
13	10	9	21	47	40	37	31	7.772	126	55	45.487	-104
14	10	9	21	47	41	37	31	7.772	126	55	45.487	-104
15	10	9	21	47	42	37	31	7.772	126	55	45.487	-104
16	10	9	21	47	43	37	31	7.772	126	55	45.487	-101
17	10	9	21	47	44	37	31	7.772	126	55	45.487	-101
18	10	9	21	47	45	37	31	7.772	126	55	45.487	-101
평균 전계 강도												-101.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(-30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	48	4	37	31	7.772	126	55	45.487	-96
2	10	9	21	48	5	37	31	7.772	126	55	45.487	-96
3	10	9	21	48	6	37	31	7.772	126	55	45.487	-96
4	10	9	21	48	7	37	31	7.772	126	55	45.487	-102
5	10	9	21	48	8	37	31	7.772	126	55	45.487	-102
6	10	9	21	48	9	37	31	7.772	126	55	45.487	-102
7	10	9	21	48	10	37	31	7.772	126	55	45.487	-103
8	10	9	21	48	11	37	31	7.772	126	55	45.487	-103
9	10	9	21	48	12	37	31	7.772	126	55	45.487	-103
10	10	9	21	48	13	37	31	7.772	126	55	45.487	-97
11	10	9	21	48	14	37	31	7.772	126	55	45.487	-97
12	10	9	21	48	15	37	31	7.772	126	55	45.487	-97
13	10	9	21	48	16	37	31	7.772	126	55	45.487	-106
14	10	9	21	48	17	37	31	7.772	126	55	45.487	-106
15	10	9	21	48	18	37	31	7.772	126	55	45.487	-106
16	10	9	21	48	19	37	31	7.772	126	55	45.487	-97
17	10	9	21	48	20	37	31	7.772	126	55	45.487	-97
18	10	9	21	48	21	37	31	7.772	126	55	45.487	-97
19	10	9	21	48	22	37	31	7.772	126	55	45.487	-99
평균 전계 강도												-100.11




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(-30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	48	36	37	31	7.772	126	55	45.487	-101
2	10	9	21	48	37	37	31	7.772	126	55	45.487	-100
3	10	9	21	48	38	37	31	7.772	126	55	45.487	-100
4	10	9	21	48	39	37	31	7.772	126	55	45.487	-100
5	10	9	21	48	40	37	31	7.772	126	55	45.487	-102
6	10	9	21	48	41	37	31	7.772	126	55	45.487	-102
7	10	9	21	48	42	37	31	7.772	126	55	45.487	-102
8	10	9	21	48	43	37	31	7.772	126	55	45.487	-103
9	10	9	21	48	44	37	31	7.772	126	55	45.487	-103
10	10	9	21	48	45	37	31	7.772	126	55	45.487	-103
11	10	9	21	48	46	37	31	7.772	126	55	45.487	-101
12	10	9	21	48	47	37	31	7.772	126	55	45.487	-101
13	10	9	21	48	48	37	31	7.772	126	55	45.487	-101
평균 전계 강도												-101.46




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(-30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	49	0	37	31	7.772	126	55	45.487	-95
2	10	9	21	49	1	37	31	7.772	126	55	45.487	-89
3	10	9	21	49	2	37	31	7.772	126	55	45.487	-89
4	10	9	21	49	3	37	31	7.772	126	55	45.487	-89
5	10	9	21	49	4	37	31	7.772	126	55	45.487	-90
6	10	9	21	49	5	37	31	7.772	126	55	45.487	-90
7	10	9	21	49	6	37	31	7.772	126	55	45.487	-90
8	10	9	21	49	7	37	31	7.772	126	55	45.487	-92
9	10	9	21	49	8	37	31	7.772	126	55	45.487	-92
10	10	9	21	49	9	37	31	7.772	126	55	45.487	-92
11	10	9	21	49	10	37	31	7.772	126	55	45.487	-92
12	10	9	21	49	11	37	31	7.772	126	55	45.487	-92
13	10	9	21	49	12	37	31	7.772	126	55	45.487	-92
14	10	9	21	49	13	37	31	7.772	126	55	45.487	-92
15	10	9	21	49	14	37	31	7.772	126	55	45.487	-92
16	10	9	21	49	15	37	31	7.772	126	55	45.487	-92
17	10	9	21	49	16	37	31	7.772	126	55	45.487	-90
18	10	9	21	49	17	37	31	7.772	126	55	45.487	-90
19	10	9	21	49	18	37	31	7.772	126	55	45.487	-90
20	10	9	21	49	19	37	31	7.772	126	55	45.487	-90
21	10	9	21	49	20	37	31	7.772	126	55	45.487	-90
평균 전계 강도												-90.95




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(-30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	49	31	37	31	7.772	126	55	45.487	-86
2	10	9	21	49	32	37	31	7.772	126	55	45.487	-86
3	10	9	21	49	33	37	31	7.772	126	55	45.487	-86
4	10	9	21	49	34	37	31	7.772	126	55	45.487	-85
5	10	9	21	49	35	37	31	7.772	126	55	45.487	-85
6	10	9	21	49	36	37	31	7.772	126	55	45.487	-85
7	10	9	21	49	37	37	31	7.772	126	55	45.487	-87
8	10	9	21	49	38	37	31	7.772	126	55	45.487	-87
9	10	9	21	49	39	37	31	7.772	126	55	45.487	-87
10	10	9	21	49	40	37	31	7.772	126	55	45.487	-88
11	10	9	21	49	41	37	31	7.772	126	55	45.487	-88
12	10	9	21	49	42	37	31	7.772	126	55	45.487	-88
13	10	9	21	49	43	37	31	7.772	126	55	45.487	-87
14	10	9	21	49	44	37	31	7.772	126	55	45.487	-87
15	10	9	21	49	45	37	31	7.772	126	55	45.487	-87
16	10	9	21	49	46	37	31	7.772	126	55	45.487	-85
17	10	9	21	49	47	37	31	7.772	126	55	45.487	-85
18	10	9	21	49	48	37	31	7.772	126	55	45.487	-85
19	10	9	21	49	49	37	31	7.772	126	55	45.487	-88
20	10	9	21	49	50	37	31	7.772	126	55	45.487	-88
21	10	9	21	49	51	37	31	7.772	126	55	45.487	-88
평균 전계 강도												-86.57




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(+30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	50	6	37	31	7.772	126	55	45.487	-80
2	10	9	21	50	7	37	31	7.772	126	55	45.487	-80
3	10	9	21	50	8	37	31	7.772	126	55	45.487	-80
4	10	9	21	50	9	37	31	7.772	126	55	45.487	-80
5	10	9	21	50	10	37	31	7.772	126	55	45.487	-80
6	10	9	21	50	11	37	31	7.772	126	55	45.487	-80
7	10	9	21	50	12	37	31	7.772	126	55	45.487	-80
8	10	9	21	50	13	37	31	7.772	126	55	45.487	-81
9	10	9	21	50	14	37	31	7.772	126	55	45.487	-81
10	10	9	21	50	15	37	31	7.772	126	55	45.487	-81
11	10	9	21	50	16	37	31	7.772	126	55	45.487	-79
12	10	9	21	50	17	37	31	7.772	126	55	45.487	-79
13	10	9	21	50	18	37	31	7.772	126	55	45.487	-79
14	10	9	21	50	19	37	31	7.772	126	55	45.487	-79
15	10	9	21	50	20	37	31	7.772	126	55	45.487	-79
16	10	9	21	50	21	37	31	7.772	126	55	45.487	-79
17	10	9	21	50	22	37	31	7.772	126	55	45.487	-77
18	10	9	21	50	23	37	31	7.772	126	55	45.487	-77
19	10	9	21	50	24	37	31	7.772	126	55	45.487	-77
20	10	9	21	50	25	37	31	7.772	126	55	45.487	-78
21	10	9	21	50	26	37	31	7.772	126	55	45.487	-78
22	10	9	21	50	27	37	31	7.772	126	55	45.487	-78
23	10	9	21	50	28	37	31	7.772	126	55	45.487	-79
24	10	9	21	50	29	37	31	7.772	126	55	45.487	-79
평균 전계 강도												-79.17




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(+30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	50	41	37	31	7.772	126	55	45.487	-91
2	10	9	21	50	42	37	31	7.772	126	55	45.487	-91
3	10	9	21	50	43	37	31	7.772	126	55	45.487	-90
4	10	9	21	50	44	37	31	7.772	126	55	45.487	-90
5	10	9	21	50	45	37	31	7.772	126	55	45.487	-90
6	10	9	21	50	46	37	31	7.772	126	55	45.487	-95
7	10	9	21	50	47	37	31	7.772	126	55	45.487	-95
8	10	9	21	50	48	37	31	7.772	126	55	45.487	-95
9	10	9	21	50	49	37	31	7.772	126	55	45.487	-89
10	10	9	21	50	50	37	31	7.772	126	55	45.487	-89
11	10	9	21	50	51	37	31	7.772	126	55	45.487	-89
12	10	9	21	50	52	37	31	7.772	126	55	45.487	-89
13	10	9	21	50	53	37	31	7.772	126	55	45.487	-89
14	10	9	21	50	54	37	31	7.772	126	55	45.487	-89
15	10	9	21	50	55	37	31	7.772	126	55	45.487	-89
16	10	9	21	50	56	37	31	7.772	126	55	45.487	-89
17	10	9	21	50	57	37	31	7.772	126	55	45.487	-89
18	10	9	21	50	58	37	31	7.772	126	55	45.487	-89
19	10	9	21	50	59	37	31	7.772	126	55	45.487	-89
20	10	9	21	51	0	37	31	7.772	126	55	45.487	-89
21	10	9	21	51	1	37	31	7.772	126	55	45.487	-91
평균 전계 강도												-90.29




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(+30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	51	14	37	31	7.772	126	55	45.487	-91
2	10	9	21	51	15	37	31	7.772	126	55	45.487	-91
3	10	9	21	51	16	37	31	7.772	126	55	45.487	-94
4	10	9	21	51	17	37	31	7.772	126	55	45.487	-94
5	10	9	21	51	18	37	31	7.772	126	55	45.487	-94
6	10	9	21	51	19	37	31	7.772	126	55	45.487	-91
7	10	9	21	51	20	37	31	7.772	126	55	45.487	-91
8	10	9	21	51	21	37	31	7.772	126	55	45.487	-91
9	10	9	21	51	22	37	31	7.772	126	55	45.487	-93
10	10	9	21	51	23	37	31	7.772	126	55	45.487	-93
11	10	9	21	51	24	37	31	7.772	126	55	45.487	-93
12	10	9	21	51	25	37	31	7.772	126	55	45.487	-92
13	10	9	21	51	26	37	31	7.772	126	55	45.487	-92
14	10	9	21	51	27	37	31	7.772	126	55	45.487	-92
15	10	9	21	51	28	37	31	7.772	126	55	45.487	-96
16	10	9	21	51	29	37	31	7.772	126	55	45.487	-96
17	10	9	21	51	30	37	31	7.772	126	55	45.487	-96
18	10	9	21	51	31	37	31	7.772	126	55	45.487	-93
평균 전계 강도												-92.94




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(+30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	52	23	37	31	7.772	126	55	45.487	-92
2	10	9	21	52	24	37	31	7.772	126	55	45.487	-92
3	10	9	21	52	25	37	31	7.772	126	55	45.487	-92
4	10	9	21	52	26	37	31	7.772	126	55	45.487	-96
5	10	9	21	52	27	37	31	7.772	126	55	45.487	-96
6	10	9	21	52	28	37	31	7.772	126	55	45.487	-96
7	10	9	21	52	29	37	31	7.772	126	55	45.487	-97
8	10	9	21	52	30	37	31	7.772	126	55	45.487	-97
9	10	9	21	52	31	37	31	7.772	126	55	45.487	-97
10	10	9	21	52	32	37	31	7.772	126	55	45.487	-93
11	10	9	21	52	33	37	31	7.772	126	55	45.487	-93
12	10	9	21	52	34	37	31	7.772	126	55	45.487	-93
13	10	9	21	52	35	37	31	7.772	126	55	45.487	-93
14	10	9	21	52	36	37	31	7.772	126	55	45.487	-93
15	10	9	21	52	37	37	31	7.772	126	55	45.487	-93
16	10	9	21	52	38	37	31	7.772	126	55	45.487	-92
17	10	9	21	52	39	37	31	7.772	126	55	45.487	-92
18	10	9	21	52	40	37	31	7.772	126	55	45.487	-92
19	10	9	21	52	41	37	31	7.772	126	55	45.487	-90
20	10	9	21	52	42	37	31	7.772	126	55	45.487	-90
21	10	9	21	52	43	37	31	7.772	126	55	45.487	-90
22	10	9	21	52	44	37	31	7.772	126	55	45.487	-92
23	10	9	21	52	45	37	31	7.772	126	55	45.487	-92
24	10	9	21	52	46	37	31	7.772	126	55	45.487	-92
평균 전계 강도												-93.13




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(+30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	53	1	37	31	7.772	126	55	45.487	-98
2	10	9	21	53	2	37	31	7.772	126	55	45.487	-94
3	10	9	21	53	3	37	31	7.772	126	55	45.487	-94
4	10	9	21	53	4	37	31	7.772	126	55	45.487	-94
5	10	9	21	53	5	37	31	7.772	126	55	45.487	-97
6	10	9	21	53	6	37	31	7.772	126	55	45.487	-97
7	10	9	21	53	7	37	31	7.772	126	55	45.487	-97
8	10	9	21	53	8	37	31	7.772	126	55	45.487	-97
9	10	9	21	53	9	37	31	7.772	126	55	45.487	-97
10	10	9	21	53	10	37	31	7.772	126	55	45.487	-97
11	10	9	21	53	11	37	31	7.772	126	55	45.487	-99
12	10	9	21	53	12	37	31	7.772	126	55	45.487	-99
13	10	9	21	53	13	37	31	7.772	126	55	45.487	-99
14	10	9	21	53	14	37	31	7.772	126	55	45.487	-94
15	10	9	21	53	15	37	31	7.772	126	55	45.487	-94
16	10	9	21	53	16	37	31	7.772	126	55	45.487	-94
17	10	9	21	53	17	37	31	7.772	126	55	45.487	-94
18	10	9	21	53	18	37	31	7.772	126	55	45.487	-94
19	10	9	21	53	19	37	31	7.772	126	55	45.487	-94
20	10	9	21	53	20	37	31	7.772	126	55	45.487	-96
21	10	9	21	53	21	37	31	7.772	126	55	45.487	-96
평균 전계 강도												-95.95




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(+30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	53	33	37	31	7.772	126	55	45.487	-96
2	10	9	21	53	34	37	31	7.772	126	55	45.487	-96
3	10	9	21	53	35	37	31	7.772	126	55	45.487	-96
4	10	9	21	53	36	37	31	7.772	126	55	45.487	-96
5	10	9	21	53	37	37	31	7.772	126	55	45.487	-96
6	10	9	21	53	38	37	31	7.772	126	55	45.487	-86
7	10	9	21	53	39	37	31	7.772	126	55	45.487	-86
8	10	9	21	53	40	37	31	7.772	126	55	45.487	-86
9	10	9	21	53	41	37	31	7.772	126	55	45.487	-86
10	10	9	21	53	42	37	31	7.772	126	55	45.487	-86
11	10	9	21	53	43	37	31	7.772	126	55	45.487	-86
12	10	9	21	53	44	37	31	7.772	126	55	45.487	-86
13	10	9	21	53	45	37	31	7.772	126	55	45.487	-86
14	10	9	21	53	46	37	31	7.772	126	55	45.487	-86
15	10	9	21	53	47	37	31	7.772	126	55	45.487	-86
16	10	9	21	53	48	37	31	7.772	126	55	45.487	-86
17	10	9	21	53	49	37	31	7.772	126	55	45.487	-86
18	10	9	21	53	50	37	31	7.772	126	55	45.487	-86
19	10	9	21	53	51	37	31	7.772	126	55	45.487	-86
20	10	9	21	53	52	37	31	7.772	126	55	45.487	-86
21	10	9	21	53	53	37	31	7.772	126	55	45.487	-86
22	10	9	21	53	54	37	31	7.772	126	55	45.487	-86
23	10	9	21	53	55	37	31	7.772	126	55	45.487	-86
24	10	9	21	53	56	37	31	7.772	126	55	45.487	-86
25	10	9	21	53	57	37	31	7.772	126	55	45.487	-86
26	10	9	21	53	58	37	31	7.772	126	55	45.487	-86
27	10	9	21	53	59	37	31	7.772	126	55	45.487	-86
28	10	9	21	54	0	37	31	7.772	126	55	45.487	-86
29	10	9	21	54	1	37	31	7.772	126	55	45.487	-86
30	10	9	21	54	2	37	31	7.772	126	55	45.487	-86
31	10	9	21	54	3	37	31	7.772	126	55	45.487	-86
32	10	9	21	54	4	37	31	7.772	126	55	45.487	-84
33	10	9	21	54	5	37	31	7.772	126	55	45.487	-84
34	10	9	21	54	6	37	31	7.772	126	55	45.487	-84
35	10	9	21	54	7	37	31	7.772	126	55	45.487	-84
36	10	9	21	54	8	37	31	7.772	126	55	45.487	-84
37	10	9	21	54	9	37	31	7.772	126	55	45.487	-84
38	10	9	21	54	10	37	31	7.772	126	55	45.487	-84
39	10	9	21	54	11	37	31	7.772	126	55	45.487	-84
40	10	9	21	54	12	37	31	7.772	126	55	45.487	-84
41	10	9	21	54	13	37	31	7.772	126	55	45.487	-84
42	10	9	21	54	14	37	31	7.772	126	55	45.487	-88
43	10	9	21	54	15	37	31	7.772	126	55	45.487	-88
44	10	9	21	54	16	37	31	7.772	126	55	45.487	-88
45	10	9	21	54	17	37	31	7.772	126	55	45.487	-87
46	10	9	21	54	18	37	31	7.772	126	55	45.487	-87
47	10	9	21	54	19	37	31	7.772	126	55	45.487	-87
평균 전계 강도												-86.83




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(4)(+30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	54	39	37	31	7.772	126	55	45.487	-86
2	10	9	21	54	40	37	31	7.772	126	55	45.487	-86
3	10	9	21	54	41	37	31	7.772	126	55	45.487	-85
4	10	9	21	54	42	37	31	7.772	126	55	45.487	-85
5	10	9	21	54	43	37	31	7.772	126	55	45.487	-85
6	10	9	21	54	44	37	31	7.772	126	55	45.487	-84
7	10	9	21	54	45	37	31	7.772	126	55	45.487	-84
8	10	9	21	54	46	37	31	7.772	126	55	45.487	-84
9	10	9	21	54	47	37	31	7.772	126	55	45.487	-83
10	10	9	21	54	48	37	31	7.772	126	55	45.487	-83
11	10	9	21	54	49	37	31	7.772	126	55	45.487	-83
12	10	9	21	54	50	37	31	7.772	126	55	45.487	-85
13	10	9	21	54	51	37	31	7.772	126	55	45.487	-85
14	10	9	21	54	52	37	31	7.772	126	55	45.487	-85
15	10	9	21	54	53	37	31	7.772	126	55	45.487	-82
16	10	9	21	54	54	37	31	7.772	126	55	45.487	-82
17	10	9	21	54	55	37	31	7.772	126	55	45.487	-82
18	10	9	21	54	56	37	31	7.772	126	55	45.487	-85
19	10	9	21	54	57	37	31	7.772	126	55	45.487	-85
20	10	9	21	54	58	37	31	7.772	126	55	45.487	-85
21	10	9	21	54	59	37	31	7.772	126	55	45.487	-83
22	10	9	21	55	0	37	31	7.772	126	55	45.487	-83
23	10	9	21	55	1	37	31	7.772	126	55	45.487	-83
평균 전계 강도												-84.04




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(Tx4 MAX)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	21	58	51	37	31	6.656	126	55	44.875	-76
2	10	9	21	58	52	37	31	6.656	126	55	44.875	-76
3	10	9	21	58	53	37	31	6.656	126	55	44.875	-76
4	10	9	21	58	54	37	31	6.656	126	55	44.875	-76
5	10	9	21	58	55	37	31	6.656	126	55	44.875	-76
6	10	9	21	58	56	37	31	6.656	126	55	44.875	-76
7	10	9	21	58	57	37	31	6.656	126	55	44.875	-75
8	10	9	21	58	58	37	31	6.656	126	55	44.875	-75
9	10	9	21	58	59	37	31	6.656	126	55	44.875	-75
10	10	9	21	59	0	37	31	6.656	126	55	44.875	-77
11	10	9	21	59	1	37	31	6.656	126	55	44.875	-77
12	10	9	21	59	2	37	31	6.656	126	55	44.875	-77
13	10	9	21	59	3	37	31	6.656	126	55	44.875	-75
14	10	9	21	59	4	37	31	6.656	126	55	44.839	-75
15	10	9	21	59	5	37	31	6.656	126	55	44.839	-75
16	10	9	21	59	6	37	31	6.620	126	55	44.839	-76
17	10	9	21	59	7	37	31	6.620	126	55	44.839	-76
18	10	9	21	59	8	37	31	6.620	126	55	44.875	-76
19	10	9	21	59	9	37	31	6.620	126	55	44.875	-77
20	10	9	21	59	10	37	31	6.620	126	55	44.875	-77
21	10	9	21	59	11	37	31	6.620	126	55	44.875	-77
22	10	9	21	59	12	37	31	6.620	126	55	44.875	-76
23	10	9	21	59	13	37	31	6.620	126	55	44.875	-76
24	10	9	21	59	14	37	31	6.620	126	55	44.875	-76
25	10	9	21	59	15	37	31	6.620	126	55	44.875	-78
26	10	9	21	59	16	37	31	6.620	126	55	44.875	-78
27	10	9	21	59	17	37	31	6.620	126	55	44.875	-78
28	10	9	21	59	18	37	31	6.620	126	55	44.875	-77
29	10	9	21	59	19	37	31	6.620	126	55	44.875	-77
30	10	9	21	59	20	37	31	6.620	126	55	44.875	-77
31	10	9	21	59	21	37	31	6.620	126	55	44.875	-77
32	10	9	21	59	22	37	31	6.620	126	55	44.875	-77
33	10	9	21	59	23	37	31	6.620	126	55	44.875	-77
34	10	9	21	59	24	37	31	6.620	126	55	44.875	-77
35	10	9	21	59	25	37	31	6.620	126	55	44.875	-77
36	10	9	21	59	26	37	31	6.620	126	55	44.875	-77
37	10	9	21	59	27	37	31	6.620	126	55	44.875	-77
38	10	9	21	59	28	37	31	6.620	126	55	44.875	-77
39	10	9	21	59	29	37	31	6.620	126	55	44.875	-77
40	10	9	21	59	30	37	31	6.620	126	55	44.875	-76
41	10	9	21	59	31	37	31	6.620	126	55	44.875	-76
42	10	9	21	59	32	37	31	6.620	126	55	44.875	-76
43	10	9	21	59	33	37	31	6.620	126	55	44.875	-76
44	10	9	21	59	34	37	31	6.620	126	55	44.875	-76
45	10	9	21	59	35	37	31	6.620	126	55	44.875	-76
46	10	9	21	59	36	37	31	6.620	126	55	44.839	-76
	평균 전계 강도											-76.39




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 Rx4(Tx4 OMNI)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	22	0	0	37	31	6.620	126	55	44.839	-83
2	10	9	22	0	1	37	31	6.620	126	55	44.839	-83
3	10	9	22	0	2	37	31	6.620	126	55	44.839	-83
4	10	9	22	0	3	37	31	6.620	126	55	44.839	-83
5	10	9	22	0	4	37	31	6.620	126	55	44.839	-83
6	10	9	22	0	5	37	31	6.620	126	55	44.839	-83
7	10	9	22	0	6	37	31	6.620	126	55	44.839	-82
8	10	9	22	0	7	37	31	6.620	126	55	44.839	-82
9	10	9	22	0	8	37	31	6.620	126	55	44.839	-82
10	10	9	22	0	9	37	31	6.620	126	55	44.839	-81
11	10	9	22	0	10	37	31	6.620	126	55	44.839	-81
12	10	9	22	0	11	37	31	6.620	126	55	44.839	-81
13	10	9	22	0	12	37	31	6.620	126	55	44.839	-83
14	10	9	22	0	13	37	31	6.620	126	55	44.839	-83
15	10	9	22	0	14	37	31	6.620	126	55	44.839	-83
16	10	9	22	0	15	37	31	6.620	126	55	44.839	-85
17	10	9	22	0	16	37	31	6.620	126	55	44.839	-85
18	10	9	22	0	17	37	31	6.620	126	55	44.839	-85
19	10	9	22	0	18	37	31	6.620	126	55	44.839	-85
20	10	9	22	0	19	37	31	6.620	126	55	44.839	-85
21	10	9	22	0	20	37	31	6.620	126	55	44.839	-85
22	10	9	22	0	21	37	31	6.620	126	55	44.839	-87
23	10	9	22	0	22	37	31	6.620	126	55	44.839	-87
24	10	9	22	0	23	37	31	6.620	126	55	44.839	-87
25	10	9	22	0	24	37	31	6.620	126	55	44.839	-81
26	10	9	22	0	25	37	31	6.620	126	55	44.839	-81
27	10	9	22	0	26	37	31	6.620	126	55	44.839	-81
28	10	9	22	0	27	37	31	6.620	126	55	44.839	-86
29	10	9	22	0	28	37	31	6.620	126	55	44.839	-86
30	10	9	22	0	29	37	31	6.620	126	55	44.839	-86
31	10	9	22	0	30	37	31	6.620	126	55	44.839	-85
32	10	9	22	0	31	37	31	6.620	126	55	44.839	-85
평균 전계 강도												-83.69




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(-30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	38	5	37	31	5.972	126	55	52.687	-69
2	10	7	17	38	6	37	31	5.972	126	55	52.687	-69
3	10	7	17	38	7	37	31	5.972	126	55	52.687	-69
4	10	7	17	38	8	37	31	5.972	126	55	52.687	-69
5	10	7	17	38	9	37	31	5.972	126	55	52.687	-67
6	10	7	17	38	10	37	31	5.972	126	55	52.687	-67
7	10	7	17	38	11	37	31	5.972	126	55	52.687	-67
8	10	7	17	38	12	37	31	5.972	126	55	52.687	-66
9	10	7	17	38	13	37	31	5.972	126	55	52.687	-66
10	10	7	17	38	14	37	31	5.972	126	55	52.687	-66
11	10	7	17	38	15	37	31	5.972	126	55	52.687	-68
12	10	7	17	38	16	37	31	5.972	126	55	52.687	-68
13	10	7	17	38	17	37	31	6.008	126	55	52.687	-68
14	10	7	17	38	18	37	31	6.008	126	55	52.687	-67
15	10	7	17	38	19	37	31	6.008	126	55	52.687	-67
16	10	7	17	38	20	37	31	6.008	126	55	52.687	-67
17	10	7	17	38	21	37	31	6.008	126	55	52.687	-67
18	10	7	17	38	22	37	31	6.008	126	55	52.687	-67
19	10	7	17	38	23	37	31	6.008	126	55	52.687	-67
20	10	7	17	38	24	37	31	6.008	126	55	52.687	-69
21	10	7	17	38	25	37	31	6.008	126	55	52.687	-69
22	10	7	17	38	26	37	31	6.008	126	55	52.687	-69
23	10	7	17	38	27	37	31	6.008	126	55	52.687	-66
24	10	7	17	38	28	37	31	6.008	126	55	52.687	-66
25	10	7	17	38	29	37	31	6.008	126	55	52.687	-66
26	10	7	17	38	30	37	31	6.008	126	55	52.687	-67
27	10	7	17	38	31	37	31	6.008	126	55	52.687	-67
28	10	7	17	38	32	37	31	6.008	126	55	52.651	-67
29	10	7	17	38	33	37	31	6.008	126	55	52.651	-67
30	10	7	17	38	34	37	31	6.008	126	55	52.651	-67
평균 전계 강도												-67.37




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(0_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	27	8	37	31	5.684	126	55	53.119	-86
2	10	7	17	27	9	37	31	5.684	126	55	53.119	-86
3	10	7	17	27	10	37	31	5.684	126	55	53.119	-86
4	10	7	17	27	11	37	31	5.684	126	55	53.119	-79
5	10	7	17	27	12	37	31	5.684	126	55	53.119	-79
6	10	7	17	27	13	37	31	5.684	126	55	53.119	-79
7	10	7	17	27	14	37	31	5.684	126	55	53.119	-86
8	10	7	17	27	15	37	31	5.684	126	55	53.083	-86
9	10	7	17	27	16	37	31	5.684	126	55	53.083	-86
10	10	7	17	27	17	37	31	5.684	126	55	53.083	-77
11	10	7	17	27	18	37	31	5.684	126	55	53.083	-77
12	10	7	17	27	19	37	31	5.684	126	55	53.083	-77
13	10	7	17	27	20	37	31	5.684	126	55	53.083	-82
14	10	7	17	27	21	37	31	5.684	126	55	53.083	-82
15	10	7	17	27	22	37	31	5.684	126	55	53.083	-82
16	10	7	17	27	23	37	31	5.684	126	55	53.083	-83
17	10	7	17	27	24	37	31	5.684	126	55	53.083	-83
18	10	7	17	27	25	37	31	5.684	126	55	53.083	-83
19	10	7	17	27	26	37	31	5.720	126	55	53.083	-94
20	10	7	17	27	27	37	31	5.720	126	55	53.083	-94
21	10	7	17	27	28	37	31	5.720	126	55	53.083	-94
22	10	7	17	27	29	37	31	5.720	126	55	53.083	-82
23	10	7	17	27	30	37	31	5.720	126	55	53.083	-82
24	10	7	17	27	31	37	31	5.720	126	55	53.083	-82
25	10	7	17	27	32	37	31	5.720	126	55	53.083	-74
26	10	7	17	27	33	37	31	5.720	126	55	53.083	-74
27	10	7	17	27	34	37	31	5.720	126	55	53.083	-74
28	10	7	17	27	35	37	31	5.720	126	55	53.083	-78
29	10	7	17	27	36	37	31	5.720	126	55	53.083	-78
30	10	7	17	27	37	37	31	5.720	126	55	53.083	-78
31	10	7	17	27	38	37	31	5.720	126	55	53.083	-85
32	10	7	17	27	39	37	31	5.720	126	55	53.083	-85
33	10	7	17	27	40	37	31	5.720	126	55	53.083	-85
34	10	7	17	27	41	37	31	5.720	126	55	53.083	-72
35	10	7	17	27	42	37	31	5.720	126	55	53.083	-72
36	10	7	17	27	43	37	31	5.720	126	55	53.083	-72
37	10	7	17	27	44	37	31	5.720	126	55	53.083	-79
38	10	7	17	27	45	37	31	5.720	126	55	53.083	-79
39	10	7	17	27	46	37	31	5.720	126	55	53.083	-79
40	10	7	17	27	47	37	31	5.720	126	55	53.083	-73
41	10	7	17	27	48	37	31	5.720	126	55	53.083	-73
42	10	7	17	27	49	37	31	5.720	126	55	53.083	-73
43	10	7	17	27	50	37	31	5.720	126	55	53.083	-88
44	10	7	17	27	51	37	31	5.720	126	55	53.083	-88
45	10	7	17	27	52	37	31	5.720	126	55	53.083	-88
46	10	7	17	27	53	37	31	5.720	126	55	53.083	-81
47	10	7	17	27	54	37	31	5.720	126	55	53.047	-81
48	10	7	17	27	55	37	31	5.720	126	55	53.047	-81
49	10	7	17	27	56	37	31	5.720	126	55	53.047	-84
50	10	7	17	27	57	37	31	5.720	126	55	53.047	-84
51	10	7	17	27	58	37	31	5.720	126	55	53.047	-84




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(0_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	28	9	37	31	5.720	126	55	53.047	-62
2	10	7	17	28	10	37	31	5.720	126	55	53.047	-62
3	10	7	17	28	11	37	31	5.720	126	55	53.047	-65
4	10	7	17	28	12	37	31	5.720	126	55	53.047	-65
5	10	7	17	28	13	37	31	5.720	126	55	53.047	-65
6	10	7	17	28	14	37	31	5.720	126	55	53.047	-63
7	10	7	17	28	15	37	31	5.720	126	55	53.047	-63
8	10	7	17	28	16	37	31	5.756	126	55	53.047	-63
9	10	7	17	28	17	37	31	5.756	126	55	53.047	-62
10	10	7	17	28	18	37	31	5.756	126	55	53.047	-62
11	10	7	17	28	19	37	31	5.756	126	55	53.047	-62
12	10	7	17	28	20	37	31	5.756	126	55	53.047	-66
13	10	7	17	28	21	37	31	5.756	126	55	53.047	-66
14	10	7	17	28	22	37	31	5.756	126	55	53.047	-66
15	10	7	17	28	23	37	31	5.756	126	55	53.047	-63
16	10	7	17	28	24	37	31	5.756	126	55	53.047	-63
17	10	7	17	28	25	37	31	5.756	126	55	53.011	-63
18	10	7	17	28	26	37	31	5.756	126	55	53.011	-62
평균 전계 강도												-63.50




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(0_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	28	42	37	31	5.756	126	55	53.011	-81
2	10	7	17	28	43	37	31	5.756	126	55	53.011	-81
3	10	7	17	28	44	37	31	5.756	126	55	53.011	-72
4	10	7	17	28	45	37	31	5.756	126	55	53.011	-72
5	10	7	17	28	46	37	31	5.756	126	55	53.011	-72
6	10	7	17	28	47	37	31	5.756	126	55	53.011	-68
7	10	7	17	28	48	37	31	5.756	126	55	53.011	-68
8	10	7	17	28	49	37	31	5.792	126	55	53.011	-68
9	10	7	17	28	50	37	31	5.792	126	55	53.011	-69
10	10	7	17	28	51	37	31	5.792	126	55	53.011	-69
11	10	7	17	28	52	37	31	5.792	126	55	53.011	-69
12	10	7	17	28	53	37	31	5.792	126	55	53.011	-76
13	10	7	17	28	54	37	31	5.792	126	55	53.011	-76
14	10	7	17	28	55	37	31	5.792	126	55	53.011	-76
15	10	7	17	28	56	37	31	5.792	126	55	53.011	-67
16	10	7	17	28	57	37	31	5.792	126	55	53.011	-67
17	10	7	17	28	58	37	31	5.792	126	55	53.011	-67
18	10	7	17	28	59	37	31	5.792	126	55	53.011	-70
19	10	7	17	29	0	37	31	5.792	126	55	53.011	-70
20	10	7	17	29	1	37	31	5.792	126	55	53.011	-70
21	10	7	17	29	2	37	31	5.792	126	55	53.011	-72
22	10	7	17	29	3	37	31	5.792	126	55	53.011	-72
23	10	7	17	29	4	37	31	5.792	126	55	53.011	-72
24	10	7	17	29	5	37	31	5.792	126	55	53.011	-68
25	10	7	17	29	6	37	31	5.792	126	55	53.011	-68
26	10	7	17	29	7	37	31	5.792	126	55	53.011	-68
27	10	7	17	29	8	37	31	5.792	126	55	53.011	-70
28	10	7	17	29	9	37	31	5.792	126	55	53.011	-70
29	10	7	17	29	10	37	31	5.792	126	55	53.011	-70
30	10	7	17	29	11	37	31	5.792	126	55	53.011	-68
31	10	7	17	29	12	37	31	5.792	126	55	53.011	-68
평균 전계 강도												-70.77




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(0_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	29	24	37	31	5.792	126	55	53.011	-65
2	10	7	17	29	25	37	31	5.792	126	55	53.011	-65
3	10	7	17	29	26	37	31	5.792	126	55	53.011	-61
4	10	7	17	29	27	37	31	5.792	126	55	53.011	-61
5	10	7	17	29	28	37	31	5.792	126	55	53.011	-61
6	10	7	17	29	29	37	31	5.792	126	55	53.011	-65
7	10	7	17	29	30	37	31	5.792	126	55	53.011	-65
8	10	7	17	29	31	37	31	5.792	126	55	53.011	-65
9	10	7	17	29	32	37	31	5.792	126	55	53.011	-63
10	10	7	17	29	33	37	31	5.792	126	55	53.011	-63
11	10	7	17	29	34	37	31	5.792	126	55	53.011	-63
12	10	7	17	29	35	37	31	5.792	126	55	53.011	-63
13	10	7	17	29	36	37	31	5.792	126	55	53.011	-63
14	10	7	17	29	37	37	31	5.792	126	55	53.011	-63
15	10	7	17	29	38	37	31	5.792	126	55	53.011	-64
16	10	7	17	29	39	37	31	5.792	126	55	53.011	-64
17	10	7	17	29	40	37	31	5.792	126	55	53.011	-64
18	10	7	17	29	41	37	31	5.792	126	55	53.011	-65
19	10	7	17	29	42	37	31	5.792	126	55	53.011	-65
20	10	7	17	29	43	37	31	5.792	126	55	53.011	-65
21	10	7	17	29	44	37	31	5.792	126	55	53.011	-66
22	10	7	17	29	45	37	31	5.792	126	55	53.011	-66
23	10	7	17	29	46	37	31	5.792	126	55	53.011	-66
24	10	7	17	29	47	37	31	5.792	126	55	52.975	-64
25	10	7	17	29	48	37	31	5.792	126	55	52.975	-64
26	10	7	17	29	49	37	31	5.792	126	55	52.975	-64
27	10	7	17	29	50	37	31	5.792	126	55	52.975	-65
28	10	7	17	29	51	37	31	5.792	126	55	52.975	-65
29	10	7	17	29	52	37	31	5.792	126	55	52.975	-65
30	10	7	17	29	53	37	31	5.792	126	55	52.975	-61
31	10	7	17	29	54	37	31	5.792	126	55	52.975	-61
32	10	7	17	29	55	37	31	5.792	126	55	52.975	-61
33	10	7	17	29	56	37	31	5.792	126	55	52.975	-62
34	10	7	17	29	57	37	31	5.792	126	55	52.975	-62
35	10	7	17	29	58	37	31	5.792	126	55	52.975	-62
36	10	7	17	29	59	37	31	5.792	126	55	52.975	-61
37	10	7	17	30	0	37	31	5.792	126	55	52.975	-61
38	10	7	17	30	1	37	31	5.792	126	55	52.975	-61
39	10	7	17	30	2	37	31	5.792	126	55	52.975	-62




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(0_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	30	27	37	31	5.828	126	55	52.975	-70
2	10	7	17	30	28	37	31	5.828	126	55	52.975	-70
3	10	7	17	30	29	37	31	5.828	126	55	52.975	-71
4	10	7	17	30	30	37	31	5.828	126	55	52.975	-71
5	10	7	17	30	31	37	31	5.828	126	55	52.975	-71
6	10	7	17	30	32	37	31	5.828	126	55	52.975	-80
7	10	7	17	30	33	37	31	5.828	126	55	52.975	-80
8	10	7	17	30	34	37	31	5.828	126	55	52.939	-80
9	10	7	17	30	35	37	31	5.828	126	55	52.939	-70
10	10	7	17	30	36	37	31	5.828	126	55	52.939	-70
11	10	7	17	30	37	37	31	5.828	126	55	52.939	-70
12	10	7	17	30	38	37	31	5.828	126	55	52.939	-77
13	10	7	17	30	39	37	31	5.828	126	55	52.939	-77
14	10	7	17	30	40	37	31	5.828	126	55	52.939	-77
15	10	7	17	30	41	37	31	5.828	126	55	52.939	-67
16	10	7	17	30	42	37	31	5.828	126	55	52.939	-67
17	10	7	17	30	43	37	31	5.828	126	55	52.939	-67
18	10	7	17	30	44	37	31	5.828	126	55	52.939	-68
19	10	7	17	30	45	37	31	5.828	126	55	52.939	-68
20	10	7	17	30	46	37	31	5.828	126	55	52.939	-68
21	10	7	17	30	47	37	31	5.828	126	55	52.939	-74
22	10	7	17	30	48	37	31	5.828	126	55	52.939	-74
23	10	7	17	30	49	37	31	5.828	126	55	52.939	-74
24	10	7	17	30	50	37	31	5.828	126	55	52.939	-71
25	10	7	17	30	51	37	31	5.828	126	55	52.939	-71
26	10	7	17	30	52	37	31	5.828	126	55	52.939	-71
27	10	7	17	30	53	37	31	5.828	126	55	52.939	-71
28	10	7	17	30	54	37	31	5.828	126	55	52.939	-71
29	10	7	17	30	55	37	31	5.828	126	55	52.939	-71
30	10	7	17	30	56	37	31	5.828	126	55	52.939	-65
평균 전계 강도												-71.73




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(0_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	31	41	37	31	5.864	126	55	52.903	-69
2	10	7	17	31	42	37	31	5.864	126	55	52.903	-69
3	10	7	17	31	43	37	31	5.864	126	55	52.903	-69
4	10	7	17	31	44	37	31	5.864	126	55	52.903	-68
5	10	7	17	31	46	37	31	5.864	126	55	52.903	-68
6	10	7	17	31	46	37	31	5.864	126	55	52.903	-68
7	10	7	17	31	47	37	31	5.864	126	55	52.903	-68
8	10	7	17	31	48	37	31	5.864	126	55	52.903	-68
9	10	7	17	31	49	37	31	5.864	126	55	52.903	-68
10	10	7	17	31	50	37	31	5.864	126	55	52.903	-64
11	10	7	17	31	51	37	31	5.864	126	55	52.867	-64
12	10	7	17	31	52	37	31	5.864	126	55	52.867	-64
13	10	7	17	31	53	37	31	5.864	126	55	52.867	-65
14	10	7	17	31	54	37	31	5.864	126	55	52.867	-65
15	10	7	17	31	55	37	31	5.864	126	55	52.867	-65
평균 전계 강도												-66.80




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(0_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	32	9	37	31	5.864	126	55	52.867	-67
2	10	7	17	32	10	37	31	5.864	126	55	52.867	-67
3	10	7	17	32	11	37	31	5.864	126	55	52.867	-67
4	10	7	17	32	12	37	31	5.864	126	55	52.867	-67
5	10	7	17	32	13	37	31	5.864	126	55	52.867	-67
6	10	7	17	32	14	37	31	5.864	126	55	52.867	-67
7	10	7	17	32	15	37	31	5.864	126	55	52.867	-66
8	10	7	17	32	16	37	31	5.864	126	55	52.867	-66
9	10	7	17	32	17	37	31	5.864	126	55	52.867	-66
10	10	7	17	32	18	37	31	5.864	126	55	52.867	-72
11	10	7	17	32	19	37	31	5.864	126	55	52.867	-72
12	10	7	17	32	20	37	31	5.864	126	55	52.867	-72
13	10	7	17	32	21	37	31	5.864	126	55	52.867	-68
14	10	7	17	32	22	37	31	5.864	126	55	52.867	-68
15	10	7	17	32	23	37	31	5.864	126	55	52.867	-68
16	10	7	17	32	24	37	31	5.864	126	55	52.867	-64
17	10	7	17	32	25	37	31	5.864	126	55	52.867	-64
18	10	7	17	32	26	37	31	5.864	126	55	52.867	-64
평균 전계 강도												-67.33




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(0_315))

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	32	37	37	31	5.864	126	55	52.867	-69
2	10	7	17	32	38	37	31	5.864	126	55	52.867	-69
3	10	7	17	32	39	37	31	5.864	126	55	52.867	-70
4	10	7	17	32	40	37	31	5.864	126	55	52.867	-70
5	10	7	17	32	41	37	31	5.864	126	55	52.867	-70
6	10	7	17	32	42	37	31	5.864	126	55	52.867	-69
7	10	7	17	32	43	37	31	5.864	126	55	52.867	-69
8	10	7	17	32	44	37	31	5.864	126	55	52.867	-69
9	10	7	17	32	45	37	31	5.864	126	55	52.867	-71
10	10	7	17	32	46	37	31	5.864	126	55	52.867	-71
11	10	7	17	32	47	37	31	5.864	126	55	52.867	-71
12	10	7	17	32	48	37	31	5.864	126	55	52.867	-68
13	10	7	17	32	49	37	31	5.864	126	55	52.867	-68
14	10	7	17	32	50	37	31	5.864	126	55	52.867	-68
15	10	7	17	32	51	37	31	5.864	126	55	52.867	-71
16	10	7	17	32	52	37	31	5.864	126	55	52.867	-71
17	10	7	17	32	53	37	31	5.864	126	55	52.867	-71
18	10	7	17	32	54	37	31	5.864	126	55	52.867	-69
19	10	7	17	32	55	37	31	5.864	126	55	52.867	-69
20	10	7	17	32	56	37	31	5.864	126	55	52.867	-69
21	10	7	17	32	57	37	31	5.864	126	55	52.867	-70
22	10	7	17	32	58	37	31	5.864	126	55	52.867	-70
평균 전계 강도												-69.64




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(-30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	33	14	37	31	5.864	126	55	52.867	-82
2	10	7	17	33	15	37	31	5.864	126	55	52.867	-78
3	10	7	17	33	16	37	31	5.864	126	55	52.867	-78
4	10	7	17	33	17	37	31	5.864	126	55	52.867	-78
5	10	7	17	33	18	37	31	5.864	126	55	52.867	-92
6	10	7	17	33	19	37	31	5.864	126	55	52.867	-92
7	10	7	17	33	20	37	31	5.864	126	55	52.867	-92
8	10	7	17	33	21	37	31	5.864	126	55	52.867	-75
9	10	7	17	33	22	37	31	5.864	126	55	52.867	-75
10	10	7	17	33	23	37	31	5.864	126	55	52.867	-75
11	10	7	17	33	24	37	31	5.864	126	55	52.867	-86
12	10	7	17	33	25	37	31	5.864	126	55	52.867	-86
13	10	7	17	33	26	37	31	5.864	126	55	52.867	-86
14	10	7	17	33	27	37	31	5.864	126	55	52.867	-78
15	10	7	17	33	28	37	31	5.864	126	55	52.867	-78
16	10	7	17	33	29	37	31	5.864	126	55	52.867	-78
17	10	7	17	33	30	37	31	5.864	126	55	52.867	-87
18	10	7	17	33	31	37	31	5.864	126	55	52.867	-87
19	10	7	17	33	32	37	31	5.864	126	55	52.867	-87
20	10	7	17	33	33	37	31	5.864	126	55	52.867	-81
21	10	7	17	33	34	37	31	5.864	126	55	52.867	-81
22	10	7	17	33	35	37	31	5.864	126	55	52.867	-81
23	10	7	17	33	36	37	31	5.864	126	55	52.867	-77
24	10	7	17	33	37	37	31	5.864	126	55	52.867	-77
25	10	7	17	33	38	37	31	5.864	126	55	52.867	-77
26	10	7	17	33	39	37	31	5.864	126	55	52.867	-82
27	10	7	17	33	40	37	31	5.864	126	55	52.867	-82
평균 전계 강도												-81.78



- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(-30_45)


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	33	56	37	31	5.900	126	55	52.831	-69
2	10	7	17	33	57	37	31	5.900	126	55	52.831	-71
3	10	7	17	33	58	37	31	5.900	126	55	52.831	-71
4	10	7	17	33	59	37	31	5.900	126	55	52.831	-71
5	10	7	17	34	0	37	31	5.900	126	55	52.831	-69
6	10	7	17	34	1	37	31	5.900	126	55	52.831	-69
7	10	7	17	34	2	37	31	5.900	126	55	52.831	-69
8	10	7	17	34	3	37	31	5.900	126	55	52.831	-68
9	10	7	17	34	4	37	31	5.900	126	55	52.831	-68
10	10	7	17	34	5	37	31	5.900	126	55	52.831	-68
11	10	7	17	34	6	37	31	5.900	126	55	52.831	-70
12	10	7	17	34	7	37	31	5.900	126	55	52.831	-70
13	10	7	17	34	8	37	31	5.900	126	55	52.831	-70
14	10	7	17	34	9	37	31	5.900	126	55	52.831	-67
15	10	7	17	34	10	37	31	5.900	126	55	52.831	-67
16	10	7	17	34	11	37	31	5.900	126	55	52.831	-67
17	10	7	17	34	12	37	31	5.900	126	55	52.831	-69
18	10	7	17	34	13	37	31	5.900	126	55	52.831	-69
19	10	7	17	34	14	37	31	5.900	126	55	52.831	-69
20	10	7	17	34	15	37	31	5.900	126	55	52.831	-72
21	10	7	17	34	16	37	31	5.900	126	55	52.831	-72
22	10	7	17	34	17	37	31	5.900	126	55	52.831	-72
23	10	7	17	34	18	37	31	5.900	126	55	52.831	-70
24	10	7	17	34	19	37	31	5.900	126	55	52.831	-70
25	10	7	17	34	20	37	31	5.900	126	55	52.831	-70
26	10	7	17	34	21	37	31	5.900	126	55	52.831	-66
27	10	7	17	34	22	37	31	5.900	126	55	52.831	-66
28	10	7	17	34	23	37	31	5.900	126	55	52.831	-66
29	10	7	17	34	24	37	31	5.900	126	55	52.831	-67
30	10	7	17	34	25	37	31	5.900	126	55	52.831	-67
31	10	7	17	34	26	37	31	5.900	126	55	52.831	-67
평균 전계 강도												-68.90



- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(-30_90)


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	34	56	37	31	5.900	126	55	52.795	-71
2	10	7	17	34	57	37	31	5.900	126	55	52.795	-70
3	10	7	17	34	58	37	31	5.900	126	55	52.795	-70
4	10	7	17	34	59	37	31	5.900	126	55	52.795	-70
5	10	7	17	35	0	37	31	5.900	126	55	52.795	-71
6	10	7	17	35	1	37	31	5.900	126	55	52.795	-71
7	10	7	17	35	2	37	31	5.900	126	55	52.795	-71
8	10	7	17	35	3	37	31	5.900	126	55	52.795	-71
9	10	7	17	35	4	37	31	5.900	126	55	52.795	-71
10	10	7	17	35	5	37	31	5.900	126	55	52.795	-71
11	10	7	17	35	6	37	31	5.900	126	55	52.795	-69
12	10	7	17	35	7	37	31	5.900	126	55	52.795	-69
13	10	7	17	35	8	37	31	5.900	126	55	52.795	-69
14	10	7	17	35	9	37	31	5.900	126	55	52.795	-69
15	10	7	17	35	10	37	31	5.900	126	55	52.795	-69
16	10	7	17	35	11	37	31	5.900	126	55	52.795	-69
17	10	7	17	35	12	37	31	5.900	126	55	52.795	-75
18	10	7	17	35	13	37	31	5.900	126	55	52.795	-75
19	10	7	17	35	14	37	31	5.900	126	55	52.795	-75
20	10	7	17	35	15	37	31	5.900	126	55	52.795	-74
21	10	7	17	35	16	37	31	5.900	126	55	52.795	-74
22	10	7	17	35	17	37	31	5.900	126	55	52.795	-74
23	10	7	17	35	18	37	31	5.900	126	55	52.795	-75
24	10	7	17	35	19	37	31	5.900	126	55	52.795	-75
25	10	7	17	35	20	37	31	5.900	126	55	52.795	-75
26	10	7	17	35	21	37	31	5.900	126	55	52.795	-74
27	10	7	17	35	22	37	31	5.900	126	55	52.795	-74
28	10	7	17	35	23	37	31	5.900	126	55	52.795	-74
29	10	7	17	35	24	37	31	5.900	126	55	52.795	-71
30	10	7	17	35	25	37	31	5.900	126	55	52.795	-71
31	10	7	17	35	26	37	31	5.900	126	55	52.795	-71
32	10	7	17	35	27	37	31	5.900	126	55	52.759	-68
33	10	7	17	35	28	37	31	5.900	126	55	52.759	-68
34	10	7	17	35	29	37	31	5.900	126	55	52.759	-68
35	10	7	17	35	30	37	31	5.936	126	55	52.759	-73
평균 전계 강도												-71.57

--




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(-30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	36	11	37	31	5.936	126	55	52.759	-70
2	10	7	17	36	12	37	31	5.936	126	55	52.759	-66
3	10	7	17	36	13	37	31	5.936	126	55	52.759	-66
4	10	7	17	36	14	37	31	5.936	126	55	52.759	-66
5	10	7	17	36	15	37	31	5.936	126	55	52.759	-69
6	10	7	17	36	16	37	31	5.936	126	55	52.759	-69
7	10	7	17	36	17	37	31	5.936	126	55	52.723	-69
8	10	7	17	36	18	37	31	5.936	126	55	52.723	-72
9	10	7	17	36	19	37	31	5.936	126	55	52.723	-72
10	10	7	17	36	20	37	31	5.936	126	55	52.723	-72
11	10	7	17	36	21	37	31	5.936	126	55	52.723	-68
12	10	7	17	36	22	37	31	5.936	126	55	52.723	-68
13	10	7	17	36	23	37	31	5.936	126	55	52.723	-68
14	10	7	17	36	24	37	31	5.972	126	55	52.723	-73
15	10	7	17	36	25	37	31	5.972	126	55	52.723	-73
16	10	7	17	36	26	37	31	5.972	126	55	52.723	-73
17	10	7	17	36	27	37	31	5.972	126	55	52.723	-68
평균 전계 강도												-69.53




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(-30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	36	43	37	31	5.972	126	55	52.723	-67
2	10	7	17	36	44	37	31	5.972	126	55	52.723	-67
3	10	7	17	36	45	37	31	5.972	126	55	52.723	-72
4	10	7	17	36	46	37	31	5.972	126	55	52.723	-72
5	10	7	17	36	47	37	31	5.972	126	55	52.723	-72
6	10	7	17	36	48	37	31	5.972	126	55	52.723	-79
7	10	7	17	36	49	37	31	5.972	126	55	52.723	-79
8	10	7	17	36	50	37	31	5.972	126	55	52.723	-79
9	10	7	17	36	51	37	31	5.972	126	55	52.723	-74
10	10	7	17	36	52	37	31	5.972	126	55	52.723	-74
11	10	7	17	36	53	37	31	5.972	126	55	52.723	-74
12	10	7	17	36	54	37	31	5.972	126	55	52.723	-76
13	10	7	17	36	55	37	31	5.972	126	55	52.723	-76
14	10	7	17	36	56	37	31	5.972	126	55	52.723	-76
15	10	7	17	36	57	37	31	5.972	126	55	52.723	-67
16	10	7	17	36	58	37	31	5.972	126	55	52.723	-67
17	10	7	17	36	59	37	31	5.972	126	55	52.723	-67
18	10	7	17	37	0	37	31	5.972	126	55	52.723	-70
19	10	7	17	37	1	37	31	5.972	126	55	52.723	-70
20	10	7	17	37	2	37	31	5.972	126	55	52.723	-70
21	10	7	17	37	3	37	31	5.972	126	55	52.723	-76
22	10	7	17	37	4	37	31	5.972	126	55	52.723	-76
23	10	7	17	37	5	37	31	5.972	126	55	52.723	-76
24	10	7	17	37	6	37	31	5.972	126	55	52.723	-71
25	10	7	17	37	7	37	31	5.972	126	55	52.723	-71
26	10	7	17	37	8	37	31	5.972	126	55	52.723	-71
27	10	7	17	37	9	37	31	5.972	126	55	52.723	-77
평균 전계 강도												-72.81




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(-30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	37	25	37	31	5.972	126	55	52.723	-74
2	10	7	17	37	26	37	31	5.972	126	55	52.723	-74
3	10	7	17	37	27	37	31	5.972	126	55	52.723	-69
4	10	7	17	37	28	37	31	5.972	126	55	52.723	-69
5	10	7	17	37	29	37	31	5.972	126	55	52.687	-69
6	10	7	17	37	30	37	31	5.972	126	55	52.687	-71
7	10	7	17	37	31	37	31	5.972	126	55	52.687	-71
8	10	7	17	37	32	37	31	5.972	126	55	52.687	-71
9	10	7	17	37	33	37	31	5.972	126	55	52.687	-71
10	10	7	17	37	34	37	31	5.972	126	55	52.687	-71
11	10	7	17	37	35	37	31	5.972	126	55	52.687	-71
12	10	7	17	37	36	37	31	5.972	126	55	52.687	-71
13	10	7	17	37	37	37	31	5.972	126	55	52.687	-71
14	10	7	17	37	38	37	31	5.972	126	55	52.687	-71
15	10	7	17	37	39	37	31	5.972	126	55	52.687	-75
16	10	7	17	37	40	37	31	5.972	126	55	52.687	-75
17	10	7	17	37	41	37	31	5.972	126	55	52.687	-75
18	10	7	17	37	42	37	31	5.972	126	55	52.687	-75
19	10	7	17	37	43	37	31	5.972	126	55	52.687	-75
20	10	7	17	37	44	37	31	5.972	126	55	52.687	-75
21	10	7	17	37	45	37	31	5.972	126	55	52.687	-75
22	10	7	17	37	46	37	31	5.972	126	55	52.687	-75
23	10	7	17	37	47	37	31	5.972	126	55	52.687	-75
24	10	7	17	37	48	37	31	5.972	126	55	52.687	-73
25	10	7	17	37	49	37	31	5.972	126	55	52.687	-73
26	10	7	17	37	50	37	31	5.972	126	55	52.687	-73
27	10	7	17	37	51	37	31	5.972	126	55	52.687	-75
28	10	7	17	37	52	37	31	5.972	126	55	52.687	-75
29	10	7	17	37	53	37	31	5.972	126	55	52.687	-75
30	10	7	17	37	54	37	31	5.972	126	55	52.687	-72
평균 전계 강도												-72.83




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(-30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	38	47	37	31	6.008	126	55	52.651	-72
2	10	7	17	38	48	37	31	6.008	126	55	52.651	-72
3	10	7	17	38	49	37	31	6.008	126	55	52.651	-72
4	10	7	17	38	50	37	31	6.008	126	55	52.651	-72
5	10	7	17	38	51	37	31	6.008	126	55	52.651	-74
6	10	7	17	38	52	37	31	6.008	126	55	52.651	-74
7	10	7	17	38	53	37	31	6.008	126	55	52.651	-74
8	10	7	17	38	54	37	31	6.008	126	55	52.651	-74
9	10	7	17	38	55	37	31	6.008	126	55	52.651	-74
10	10	7	17	38	56	37	31	6.008	126	55	52.651	-74
11	10	7	17	38	57	37	31	6.008	126	55	52.651	-73
12	10	7	17	38	58	37	31	6.008	126	55	52.651	-73
13	10	7	17	38	59	37	31	6.008	126	55	52.651	-73
14	10	7	17	39	0	37	31	6.008	126	55	52.651	-76
15	10	7	17	39	1	37	31	6.008	126	55	52.651	-76
16	10	7	17	39	2	37	31	6.008	126	55	52.651	-76
17	10	7	17	39	3	37	31	6.008	126	55	52.651	-73
18	10	7	17	39	4	37	31	6.008	126	55	52.651	-73
19	10	7	17	39	5	37	31	6.008	126	55	52.651	-73
20	10	7	17	39	6	37	31	6.008	126	55	52.651	-72
21	10	7	17	39	7	37	31	6.008	126	55	52.651	-72
22	10	7	17	39	8	37	31	6.008	126	55	52.651	-72
평균 전계 강도												-73.36




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(+30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	39	23	37	31	6.008	126	55	52.651	-75
2	10	7	17	39	24	37	31	6.008	126	55	52.651	-76
3	10	7	17	39	25	37	31	6.008	126	55	52.651	-76
4	10	7	17	39	26	37	31	6.008	126	55	52.651	-76
5	10	7	17	39	27	37	31	6.008	126	55	52.651	-75
6	10	7	17	39	28	37	31	6.008	126	55	52.651	-75
7	10	7	17	39	29	37	31	6.044	126	55	52.651	-75
8	10	7	17	39	30	37	31	6.044	126	55	52.651	-74
9	10	7	17	39	31	37	31	6.044	126	55	52.651	-74
10	10	7	17	39	32	37	31	6.044	126	55	52.651	-74
11	10	7	17	39	33	37	31	6.044	126	55	52.651	-74
12	10	7	17	39	34	37	31	6.044	126	55	52.651	-74
13	10	7	17	39	35	37	31	6.044	126	55	52.651	-74
14	10	7	17	39	36	37	31	6.044	126	55	52.651	-72
15	10	7	17	39	37	37	31	6.044	126	55	52.651	-72
16	10	7	17	39	38	37	31	6.044	126	55	52.651	-72
17	10	7	17	39	39	37	31	6.044	126	55	52.651	-72
18	10	7	17	39	40	37	31	6.044	126	55	52.651	-72
19	10	7	17	39	41	37	31	6.044	126	55	52.651	-72
20	10	7	17	39	42	37	31	6.044	126	55	52.651	-72
21	10	7	17	39	43	37	31	6.044	126	55	52.615	-72
22	10	7	17	39	44	37	31	6.044	126	55	52.615	-72
23	10	7	17	39	45	37	31	6.044	126	55	52.615	-77
24	10	7	17	39	46	37	31	6.044	126	55	52.615	-77
25	10	7	17	39	47	37	31	6.044	126	55	52.615	-77
26	10	7	17	39	48	37	31	6.044	126	55	52.615	-74
평균 전계 강도												-74.04




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(+30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	40	5	37	31	6.044	126	55	52.615	-77
2	10	7	17	40	6	37	31	6.044	126	55	52.615	-71
3	10	7	17	40	7	37	31	6.044	126	55	52.615	-71
4	10	7	17	40	8	37	31	6.044	126	55	52.615	-71
5	10	7	17	40	9	37	31	6.044	126	55	52.615	-77
6	10	7	17	40	10	37	31	6.044	126	55	52.615	-77
7	10	7	17	40	11	37	31	6.044	126	55	52.615	-77
8	10	7	17	40	12	37	31	6.044	126	55	52.615	-74
9	10	7	17	40	13	37	31	6.044	126	55	52.615	-74
10	10	7	17	40	14	37	31	6.044	126	55	52.615	-74
11	10	7	17	40	15	37	31	6.044	126	55	52.615	-68
12	10	7	17	40	16	37	31	6.044	126	55	52.615	-68
13	10	7	17	40	17	37	31	6.044	126	55	52.615	-68
14	10	7	17	40	18	37	31	6.044	126	55	52.615	-69
15	10	7	17	40	19	37	31	6.044	126	55	52.615	-69
16	10	7	17	40	20	37	31	6.044	126	55	52.615	-69
17	10	7	17	40	21	37	31	6.044	126	55	52.615	-68
18	10	7	17	40	22	37	31	6.044	126	55	52.615	-68
19	10	7	17	40	23	37	31	6.044	126	55	52.615	-68
20	10	7	17	40	24	37	31	6.044	126	55	52.615	-66
21	10	7	17	40	25	37	31	6.044	126	55	52.615	-66
22	10	7	17	40	26	37	31	6.044	126	55	52.615	-66
23	10	7	17	40	27	37	31	6.044	126	55	52.615	-72
24	10	7	17	40	28	37	31	6.044	126	55	52.615	-72
25	10	7	17	40	29	37	31	6.044	126	55	52.615	-72
26	10	7	17	40	30	37	31	6.044	126	55	52.615	-68
27	10	7	17	40	31	37	31	6.044	126	55	52.615	-68
28	10	7	17	40	32	37	31	6.044	126	55	52.615	-68
29	10	7	17	40	33	37	31	6.044	126	55	52.615	-69
평균 전계 강도												-70.52




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(+30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	40	40	37	31	6.044	126	55	52.615	-72
2	10	7	17	40	41	37	31	6.044	126	55	52.615	-72
3	10	7	17	40	42	37	31	6.044	126	55	52.615	-69
4	10	7	17	40	43	37	31	6.044	126	55	52.615	-69
5	10	7	17	40	44	37	31	6.044	126	55	52.615	-69
6	10	7	17	40	45	37	31	6.044	126	55	52.615	-69
7	10	7	17	40	46	37	31	6.044	126	55	52.615	-69
8	10	7	17	40	47	37	31	6.044	126	55	52.615	-69
9	10	7	17	40	48	37	31	6.044	126	55	52.615	-76
10	10	7	17	40	49	37	31	6.044	126	55	52.615	-76
11	10	7	17	40	50	37	31	6.044	126	55	52.615	-76
12	10	7	17	40	51	37	31	6.044	126	55	52.615	-74
13	10	7	17	40	52	37	31	6.044	126	55	52.615	-74
14	10	7	17	40	53	37	31	6.044	126	55	52.615	-74
15	10	7	17	40	54	37	31	6.044	126	55	52.615	-67
16	10	7	17	40	55	37	31	6.044	126	55	52.615	-67
17	10	7	17	40	56	37	31	6.044	126	55	52.615	-67
18	10	7	17	40	57	37	31	6.044	126	55	52.615	-71
평균 전계 강도												-71.11




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(+30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	41	14	37	31	5.936	126	55	52.651	-70
2	10	7	17	41	15	37	31	5.936	126	55	52.651	-75
3	10	7	17	41	16	37	31	5.936	126	55	52.651	-75
4	10	7	17	41	17	37	31	5.936	126	55	52.651	-75
5	10	7	17	41	18	37	31	5.936	126	55	52.651	-68
6	10	7	17	41	19	37	31	5.936	126	55	52.651	-68
7	10	7	17	41	20	37	31	5.936	126	55	52.651	-68
8	10	7	17	41	21	37	31	5.936	126	55	52.651	-68
9	10	7	17	41	22	37	31	5.936	126	55	52.651	-68
10	10	7	17	41	23	37	31	5.936	126	55	52.651	-68
11	10	7	17	41	24	37	31	5.936	126	55	52.651	-69
12	10	7	17	41	25	37	31	5.936	126	55	52.651	-69
13	10	7	17	41	26	37	31	5.936	126	55	52.651	-69
14	10	7	17	41	27	37	31	5.936	126	55	52.651	-72
15	10	7	17	41	28	37	31	5.936	126	55	52.651	-72
16	10	7	17	41	29	37	31	5.936	126	55	52.651	-72
17	10	7	17	41	30	37	31	5.936	126	55	52.651	-68
18	10	7	17	41	31	37	31	5.936	126	55	52.651	-68
19	10	7	17	41	32	37	31	5.936	126	55	52.651	-68
20	10	7	17	41	33	37	31	5.936	126	55	52.651	-67
21	10	7	17	41	34	37	31	5.936	126	55	52.651	-67
22	10	7	17	41	35	37	31	5.936	126	55	52.651	-67
23	10	7	17	41	36	37	31	5.936	126	55	52.651	-70
24	10	7	17	41	37	37	31	5.936	126	55	52.651	-70
25	10	7	17	41	38	37	31	5.936	126	55	52.651	-70
26	10	7	17	41	39	37	31	5.900	126	55	52.651	-73
평균 전계 강도												-69.77




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(+30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	41	52	37	31	5.900	126	55	52.651	-61
2	10	7	17	41	53	37	31	5.900	126	55	52.651	-61
3	10	7	17	41	54	37	31	5.900	126	55	52.651	-61
4	10	7	17	41	55	37	31	5.900	126	55	52.651	-61
5	10	7	17	41	56	37	31	5.900	126	55	52.651	-61
6	10	7	17	41	57	37	31	5.900	126	55	52.651	-64
7	10	7	17	41	58	37	31	5.900	126	55	52.651	-64
8	10	7	17	41	59	37	31	5.900	126	55	52.651	-64
9	10	7	17	42	0	37	31	5.900	126	55	52.651	-64
10	10	7	17	42	1	37	31	5.900	126	55	52.651	-64
11	10	7	17	42	2	37	31	5.900	126	55	52.651	-64
12	10	7	17	42	3	37	31	5.900	126	55	52.651	-64
13	10	7	17	42	4	37	31	5.900	126	55	52.651	-64
14	10	7	17	42	5	37	31	5.900	126	55	52.651	-64
15	10	7	17	42	6	37	31	5.900	126	55	52.651	-64
16	10	7	17	42	7	37	31	5.900	126	55	52.651	-64
17	10	7	17	42	8	37	31	5.900	126	55	52.651	-64
18	10	7	17	42	9	37	31	5.936	126	55	52.651	-67
19	10	7	17	42	10	37	31	5.936	126	55	52.651	-67
20	10	7	17	42	11	37	31	5.936	126	55	52.651	-67
21	10	7	17	42	12	37	31	5.936	126	55	52.651	-61
22	10	7	17	42	13	37	31	5.936	126	55	52.651	-61
23	10	7	17	42	14	37	31	5.936	126	55	52.651	-61
24	10	7	17	42	15	37	31	5.936	126	55	52.651	-60
25	10	7	17	42	16	37	31	5.936	126	55	52.651	-60
26	10	7	17	42	17	37	31	5.936	126	55	52.651	-60
27	10	7	17	42	18	37	31	5.936	126	55	52.651	-62
28	10	7	17	42	19	37	31	5.936	126	55	52.651	-62
29	10	7	17	42	20	37	31	5.936	126	55	52.651	-62
30	10	7	17	42	21	37	31	5.936	126	55	52.651	-63
31	10	7	17	42	22	37	31	5.936	126	55	52.615	-63
32	10	7	17	42	23	37	31	5.936	126	55	52.615	-63
33	10	7	17	42	24	37	31	5.936	126	55	52.615	-65
평균 전계 강도												-62.94




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(+30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	42	42	37	31	5.936	126	55	52.615	-67
2	10	7	17	42	43	37	31	5.936	126	55	52.615	-67
3	10	7	17	42	44	37	31	5.936	126	55	52.615	-67
4	10	7	17	42	45	37	31	5.936	126	55	52.615	-66
5	10	7	17	42	46	37	31	5.936	126	55	52.615	-66
6	10	7	17	42	47	37	31	5.936	126	55	52.615	-66
7	10	7	17	42	48	37	31	5.936	126	55	52.615	-66
8	10	7	17	42	49	37	31	5.936	126	55	52.615	-66
9	10	7	17	42	50	37	31	5.936	126	55	52.615	-66
10	10	7	17	42	51	37	31	5.936	126	55	52.615	-69
11	10	7	17	42	52	37	31	5.936	126	55	52.615	-69
12	10	7	17	42	53	37	31	5.936	126	55	52.615	-69
13	10	7	17	42	54	37	31	5.936	126	55	52.615	-68
14	10	7	17	42	55	37	31	5.972	126	55	52.615	-68
15	10	7	17	42	56	37	31	5.972	126	55	52.615	-68
16	10	7	17	42	57	37	31	5.972	126	55	52.615	-69
17	10	7	17	42	58	37	31	5.972	126	55	52.615	-69
18	10	7	17	42	59	37	31	5.972	126	55	52.615	-69
19	10	7	17	43	0	37	31	5.972	126	55	52.615	-69
20	10	7	17	43	1	37	31	5.972	126	55	52.615	-69
21	10	7	17	43	2	37	31	5.972	126	55	52.615	-69
22	10	7	17	43	3	37	31	5.972	126	55	52.579	-67
23	10	7	17	43	4	37	31	5.972	126	55	52.579	-67
24	10	7	17	43	5	37	31	5.972	126	55	52.579	-67
25	10	7	17	43	6	37	31	5.972	126	55	52.579	-67
26	10	7	17	43	7	37	31	5.972	126	55	52.579	-67
27	10	7	17	43	8	37	31	5.972	126	55	52.579	-67
평균 전계 강도												-67.56




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(+30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	43	24	37	31	5.972	126	55	52.579	-72
2	10	7	17	43	25	37	31	5.972	126	55	52.579	-72
3	10	7	17	43	26	37	31	5.972	126	55	52.579	-72
4	10	7	17	43	27	37	31	5.972	126	55	52.579	-72
5	10	7	17	43	28	37	31	5.972	126	55	52.579	-72
6	10	7	17	43	29	37	31	5.972	126	55	52.579	-72
7	10	7	17	43	30	37	31	5.972	126	55	52.579	-69
8	10	7	17	43	31	37	31	5.972	126	55	52.579	-69
9	10	7	17	43	32	37	31	5.972	126	55	52.579	-69
10	10	7	17	43	33	37	31	5.972	126	55	52.579	-73
11	10	7	17	43	34	37	31	5.972	126	55	52.579	-73
12	10	7	17	43	35	37	31	5.972	126	55	52.579	-73
13	10	7	17	43	36	37	31	5.972	126	55	52.579	-71
14	10	7	17	43	37	37	31	5.972	126	55	52.579	-71
15	10	7	17	43	38	37	31	5.972	126	55	52.579	-71
16	10	7	17	43	39	37	31	5.972	126	55	52.579	-74
17	10	7	17	43	40	37	31	6.008	126	55	52.579	-74
18	10	7	17	43	41	37	31	6.008	126	55	52.543	-74
19	10	7	17	43	42	37	31	6.008	126	55	52.543	-71
20	10	7	17	43	44	37	31	6.008	126	55	52.543	-71
21	10	7	17	43	45	37	31	6.008	126	55	52.543	-71
평균 전계 강도												-71.71




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(8)(+30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	43	54	37	31	6.008	126	55	52.543	-83
2	10	7	17	43	55	37	31	6.008	126	55	52.543	-77
3	10	7	17	43	56	37	31	6.008	126	55	52.543	-77
4	10	7	17	43	57	37	31	6.008	126	55	52.543	-77
5	10	7	17	43	58	37	31	6.008	126	55	52.543	-80
6	10	7	17	43	59	37	31	6.008	126	55	52.543	-80
7	10	7	17	44	0	37	31	6.008	126	55	52.543	-80
8	10	7	17	44	1	37	31	6.008	126	55	52.543	-76
9	10	7	17	44	2	37	31	6.008	126	55	52.543	-76
10	10	7	17	44	3	37	31	6.008	126	55	52.543	-76
11	10	7	17	44	4	37	31	6.008	126	55	52.543	-77
12	10	7	17	44	5	37	31	6.008	126	55	52.543	-77
13	10	7	17	44	6	37	31	6.008	126	55	52.543	-77
14	10	7	17	44	7	37	31	6.008	126	55	52.543	-78
15	10	7	17	44	8	37	31	6.008	126	55	52.543	-78
16	10	7	17	44	9	37	31	6.008	126	55	52.543	-78
17	10	7	17	44	10	37	31	6.008	126	55	52.543	-75
18	10	7	17	44	11	37	31	6.008	126	55	52.543	-75
19	10	7	17	44	12	37	31	6.008	126	55	52.543	-75
20	10	7	17	44	13	37	31	6.008	126	55	52.543	-79
21	10	7	17	44	14	37	31	6.008	126	55	52.543	-79
22	10	7	17	44	15	37	31	6.008	126	55	52.543	-79
23	10	7	17	44	16	37	31	6.008	126	55	52.543	-85
24	10	7	17	44	17	37	31	6.008	126	55	52.543	-85
25	10	7	17	44	18	37	31	6.008	126	55	52.543	-85
26	10	7	17	44	19	37	31	6.008	126	55	52.543	-80
27	10	7	17	44	20	37	31	6.008	126	55	52.543	-80
28	10	7	17	44	21	37	31	6.008	126	55	52.543	-80
29	10	7	17	44	22	37	31	5.972	126	55	52.543	-76
30	10	7	17	44	23	37	31	5.972	126	55	52.543	-76
31	10	7	17	44	24	37	31	5.972	126	55	52.543	-76
32	10	7	17	44	25	37	31	5.972	126	55	52.543	-81
33	10	7	17	44	26	37	31	5.972	126	55	52.543	-81
34	10	7	17	44	27	37	31	5.972	126	55	52.543	-81
35	10	7	17	44	28	37	31	5.972	126	55	52.543	-73
36	10	7	17	44	29	37	31	5.972	126	55	52.543	-73
37	10	7	17	44	30	37	31	5.972	126	55	52.543	-73
38	10	7	17	44	31	37	31	5.972	126	55	52.543	-62
39	10	7	17	44	32	37	31	5.972	126	55	52.543	-62
40	10	7	17	44	33	37	31	6.008	126	55	52.543	-62
41	10	7	17	44	34	37	31	6.008	126	55	52.543	-59
평균 전계 강도												-76.56




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(Tx8 MAX)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	44	59	37	31	6.008	126	55	52.507	-66
2	10	7	17	45	0	37	31	6.008	126	55	52.507	-66
3	10	7	17	45	1	37	31	6.008	126	55	52.507	-64
4	10	7	17	45	2	37	31	6.008	126	55	52.507	-64
5	10	7	17	45	3	37	31	6.008	126	55	52.507	-64
6	10	7	17	45	4	37	31	6.008	126	55	52.507	-63
7	10	7	17	45	5	37	31	6.008	126	55	52.507	-63
8	10	7	17	45	6	37	31	6.008	126	55	52.507	-63
9	10	7	17	45	7	37	31	6.008	126	55	52.507	-62
10	10	7	17	45	8	37	31	6.008	126	55	52.507	-62
11	10	7	17	45	9	37	31	6.008	126	55	52.507	-62
12	10	7	17	45	10	37	31	6.008	126	55	52.507	-64
13	10	7	17	45	11	37	31	6.008	126	55	52.507	-64
14	10	7	17	45	12	37	31	6.008	126	55	52.507	-64
15	10	7	17	45	13	37	31	6.008	126	55	52.507	-64
16	10	7	17	45	14	37	31	6.008	126	55	52.507	-64
17	10	7	17	45	15	37	31	6.008	126	55	52.507	-64
18	10	7	17	45	16	37	31	6.008	126	55	52.507	-62
19	10	7	17	45	17	37	31	6.008	126	55	52.507	-62
20	10	7	17	45	18	37	31	6.008	126	55	52.507	-62
21	10	7	17	45	19	37	31	6.008	126	55	52.507	-63
22	10	7	17	45	20	37	31	6.008	126	55	52.507	-63
23	10	7	17	45	21	37	31	6.008	126	55	52.507	-63
24	10	7	17	45	22	37	31	6.008	126	55	52.507	-69
25	10	7	17	45	23	37	31	6.044	126	55	52.507	-69
26	10	7	17	45	24	37	31	6.044	126	55	52.507	-69
27	10	7	17	45	25	37	31	6.044	126	55	52.507	-66
28	10	7	17	45	26	37	31	6.044	126	55	52.507	-66
29	10	7	17	45	27	37	31	6.044	126	55	52.507	-66
30	10	7	17	45	28	37	31	6.044	126	55	52.507	-68
31	10	7	17	45	29	37	31	6.044	126	55	52.507	-68
32	10	7	17	45	30	37	31	6.044	126	55	52.507	-68
33	10	7	17	45	31	37	31	6.044	126	55	52.507	-68
34	10	7	17	45	32	37	31	6.044	126	55	52.507	-68
35	10	7	17	45	33	37	31	6.044	126	55	52.507	-68
36	10	7	17	45	34	37	31	6.044	126	55	52.507	-72
37	10	7	17	45	35	37	31	6.044	126	55	52.507	-72
38	10	7	17	45	36	37	31	6.044	126	55	52.507	-72
39	10	7	17	45	37	37	31	6.044	126	55	52.507	-64
40	10	7	17	45	38	37	31	6.044	126	55	52.507	-64
41	10	7	17	45	39	37	31	6.044	126	55	52.507	-64
42	10	7	17	45	40	37	31	6.044	126	55	52.507	-63
43	10	7	17	45	41	37	31	6.044	126	55	52.471	-63
44	10	7	17	45	42	37	31	6.044	126	55	52.471	-63
45	10	7	17	45	43	37	31	6.044	126	55	52.471	-62
46	10	7	17	45	44	37	31	6.044	126	55	52.471	-62
47	10	7	17	45	45	37	31	6.044	126	55	52.471	-62
48	10	7	17	45	46	37	31	6.044	126	55	52.471	-64
49	10	7	17	45	47	37	31	6.044	126	55	52.471	-64
50	10	7	17	45	48	37	31	6.044	126	55	52.471	-64
51	10	7	17	45	49	37	31	6.044	126	55	52.471	-65
52	10	7	17	45	50	37	31	6.044	126	55	52.471	-65
53	10	7	17	45	51	37	31	6.044	126	55	52.471	-65
54	10	7	17	45	52	37	31	6.044	126	55	52.471	-62
평균 전계 강도												-64.87




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx3(Tx8 OMNI)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	46	52	37	31	6.152	126	55	52.471	-58
2	10	7	17	46	53	37	31	6.152	126	55	52.471	-58
3	10	7	17	46	54	37	31	6.152	126	55	52.471	-58
4	10	7	17	46	55	37	31	6.152	126	55	52.471	-59
5	10	7	17	46	56	37	31	6.152	126	55	52.471	-59
6	10	7	17	46	57	37	31	6.152	126	55	52.471	-59
7	10	7	17	46	58	37	31	6.152	126	55	52.471	-60
8	10	7	17	46	59	37	31	6.152	126	55	52.471	-60
9	10	7	17	47	0	37	31	6.152	126	55	52.471	-60
10	10	7	17	47	1	37	31	6.152	126	55	52.471	-58
11	10	7	17	47	2	37	31	6.152	126	55	52.471	-58
12	10	7	17	47	3	37	31	6.152	126	55	52.471	-58
13	10	7	17	47	4	37	31	6.152	126	55	52.471	-59
14	10	7	17	47	5	37	31	6.152	126	55	52.471	-59
15	10	7	17	47	6	37	31	6.152	126	55	52.471	-59
16	10	7	17	47	7	37	31	6.116	126	55	52.471	-58
17	10	7	17	47	8	37	31	6.116	126	55	52.471	-58
18	10	7	17	47	9	37	31	6.116	126	55	52.471	-58
19	10	7	17	47	10	37	31	6.116	126	55	52.471	-64
20	10	7	17	47	11	37	31	6.116	126	55	52.471	-64
21	10	7	17	47	12	37	31	6.116	126	55	52.471	-64
22	10	7	17	47	13	37	31	6.116	126	55	52.471	-61
23	10	7	17	47	14	37	31	6.116	126	55	52.471	-61
24	10	7	17	47	15	37	31	6.116	126	55	52.471	-61
25	10	7	17	47	16	37	31	6.116	126	55	52.471	-64
26	10	7	17	47	17	37	31	6.116	126	55	52.471	-64
27	10	7	17	47	18	37	31	6.116	126	55	52.471	-64
28	10	7	17	47	19	37	31	6.116	126	55	52.471	-60
29	10	7	17	47	20	37	31	6.116	126	55	52.471	-60
30	10	7	17	47	21	37	31	6.116	126	55	52.471	-60
31	10	7	17	47	22	37	31	6.116	126	55	52.471	-63
32	10	7	17	47	23	37	31	6.116	126	55	52.471	-63
33	10	7	17	47	24	37	31	6.116	126	55	52.471	-63
34	10	7	17	47	25	37	31	6.116	126	55	52.471	-59
35	10	7	17	47	26	37	31	6.116	126	55	52.471	-59
36	10	7	17	47	27	37	31	6.116	126	55	52.471	-59
37	10	7	17	47	28	37	31	6.116	126	55	52.471	-59
38	10	7	17	47	29	37	31	6.116	126	55	52.471	-59
39	10	7	17	47	30	37	31	6.116	126	55	52.471	-59
40	10	7	17	47	31	37	31	6.116	126	55	52.471	-62
41	10	7	17	47	32	37	31	6.116	126	55	52.471	-62
42	10	7	17	47	33	37	31	6.116	126	55	52.471	-62
43	10	7	17	47	34	37	31	6.116	126	55	52.471	-57
44	10	7	17	47	35	37	31	6.116	126	55	52.471	-57
45	10	7	17	47	36	37	31	6.116	126	55	52.471	-57
46	10	7	17	47	37	37	31	6.116	126	55	52.471	-60
47	10	7	17	47	38	37	31	6.116	126	55	52.471	-60
48	10	7	17	47	39	37	31	6.116	126	55	52.471	-60
49	10	7	17	47	40	37	31	6.116	126	55	52.471	-62
50	10	7	17	47	41	37	31	6.116	126	55	52.471	-62
51	10	7	17	47	42	37	31	6.116	126	55	52.471	-62
52	10	7	17	47	43	37	31	6.116	126	55	52.471	-59




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(OMNI)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	4	1	37	31	6.512	126	55	52.903	-60
2	10	11	11	4	2	37	31	6.512	126	55	52.903	-58
3	10	11	11	4	3	37	31	6.512	126	55	52.903	-58
4	10	11	11	4	4	37	31	6.512	126	55	52.903	-58
5	10	11	11	4	5	37	31	6.512	126	55	52.903	-56
6	10	11	11	4	6	37	31	6.512	126	55	52.903	-56
7	10	11	11	4	7	37	31	6.512	126	55	52.903	-56
8	10	11	11	4	8	37	31	6.512	126	55	52.903	-57
9	10	11	11	4	9	37	31	6.512	126	55	52.903	-57
10	10	11	11	4	10	37	31	6.512	126	55	52.903	-57
11	10	11	11	4	11	37	31	6.512	126	55	52.903	-54
12	10	11	11	4	12	37	31	6.512	126	55	52.903	-54
13	10	11	11	4	13	37	31	6.512	126	55	52.903	-54
14	10	11	11	4	14	37	31	6.512	126	55	52.903	-55
15	10	11	11	4	15	37	31	6.512	126	55	52.903	-55
16	10	11	11	4	16	37	31	6.512	126	55	52.903	-55
17	10	11	11	4	17	37	31	6.512	126	55	52.903	-55
18	10	11	11	4	18	37	31	6.512	126	55	52.903	-55
19	10	11	11	4	19	37	31	6.512	126	55	52.903	-55
20	10	11	11	4	20	37	31	6.512	126	55	52.903	-58
21	10	11	11	4	21	37	31	6.512	126	55	52.903	-58
22	10	11	11	4	22	37	31	6.512	126	55	52.903	-58
23	10	11	11	4	23	37	31	6.476	126	55	52.903	-58
24	10	11	11	4	24	37	31	6.476	126	55	52.903	-58
25	10	11	11	4	25	37	31	6.476	126	55	52.903	-58
26	10	11	11	4	26	37	31	6.476	126	55	52.903	-55
평균 전계 강도												-56.46




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(0_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	44	16	37	31	6.692	126	55	53.156	-69
2	10	11	10	44	17	37	31	6.692	126	55	53.156	-69
3	10	11	10	44	18	37	31	6.692	126	55	53.156	-69
4	10	11	10	44	19	37	31	6.692	126	55	53.156	-68
5	10	11	10	44	20	37	31	6.692	126	55	53.156	-68
6	10	11	10	44	21	37	31	6.692	126	55	53.156	-68
7	10	11	10	44	22	37	31	6.692	126	55	53.156	-65
8	10	11	10	44	23	37	31	6.692	126	55	53.156	-65
9	10	11	10	44	24	37	31	6.692	126	55	53.156	-65
10	10	11	10	44	25	37	31	6.692	126	55	53.156	-63
11	10	11	10	44	26	37	31	6.692	126	55	53.192	-63
12	10	11	10	44	27	37	31	6.692	126	55	53.192	-63
13	10	11	10	44	28	37	31	6.692	126	55	53.192	-66
14	10	11	10	44	29	37	31	6.692	126	55	53.192	-66
15	10	11	10	44	30	37	31	6.692	126	55	53.192	-66
16	10	11	10	44	31	37	31	6.692	126	55	53.192	-59
17	10	11	10	44	32	37	31	6.692	126	55	53.192	-59
18	10	11	10	44	33	37	31	6.692	126	55	53.192	-59
19	10	11	10	44	34	37	31	6.692	126	55	53.192	-64
20	10	11	10	44	35	37	31	6.692	126	55	53.192	-64
21	10	11	10	44	36	37	31	6.692	126	55	53.192	-64
22	10	11	10	44	37	37	31	6.692	126	55	53.192	-69
23	10	11	10	44	38	37	31	6.692	126	55	53.192	-69
24	10	11	10	44	39	37	31	6.692	126	55	53.192	-69
25	10	11	10	44	40	37	31	6.692	126	55	53.192	-65
26	10	11	10	44	41	37	31	6.692	126	55	53.192	-65
27	10	11	10	44	42	37	31	6.692	126	55	53.192	-65
28	10	11	10	44	43	37	31	6.692	126	55	53.192	-66
29	10	11	10	44	44	37	31	6.692	126	55	53.192	-66
30	10	11	10	44	45	37	31	6.692	126	55	53.192	-66
31	10	11	10	44	46	37	31	6.692	126	55	53.192	-65
32	10	11	10	44	47	37	31	6.692	126	55	53.192	-65
33	10	11	10	44	48	37	31	6.692	126	55	53.192	-65
34	10	11	10	44	49	37	31	6.692	126	55	53.192	-70
35	10	11	10	44	50	37	31	6.692	126	55	53.192	-70
36	10	11	10	44	51	37	31	6.692	126	55	53.192	-70
37	10	11	10	44	52	37	31	6.692	126	55	53.192	-66
평균 전계 강도												-65.76




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(0_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	45	52	37	31	6.692	126	55	53.228	-72
2	10	11	10	45	53	37	31	6.692	126	55	53.228	-72
3	10	11	10	45	54	37	31	6.692	126	55	53.228	-72
4	10	11	10	45	55	37	31	6.692	126	55	53.228	-59
5	10	11	10	45	56	37	31	6.692	126	55	53.228	-59
6	10	11	10	45	57	37	31	6.692	126	55	53.228	-59
7	10	11	10	45	58	37	31	6.692	126	55	53.228	-59
8	10	11	10	45	59	37	31	6.692	126	55	53.228	-59
9	10	11	10	46	0	37	31	6.692	126	55	53.228	-59
10	10	11	10	46	1	37	31	6.692	126	55	53.228	-64
11	10	11	10	46	2	37	31	6.692	126	55	53.228	-64
12	10	11	10	46	3	37	31	6.692	126	55	53.228	-64
13	10	11	10	46	4	37	31	6.692	126	55	53.228	-60
14	10	11	10	46	5	37	31	6.692	126	55	53.228	-60
15	10	11	10	46	6	37	31	6.692	126	55	53.228	-60
16	10	11	10	46	7	37	31	6.692	126	55	53.228	-63
17	10	11	10	46	8	37	31	6.692	126	55	53.228	-63
평균 전계 강도												-62.82




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(0_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	46	22	37	31	6.692	126	55	53.264	-70
2	10	11	10	46	23	37	31	6.692	126	55	53.264	-70
3	10	11	10	46	24	37	31	6.692	126	55	53.264	-70
4	10	11	10	46	25	37	31	6.692	126	55	53.264	-74
5	10	11	10	46	26	37	31	6.692	126	55	53.264	-74
6	10	11	10	46	27	37	31	6.692	126	55	53.264	-74
7	10	11	10	46	28	37	31	6.692	126	55	53.264	-71
8	10	11	10	46	29	37	31	6.692	126	55	53.264	-71
9	10	11	10	46	30	37	31	6.692	126	55	53.264	-71
10	10	11	10	46	31	37	31	6.692	126	55	53.264	-65
11	10	11	10	46	32	37	31	6.692	126	55	53.264	-65
12	10	11	10	46	33	37	31	6.692	126	55	53.264	-65
13	10	11	10	46	34	37	31	6.692	126	55	53.264	-65
14	10	11	10	46	35	37	31	6.692	126	55	53.228	-65
15	10	11	10	46	36	37	31	6.692	126	55	53.228	-65
16	10	11	10	46	37	37	31	6.692	126	55	53.228	-64
17	10	11	10	46	38	37	31	6.692	126	55	53.228	-64
18	10	11	10	46	39	37	31	6.692	126	55	53.228	-64
19	10	11	10	46	40	37	31	6.656	126	55	53.228	-75
20	10	11	10	46	41	37	31	6.656	126	55	53.228	-75
21	10	11	10	46	42	37	31	6.656	126	55	53.228	-75
22	10	11	10	46	43	37	31	6.656	126	55	53.228	-71
23	10	11	10	46	44	37	31	6.656	126	55	53.228	-71
24	10	11	10	46	45	37	31	6.656	126	55	53.228	-71
25	10	11	10	46	46	37	31	6.656	126	55	53.228	-71
26	10	11	10	46	47	37	31	6.656	126	55	53.228	-71
27	10	11	10	46	48	37	31	6.656	126	55	53.228	-71
28	10	11	10	46	49	37	31	6.656	126	55	53.228	-67
평균 전계 강도												-69.46




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(0_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	47	2	37	31	6.656	126	55	53.228	-55
2	10	11	10	47	3	37	31	6.656	126	55	53.228	-55
3	10	11	10	47	4	37	31	6.656	126	55	53.228	-52
4	10	11	10	47	5	37	31	6.656	126	55	53.228	-52
5	10	11	10	47	6	37	31	6.656	126	55	53.228	-52
6	10	11	10	47	7	37	31	6.656	126	55	53.228	-52
7	10	11	10	47	8	37	31	6.656	126	55	53.228	-52
8	10	11	10	47	9	37	31	6.656	126	55	53.228	-52
9	10	11	10	47	10	37	31	6.656	126	55	53.228	-54
10	10	11	10	47	11	37	31	6.656	126	55	53.228	-54
11	10	11	10	47	12	37	31	6.656	126	55	53.228	-54
12	10	11	10	47	13	37	31	6.656	126	55	53.228	-56
13	10	11	10	47	14	37	31	6.656	126	55	53.228	-56
14	10	11	10	47	15	37	31	6.656	126	55	53.228	-56
15	10	11	10	47	16	37	31	6.656	126	55	53.228	-55
16	10	11	10	47	17	37	31	6.656	126	55	53.228	-55
17	10	11	10	47	18	37	31	6.656	126	55	53.228	-55
18	10	11	10	47	19	37	31	6.656	126	55	53.228	-53
19	10	11	10	47	20	37	31	6.656	126	55	53.228	-53
20	10	11	10	47	21	37	31	6.656	126	55	53.228	-53
21	10	11	10	47	22	37	31	6.656	126	55	53.228	-53
22	10	11	10	47	23	37	31	6.656	126	55	53.228	-53
23	10	11	10	47	24	37	31	6.656	126	55	53.228	-53
24	10	11	10	47	25	37	31	6.656	126	55	53.228	-54
25	10	11	10	47	26	37	31	6.656	126	55	53.228	-54
26	10	11	10	47	27	37	31	6.656	126	55	53.228	-54
27	10	11	10	47	28	37	31	6.656	126	55	53.228	-52
평균 전계 강도												-53.67




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(0_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	47	54	37	31	6.656	126	55	53.192	-55
2	10	11	10	47	55	37	31	6.656	126	55	53.192	-50
3	10	11	10	47	56	37	31	6.656	126	55	53.192	-50
4	10	11	10	47	57	37	31	6.656	126	55	53.192	-50
5	10	11	10	47	58	37	31	6.656	126	55	53.192	-52
6	10	11	10	47	59	37	31	6.656	126	55	53.192	-52
7	10	11	10	48	0	37	31	6.656	126	55	53.192	-52
8	10	11	10	48	1	37	31	6.656	126	55	53.192	-57
9	10	11	10	48	2	37	31	6.656	126	55	53.192	-57
10	10	11	10	48	3	37	31	6.656	126	55	53.192	-57
11	10	11	10	48	4	37	31	6.656	126	55	53.192	-55
12	10	11	10	48	5	37	31	6.656	126	55	53.192	-55
13	10	11	10	48	6	37	31	6.656	126	55	53.192	-55
14	10	11	10	48	7	37	31	6.656	126	55	53.192	-55
15	10	11	10	48	8	37	31	6.656	126	55	53.192	-55
16	10	11	10	48	9	37	31	6.656	126	55	53.192	-55
17	10	11	10	48	10	37	31	6.656	126	55	53.192	-55
18	10	11	10	48	11	37	31	6.656	126	55	53.192	-55
19	10	11	10	48	12	37	31	6.656	126	55	53.192	-55
20	10	11	10	48	13	37	31	6.656	126	55	53.192	-53
21	10	11	10	48	14	37	31	6.656	126	55	53.192	-53
22	10	11	10	48	15	37	31	6.656	126	55	53.192	-53
23	10	11	10	48	16	37	31	6.656	126	55	53.192	-53
평균 전계 강도												-53.87




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(0_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	48	33	37	31	6.656	126	55	53.192	-61
2	10	11	10	48	34	37	31	6.656	126	55	53.192	-71
3	10	11	10	48	35	37	31	6.656	126	55	53.192	-71
4	10	11	10	48	36	37	31	6.656	126	55	53.192	-71
5	10	11	10	48	37	37	31	6.656	126	55	53.192	-61
6	10	11	10	48	38	37	31	6.656	126	55	53.192	-61
7	10	11	10	48	39	37	31	6.656	126	55	53.192	-61
8	10	11	10	48	40	37	31	6.656	126	55	53.192	-62
9	10	11	10	48	41	37	31	6.656	126	55	53.192	-62
10	10	11	10	48	42	37	31	6.656	126	55	53.192	-62
11	10	11	10	48	43	37	31	6.656	126	55	53.192	-62
12	10	11	10	48	44	37	31	6.656	126	55	53.192	-62
13	10	11	10	48	45	37	31	6.656	126	55	53.192	-62
14	10	11	10	48	46	37	31	6.656	126	55	53.192	-67
15	10	11	10	48	47	37	31	6.656	126	55	53.192	-67
16	10	11	10	48	48	37	31	6.656	126	55	53.192	-67
17	10	11	10	48	49	37	31	6.656	126	55	53.192	-59
18	10	11	10	48	50	37	31	6.656	126	55	53.192	-59
19	10	11	10	48	51	37	31	6.656	126	55	53.192	-59
20	10	11	10	48	52	37	31	6.656	126	55	53.192	-61
21	10	11	10	48	53	37	31	6.656	126	55	53.192	-61
22	10	11	10	48	54	37	31	6.656	126	55	53.192	-61
23	10	11	10	48	55	37	31	6.656	126	55	53.192	-60
24	10	11	10	48	56	37	31	6.656	126	55	53.192	-60
25	10	11	10	48	57	37	31	6.656	126	55	53.192	-60
26	10	11	10	48	58	37	31	6.656	126	55	53.192	-61
27	10	11	10	48	59	37	31	6.656	126	55	53.192	-61
28	10	11	10	49	0	37	31	6.656	126	55	53.192	-61
29	10	11	10	49	1	37	31	6.656	126	55	53.192	-60
30	10	11	10	49	2	37	31	6.656	126	55	53.192	-60
31	10	11	10	49	3	37	31	6.656	126	55	53.192	-60
32	10	11	10	49	4	37	31	6.656	126	55	53.192	-62
평균 전계 강도												-62.34




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(0_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	49	19	37	31	6.656	126	55	53.192	-58
2	10	11	10	49	20	37	31	6.656	126	55	53.192	-58
3	10	11	10	49	21	37	31	6.656	126	55	53.192	-58
4	10	11	10	49	22	37	31	6.620	126	55	53.192	-57
5	10	11	10	49	23	37	31	6.620	126	55	53.192	-57
6	10	11	10	49	24	37	31	6.620	126	55	53.192	-57
7	10	11	10	49	25	37	31	6.620	126	55	53.192	-57
8	10	11	10	49	26	37	31	6.620	126	55	53.192	-57
9	10	11	10	49	27	37	31	6.620	126	55	53.192	-57
10	10	11	10	49	28	37	31	6.620	126	55	53.192	-56
11	10	11	10	49	29	37	31	6.620	126	55	53.192	-56
12	10	11	10	49	30	37	31	6.620	126	55	53.192	-56
13	10	11	10	49	31	37	31	6.620	126	55	53.192	-58
14	10	11	10	49	32	37	31	6.620	126	55	53.192	-58
15	10	11	10	49	33	37	31	6.620	126	55	53.192	-58
16	10	11	10	49	34	37	31	6.620	126	55	53.192	-58
17	10	11	10	49	35	37	31	6.620	126	55	53.192	-58
18	10	11	10	49	36	37	31	6.620	126	55	53.192	-58
19	10	11	10	49	37	37	31	6.620	126	55	53.192	-57
20	10	11	10	49	38	37	31	6.620	126	55	53.192	-57
21	10	11	10	49	39	37	31	6.620	126	55	53.192	-57
평균 전계 강도												-57.29




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(0_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	49	56	37	31	6.620	126	55	53.192	-73
2	10	11	10	49	57	37	31	6.620	126	55	53.192	-73
3	10	11	10	49	58	37	31	6.620	126	55	53.192	-68
4	10	11	10	49	59	37	31	6.620	126	55	53.192	-68
5	10	11	10	50	0	37	31	6.620	126	55	53.192	-68
6	10	11	10	50	1	37	31	6.620	126	55	53.192	-71
7	10	11	10	50	2	37	31	6.620	126	55	53.192	-71
8	10	11	10	50	3	37	31	6.620	126	55	53.192	-71
9	10	11	10	50	4	37	31	6.620	126	55	53.192	-68
10	10	11	10	50	5	37	31	6.620	126	55	53.192	-68
11	10	11	10	50	6	37	31	6.620	126	55	53.192	-68
12	10	11	10	50	7	37	31	6.620	126	55	53.192	-68
13	10	11	10	50	8	37	31	6.620	126	55	53.192	-68
14	10	11	10	50	9	37	31	6.620	126	55	53.192	-68
15	10	11	10	50	10	37	31	6.620	126	55	53.192	-70
16	10	11	10	50	11	37	31	6.620	126	55	53.192	-70
17	10	11	10	50	12	37	31	6.620	126	55	53.192	-70
18	10	11	10	50	13	37	31	6.620	126	55	53.192	-71
19	10	11	10	50	14	37	31	6.620	126	55	53.192	-71
20	10	11	10	50	15	37	31	6.620	126	55	53.192	-71
21	10	11	10	50	16	37	31	6.620	126	55	53.192	-66
22	10	11	10	50	17	37	31	6.620	126	55	53.192	-66
23	10	11	10	50	18	37	31	6.620	126	55	53.192	-66
24	10	11	10	50	19	37	31	6.620	126	55	53.192	-68
25	10	11	10	50	20	37	31	6.620	126	55	53.192	-68
26	10	11	10	50	21	37	31	6.620	126	55	53.192	-68
27	10	11	10	50	22	37	31	6.620	126	55	53.192	-74
28	10	11	10	50	23	37	31	6.620	126	55	53.192	-74
29	10	11	10	50	24	37	31	6.620	126	55	53.192	-74
30	10	11	10	50	25	37	31	6.620	126	55	53.192	-74
31	10	11	10	50	26	37	31	6.620	126	55	53.192	-74
평균 전계 강도												-69.87




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(-30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	50	40	37	31	6.620	126	55	53.156	-91
2	10	11	10	50	41	37	31	6.620	126	55	53.156	-91
3	10	11	10	50	42	37	31	6.620	126	55	53.156	-91
4	10	11	10	50	43	37	31	6.620	126	55	53.156	-77
5	10	11	10	50	44	37	31	6.620	126	55	53.156	-77
6	10	11	10	50	45	37	31	6.620	126	55	53.156	-77
7	10	11	10	50	46	37	31	6.620	126	55	53.156	-70
8	10	11	10	50	47	37	31	6.620	126	55	53.156	-70
9	10	11	10	50	48	37	31	6.620	126	55	53.156	-70
10	10	11	10	50	49	37	31	6.620	126	55	53.156	-68
11	10	11	10	50	50	37	31	6.620	126	55	53.156	-68
12	10	11	10	50	51	37	31	6.620	126	55	53.156	-68
13	10	11	10	50	52	37	31	6.620	126	55	53.156	-65
14	10	11	10	50	53	37	31	6.620	126	55	53.156	-65
15	10	11	10	50	54	37	31	6.620	126	55	53.156	-65
16	10	11	10	50	55	37	31	6.620	126	55	53.156	-65
17	10	11	10	50	56	37	31	6.620	126	55	53.156	-65
18	10	11	10	50	57	37	31	6.620	126	55	53.156	-65
19	10	11	10	50	58	37	31	6.620	126	55	53.156	-62
20	10	11	10	50	59	37	31	6.620	126	55	53.156	-62
21	10	11	10	51	0	37	31	6.620	126	55	53.156	-62
22	10	11	10	51	1	37	31	6.620	126	55	53.156	-67
23	10	11	10	51	2	37	31	6.620	126	55	53.156	-67
24	10	11	10	51	3	37	31	6.620	126	55	53.156	-67
25	10	11	10	51	4	37	31	6.620	126	55	53.156	-76
26	10	11	10	51	5	37	31	6.620	126	55	53.156	-76
27	10	11	10	51	6	37	31	6.620	126	55	53.156	-76
28	10	11	10	51	7	37	31	6.620	126	55	53.156	-63
29	10	11	10	51	8	37	31	6.620	126	55	53.156	-63
30	10	11	10	51	9	37	31	6.620	126	55	53.156	-63
31	10	11	10	51	10	37	31	6.620	126	55	53.156	-61
32	10	11	10	51	11	37	31	6.620	126	55	53.156	-61
33	10	11	10	51	12	37	31	6.620	126	55	53.156	-61
34	10	11	10	51	13	37	31	6.620	126	55	53.156	-59
35	10	11	10	51	14	37	31	6.620	126	55	53.156	-59
36	10	11	10	51	15	37	31	6.620	126	55	53.156	-59
37	10	11	10	51	16	37	31	6.620	126	55	53.156	-62
38	10	11	10	51	17	37	31	6.620	126	55	53.156	-62
39	10	11	10	51	18	37	31	6.620	126	55	53.156	-62
40	10	11	10	51	19	37	31	6.620	126	55	53.156	-63
평균 전계 강도												-68.03




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(-30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	51	40	37	31	6.620	126	55	53.156	-63
2	10	11	10	51	41	37	31	6.620	126	55	53.156	-63
3	10	11	10	51	42	37	31	6.620	126	55	53.156	-63
4	10	11	10	51	43	37	31	6.620	126	55	53.156	-71
5	10	11	10	51	44	37	31	6.620	126	55	53.156	-71
6	10	11	10	51	45	37	31	6.620	126	55	53.156	-71
7	10	11	10	51	46	37	31	6.620	126	55	53.156	-61
8	10	11	10	51	47	37	31	6.620	126	55	53.156	-61
9	10	11	10	51	48	37	31	6.620	126	55	53.156	-61
10	10	11	10	51	49	37	31	6.620	126	55	53.156	-59
11	10	11	10	51	50	37	31	6.620	126	55	53.156	-59
12	10	11	10	51	51	37	31	6.620	126	55	53.156	-59
13	10	11	10	51	52	37	31	6.620	126	55	53.156	-64
14	10	11	10	51	53	37	31	6.620	126	55	53.156	-64
15	10	11	10	51	54	37	31	6.620	126	55	53.156	-64
16	10	11	10	51	55	37	31	6.620	126	55	53.156	-60
17	10	11	10	51	56	37	31	6.620	126	55	53.156	-60
18	10	11	10	51	57	37	31	6.620	126	55	53.156	-60
19	10	11	10	51	58	37	31	6.620	126	55	53.156	-62
20	10	11	10	51	59	37	31	6.620	126	55	53.156	-62
21	10	11	10	52	0	37	31	6.620	126	55	53.156	-62
22	10	11	10	52	1	37	31	6.620	126	55	53.156	-60
23	10	11	10	52	2	37	31	6.620	126	55	53.156	-60
24	10	11	10	52	3	37	31	6.620	126	55	53.156	-60
25	10	11	10	52	4	37	31	6.620	126	55	53.156	-64
26	10	11	10	52	5	37	31	6.620	126	55	53.156	-64
27	10	11	10	52	6	37	31	6.620	126	55	53.156	-64
28	10	11	10	52	7	37	31	6.620	126	55	53.156	-64
29	10	11	10	52	8	37	31	6.620	126	55	53.156	-64
30	10	11	10	52	9	37	31	6.620	126	55	53.156	-64
평균 전계 강도												-62.80




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(-30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	52	23	37	31	6.620	126	55	53.120	-77
2	10	11	10	52	24	37	31	6.620	126	55	53.120	-77
3	10	11	10	52	25	37	31	6.620	126	55	53.120	-81
4	10	11	10	52	26	37	31	6.620	126	55	53.120	-81
5	10	11	10	52	27	37	31	6.620	126	55	53.120	-81
6	10	11	10	52	28	37	31	6.620	126	55	53.120	-74
7	10	11	10	52	29	37	31	6.620	126	55	53.120	-74
8	10	11	10	52	30	37	31	6.620	126	55	53.120	-74
9	10	11	10	52	31	37	31	6.620	126	55	53.120	-72
10	10	11	10	52	32	37	31	6.620	126	55	53.120	-72
11	10	11	10	52	33	37	31	6.620	126	55	53.120	-72
12	10	11	10	52	34	37	31	6.620	126	55	53.120	-72
13	10	11	10	52	35	37	31	6.620	126	55	53.120	-72
14	10	11	10	52	36	37	31	6.620	126	55	53.120	-72
15	10	11	10	52	37	37	31	6.620	126	55	53.120	-76
16	10	11	10	52	38	37	31	6.620	126	55	53.120	-76
17	10	11	10	52	39	37	31	6.620	126	55	53.120	-76
18	10	11	10	52	40	37	31	6.620	126	55	53.120	-74
19	10	11	10	52	41	37	31	6.620	126	55	53.120	-74
20	10	11	10	52	42	37	31	6.620	126	55	53.120	-74
21	10	11	10	52	43	37	31	6.620	126	55	53.120	-69
22	10	11	10	52	44	37	31	6.620	126	55	53.120	-69
23	10	11	10	52	45	37	31	6.620	126	55	53.120	-69
24	10	11	10	52	46	37	31	6.620	126	55	53.120	-75
25	10	11	10	52	47	37	31	6.620	126	55	53.120	-75
26	10	11	10	52	48	37	31	6.620	126	55	53.120	-75
27	10	11	10	52	49	37	31	6.620	126	55	53.120	-73
28	10	11	10	52	50	37	31	6.620	126	55	53.120	-73
29	10	11	10	52	51	37	31	6.620	126	55	53.120	-73
30	10	11	10	52	52	37	31	6.620	126	55	53.120	-76
31	10	11	10	52	53	37	31	6.620	126	55	53.120	-76
32	10	11	10	52	54	37	31	6.620	126	55	53.120	-76
33	10	11	10	52	55	37	31	6.620	126	55	53.120	-72
34	10	11	10	52	56	37	31	6.620	126	55	53.120	-72
35	10	11	10	52	57	37	31	6.620	126	55	53.120	-72
36	10	11	10	52	58	37	31	6.620	126	55	53.120	-71
평균 전계 강도												-74.08




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(-30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	53	8	37	31	6.620	126	55	53.120	-63
2	10	11	10	53	9	37	31	6.620	126	55	53.120	-63
3	10	11	10	53	10	37	31	6.620	126	55	53.120	-62
4	10	11	10	53	11	37	31	6.620	126	55	53.120	-62
5	10	11	10	53	12	37	31	6.620	126	55	53.120	-62
6	10	11	10	53	13	37	31	6.620	126	55	53.120	-62
7	10	11	10	53	14	37	31	6.620	126	55	53.120	-62
8	10	11	10	53	15	37	31	6.620	126	55	53.120	-62
9	10	11	10	53	16	37	31	6.620	126	55	53.120	-61
10	10	11	10	53	17	37	31	6.620	126	55	53.120	-61
11	10	11	10	53	18	37	31	6.620	126	55	53.120	-61
12	10	11	10	53	19	37	31	6.620	126	55	53.120	-63
13	10	11	10	53	20	37	31	6.620	126	55	53.120	-63
14	10	11	10	53	21	37	31	6.620	126	55	53.120	-63
15	10	11	10	53	22	37	31	6.620	126	55	53.120	-60
16	10	11	10	53	23	37	31	6.620	126	55	53.120	-60
17	10	11	10	53	24	37	31	6.620	126	55	53.120	-60
18	10	11	10	53	25	37	31	6.620	126	55	53.120	-65
19	10	11	10	53	26	37	31	6.620	126	55	53.120	-65
20	10	11	10	53	27	37	31	6.620	126	55	53.120	-65
21	10	11	10	53	28	37	31	6.620	126	55	53.120	-65
22	10	11	10	53	29	37	31	6.620	126	55	53.120	-62
23	10	11	10	53	30	37	31	6.620	126	55	53.120	-62
24	10	11	10	53	31	37	31	6.620	126	55	53.120	-62
평균 전계 강도												-62.33




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(-30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	53	52	37	31	6.548	126	55	53.156	-51
2	10	11	10	53	53	37	31	6.548	126	55	53.156	-51
3	10	11	10	53	54	37	31	6.548	126	55	53.156	-51
4	10	11	10	53	55	37	31	6.548	126	55	53.156	-55
5	10	11	10	53	56	37	31	6.548	126	55	53.156	-55
6	10	11	10	53	57	37	31	6.548	126	55	53.156	-55
7	10	11	10	53	58	37	31	6.548	126	55	53.156	-54
8	10	11	10	53	59	37	31	6.548	126	55	53.156	-54
9	10	11	10	54	0	37	31	6.548	126	55	53.156	-54
10	10	11	10	54	1	37	31	6.548	126	55	53.156	-54
11	10	11	10	54	2	37	31	6.548	126	55	53.156	-54
12	10	11	10	54	3	37	31	6.548	126	55	53.156	-54
13	10	11	10	54	4	37	31	6.548	126	55	53.156	-53
14	10	11	10	54	6	37	31	6.548	126	55	53.156	-53
15	10	11	10	54	7	37	31	6.548	126	55	53.156	-53
16	10	11	10	54	8	37	31	6.548	126	55	53.156	-53
17	10	11	10	54	9	37	31	6.548	126	55	53.156	-53
18	10	11	10	54	10	37	31	6.548	126	55	53.156	-53
19	10	11	10	54	11	37	31	6.548	126	55	53.156	-55
20	10	11	10	54	12	37	31	6.548	126	55	53.156	-55
21	10	11	10	54	13	37	31	6.548	126	55	53.156	-55
22	10	11	10	54	14	37	31	6.548	126	55	53.156	-56
23	10	11	10	54	15	37	31	6.548	126	55	53.156	-56
24	10	11	10	54	16	37	31	6.548	126	55	53.156	-56
25	10	11	10	54	17	37	31	6.548	126	55	53.156	-58
26	10	11	10	54	18	37	31	6.512	126	55	53.156	-58
평균 전계 강도												-54.19




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(-30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	54	35	37	31	6.512	126	55	53.120	-62
2	10	11	10	54	36	37	31	6.512	126	55	53.120	-62
3	10	11	10	54	37	37	31	6.512	126	55	53.120	-62
4	10	11	10	54	38	37	31	6.512	126	55	53.120	-62
5	10	11	10	54	39	37	31	6.512	126	55	53.120	-62
6	10	11	10	54	40	37	31	6.512	126	55	53.120	-62
7	10	11	10	54	41	37	31	6.512	126	55	53.120	-63
8	10	11	10	54	42	37	31	6.512	126	55	53.120	-63
9	10	11	10	54	43	37	31	6.512	126	55	53.120	-63
10	10	11	10	54	44	37	31	6.512	126	55	53.120	-63
11	10	11	10	54	45	37	31	6.512	126	55	53.120	-63
12	10	11	10	54	46	37	31	6.512	126	55	53.120	-63
13	10	11	10	54	47	37	31	6.512	126	55	53.120	-61
14	10	11	10	54	48	37	31	6.512	126	55	53.120	-61
15	10	11	10	54	49	37	31	6.512	126	55	53.120	-61
16	10	11	10	54	50	37	31	6.512	126	55	53.120	-62
17	10	11	10	54	51	37	31	6.512	126	55	53.120	-62
18	10	11	10	54	52	37	31	6.512	126	55	53.120	-62
19	10	11	10	54	53	37	31	6.512	126	55	53.120	-63
20	10	11	10	54	54	37	31	6.512	126	55	53.120	-63
21	10	11	10	54	55	37	31	6.512	126	55	53.120	-63
22	10	11	10	54	56	37	31	6.512	126	55	53.120	-62
23	10	11	10	54	57	37	31	6.512	126	55	53.120	-62
24	10	11	10	54	58	37	31	6.512	126	55	53.120	-62
25	10	11	10	54	59	37	31	6.512	126	55	53.120	-64
평균 전계 강도												-62.32




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(-30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	55	13	37	31	6.512	126	55	53.120	-67
2	10	11	10	55	14	37	31	6.512	126	55	53.120	-68
3	10	11	10	55	15	37	31	6.512	126	55	53.120	-68
4	10	11	10	55	16	37	31	6.512	126	55	53.120	-68
5	10	11	10	55	17	37	31	6.512	126	55	53.120	-67
6	10	11	10	55	18	37	31	6.512	126	55	53.120	-67
7	10	11	10	55	19	37	31	6.512	126	55	53.120	-67
8	10	11	10	55	20	37	31	6.512	126	55	53.120	-69
9	10	11	10	55	21	37	31	6.512	126	55	53.120	-69
10	10	11	10	55	22	37	31	6.512	126	55	53.120	-69
11	10	11	10	55	23	37	31	6.512	126	55	53.120	-68
12	10	11	10	55	24	37	31	6.512	126	55	53.120	-68
13	10	11	10	55	25	37	31	6.512	126	55	53.120	-68
14	10	11	10	55	26	37	31	6.512	126	55	53.120	-68
15	10	11	10	55	27	37	31	6.512	126	55	53.120	-68
16	10	11	10	55	28	37	31	6.512	126	55	53.120	-68
17	10	11	10	55	29	37	31	6.512	126	55	53.120	-68
18	10	11	10	55	30	37	31	6.512	126	55	53.120	-68
19	10	11	10	55	31	37	31	6.548	126	55	53.120	-68
20	10	11	10	55	32	37	31	6.548	126	55	53.120	-68
평균 전계 강도												-67.95




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(-30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	55	45	37	31	6.548	126	55	53.084	-68
2	10	11	10	55	46	37	31	6.548	126	55	53.084	-68
3	10	11	10	55	47	37	31	6.548	126	55	53.084	-68
4	10	11	10	55	48	37	31	6.548	126	55	53.084	-68
5	10	11	10	55	49	37	31	6.548	126	55	53.084	-68
6	10	11	10	55	50	37	31	6.548	126	55	53.084	-68
7	10	11	10	55	51	37	31	6.548	126	55	53.084	-68
8	10	11	10	55	52	37	31	6.548	126	55	53.084	-68
9	10	11	10	55	53	37	31	6.548	126	55	53.084	-70
10	10	11	10	55	54	37	31	6.548	126	55	53.084	-70
11	10	11	10	55	55	37	31	6.548	126	55	53.084	-70
12	10	11	10	55	56	37	31	6.548	126	55	53.084	-68
13	10	11	10	55	57	37	31	6.548	126	55	53.084	-68
14	10	11	10	55	58	37	31	6.548	126	55	53.084	-68
15	10	11	10	55	59	37	31	6.548	126	55	53.084	-67
16	10	11	10	56	0	37	31	6.548	126	55	53.084	-67
17	10	11	10	56	1	37	31	6.548	126	55	53.084	-67
18	10	11	10	56	2	37	31	6.548	126	55	53.084	-66
19	10	11	10	56	3	37	31	6.548	126	55	53.084	-66
20	10	11	10	56	4	37	31	6.548	126	55	53.084	-66
21	10	11	10	56	5	37	31	6.548	126	55	53.084	-65
22	10	11	10	56	6	37	31	6.548	126	55	53.084	-65
23	10	11	10	56	7	37	31	6.548	126	55	53.084	-65
24	10	11	10	56	8	37	31	6.548	126	55	53.084	-67
25	10	11	10	56	9	37	31	6.548	126	55	53.084	-67
26	10	11	10	56	10	37	31	6.548	126	55	53.084	-67
27	10	11	10	56	11	37	31	6.548	126	55	53.084	-68
평균 전계 강도												-67.44




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(+30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	56	24	37	31	6.548	126	55	53.084	-72
2	10	11	10	56	25	37	31	6.548	126	55	53.084	-72
3	10	11	10	56	26	37	31	6.548	126	55	53.084	-77
4	10	11	10	56	27	37	31	6.548	126	55	53.084	-77
5	10	11	10	56	28	37	31	6.548	126	55	53.084	-77
6	10	11	10	56	29	37	31	6.548	126	55	53.084	-74
7	10	11	10	56	30	37	31	6.548	126	55	53.084	-74
8	10	11	10	56	31	37	31	6.548	126	55	53.084	-74
9	10	11	10	56	32	37	31	6.548	126	55	53.084	-67
10	10	11	10	56	33	37	31	6.548	126	55	53.084	-67
11	10	11	10	56	34	37	31	6.548	126	55	53.084	-67
12	10	11	10	56	35	37	31	6.548	126	55	53.084	-71
13	10	11	10	56	36	37	31	6.548	126	55	53.084	-71
14	10	11	10	56	37	37	31	6.548	126	55	53.084	-71
15	10	11	10	56	38	37	31	6.548	126	55	53.084	-68
16	10	11	10	56	39	37	31	6.548	126	55	53.084	-68
17	10	11	10	56	40	37	31	6.548	126	55	53.084	-68
18	10	11	10	56	41	37	31	6.548	126	55	53.084	-74
19	10	11	10	56	42	37	31	6.548	126	55	53.084	-74
20	10	11	10	56	43	37	31	6.548	126	55	53.084	-74
21	10	11	10	56	44	37	31	6.548	126	55	53.084	-75
평균 전계 강도												-72.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(+30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	56	58	37	31	6.548	126	55	53.084	-76
2	10	11	10	56	59	37	31	6.548	126	55	53.084	-89
3	10	11	10	57	0	37	31	6.548	126	55	53.084	-89
4	10	11	10	57	1	37	31	6.548	126	55	53.084	-89
5	10	11	10	57	2	37	31	6.548	126	55	53.084	-81
6	10	11	10	57	3	37	31	6.548	126	55	53.084	-81
7	10	11	10	57	4	37	31	6.548	126	55	53.084	-81
8	10	11	10	57	5	37	31	6.548	126	55	53.084	-75
9	10	11	10	57	6	37	31	6.548	126	55	53.084	-75
10	10	11	10	57	7	37	31	6.548	126	55	53.084	-75
11	10	11	10	57	8	37	31	6.548	126	55	53.084	-70
12	10	11	10	57	9	37	31	6.548	126	55	53.084	-70
13	10	11	10	57	10	37	31	6.548	126	55	53.084	-70
14	10	11	10	57	11	37	31	6.548	126	55	53.084	-75
15	10	11	10	57	12	37	31	6.548	126	55	53.084	-75
16	10	11	10	57	13	37	31	6.548	126	55	53.084	-75
17	10	11	10	57	14	37	31	6.548	126	55	53.084	-70
18	10	11	10	57	15	37	31	6.548	126	55	53.084	-70
19	10	11	10	57	16	37	31	6.548	126	55	53.084	-70
20	10	11	10	57	17	37	31	6.548	126	55	53.084	-73
21	10	11	10	57	18	37	31	6.548	126	55	53.084	-73
22	10	11	10	57	19	37	31	6.548	126	55	53.084	-73
23	10	11	10	57	20	37	31	6.548	126	55	53.084	-74
24	10	11	10	57	21	37	31	6.548	126	55	53.084	-74
평균 전계 강도												-75.96




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(+30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	57	40	37	31	6.548	126	55	53.048	-69
2	10	11	10	57	41	37	31	6.548	126	55	53.048	-69
3	10	11	10	57	42	37	31	6.548	126	55	53.048	-69
4	10	11	10	57	43	37	31	6.548	126	55	53.048	-69
5	10	11	10	57	44	37	31	6.548	126	55	53.048	-69
6	10	11	10	57	45	37	31	6.548	126	55	53.048	-69
7	10	11	10	57	46	37	31	6.548	126	55	53.048	-69
8	10	11	10	57	47	37	31	6.548	126	55	53.048	-73
9	10	11	10	57	48	37	31	6.548	126	55	53.048	-73
10	10	11	10	57	49	37	31	6.548	126	55	53.048	-73
11	10	11	10	57	50	37	31	6.548	126	55	53.048	-77
12	10	11	10	57	51	37	31	6.548	126	55	53.048	-77
13	10	11	10	57	52	37	31	6.548	126	55	53.048	-77
14	10	11	10	57	53	37	31	6.548	126	55	53.048	-72
15	10	11	10	57	54	37	31	6.548	126	55	53.048	-72
16	10	11	10	57	55	37	31	6.548	126	55	53.048	-72
17	10	11	10	57	56	37	31	6.548	126	55	53.048	-75
18	10	11	10	57	57	37	31	6.548	126	55	53.048	-75
19	10	11	10	57	58	37	31	6.548	126	55	53.048	-75
20	10	11	10	57	59	37	31	6.548	126	55	53.048	-73
21	10	11	10	58	0	37	31	6.548	126	55	53.048	-73
22	10	11	10	58	1	37	31	6.548	126	55	53.048	-73
23	10	11	10	58	2	37	31	6.548	126	55	53.048	-72
24	10	11	10	58	3	37	31	6.548	126	55	53.048	-72
25	10	11	10	58	4	37	31	6.548	126	55	53.048	-72
26	10	11	10	58	5	37	31	6.548	126	55	53.048	-69
27	10	11	10	58	6	37	31	6.548	126	55	53.048	-69
28	10	11	10	58	7	37	31	6.548	126	55	53.048	-69
29	10	11	10	58	8	37	31	6.548	126	55	53.048	-76
평균 전계 강도												-72.14




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(+30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	58	21	37	31	6.548	126	55	53.048	-58
2	10	11	10	58	22	37	31	6.548	126	55	53.048	-58
3	10	11	10	58	23	37	31	6.548	126	55	53.048	-56
4	10	11	10	58	24	37	31	6.548	126	55	53.048	-56
5	10	11	10	58	25	37	31	6.548	126	55	53.048	-56
6	10	11	10	58	26	37	31	6.548	126	55	53.048	-53
7	10	11	10	58	27	37	31	6.548	126	55	53.048	-53
8	10	11	10	58	28	37	31	6.548	126	55	53.048	-53
9	10	11	10	58	29	37	31	6.548	126	55	53.048	-54
10	10	11	10	58	30	37	31	6.548	126	55	53.048	-54
11	10	11	10	58	31	37	31	6.548	126	55	53.048	-54
12	10	11	10	58	32	37	31	6.548	126	55	53.048	-55
13	10	11	10	58	33	37	31	6.548	126	55	53.048	-55
14	10	11	10	58	34	37	31	6.548	126	55	53.048	-55
15	10	11	10	58	35	37	31	6.548	126	55	53.048	-57
16	10	11	10	58	36	37	31	6.548	126	55	53.048	-57
17	10	11	10	58	37	37	31	6.548	126	55	53.048	-57
18	10	11	10	58	38	37	31	6.548	126	55	53.048	-59
19	10	11	10	58	39	37	31	6.548	126	55	53.048	-59
20	10	11	10	58	40	37	31	6.548	126	55	53.048	-59
21	10	11	10	58	41	37	31	6.548	126	55	53.048	-55
22	10	11	10	58	42	37	31	6.548	126	55	53.048	-55
23	10	11	10	58	43	37	31	6.548	126	55	53.048	-55
24	10	11	10	58	44	37	31	6.548	126	55	53.048	-56
25	10	11	10	58	45	37	31	6.548	126	55	53.048	-56
26	10	11	10	58	46	37	31	6.548	126	55	53.048	-56
27	10	11	10	58	47	37	31	6.548	126	55	53.048	-58
28	10	11	10	58	48	37	31	6.548	126	55	53.048	-58
평균 전계 강도												-55.96



- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(+30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	58	57	37	31	6.548	126	55	53.084	-64
2	10	11	10	58	58	37	31	6.548	126	55	53.084	-64
3	10	11	10	58	59	37	31	6.548	126	55	53.084	-63
4	10	11	10	59	0	37	31	6.548	126	55	53.084	-63
5	10	11	10	59	1	37	31	6.548	126	55	53.084	-63
6	10	11	10	59	2	37	31	6.548	126	55	53.084	-70
7	10	11	10	59	3	37	31	6.548	126	55	53.084	-70
8	10	11	10	59	4	37	31	6.548	126	55	53.084	-70
9	10	11	10	59	5	37	31	6.548	126	55	53.084	-61
10	10	11	10	59	6	37	31	6.548	126	55	53.084	-61
11	10	11	10	59	7	37	31	6.548	126	55	53.048	-61
12	10	11	10	59	8	37	31	6.548	126	55	53.048	-68
13	10	11	10	59	9	37	31	6.548	126	55	53.048	-68
14	10	11	10	59	10	37	31	6.548	126	55	53.048	-68
15	10	11	10	59	11	37	31	6.548	126	55	53.048	-66
16	10	11	10	59	12	37	31	6.548	126	55	53.048	-66
17	10	11	10	59	13	37	31	6.548	126	55	53.048	-66
18	10	11	10	59	14	37	31	6.548	126	55	53.048	-67
19	10	11	10	59	15	37	31	6.548	126	55	53.048	-67
20	10	11	10	59	16	37	31	6.548	126	55	53.048	-67
21	10	11	10	59	17	37	31	6.548	126	55	53.048	-69
22	10	11	10	59	18	37	31	6.548	126	55	53.048	-69
23	10	11	10	59	19	37	31	6.548	126	55	53.048	-69
24	10	11	10	59	20	37	31	6.548	126	55	53.048	-70
25	10	11	10	59	21	37	31	6.548	126	55	53.048	-70
26	10	11	10	59	22	37	31	6.548	126	55	53.048	-70
27	10	11	10	59	23	37	31	6.548	126	55	53.048	-73
28	10	11	10	59	24	37	31	6.548	126	55	53.048	-73
평균 전계 강도												-67.00




|

|


- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(+30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	10	59	36	37	31	6.548	126	55	53.012	-64
2	10	11	10	59	37	37	31	6.548	126	55	53.012	-64
3	10	11	10	59	38	37	31	6.548	126	55	53.012	-61
4	10	11	10	59	39	37	31	6.548	126	55	53.012	-61
5	10	11	10	59	40	37	31	6.548	126	55	53.012	-61
6	10	11	10	59	41	37	31	6.548	126	55	53.012	-62
7	10	11	10	59	42	37	31	6.548	126	55	53.012	-62
8	10	11	10	59	43	37	31	6.548	126	55	53.012	-62
9	10	11	10	59	44	37	31	6.548	126	55	53.012	-63
10	10	11	10	59	45	37	31	6.548	126	55	53.012	-63
11	10	11	10	59	46	37	31	6.548	126	55	53.012	-63
12	10	11	10	59	47	37	31	6.548	126	55	53.012	-67
13	10	11	10	59	48	37	31	6.548	126	55	53.012	-67
14	10	11	10	59	49	37	31	6.548	126	55	53.012	-67
15	10	11	10	59	50	37	31	6.548	126	55	53.012	-67
16	10	11	10	59	51	37	31	6.548	126	55	53.012	-67
17	10	11	10	59	52	37	31	6.548	126	55	53.012	-67
18	10	11	10	59	53	37	31	6.548	126	55	53.012	-67
19	10	11	10	59	54	37	31	6.548	126	55	53.012	-67
20	10	11	10	59	55	37	31	6.548	126	55	53.012	-67
21	10	11	10	59	56	37	31	6.548	126	55	53.012	-70
22	10	11	10	59	57	37	31	6.548	126	55	53.012	-70
23	10	11	10	59	58	37	31	6.548	126	55	53.012	-70
평균 전계 강도												-65.17




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(+30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	0	13	37	31	6.548	126	55	53.012	-63
2	10	11	11	0	14	37	31	6.548	126	55	53.012	-64
3	10	11	11	0	15	37	31	6.548	126	55	53.012	-64
4	10	11	11	0	16	37	31	6.548	126	55	53.012	-64
5	10	11	11	0	17	37	31	6.548	126	55	53.012	-65
6	10	11	11	0	18	37	31	6.548	126	55	53.012	-65
7	10	11	11	0	19	37	31	6.548	126	55	53.012	-65
8	10	11	11	0	20	37	31	6.548	126	55	53.012	-65
9	10	11	11	0	21	37	31	6.548	126	55	53.012	-65
10	10	11	11	0	22	37	31	6.548	126	55	52.976	-65
11	10	11	11	0	23	37	31	6.548	126	55	52.976	-66
12	10	11	11	0	24	37	31	6.548	126	55	52.976	-66
13	10	11	11	0	25	37	31	6.548	126	55	52.976	-66
14	10	11	11	0	26	37	31	6.548	126	55	52.976	-62
15	10	11	11	0	27	37	31	6.548	126	55	52.976	-62
16	10	11	11	0	28	37	31	6.548	126	55	52.976	-62
17	10	11	11	0	29	37	31	6.548	126	55	52.976	-65
18	10	11	11	0	30	37	31	6.548	126	55	52.976	-65
19	10	11	11	0	31	37	31	6.548	126	55	52.976	-65
20	10	11	11	0	32	37	31	6.548	126	55	52.976	-62
21	10	11	11	0	33	37	31	6.548	126	55	52.976	-62
평균 전계 강도												-64.19




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(+30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	0	49	37	31	6.548	126	55	52.976	-89
2	10	11	11	0	50	37	31	6.548	126	55	52.976	-73
3	10	11	11	0	51	37	31	6.548	126	55	52.976	-73
4	10	11	11	0	52	37	31	6.548	126	55	52.976	-73
5	10	11	11	0	53	37	31	6.548	126	55	52.976	-81
6	10	11	11	0	54	37	31	6.548	126	55	52.976	-81
7	10	11	11	0	55	37	31	6.548	126	55	52.976	-81
8	10	11	11	0	56	37	31	6.548	126	55	52.976	-76
9	10	11	11	0	57	37	31	6.548	126	55	52.976	-76
10	10	11	11	0	58	37	31	6.548	126	55	52.976	-76
11	10	11	11	0	59	37	31	6.548	126	55	52.976	-79
12	10	11	11	1	0	37	31	6.548	126	55	52.976	-79
13	10	11	11	1	1	37	31	6.548	126	55	52.976	-79
14	10	11	11	1	2	37	31	6.548	126	55	52.976	-76
15	10	11	11	1	3	37	31	6.548	126	55	52.976	-76
16	10	11	11	1	4	37	31	6.548	126	55	52.976	-76
17	10	11	11	1	5	37	31	6.548	126	55	52.976	-77
18	10	11	11	1	6	37	31	6.548	126	55	52.976	-77
19	10	11	11	1	7	37	31	6.548	126	55	52.976	-77
평균 전계 강도												-77.63




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx3(4)(MAX)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	3	10	37	31	6.512	126	55	52.939	-57
2	10	11	11	3	11	37	31	6.512	126	55	52.939	-57
3	10	11	11	3	12	37	31	6.512	126	55	52.939	-57
4	10	11	11	3	13	37	31	6.512	126	55	52.939	-57
5	10	11	11	3	14	37	31	6.512	126	55	52.939	-55
6	10	11	11	3	15	37	31	6.512	126	55	52.939	-55
7	10	11	11	3	16	37	31	6.512	126	55	52.939	-55
8	10	11	11	3	17	37	31	6.512	126	55	52.939	-59
9	10	11	11	3	18	37	31	6.512	126	55	52.939	-59
10	10	11	11	3	19	37	31	6.512	126	55	52.939	-59
11	10	11	11	3	20	37	31	6.512	126	55	52.939	-55
12	10	11	11	3	21	37	31	6.512	126	55	52.939	-55
13	10	11	11	3	22	37	31	6.512	126	55	52.939	-55
14	10	11	11	3	23	37	31	6.512	126	55	52.939	-51
15	10	11	11	3	24	37	31	6.512	126	55	52.939	-51
16	10	11	11	3	25	37	31	6.512	126	55	52.939	-51
17	10	11	11	3	26	37	31	6.512	126	55	52.939	-54
18	10	11	11	3	27	37	31	6.512	126	55	52.939	-54
19	10	11	11	3	28	37	31	6.512	126	55	52.939	-54
20	10	11	11	3	29	37	31	6.512	126	55	52.903	-54
21	10	11	11	3	30	37	31	6.512	126	55	52.903	-54
22	10	11	11	3	31	37	31	6.512	126	55	52.903	-54
23	10	11	11	3	32	37	31	6.512	126	55	52.903	-52
24	10	11	11	3	33	37	31	6.512	126	55	52.903	-52
25	10	11	11	3	34	37	31	6.512	126	55	52.903	-52
26	10	11	11	3	35	37	31	6.476	126	55	52.903	-53
27	10	11	11	3	36	37	31	6.476	126	55	52.903	-53
28	10	11	11	3	37	37	31	6.476	126	55	52.903	-53
29	10	11	11	3	38	37	31	6.512	126	55	52.903	-53
30	10	11	11	3	39	37	31	6.512	126	55	52.903	-53
평균 전계 강도												-54.43




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(+30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	10	32	37	31	4.315	126	55	55.064	-81
2	10	7	17	10	33	37	31	4.315	126	55	55.064	-81
3	10	7	17	10	34	37	31	4.315	126	55	55.064	-81
4	10	7	17	10	35	37	31	4.315	126	55	55.064	-90
5	10	7	17	10	36	37	31	4.315	126	55	55.064	-90
6	10	7	17	10	37	37	31	4.315	126	55	55.064	-90
7	10	7	17	10	38	37	31	4.315	126	55	55.064	-84
8	10	7	17	10	39	37	31	4.315	126	55	55.064	-84
9	10	7	17	10	40	37	31	4.315	126	55	55.064	-84
10	10	7	17	10	41	37	31	4.315	126	55	55.064	-81
11	10	7	17	10	42	37	31	4.315	126	55	55.064	-81
12	10	7	17	10	43	37	31	4.315	126	55	55.064	-81
13	10	7	17	10	44	37	31	4.315	126	55	55.064	-86
14	10	7	17	10	45	37	31	4.315	126	55	55.064	-86
15	10	7	17	10	46	37	31	4.315	126	55	55.064	-86
16	10	7	17	10	47	37	31	4.315	126	55	55.064	-99
17	10	7	17	10	48	37	31	4.315	126	55	55.064	-99
18	10	7	17	10	49	37	31	4.315	126	55	55.064	-99
19	10	7	17	10	50	37	31	4.315	126	55	55.064	-72
20	10	7	17	10	51	37	31	4.315	126	55	55.064	-72
21	10	7	17	10	52	37	31	4.315	126	55	55.064	-72
22	10	7	17	10	53	37	31	4.315	126	55	55.064	-80
23	10	7	17	10	54	37	31	4.315	126	55	55.064	-80
24	10	7	17	10	55	37	31	4.315	126	55	55.064	-80
25	10	7	17	10	56	37	31	4.315	126	55	55.064	-82
26	10	7	17	10	57	37	31	4.315	126	55	55.064	-82
27	10	7	17	10	58	37	31	4.315	126	55	55.064	-82
28	10	7	17	10	59	37	31	4.315	126	55	55.064	-85
29	10	7	17	11	0	37	31	4.315	126	55	55.064	-85
30	10	7	17	11	1	37	31	4.315	126	55	55.064	-85
31	10	7	17	11	2	37	31	4.315	126	55	55.064	-77
32	10	7	17	11	3	37	31	4.315	126	55	55.064	-77
33	10	7	17	11	4	37	31	4.315	126	55	55.064	-77
34	10	7	17	11	5	37	31	4.315	126	55	55.064	-79
35	10	7	17	11	6	37	31	4.315	126	55	55.064	-79
36	10	7	17	11	7	37	31	4.315	126	55	55.064	-79
37	10	7	17	11	8	37	31	4.315	126	55	55.064	-87
38	10	7	17	11	9	37	31	4.315	126	55	55.064	-87
39	10	7	17	11	10	37	31	4.315	126	55	55.064	-87
40	10	7	17	11	11	37	31	4.315	126	55	55.064	-78
41	10	7	17	11	12	37	31	4.315	126	55	55.064	-78
42	10	7	17	11	13	37	31	4.315	126	55	55.064	-78
43	10	7	17	11	14	37	31	4.315	126	55	55.064	-80
44	10	7	17	11	15	37	31	4.315	126	55	55.064	-80
45	10	7	17	11	16	37	31	4.315	126	55	55.064	-80
46	10	7	17	11	17	37	31	4.315	126	55	55.064	-79
47	10	7	17	11	18	37	31	4.315	126	55	55.064	-79
평균 전계 강도												-82.57




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(0_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	58	23	37	31	4.207	126	55	55.064	-56
2	10	7	16	58	24	37	31	4.207	126	55	55.064	-56
3	10	7	16	58	25	37	31	4.207	126	55	55.064	-55
4	10	7	16	58	26	37	31	4.207	126	55	55.064	-55
5	10	7	16	58	27	37	31	4.207	126	55	55.064	-55
6	10	7	16	58	28	37	31	4.207	126	55	55.064	-55
7	10	7	16	58	29	37	31	4.207	126	55	55.064	-55
8	10	7	16	58	30	37	31	4.243	126	55	55.064	-55
9	10	7	16	58	31	37	31	4.243	126	55	55.064	-57
10	10	7	16	58	32	37	31	4.243	126	55	55.064	-57
11	10	7	16	58	33	37	31	4.243	126	55	55.064	-57
12	10	7	16	58	34	37	31	4.243	126	55	55.064	-58
13	10	7	16	58	35	37	31	4.243	126	55	55.064	-58
14	10	7	16	58	36	37	31	4.243	126	55	55.064	-58
15	10	7	16	58	37	37	31	4.243	126	55	55.064	-57
16	10	7	16	58	38	37	31	4.243	126	55	55.064	-57
17	10	7	16	58	39	37	31	4.243	126	55	55.064	-57
18	10	7	16	58	40	37	31	4.243	126	55	55.064	-63
19	10	7	16	58	41	37	31	4.243	126	55	55.064	-63
20	10	7	16	58	42	37	31	4.243	126	55	55.064	-63
21	10	7	16	58	43	37	31	4.243	126	55	55.064	-58
22	10	7	16	58	44	37	31	4.243	126	55	55.064	-58
23	10	7	16	58	45	37	31	4.243	126	55	55.064	-58
24	10	7	16	58	46	37	31	4.243	126	55	55.064	-57
25	10	7	16	58	47	37	31	4.243	126	55	55.064	-57
평균 전계 강도												-57.40




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(0_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	59	2	37	31	4.243	126	55	55.064	-59
2	10	7	16	59	3	37	31	4.243	126	55	55.064	-59
3	10	7	16	59	4	37	31	4.243	126	55	55.064	-59
4	10	7	16	59	5	37	31	4.243	126	55	55.064	-59
5	10	7	16	59	6	37	31	4.243	126	55	55.064	-59
6	10	7	16	59	7	37	31	4.243	126	55	55.064	-57
7	10	7	16	59	8	37	31	4.243	126	55	55.064	-57
8	10	7	16	59	9	37	31	4.243	126	55	55.064	-57
9	10	7	16	59	10	37	31	4.243	126	55	55.064	-58
10	10	7	16	59	11	37	31	4.243	126	55	55.064	-58
11	10	7	16	59	12	37	31	4.243	126	55	55.064	-58
12	10	7	16	59	13	37	31	4.243	126	55	55.064	-55
13	10	7	16	59	14	37	31	4.243	126	55	55.064	-55
14	10	7	16	59	15	37	31	4.243	126	55	55.064	-55
15	10	7	16	59	16	37	31	4.243	126	55	55.064	-60
16	10	7	16	59	17	37	31	4.243	126	55	55.064	-60
17	10	7	16	59	18	37	31	4.243	126	55	55.064	-60
18	10	7	16	59	19	37	31	4.243	126	55	55.064	-58
19	10	7	16	59	20	37	31	4.243	126	55	55.064	-58
20	10	7	16	59	21	37	31	4.243	126	55	55.064	-58
21	10	7	16	59	22	37	31	4.243	126	55	55.064	-58
22	10	7	16	59	23	37	31	4.243	126	55	55.064	-58
23	10	7	16	59	24	37	31	4.243	126	55	55.064	-58
24	10	7	16	59	25	37	31	4.243	126	55	55.064	-58
평균 전계 강도												-57.96




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(0_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	59	35	37	31	4.243	126	55	55.064	-68
2	10	7	16	59	36	37	31	4.243	126	55	55.064	-68
3	10	7	16	59	37	37	31	4.243	126	55	55.064	-70
4	10	7	16	59	38	37	31	4.243	126	55	55.064	-70
5	10	7	16	59	39	37	31	4.243	126	55	55.064	-70
6	10	7	16	59	40	37	31	4.243	126	55	55.064	-70
7	10	7	16	59	41	37	31	4.243	126	55	55.064	-70
8	10	7	16	59	42	37	31	4.243	126	55	55.064	-70
9	10	7	16	59	43	37	31	4.243	126	55	55.064	-70
10	10	7	16	59	44	37	31	4.243	126	55	55.064	-70
11	10	7	16	59	45	37	31	4.243	126	55	55.064	-70
12	10	7	16	59	46	37	31	4.243	126	55	55.064	-71
13	10	7	16	59	47	37	31	4.243	126	55	55.064	-71
14	10	7	16	59	48	37	31	4.243	126	55	55.064	-71
15	10	7	16	59	49	37	31	4.243	126	55	55.064	-73
16	10	7	16	59	50	37	31	4.243	126	55	55.064	-73
17	10	7	16	59	51	37	31	4.243	126	55	55.064	-73
18	10	7	16	59	52	37	31	4.243	126	55	55.064	-72
19	10	7	16	59	53	37	31	4.243	126	55	55.064	-72
20	10	7	16	59	54	37	31	4.243	126	55	55.064	-72
21	10	7	16	59	55	37	31	4.243	126	55	55.064	-70
22	10	7	16	59	56	37	31	4.243	126	55	55.064	-70
23	10	7	16	59	57	37	31	4.243	126	55	55.064	-70
24	10	7	16	59	58	37	31	4.243	126	55	55.064	-75
평균 전계 강도												-70.79




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(0_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	0	10	37	31	4.243	126	55	55.064	-62
2	10	7	17	0	11	37	31	4.243	126	55	55.064	-62
3	10	7	17	0	12	37	31	4.243	126	55	55.064	-62
4	10	7	17	0	13	37	31	4.243	126	55	55.064	-59
5	10	7	17	0	14	37	31	4.243	126	55	55.064	-59
6	10	7	17	0	15	37	31	4.243	126	55	55.064	-59
7	10	7	17	0	16	37	31	4.243	126	55	55.064	-65
8	10	7	17	0	17	37	31	4.243	126	55	55.064	-65
9	10	7	17	0	18	37	31	4.243	126	55	55.064	-65
10	10	7	17	0	19	37	31	4.243	126	55	55.064	-60
11	10	7	17	0	20	37	31	4.243	126	55	55.064	-60
12	10	7	17	0	21	37	31	4.243	126	55	55.064	-60
13	10	7	17	0	22	37	31	4.243	126	55	55.064	-65
14	10	7	17	0	23	37	31	4.243	126	55	55.064	-65
15	10	7	17	0	24	37	31	4.243	126	55	55.064	-65
16	10	7	17	0	25	37	31	4.243	126	55	55.064	-62
17	10	7	17	0	26	37	31	4.243	126	55	55.064	-62
18	10	7	17	0	27	37	31	4.279	126	55	55.064	-62
19	10	7	17	0	28	37	31	4.279	126	55	55.064	-66
20	10	7	17	0	29	37	31	4.279	126	55	55.064	-66
21	10	7	17	0	30	37	31	4.279	126	55	55.064	-66
22	10	7	17	0	31	37	31	4.279	126	55	55.064	-59
23	10	7	17	0	32	37	31	4.279	126	55	55.064	-59
24	10	7	17	0	33	37	31	4.279	126	55	55.064	-59
25	10	7	17	0	34	37	31	4.279	126	55	55.064	-63
26	10	7	17	0	35	37	31	4.279	126	55	55.064	-63
27	10	7	17	0	36	37	31	4.279	126	55	55.064	-63
28	10	7	17	0	37	37	31	4.279	126	55	55.064	-65
29	10	7	17	0	38	37	31	4.279	126	55	55.064	-65
30	10	7	17	0	39	37	31	4.279	126	55	55.064	-65
31	10	7	17	0	40	37	31	4.279	126	55	55.064	-64
32	10	7	17	0	41	37	31	4.279	126	55	55.064	-64
33	10	7	17	0	42	37	31	4.279	126	55	55.064	-64
34	10	7	17	0	43	37	31	4.279	126	55	55.064	-65
35	10	7	17	0	44	37	31	4.279	126	55	55.064	-65
36	10	7	17	0	45	37	31	4.279	126	55	55.064	-65
37	10	7	17	0	46	37	31	4.279	126	55	55.064	-64
38	10	7	17	0	47	37	31	4.279	126	55	55.064	-64
39	10	7	17	0	48	37	31	4.279	126	55	55.064	-64
40	10	7	17	0	49	37	31	4.279	126	55	55.064	-62
41	10	7	17	0	50	37	31	4.279	126	55	55.064	-62
42	10	7	17	0	51	37	31	4.279	126	55	55.064	-62
43	10	7	17	0	52	37	31	4.279	126	55	55.064	-70
44	10	7	17	0	53	37	31	4.279	126	55	55.064	-70
45	10	7	17	0	54	37	31	4.279	126	55	55.064	-70
46	10	7	17	0	55	37	31	4.279	126	55	55.064	-61
47	10	7	17	0	56	37	31	4.279	126	55	55.028	-61
48	10	7	17	0	57	37	31	4.279	126	55	55.028	-61
49	10	7	17	0	58	37	31	4.279	126	55	55.028	-69
50	10	7	17	0	59	37	31	4.279	126	55	55.028	-69
51	10	7	17	1	0	37	31	4.279	126	55	55.028	-69
52	10	7	17	1	1	37	31	4.279	126	55	55.064	-65




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(0_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	1	26	37	31	4.315	126	55	55.028	-60
2	10	7	17	1	27	37	31	4.315	126	55	55.028	-60
3	10	7	17	1	28	37	31	4.315	126	55	55.028	-59
4	10	7	17	1	29	37	31	4.315	126	55	55.028	-59
5	10	7	17	1	30	37	31	4.315	126	55	55.028	-59
6	10	7	17	1	31	37	31	4.315	126	55	55.028	-58
7	10	7	17	1	32	37	31	4.315	126	55	55.028	-58
8	10	7	17	1	33	37	31	4.315	126	55	55.028	-58
9	10	7	17	1	34	37	31	4.315	126	55	55.028	-59
10	10	7	17	1	35	37	31	4.315	126	55	55.028	-59
11	10	7	17	1	36	37	31	4.315	126	55	55.028	-59
12	10	7	17	1	37	37	31	4.315	126	55	55.028	-59
13	10	7	17	1	38	37	31	4.315	126	55	55.028	-59
14	10	7	17	1	39	37	31	4.315	126	55	55.028	-59
15	10	7	17	1	40	37	31	4.315	126	55	55.028	-59
16	10	7	17	1	41	37	31	4.315	126	55	55.028	-59
17	10	7	17	1	42	37	31	4.315	126	55	55.028	-59
18	10	7	17	1	43	37	31	4.315	126	55	55.028	-59
19	10	7	17	1	44	37	31	4.315	126	55	55.028	-59
평균 전계 강도												-58.95




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(0_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	1	57	37	31	4.315	126	55	55.028	-57
2	10	7	17	1	58	37	31	4.315	126	55	55.028	-56
3	10	7	17	1	59	37	31	4.315	126	55	55.028	-56
4	10	7	17	2	0	37	31	4.315	126	55	55.028	-56
5	10	7	17	2	1	37	31	4.315	126	55	55.028	-57
6	10	7	17	2	2	37	31	4.315	126	55	55.028	-57
7	10	7	17	2	3	37	31	4.315	126	55	55.028	-57
8	10	7	17	2	4	37	31	4.315	126	55	55.028	-56
9	10	7	17	2	5	37	31	4.315	126	55	55.028	-56
10	10	7	17	2	6	37	31	4.315	126	55	55.028	-56
11	10	7	17	2	7	37	31	4.315	126	55	55.028	-54
12	10	7	17	2	8	37	31	4.315	126	55	55.028	-54
13	10	7	17	2	9	37	31	4.315	126	55	55.028	-54
14	10	7	17	2	10	37	31	4.315	126	55	55.028	-56
15	10	7	17	2	11	37	31	4.315	126	55	55.028	-56
16	10	7	17	2	12	37	31	4.315	126	55	55.028	-56
17	10	7	17	2	13	37	31	4.315	126	55	55.028	-54
18	10	7	17	2	14	37	31	4.315	126	55	55.028	-54
19	10	7	17	2	15	37	31	4.315	126	55	55.028	-54
20	10	7	17	2	16	37	31	4.315	126	55	55.028	-55
21	10	7	17	2	17	37	31	4.315	126	55	55.028	-55
22	10	7	17	2	18	37	31	4.315	126	55	55.028	-55
23	10	7	17	2	19	37	31	4.315	126	55	55.028	-56
24	10	7	17	2	20	37	31	4.315	126	55	55.028	-56
25	10	7	17	2	21	37	31	4.315	126	55	55.028	-56
26	10	7	17	2	22	37	31	4.315	126	55	55.028	-59
27	10	7	17	2	23	37	31	4.315	126	55	55.028	-59
평균 전계 강도												-55.81




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(0_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	2	35	37	31	4.315	126	55	55.064	-64
2	10	7	17	2	36	37	31	4.315	126	55	55.064	-64
3	10	7	17	2	37	37	31	4.315	126	55	55.064	-59
4	10	7	17	2	38	37	31	4.315	126	55	55.064	-59
5	10	7	17	2	39	37	31	4.315	126	55	55.064	-59
6	10	7	17	2	40	37	31	4.315	126	55	55.064	-63
7	10	7	17	2	41	37	31	4.315	126	55	55.064	-63
8	10	7	17	2	42	37	31	4.315	126	55	55.064	-63
9	10	7	17	2	43	37	31	4.315	126	55	55.064	-69
10	10	7	17	2	44	37	31	4.315	126	55	55.064	-69
11	10	7	17	2	45	37	31	4.315	126	55	55.064	-69
12	10	7	17	2	46	37	31	4.315	126	55	55.064	-64
13	10	7	17	2	47	37	31	4.315	126	55	55.064	-64
14	10	7	17	2	48	37	31	4.315	126	55	55.064	-64
15	10	7	17	2	49	37	31	4.315	126	55	55.064	-71
16	10	7	17	2	50	37	31	4.315	126	55	55.064	-71
17	10	7	17	2	51	37	31	4.315	126	55	55.064	-71
18	10	7	17	2	52	37	31	4.315	126	55	55.064	-59
19	10	7	17	2	53	37	31	4.315	126	55	55.064	-59
20	10	7	17	2	54	37	31	4.315	126	55	55.064	-59
21	10	7	17	2	55	37	31	4.315	126	55	55.064	-63
22	10	7	17	2	56	37	31	4.315	126	55	55.064	-63
23	10	7	17	2	57	37	31	4.315	126	55	55.064	-63
24	10	7	17	2	58	37	31	4.315	126	55	55.064	-60
25	10	7	17	2	59	37	31	4.315	126	55	55.064	-60
26	10	7	17	3	0	37	31	4.315	126	55	55.064	-60
27	10	7	17	3	1	37	31	4.315	126	55	55.064	-65
28	10	7	17	3	2	37	31	4.315	126	55	55.064	-65
29	10	7	17	3	3	37	31	4.315	126	55	55.064	-65
30	10	7	17	3	4	37	31	4.315	126	55	55.064	-63
31	10	7	17	3	5	37	31	4.315	126	55	55.064	-63
32	10	7	17	3	6	37	31	4.315	126	55	55.064	-63
33	10	7	17	3	7	37	31	4.315	126	55	55.064	-59
34	10	7	17	3	8	37	31	4.315	126	55	55.064	-59
35	10	7	17	3	9	37	31	4.315	126	55	55.064	-59
평균 전계 강도												-63.23




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(0_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	3	22	37	31	4.315	126	55	55.064	-56
2	10	7	17	3	23	37	31	4.315	126	55	55.064	-56
3	10	7	17	3	24	37	31	4.315	126	55	55.064	-56
4	10	7	17	3	25	37	31	4.315	126	55	55.064	-59
5	10	7	17	3	26	37	31	4.315	126	55	55.064	-59
6	10	7	17	3	27	37	31	4.315	126	55	55.064	-59
7	10	7	17	3	28	37	31	4.315	126	55	55.064	-55
8	10	7	17	3	29	37	31	4.315	126	55	55.064	-55
9	10	7	17	3	30	37	31	4.315	126	55	55.064	-55
10	10	7	17	3	31	37	31	4.315	126	55	55.064	-56
11	10	7	17	3	32	37	31	4.315	126	55	55.064	-56
12	10	7	17	3	33	37	31	4.315	126	55	55.064	-56
13	10	7	17	3	34	37	31	4.315	126	55	55.064	-57
14	10	7	17	3	35	37	31	4.315	126	55	55.064	-57
15	10	7	17	3	36	37	31	4.315	126	55	55.064	-57
16	10	7	17	3	37	37	31	4.315	126	55	55.064	-56
17	10	7	17	3	38	37	31	4.315	126	55	55.064	-56
18	10	7	17	3	39	37	31	4.315	126	55	55.064	-56
19	10	7	17	3	40	37	31	4.315	126	55	55.064	-59
20	10	7	17	3	41	37	31	4.315	126	55	55.064	-59
21	10	7	17	3	42	37	31	4.315	126	55	55.064	-59
22	10	7	17	3	43	37	31	4.315	126	55	55.064	-56
23	10	7	17	3	44	37	31	4.315	126	55	55.064	-56
24	10	7	17	3	45	37	31	4.315	126	55	55.064	-56
25	10	7	17	3	46	37	31	4.315	126	55	55.064	-55
26	10	7	17	3	47	37	31	4.315	126	55	55.064	-55
평균 전계 강도												-56.62




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(-30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	3	59	37	31	4.315	126	55	55.064	-61
2	10	7	17	4	0	37	31	4.315	126	55	55.064	-61
3	10	7	17	4	1	37	31	4.315	126	55	55.064	-59
4	10	7	17	4	2	37	31	4.315	126	55	55.064	-59
5	10	7	17	4	3	37	31	4.315	126	55	55.064	-59
6	10	7	17	4	4	37	31	4.315	126	55	55.064	-64
7	10	7	17	4	5	37	31	4.315	126	55	55.064	-64
8	10	7	17	4	6	37	31	4.315	126	55	55.064	-64
9	10	7	17	4	7	37	31	4.315	126	55	55.064	-64
10	10	7	17	4	8	37	31	4.315	126	55	55.064	-64
11	10	7	17	4	9	37	31	4.315	126	55	55.064	-64
12	10	7	17	4	10	37	31	4.315	126	55	55.064	-59
13	10	7	17	4	11	37	31	4.315	126	55	55.064	-59
14	10	7	17	4	12	37	31	4.315	126	55	55.064	-59
15	10	7	17	4	13	37	31	4.315	126	55	55.064	-61
16	10	7	17	4	14	37	31	4.315	126	55	55.064	-61
17	10	7	17	4	15	37	31	4.315	126	55	55.064	-61
18	10	7	17	4	16	37	31	4.315	126	55	55.064	-61
19	10	7	17	4	17	37	31	4.315	126	55	55.064	-61
20	10	7	17	4	18	37	31	4.315	126	55	55.064	-61
21	10	7	17	4	19	37	31	4.315	126	55	55.064	-60
22	10	7	17	4	20	37	31	4.315	126	55	55.064	-60
23	10	7	17	4	21	37	31	4.315	126	55	55.064	-60
24	10	7	17	4	22	37	31	4.315	126	55	55.064	-64
25	10	7	17	4	23	37	31	4.315	126	55	55.064	-64
26	10	7	17	4	24	37	31	4.315	126	55	55.064	-64
27	10	7	17	4	25	37	31	4.315	126	55	55.064	-63
28	10	7	17	4	26	37	31	4.315	126	55	55.064	-63
29	10	7	17	4	27	37	31	4.315	126	55	55.064	-63
30	10	7	17	4	28	37	31	4.315	126	55	55.064	-62
31	10	7	17	4	29	37	31	4.315	126	55	55.064	-62
32	10	7	17	4	30	37	31	4.315	126	55	55.064	-62
33	10	7	17	4	31	37	31	4.315	126	55	55.064	-62
34	10	7	17	4	32	37	31	4.315	126	55	55.064	-62
35	10	7	17	4	33	37	31	4.315	126	55	55.064	-62
36	10	7	17	4	34	37	31	4.315	126	55	55.064	-59
37	10	7	17	4	35	37	31	4.315	126	55	55.064	-59
38	10	7	17	4	36	37	31	4.315	126	55	55.064	-59
평균 전계 강도												-61.47




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(-30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	4	53	37	31	4.315	126	55	55.064	-64
2	10	7	17	4	54	37	31	4.315	126	55	55.064	-64
3	10	7	17	4	55	37	31	4.315	126	55	55.064	-66
4	10	7	17	4	56	37	31	4.315	126	55	55.064	-66
5	10	7	17	4	57	37	31	4.315	126	55	55.064	-66
6	10	7	17	4	58	37	31	4.315	126	55	55.064	-66
7	10	7	17	4	59	37	31	4.315	126	55	55.064	-66
8	10	7	17	5	0	37	31	4.315	126	55	55.064	-66
9	10	7	17	5	1	37	31	4.315	126	55	55.064	-65
10	10	7	17	5	2	37	31	4.315	126	55	55.064	-65
11	10	7	17	5	3	37	31	4.315	126	55	55.064	-65
12	10	7	17	5	4	37	31	4.315	126	55	55.064	-66
13	10	7	17	5	5	37	31	4.315	126	55	55.064	-66
14	10	7	17	5	6	37	31	4.315	126	55	55.064	-66
15	10	7	17	5	7	37	31	4.315	126	55	55.064	-64
16	10	7	17	5	8	37	31	4.315	126	55	55.064	-64
17	10	7	17	5	9	37	31	4.315	126	55	55.064	-64
18	10	7	17	5	10	37	31	4.315	126	55	55.064	-67
19	10	7	17	5	11	37	31	4.315	126	55	55.064	-67
20	10	7	17	5	12	37	31	4.315	126	55	55.064	-67
21	10	7	17	5	13	37	31	4.315	126	55	55.064	-69
평균 전계 강도												-65.67




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(-30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	5	27	37	31	4.315	126	55	55.064	-79
2	10	7	17	5	28	37	31	4.315	126	55	55.064	-79
3	10	7	17	5	29	37	31	4.315	126	55	55.064	-79
4	10	7	17	5	30	37	31	4.315	126	55	55.064	-79
5	10	7	17	5	31	37	31	4.315	126	55	55.064	-72
6	10	7	17	5	32	37	31	4.315	126	55	55.064	-72
7	10	7	17	5	33	37	31	4.315	126	55	55.064	-72
8	10	7	17	5	34	37	31	4.315	126	55	55.064	-89
9	10	7	17	5	35	37	31	4.315	126	55	55.064	-89
10	10	7	17	5	36	37	31	4.315	126	55	55.064	-89
11	10	7	17	5	37	37	31	4.315	126	55	55.064	-82
12	10	7	17	5	38	37	31	4.315	126	55	55.064	-82
13	10	7	17	5	39	37	31	4.315	126	55	55.064	-82
14	10	7	17	5	40	37	31	4.315	126	55	55.064	-92
15	10	7	17	5	41	37	31	4.315	126	55	55.064	-92
16	10	7	17	5	42	37	31	4.315	126	55	55.064	-92
17	10	7	17	5	43	37	31	4.315	126	55	55.064	-77
18	10	7	17	5	44	37	31	4.315	126	55	55.064	-77
19	10	7	17	5	45	37	31	4.315	126	55	55.064	-77
20	10	7	17	5	46	37	31	4.315	126	55	55.064	-83
평균 전계 강도												-81.75




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(-30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	5	59	37	31	4.315	126	55	55.064	-76
2	10	7	17	6	0	37	31	4.315	126	55	55.064	-76
3	10	7	17	6	1	37	31	4.315	126	55	55.064	-75
4	10	7	17	6	2	37	31	4.315	126	55	55.064	-75
5	10	7	17	6	3	37	31	4.315	126	55	55.064	-75
6	10	7	17	6	4	37	31	4.315	126	55	55.064	-71
7	10	7	17	6	5	37	31	4.315	126	55	55.064	-71
8	10	7	17	6	6	37	31	4.315	126	55	55.064	-71
9	10	7	17	6	7	37	31	4.315	126	55	55.064	-68
10	10	7	17	6	8	37	31	4.315	126	55	55.064	-68
11	10	7	17	6	9	37	31	4.315	126	55	55.064	-68
12	10	7	17	6	10	37	31	4.315	126	55	55.064	-73
13	10	7	17	6	11	37	31	4.315	126	55	55.064	-73
14	10	7	17	6	12	37	31	4.315	126	55	55.064	-73
15	10	7	17	6	13	37	31	4.315	126	55	55.064	-76
16	10	7	17	6	14	37	31	4.315	126	55	55.064	-76
17	10	7	17	6	15	37	31	4.315	126	55	55.064	-76
18	10	7	17	6	16	37	31	4.315	126	55	55.064	-76
19	10	7	17	6	18	37	31	4.315	126	55	55.064	-76
평균 전계 강도												-73.32




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(-30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	6	35	37	31	4.315	126	55	55.064	-58
2	10	7	17	6	36	37	31	4.315	126	55	55.064	-58
3	10	7	17	6	37	37	31	4.315	126	55	55.064	-58
4	10	7	17	6	38	37	31	4.315	126	55	55.064	-77
5	10	7	17	6	39	37	31	4.315	126	55	55.064	-77
6	10	7	17	6	40	37	31	4.315	126	55	55.064	-77
7	10	7	17	6	41	37	31	4.315	126	55	55.064	-78
8	10	7	17	6	42	37	31	4.315	126	55	55.064	-78
9	10	7	17	6	43	37	31	4.315	126	55	55.064	-78
10	10	7	17	6	44	37	31	4.315	126	55	55.064	-73
11	10	7	17	6	45	37	31	4.315	126	55	55.064	-73
12	10	7	17	6	46	37	31	4.315	126	55	55.064	-73
13	10	7	17	6	47	37	31	4.315	126	55	55.064	-73
14	10	7	17	6	48	37	31	4.315	126	55	55.064	-73
15	10	7	17	6	49	37	31	4.315	126	55	55.064	-73
16	10	7	17	6	50	37	31	4.315	126	55	55.064	-64
17	10	7	17	6	51	37	31	4.315	126	55	55.064	-64
18	10	7	17	6	52	37	31	4.315	126	55	55.064	-64
19	10	7	17	6	53	37	31	4.315	126	55	55.064	-85
20	10	7	17	6	54	37	31	4.315	126	55	55.064	-85
21	10	7	17	6	55	37	31	4.315	126	55	55.064	-85
22	10	7	17	6	56	37	31	4.315	126	55	55.064	-69
23	10	7	17	6	57	37	31	4.315	126	55	55.064	-69
24	10	7	17	6	58	37	31	4.315	126	55	55.064	-69
25	10	7	17	6	59	37	31	4.315	126	55	55.064	-70
26	10	7	17	7	0	37	31	4.315	126	55	55.064	-70
27	10	7	17	7	1	37	31	4.315	126	55	55.064	-70
28	10	7	17	7	2	37	31	4.315	126	55	55.064	-83
29	10	7	17	7	3	37	31	4.315	126	55	55.064	-83
30	10	7	17	7	4	37	31	4.315	126	55	55.064	-83
31	10	7	17	7	5	37	31	4.315	126	55	55.064	-74
32	10	7	17	7	6	37	31	4.315	126	55	55.064	-74
33	10	7	17	7	7	37	31	4.315	126	55	55.064	-74
34	10	7	17	7	8	37	31	4.315	126	55	55.064	-77
35	10	7	17	7	9	37	31	4.315	126	55	55.064	-77
36	10	7	17	7	10	37	31	4.315	126	55	55.064	-77
37	10	7	17	7	11	37	31	4.315	126	55	55.028	-69
38	10	7	17	7	12	37	31	4.315	126	55	55.028	-69
39	10	7	17	7	13	37	31	4.315	126	55	55.028	-69
40	10	7	17	7	14	37	31	4.315	126	55	55.028	-90
41	10	7	17	7	15	37	31	4.315	126	55	55.028	-90
42	10	7	17	7	16	37	31	4.315	126	55	55.028	-90
43	10	7	17	7	17	37	31	4.315	126	55	55.028	-64
44	10	7	17	7	18	37	31	4.315	126	55	55.028	-64
평균 전계 강도												-73.82




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(-30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	7	33	37	31	4.315	126	55	55.028	-63
2	10	7	17	7	34	37	31	4.315	126	55	55.028	-63
3	10	7	17	7	35	37	31	4.315	126	55	55.028	-63
4	10	7	17	7	36	37	31	4.315	126	55	55.028	-63
5	10	7	17	7	37	37	31	4.315	126	55	55.028	-63
6	10	7	17	7	38	37	31	4.315	126	55	55.028	-63
7	10	7	17	7	39	37	31	4.315	126	55	55.028	-63
8	10	7	17	7	40	37	31	4.315	126	55	55.028	-63
9	10	7	17	7	41	37	31	4.315	126	55	55.028	-63
10	10	7	17	7	42	37	31	4.315	126	55	55.028	-63
11	10	7	17	7	43	37	31	4.315	126	55	55.028	-63
12	10	7	17	7	44	37	31	4.315	126	55	55.028	-62
13	10	7	17	7	45	37	31	4.315	126	55	55.028	-62
14	10	7	17	7	46	37	31	4.315	126	55	55.028	-62
15	10	7	17	7	47	37	31	4.315	126	55	55.028	-63
16	10	7	17	7	48	37	31	4.315	126	55	55.028	-63
17	10	7	17	7	49	37	31	4.315	126	55	55.028	-63
18	10	7	17	7	50	37	31	4.315	126	55	55.028	-63
19	10	7	17	7	51	37	31	4.315	126	55	55.028	-63
20	10	7	17	7	52	37	31	4.315	126	55	55.064	-63
평균 전계 강도												-62.85




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(-30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	8	5	37	31	4.315	126	55	55.064	-71
2	10	7	17	8	6	37	31	4.315	126	55	55.064	-71
3	10	7	17	8	7	37	31	4.315	126	55	55.064	-71
4	10	7	17	8	8	37	31	4.315	126	55	55.064	-69
5	10	7	17	8	9	37	31	4.315	126	55	55.064	-69
6	10	7	17	8	10	37	31	4.315	126	55	55.064	-69
7	10	7	17	8	11	37	31	4.315	126	55	55.064	-69
8	10	7	17	8	12	37	31	4.315	126	55	55.064	-69
9	10	7	17	8	13	37	31	4.315	126	55	55.064	-69
10	10	7	17	8	14	37	31	4.315	126	55	55.064	-68
11	10	7	17	8	15	37	31	4.315	126	55	55.064	-68
12	10	7	17	8	16	37	31	4.315	126	55	55.064	-68
13	10	7	17	8	17	37	31	4.315	126	55	55.064	-83
14	10	7	17	8	18	37	31	4.315	126	55	55.064	-83
15	10	7	17	8	19	37	31	4.315	126	55	55.064	-83
16	10	7	17	8	20	37	31	4.315	126	55	55.064	-68
17	10	7	17	8	21	37	31	4.315	126	55	55.064	-68
18	10	7	17	8	22	37	31	4.315	126	55	55.064	-68
19	10	7	17	8	23	37	31	4.315	126	55	55.064	-67
20	10	7	17	8	24	37	31	4.315	126	55	55.064	-67
21	10	7	17	8	25	37	31	4.315	126	55	55.064	-67
22	10	7	17	8	26	37	31	4.315	126	55	55.064	-68
23	10	7	17	8	27	37	31	4.315	126	55	55.064	-68
24	10	7	17	8	28	37	31	4.315	126	55	55.064	-68
25	10	7	17	8	29	37	31	4.315	126	55	55.064	-67
26	10	7	17	8	30	37	31	4.315	126	55	55.064	-67
27	10	7	17	8	31	37	31	4.315	126	55	55.064	-67
28	10	7	17	8	32	37	31	4.315	126	55	55.064	-66
29	10	7	17	8	33	37	31	4.315	126	55	55.064	-66
30	10	7	17	8	34	37	31	4.315	126	55	55.064	-66
31	10	7	17	8	35	37	31	4.315	126	55	55.064	-79
32	10	7	17	8	36	37	31	4.315	126	55	55.064	-79
33	10	7	17	8	37	37	31	4.315	126	55	55.064	-79
34	10	7	17	8	38	37	31	4.315	126	55	55.064	-71
35	10	7	17	8	39	37	31	4.315	126	55	55.064	-71
36	10	7	17	8	40	37	31	4.315	126	55	55.064	-71
37	10	7	17	8	41	37	31	4.315	126	55	55.064	-72
38	10	7	17	8	42	37	31	4.315	126	55	55.064	-72
39	10	7	17	8	43	37	31	4.315	126	55	55.064	-72
40	10	7	17	8	44	37	31	4.315	126	55	55.064	-71
41	10	7	17	8	45	37	31	4.315	126	55	55.064	-71
42	10	7	17	8	46	37	31	4.315	126	55	55.064	-71
43	10	7	17	8	47	37	31	4.315	126	55	55.064	-65
평균 전계 강도												-70.51




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(-30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	8	59	37	31	4.315	126	55	55.064	-65
2	10	7	17	9	0	37	31	4.315	126	55	55.064	-65
3	10	7	17	9	1	37	31	4.315	126	55	55.064	-65
4	10	7	17	9	2	37	31	4.315	126	55	55.064	-65
5	10	7	17	9	3	37	31	4.315	126	55	55.064	-65
6	10	7	17	9	4	37	31	4.315	126	55	55.064	-65
7	10	7	17	9	5	37	31	4.315	126	55	55.064	-63
8	10	7	17	9	6	37	31	4.315	126	55	55.064	-63
9	10	7	17	9	7	37	31	4.315	126	55	55.064	-63
10	10	7	17	9	8	37	31	4.315	126	55	55.064	-64
11	10	7	17	9	9	37	31	4.315	126	55	55.064	-64
12	10	7	17	9	10	37	31	4.315	126	55	55.064	-64
13	10	7	17	9	11	37	31	4.315	126	55	55.064	-64
14	10	7	17	9	12	37	31	4.315	126	55	55.064	-64
15	10	7	17	9	13	37	31	4.315	126	55	55.064	-64
16	10	7	17	9	14	37	31	4.315	126	55	55.064	-66
17	10	7	17	9	15	37	31	4.315	126	55	55.064	-66
18	10	7	17	9	16	37	31	4.315	126	55	55.064	-66
19	10	7	17	9	17	37	31	4.315	126	55	55.064	-68
20	10	7	17	9	18	37	31	4.315	126	55	55.064	-68
평균 전계 강도												-64.85




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(+30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	9	31	37	31	4.315	126	55	55.064	-73
2	10	7	17	9	32	37	31	4.315	126	55	55.064	-68
3	10	7	17	9	33	37	31	4.315	126	55	55.064	-68
4	10	7	17	9	34	37	31	4.315	126	55	55.064	-68
5	10	7	17	9	35	37	31	4.315	126	55	55.064	-73
6	10	7	17	9	36	37	31	4.315	126	55	55.064	-73
7	10	7	17	9	37	37	31	4.315	126	55	55.064	-73
8	10	7	17	9	38	37	31	4.315	126	55	55.064	-71
9	10	7	17	9	39	37	31	4.315	126	55	55.064	-71
10	10	7	17	9	40	37	31	4.315	126	55	55.064	-71
11	10	7	17	9	41	37	31	4.315	126	55	55.064	-71
12	10	7	17	9	42	37	31	4.315	126	55	55.064	-71
13	10	7	17	9	43	37	31	4.315	126	55	55.064	-71
14	10	7	17	9	44	37	31	4.315	126	55	55.064	-74
15	10	7	17	9	45	37	31	4.315	126	55	55.064	-74
16	10	7	17	9	46	37	31	4.315	126	55	55.064	-74
17	10	7	17	9	47	37	31	4.315	126	55	55.064	-74
18	10	7	17	9	48	37	31	4.315	126	55	55.064	-74
19	10	7	17	9	49	37	31	4.315	126	55	55.064	-74
20	10	7	17	9	50	37	31	4.315	126	55	55.064	-73
21	10	7	17	9	51	37	31	4.315	126	55	55.064	-73
평균 전계 강도												-72.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(+30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	10	2	37	31	4.315	126	55	55.064	-63
2	10	7	17	10	3	37	31	4.315	126	55	55.064	-63
3	10	7	17	10	4	37	31	4.315	126	55	55.064	-63
4	10	7	17	10	5	37	31	4.315	126	55	55.064	-63
5	10	7	17	10	6	37	31	4.315	126	55	55.064	-63
6	10	7	17	10	7	37	31	4.315	126	55	55.064	-63
7	10	7	17	10	8	37	31	4.315	126	55	55.064	-62
8	10	7	17	10	9	37	31	4.315	126	55	55.064	-62
9	10	7	17	10	10	37	31	4.315	126	55	55.064	-62
10	10	7	17	10	11	37	31	4.315	126	55	55.064	-62
11	10	7	17	10	12	37	31	4.315	126	55	55.064	-62
12	10	7	17	10	13	37	31	4.315	126	55	55.064	-62
13	10	7	17	10	14	37	31	4.315	126	55	55.064	-64
14	10	7	17	10	15	37	31	4.315	126	55	55.064	-64
15	10	7	17	10	16	37	31	4.315	126	55	55.064	-64
16	10	7	17	10	17	37	31	4.315	126	55	55.064	-63
17	10	7	17	10	18	37	31	4.315	126	55	55.064	-63
18	10	7	17	10	19	37	31	4.315	126	55	55.064	-63
19	10	7	17	10	20	37	31	4.315	126	55	55.064	-63
평균 전계 강도												-62.84




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(+30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	11	33	37	31	4.315	126	55	55.064	-75
2	10	7	17	11	34	37	31	4.315	126	55	55.064	-75
3	10	7	17	11	35	37	31	4.315	126	55	55.064	-82
4	10	7	17	11	36	37	31	4.315	126	55	55.064	-82
5	10	7	17	11	37	37	31	4.315	126	55	55.064	-82
6	10	7	17	11	38	37	31	4.315	126	55	55.064	-78
7	10	7	17	11	39	37	31	4.315	126	55	55.064	-78
8	10	7	17	11	40	37	31	4.315	126	55	55.064	-78
9	10	7	17	11	41	37	31	4.315	126	55	55.064	-76
10	10	7	17	11	42	37	31	4.315	126	55	55.064	-76
11	10	7	17	11	43	37	31	4.315	126	55	55.064	-76
12	10	7	17	11	44	37	31	4.315	126	55	55.064	-78
13	10	7	17	11	45	37	31	4.315	126	55	55.064	-78
14	10	7	17	11	46	37	31	4.315	126	55	55.064	-78
15	10	7	17	11	47	37	31	4.315	126	55	55.064	-78
16	10	7	17	11	48	37	31	4.315	126	55	55.064	-78
17	10	7	17	11	49	37	31	4.315	126	55	55.064	-78
18	10	7	17	11	50	37	31	4.315	126	55	55.064	-75
19	10	7	17	11	51	37	31	4.315	126	55	55.064	-75
20	10	7	17	11	52	37	31	4.315	126	55	55.100	-75
21	10	7	17	11	53	37	31	4.315	126	55	55.100	-92
22	10	7	17	11	54	37	31	4.315	126	55	55.100	-92
23	10	7	17	11	55	37	31	4.315	126	55	55.100	-92
24	10	7	17	11	56	37	31	4.315	126	55	55.100	-76
25	10	7	17	11	57	37	31	4.315	126	55	55.100	-76
26	10	7	17	11	58	37	31	4.315	126	55	55.100	-76
27	10	7	17	11	59	37	31	4.315	126	55	55.100	-76
28	10	7	17	12	0	37	31	4.315	126	55	55.100	-76
평균 전계 강도												-78.82




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(+30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	12	18	37	31	4.315	126	55	55.100	-79
2	10	7	17	12	19	37	31	4.315	126	55	55.100	-79
3	10	7	17	12	20	37	31	4.315	126	55	55.100	-73
4	10	7	17	12	21	37	31	4.315	126	55	55.100	-73
5	10	7	17	12	22	37	31	4.315	126	55	55.100	-73
6	10	7	17	12	23	37	31	4.315	126	55	55.100	-74
7	10	7	17	12	24	37	31	4.315	126	55	55.100	-74
8	10	7	17	12	25	37	31	4.315	126	55	55.100	-74
9	10	7	17	12	26	37	31	4.315	126	55	55.100	-71
10	10	7	17	12	27	37	31	4.315	126	55	55.100	-71
11	10	7	17	12	28	37	31	4.315	126	55	55.100	-71
12	10	7	17	12	29	37	31	4.315	126	55	55.100	-69
13	10	7	17	12	30	37	31	4.315	126	55	55.100	-69
14	10	7	17	12	31	37	31	4.315	126	55	55.100	-69
15	10	7	17	12	32	37	31	4.315	126	55	55.100	-71
16	10	7	17	12	33	37	31	4.315	126	55	55.100	-71
17	10	7	17	12	34	37	31	4.315	126	55	55.100	-71
18	10	7	17	12	35	37	31	4.315	126	55	55.100	-71
19	10	7	17	12	36	37	31	4.315	126	55	55.100	-71
20	10	7	17	12	37	37	31	4.315	126	55	55.100	-71
21	10	7	17	12	38	37	31	4.315	126	55	55.100	-68
22	10	7	17	12	39	37	31	4.315	126	55	55.100	-68
23	10	7	17	12	40	37	31	4.315	126	55	55.100	-68
24	10	7	17	12	41	37	31	4.315	126	55	55.100	-75
25	10	7	17	12	42	37	31	4.315	126	55	55.100	-75
26	10	7	17	12	43	37	31	4.315	126	55	55.100	-75
27	10	7	17	12	44	37	31	4.315	126	55	55.100	-76
28	10	7	17	12	45	37	31	4.315	126	55	55.100	-76
29	10	7	17	12	46	37	31	4.315	126	55	55.100	-76
30	10	7	17	12	47	37	31	4.315	126	55	55.100	-72
31	10	7	17	12	48	37	31	4.315	126	55	55.100	-72
32	10	7	17	12	49	37	31	4.315	126	55	55.100	-72
평균 전계 강도												-72.44




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(+30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	13	2	37	31	4.315	126	55	55.100	-55
2	10	7	17	13	3	37	31	4.315	126	55	55.100	-55
3	10	7	17	13	4	37	31	4.315	126	55	55.100	-55
4	10	7	17	13	5	37	31	4.315	126	55	55.100	-57
5	10	7	17	13	6	37	31	4.315	126	55	55.100	-57
6	10	7	17	13	7	37	31	4.315	126	55	55.100	-57
7	10	7	17	13	8	37	31	4.315	126	55	55.100	-58
8	10	7	17	13	9	37	31	4.315	126	55	55.100	-58
9	10	7	17	13	10	37	31	4.315	126	55	55.100	-58
10	10	7	17	13	11	37	31	4.315	126	55	55.100	-56
11	10	7	17	13	12	37	31	4.315	126	55	55.100	-56
12	10	7	17	13	13	37	31	4.315	126	55	55.100	-56
13	10	7	17	13	14	37	31	4.315	126	55	55.100	-57
14	10	7	17	13	15	37	31	4.315	126	55	55.100	-57
15	10	7	17	13	16	37	31	4.315	126	55	55.100	-57
16	10	7	17	13	17	37	31	4.315	126	55	55.100	-55
17	10	7	17	13	18	37	31	4.315	126	55	55.100	-55
18	10	7	17	13	19	37	31	4.315	126	55	55.100	-55
19	10	7	17	13	20	37	31	4.315	126	55	55.100	-56
20	10	7	17	13	21	37	31	4.315	126	55	55.100	-56
21	10	7	17	13	22	37	31	4.315	126	55	55.100	-56
22	10	7	17	13	23	37	31	4.315	126	55	55.100	-57
23	10	7	17	13	24	37	31	4.315	126	55	55.100	-57
24	10	7	17	13	25	37	31	4.315	126	55	55.100	-57
평균 전계 강도												-56.38




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(+30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	13	37	37	31	4.279	126	55	55.100	-57
2	10	7	17	13	38	37	31	4.279	126	55	55.100	-57
3	10	7	17	13	39	37	31	4.279	126	55	55.100	-57
4	10	7	17	13	40	37	31	4.279	126	55	55.100	-57
5	10	7	17	13	41	37	31	4.279	126	55	55.100	-56
6	10	7	17	13	42	37	31	4.279	126	55	55.100	-56
7	10	7	17	13	43	37	31	4.279	126	55	55.100	-56
8	10	7	17	13	44	37	31	4.279	126	55	55.100	-56
9	10	7	17	13	45	37	31	4.279	126	55	55.100	-56
10	10	7	17	13	46	37	31	4.279	126	55	55.100	-56
11	10	7	17	13	47	37	31	4.279	126	55	55.100	-60
12	10	7	17	13	48	37	31	4.279	126	55	55.100	-60
13	10	7	17	13	49	37	31	4.279	126	55	55.100	-60
14	10	7	17	13	50	37	31	4.279	126	55	55.100	-58
15	10	7	17	13	51	37	31	4.279	126	55	55.100	-58
16	10	7	17	13	52	37	31	4.315	126	55	55.100	-58
17	10	7	17	13	53	37	31	4.315	126	55	55.100	-57
18	10	7	17	13	54	37	31	4.315	126	55	55.100	-57
19	10	7	17	13	55	37	31	4.315	126	55	55.100	-57
20	10	7	17	13	56	37	31	4.315	126	55	55.100	-58
21	10	7	17	13	57	37	31	4.315	126	55	55.100	-58
22	10	7	17	13	58	37	31	4.315	126	55	55.100	-58
23	10	7	17	13	59	37	31	4.315	126	55	55.100	-56
24	10	7	17	14	0	37	31	4.315	126	55	55.100	-56
25	10	7	17	14	1	37	31	4.315	126	55	55.100	-56
26	10	7	17	14	2	37	31	4.315	126	55	55.100	-60
27	10	7	17	14	3	37	31	4.315	126	55	55.100	-60
28	10	7	17	14	4	37	31	4.315	126	55	55.100	-60
29	10	7	17	14	5	37	31	4.315	126	55	55.100	-57
평균 전계 강도												-57.52



- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(8)(+30_315)


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	14	20	37	31	4.279	126	55	55.100	-63
2	10	7	17	14	21	37	31	4.279	126	55	55.100	-63
3	10	7	17	14	22	37	31	4.279	126	55	55.100	-63
4	10	7	17	14	23	37	31	4.279	126	55	55.100	-65
5	10	7	17	14	24	37	31	4.279	126	55	55.100	-65
6	10	7	17	14	25	37	31	4.279	126	55	55.100	-65
7	10	7	17	14	26	37	31	4.279	126	55	55.100	-64
8	10	7	17	14	27	37	31	4.279	126	55	55.100	-64
9	10	7	17	14	28	37	31	4.279	126	55	55.100	-64
10	10	7	17	14	29	37	31	4.279	126	55	55.100	-60
11	10	7	17	14	30	37	31	4.279	126	55	55.100	-60
12	10	7	17	14	31	37	31	4.279	126	55	55.100	-60
13	10	7	17	14	32	37	31	4.279	126	55	55.100	-64
14	10	7	17	14	33	37	31	4.279	126	55	55.100	-64
15	10	7	17	14	34	37	31	4.279	126	55	55.100	-64
16	10	7	17	14	35	37	31	4.279	126	55	55.100	-62
17	10	7	17	14	36	37	31	4.279	126	55	55.100	-62
18	10	7	17	14	37	37	31	4.279	126	55	55.100	-62
19	10	7	17	14	38	37	31	4.279	126	55	55.100	-62
20	10	7	17	14	39	37	31	4.279	126	55	55.100	-62
21	10	7	17	14	40	37	31	4.279	126	55	55.100	-62
22	10	7	17	14	41	37	31	4.279	126	55	55.100	-62
23	10	7	17	14	42	37	31	4.279	126	55	55.100	-62
24	10	7	17	14	43	37	31	4.279	126	55	55.100	-62
평균 전계 강도												-62.75



- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx2(Tx8 MAX)


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	17	16	2	37	31	4.279	126	55	55.064	-52
2	10	7	17	16	3	37	31	4.279	126	55	55.064	-52
3	10	7	17	16	4	37	31	4.279	126	55	55.064	-52
4	10	7	17	16	5	37	31	4.279	126	55	55.064	-59
5	10	7	17	16	6	37	31	4.279	126	55	55.064	-59
6	10	7	17	16	7	37	31	4.279	126	55	55.064	-59
7	10	7	17	16	8	37	31	4.279	126	55	55.064	-57
8	10	7	17	16	9	37	31	4.279	126	55	55.064	-57
9	10	7	17	16	10	37	31	4.279	126	55	55.064	-57
10	10	7	17	16	11	37	31	4.279	126	55	55.064	-58
11	10	7	17	16	12	37	31	4.279	126	55	55.064	-58
12	10	7	17	16	13	37	31	4.279	126	55	55.064	-58
13	10	7	17	16	14	37	31	4.279	126	55	55.064	-57
14	10	7	17	16	15	37	31	4.279	126	55	55.064	-57
15	10	7	17	16	16	37	31	4.279	126	55	55.064	-57
16	10	7	17	16	17	37	31	4.279	126	55	55.064	-56
17	10	7	17	16	18	37	31	4.279	126	55	55.064	-56
18	10	7	17	16	19	37	31	4.279	126	55	55.064	-56
19	10	7	17	16	20	37	31	4.279	126	55	55.064	-56
20	10	7	17	16	21	37	31	4.279	126	55	55.064	-56
21	10	7	17	16	22	37	31	4.279	126	55	55.064	-56
22	10	7	17	16	23	37	31	4.279	126	55	55.064	-57
23	10	7	17	16	24	37	31	4.279	126	55	55.064	-57
24	10	7	17	16	25	37	31	4.279	126	55	55.064	-57
25	10	7	17	16	26	37	31	4.279	126	55	55.064	-56
26	10	7	17	16	27	37	31	4.279	126	55	55.064	-56
27	10	7	17	16	28	37	31	4.279	126	55	55.064	-56
28	10	7	17	16	29	37	31	4.279	126	55	55.064	-57
29	10	7	17	16	30	37	31	4.279	126	55	55.064	-57
30	10	7	17	16	31	37	31	4.279	126	55	55.064	-57
31	10	7	17	16	32	37	31	4.279	126	55	55.064	-59
32	10	7	17	16	33	37	31	4.279	126	55	55.064	-59
33	10	7	17	16	34	37	31	4.279	126	55	55.064	-59
34	10	7	17	16	35	37	31	4.279	126	55	55.064	-52
35	10	7	17	16	36	37	31	4.279	126	55	55.064	-52
36	10	7	17	16	37	37	31	4.279	126	55	55.064	-52
37	10	7	17	16	38	37	31	4.279	126	55	55.064	-55
38	10	7	17	16	39	37	31	4.279	126	55	55.064	-55
39	10	7	17	16	40	37	31	4.279	126	55	55.064	-55
40	10	7	17	16	41	37	31	4.279	126	55	55.064	-57
41	10	7	17	16	42	37	31	4.279	126	55	55.064	-57
42	10	7	17	16	43	37	31	4.279	126	55	55.064	-57
43	10	7	17	16	44	37	31	4.279	126	55	55.064	-55
44	10	7	17	16	45	37	31	4.279	126	55	55.064	-55
45	10	7	17	16	46	37	31	4.279	126	55	55.064	-55
46	10	7	17	16	47	37	31	4.279	126	55	55.064	-57
47	10	7	17	16	48	37	31	4.279	126	55	55.064	-57
48	10	7	17	16	49	37	31	4.279	126	55	55.064	-57
49	10	7	17	16	50	37	31	4.279	126	55	55.064	-54
50	10	7	17	16	51	37	31	4.279	126	55	55.064	-54
51	10	7	17	16	52	37	31	4.279	126	55	55.064	-54
52	10	7	17	16	53	37	31	4.279	126	55	55.064	-52

53	10	7	17	16	54	37	31	4.279	126	55	55.064	-53
54	10	7	17	16	55	37	31	4.279	126	55	55.064	-53
55	10	7	17	16	56	37	31	4.279	126	55	55.064	-54
56	10	7	17	16	57	37	31	4.279	126	55	55.064	-54
57	10	7	17	16	58	37	31	4.279	126	55	55.064	-54
58	10	7	17	16	59	37	31	4.279	126	55	55.064	-52
59	10	7	17	17	0	37	31	4.279	126	55	55.064	-52
60	10	7	17	17	1	37	31	4.279	126	55	55.064	-52
61	10	7	17	17	2	37	31	4.279	126	55	55.064	-57
62	10	7	17	17	3	37	31	4.279	126	55	55.064	-57
63	10	7	17	17	4	37	31	4.279	126	55	55.064	-57
64	10	7	17	17	5	37	31	4.279	126	55	55.064	-53
65	10	7	17	17	6	37	31	4.279	126	55	55.064	-53
66	10	7	17	17	7	37	31	4.279	126	55	55.064	-53
평균 전계 강도												-55.59




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(0_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	9	12	37	31	5.504	126	55	54.416	-74
2	10	11	11	9	13	37	31	5.468	126	55	54.416	-74
3	10	11	11	9	14	37	31	5.468	126	55	54.416	-74
4	10	11	11	9	15	37	31	5.468	126	55	54.416	-71
5	10	11	11	9	16	37	31	5.468	126	55	54.416	-71
6	10	11	11	9	17	37	31	5.468	126	55	54.416	-71
7	10	11	11	9	18	37	31	5.468	126	55	54.416	-73
8	10	11	11	9	19	37	31	5.468	126	55	54.416	-73
9	10	11	11	9	20	37	31	5.468	126	55	54.416	-73
10	10	11	11	9	21	37	31	5.468	126	55	54.416	-69
11	10	11	11	9	22	37	31	5.468	126	55	54.416	-69
12	10	11	11	9	23	37	31	5.468	126	55	54.416	-69
13	10	11	11	9	24	37	31	5.468	126	55	54.416	-75
14	10	11	11	9	25	37	31	5.468	126	55	54.416	-75
15	10	11	11	9	26	37	31	5.468	126	55	54.416	-75
16	10	11	11	9	27	37	31	5.468	126	55	54.416	-68
17	10	11	11	9	28	37	31	5.468	126	55	54.416	-68
18	10	11	11	9	29	37	31	5.468	126	55	54.416	-68
19	10	11	11	9	30	37	31	5.468	126	55	54.416	-66
20	10	11	11	9	31	37	31	5.468	126	55	54.416	-66
21	10	11	11	9	32	37	31	5.468	126	55	54.416	-66
22	10	11	11	9	33	37	31	5.468	126	55	54.416	-67
23	10	11	11	9	34	37	31	5.468	126	55	54.416	-67
평균 전계 강도												-70.52




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(0_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	9	53	37	31	5.432	126	55	54.416	-73
2	10	11	11	9	54	37	31	5.432	126	55	54.416	-67
3	10	11	11	9	55	37	31	5.432	126	55	54.416	-67
4	10	11	11	9	56	37	31	5.432	126	55	54.416	-67
5	10	11	11	9	57	37	31	5.432	126	55	54.416	-69
6	10	11	11	9	58	37	31	5.432	126	55	54.416	-69
7	10	11	11	9	59	37	31	5.432	126	55	54.416	-69
8	10	11	11	10	0	37	31	5.432	126	55	54.416	-70
9	10	11	11	10	1	37	31	5.432	126	55	54.416	-70
10	10	11	11	10	2	37	31	5.432	126	55	54.416	-70
11	10	11	11	10	3	37	31	5.432	126	55	54.416	-70
12	10	11	11	10	4	37	31	5.432	126	55	54.380	-70
13	10	11	11	10	5	37	31	5.432	126	55	54.380	-70
14	10	11	11	10	6	37	31	5.432	126	55	54.380	-73
15	10	11	11	10	7	37	31	5.432	126	55	54.380	-73
16	10	11	11	10	8	37	31	5.432	126	55	54.380	-73
17	10	11	11	10	9	37	31	5.432	126	55	54.380	-70
18	10	11	11	10	10	37	31	5.432	126	55	54.380	-70
19	10	11	11	10	11	37	31	5.396	126	55	54.380	-70
20	10	11	11	10	12	37	31	5.396	126	55	54.380	-70
21	10	11	11	10	13	37	31	5.396	126	55	54.380	-70
22	10	11	11	10	14	37	31	5.396	126	55	54.380	-70
23	10	11	11	10	15	37	31	5.396	126	55	54.380	-73
24	10	11	11	10	16	37	31	5.396	126	55	54.380	-73
25	10	11	11	10	17	37	31	5.396	126	55	54.380	-73
26	10	11	11	10	18	37	31	5.396	126	55	54.380	-68
27	10	11	11	10	19	37	31	5.396	126	55	54.380	-68
평균 전계 강도												-70.19




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(0_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	10	36	37	31	5.396	126	55	54.344	-71
2	10	11	11	10	37	37	31	5.360	126	55	54.344	-71
3	10	11	11	10	38	37	31	5.360	126	55	54.344	-71
4	10	11	11	10	39	37	31	5.360	126	55	54.344	-69
5	10	11	11	10	40	37	31	5.360	126	55	54.344	-69
6	10	11	11	10	41	37	31	5.360	126	55	54.344	-69
7	10	11	11	10	42	37	31	5.360	126	55	54.344	-75
8	10	11	11	10	43	37	31	5.360	126	55	54.344	-75
9	10	11	11	10	44	37	31	5.360	126	55	54.344	-75
10	10	11	11	10	45	37	31	5.360	126	55	54.344	-72
11	10	11	11	10	46	37	31	5.360	126	55	54.344	-72
12	10	11	11	10	47	37	31	5.360	126	55	54.344	-72
13	10	11	11	10	48	37	31	5.360	126	55	54.344	-74
14	10	11	11	10	49	37	31	5.360	126	55	54.344	-74
15	10	11	11	10	50	37	31	5.360	126	55	54.344	-74
16	10	11	11	10	51	37	31	5.360	126	55	54.344	-75
17	10	11	11	10	52	37	31	5.360	126	55	54.344	-75
18	10	11	11	10	53	37	31	5.360	126	55	54.344	-75
19	10	11	11	10	54	37	31	5.360	126	55	54.344	-71
20	10	11	11	10	55	37	31	5.360	126	55	54.344	-71
21	10	11	11	10	56	37	31	5.360	126	55	54.344	-71
22	10	11	11	10	57	37	31	5.360	126	55	54.344	-71
23	10	11	11	10	58	37	31	5.360	126	55	54.344	-71
평균 전계 강도												-72.30




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(0_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	11	11	37	31	5.360	126	55	54.344	-82
2	10	11	11	11	12	37	31	5.360	126	55	54.344	-86
3	10	11	11	11	13	37	31	5.360	126	55	54.344	-86
4	10	11	11	11	14	37	31	5.360	126	55	54.344	-86
5	10	11	11	11	15	37	31	5.360	126	55	54.344	-87
6	10	11	11	11	16	37	31	5.360	126	55	54.344	-87
7	10	11	11	11	17	37	31	5.360	126	55	54.344	-87
8	10	11	11	11	18	37	31	5.360	126	55	54.344	-81
9	10	11	11	11	19	37	31	5.360	126	55	54.344	-81
10	10	11	11	11	20	37	31	5.360	126	55	54.344	-81
11	10	11	11	11	21	37	31	5.360	126	55	54.344	-87
12	10	11	11	11	22	37	31	5.324	126	55	54.344	-87
13	10	11	11	11	23	37	31	5.324	126	55	54.344	-87
14	10	11	11	11	24	37	31	5.324	126	55	54.344	-75
15	10	11	11	11	25	37	31	5.324	126	55	54.344	-75
16	10	11	11	11	26	37	31	5.324	126	55	54.344	-75
17	10	11	11	11	27	37	31	5.324	126	55	54.344	-71
18	10	11	11	11	28	37	31	5.324	126	55	54.344	-71
19	10	11	11	11	29	37	31	5.324	126	55	54.344	-71
평균 전계 강도												-81.21




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(0_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	11	47	37	31	5.324	126	55	54.344	-80
2	10	11	11	11	48	37	31	5.324	126	55	54.344	-71
3	10	11	11	11	49	37	31	5.324	126	55	54.344	-71
4	10	11	11	11	50	37	31	5.324	126	55	54.344	-71
5	10	11	11	11	51	37	31	5.324	126	55	54.344	-74
6	10	11	11	11	52	37	31	5.324	126	55	54.344	-74
7	10	11	11	11	53	37	31	5.324	126	55	54.344	-74
8	10	11	11	11	54	37	31	5.324	126	55	54.344	-63
9	10	11	11	11	55	37	31	5.324	126	55	54.344	-63
10	10	11	11	11	56	37	31	5.324	126	55	54.344	-63
11	10	11	11	11	57	37	31	5.324	126	55	54.344	-75
12	10	11	11	11	58	37	31	5.324	126	55	54.380	-75
13	10	11	11	11	59	37	31	5.324	126	55	54.380	-75
14	10	11	11	12	0	37	31	5.324	126	55	54.380	-75
15	10	11	11	12	1	37	31	5.324	126	55	54.380	-75
16	10	11	11	12	2	37	31	5.324	126	55	54.380	-75
17	10	11	11	12	3	37	31	5.324	126	55	54.380	-73
18	10	11	11	12	4	37	31	5.324	126	55	54.380	-73
평균 전계 강도												-72.22




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(0_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	12	15	37	31	5.324	126	55	54.416	-63
2	10	11	11	12	16	37	31	5.324	126	55	54.416	-63
3	10	11	11	12	17	37	31	5.324	126	55	54.416	-63
4	10	11	11	12	18	37	31	5.324	126	55	54.416	-61
5	10	11	11	12	19	37	31	5.324	126	55	54.416	-61
6	10	11	11	12	20	37	31	5.324	126	55	54.416	-61
7	10	11	11	12	21	37	31	5.324	126	55	54.416	-60
8	10	11	11	12	22	37	31	5.324	126	55	54.416	-60
9	10	11	11	12	23	37	31	5.324	126	55	54.416	-60
10	10	11	11	12	24	37	31	5.324	126	55	54.416	-66
11	10	11	11	12	25	37	31	5.324	126	55	54.452	-66
12	10	11	11	12	26	37	31	5.324	126	55	54.452	-66
13	10	11	11	12	27	37	31	5.324	126	55	54.452	-55
14	10	11	11	12	28	37	31	5.324	126	55	54.452	-55
15	10	11	11	12	29	37	31	5.324	126	55	54.452	-55
16	10	11	11	12	30	37	31	5.324	126	55	54.452	-59
17	10	11	11	12	31	37	31	5.324	126	55	54.452	-59
18	10	11	11	12	32	37	31	5.324	126	55	54.452	-59
19	10	11	11	12	33	37	31	5.324	126	55	54.452	-70
20	10	11	11	12	34	37	31	5.324	126	55	54.452	-70
21	10	11	11	12	35	37	31	5.324	126	55	54.452	-70
22	10	11	11	12	36	37	31	5.324	126	55	54.452	-63
평균 전계 강도												-62.05




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(0_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	12	52	37	31	5.324	126	55	54.452	-62
2	10	11	11	12	53	37	31	5.324	126	55	54.452	-62
3	10	11	11	12	54	37	31	5.324	126	55	54.452	-60
4	10	11	11	12	55	37	31	5.324	126	55	54.452	-60
5	10	11	11	12	56	37	31	5.324	126	55	54.452	-60
6	10	11	11	12	57	37	31	5.324	126	55	54.452	-61
7	10	11	11	12	58	37	31	5.324	126	55	54.452	-61
8	10	11	11	12	59	37	31	5.324	126	55	54.452	-61
9	10	11	11	13	0	37	31	5.324	126	55	54.452	-74
10	10	11	11	13	1	37	31	5.324	126	55	54.452	-74
11	10	11	11	13	2	37	31	5.324	126	55	54.452	-74
12	10	11	11	13	3	37	31	5.324	126	55	54.452	-60
13	10	11	11	13	4	37	31	5.324	126	55	54.452	-60
14	10	11	11	13	5	37	31	5.288	126	55	54.452	-60
15	10	11	11	13	6	37	31	5.288	126	55	54.452	-62
16	10	11	11	13	7	37	31	5.288	126	55	54.452	-62
17	10	11	11	13	8	37	31	5.288	126	55	54.452	-62
18	10	11	11	13	9	37	31	5.288	126	55	54.452	-63
19	10	11	11	13	10	37	31	5.288	126	55	54.452	-63
20	10	11	11	13	11	37	31	5.288	126	55	54.452	-63
21	10	11	11	13	12	37	31	5.288	126	55	54.452	-61
22	10	11	11	13	13	37	31	5.288	126	55	54.452	-61
23	10	11	11	13	14	37	31	5.288	126	55	54.452	-61
24	10	11	11	13	16	37	31	5.288	126	55	54.452	-67
25	10	11	11	13	16	37	31	5.288	126	55	54.452	-67
26	10	11	11	13	17	37	31	5.288	126	55	54.452	-67
27	10	11	11	13	18	37	31	5.288	126	55	54.452	-62
28	10	11	11	13	19	37	31	5.288	126	55	54.488	-62
29	10	11	11	13	20	37	31	5.288	126	55	54.488	-62
30	10	11	11	13	21	37	31	5.288	126	55	54.488	-65
31	10	11	11	13	22	37	31	5.288	126	55	54.488	-65
평균 전계 강도												-63.35




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(0_315)

[illegible]




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(-30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	14	35	37	31	5.288	126	55	54.524	-70
2	10	11	11	14	36	37	31	5.288	126	55	54.524	-70
3	10	11	11	14	37	37	31	5.288	126	55	54.524	-73
4	10	11	11	14	38	37	31	5.288	126	55	54.524	-73
5	10	11	11	14	39	37	31	5.288	126	55	54.524	-73
6	10	11	11	14	40	37	31	5.288	126	55	54.524	-70
7	10	11	11	14	41	37	31	5.288	126	55	54.524	-70
8	10	11	11	14	42	37	31	5.288	126	55	54.524	-70
9	10	11	11	14	43	37	31	5.288	126	55	54.524	-69
10	10	11	11	14	44	37	31	5.288	126	55	54.524	-69
11	10	11	11	14	45	37	31	5.288	126	55	54.524	-69
12	10	11	11	14	46	37	31	5.288	126	55	54.524	-71
13	10	11	11	14	47	37	31	5.288	126	55	54.524	-71
14	10	11	11	14	48	37	31	5.288	126	55	54.524	-71
15	10	11	11	14	49	37	31	5.288	126	55	54.524	-70
16	10	11	11	14	50	37	31	5.288	126	55	54.524	-70
17	10	11	11	14	51	37	31	5.288	126	55	54.524	-70
18	10	11	11	14	52	37	31	5.288	126	55	54.524	-69
평균 전계 강도												-70.44




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(-30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	15	3	37	31	5.288	126	55	54.524	-68
2	10	11	11	15	4	37	31	5.288	126	55	54.524	-67
3	10	11	11	15	5	37	31	5.288	126	55	54.524	-67
4	10	11	11	15	6	37	31	5.288	126	55	54.524	-67
5	10	11	11	15	7	37	31	5.288	126	55	54.524	-67
6	10	11	11	15	8	37	31	5.288	126	55	54.524	-67
7	10	11	11	15	9	37	31	5.288	126	55	54.524	-67
8	10	11	11	15	10	37	31	5.288	126	55	54.524	-67
9	10	11	11	15	11	37	31	5.288	126	55	54.524	-67
10	10	11	11	15	12	37	31	5.288	126	55	54.524	-67
11	10	11	11	15	13	37	31	5.288	126	55	54.524	-68
12	10	11	11	15	14	37	31	5.288	126	55	54.524	-68
13	10	11	11	15	15	37	31	5.288	126	55	54.524	-68
14	10	11	11	15	16	37	31	5.288	126	55	54.524	-69
15	10	11	11	15	17	37	31	5.288	126	55	54.524	-69
16	10	11	11	15	18	37	31	5.288	126	55	54.524	-69
17	10	11	11	15	19	37	31	5.288	126	55	54.524	-67
18	10	11	11	15	20	37	31	5.288	126	55	54.524	-67
19	10	11	11	15	21	37	31	5.288	126	55	54.524	-67
20	10	11	11	15	22	37	31	5.288	126	55	54.524	-67
21	10	11	11	15	23	37	31	5.252	126	55	54.524	-67
22	10	11	11	15	24	37	31	5.252	126	55	54.524	-67
23	10	11	11	15	25	37	31	5.252	126	55	54.524	-68
24	10	11	11	15	26	37	31	5.252	126	55	54.524	-68
25	10	11	11	15	27	37	31	5.252	126	55	54.524	-68
26	10	11	11	15	28	37	31	5.252	126	55	54.524	-67
27	10	11	11	15	29	37	31	5.252	126	55	54.524	-67
28	10	11	11	15	30	37	31	5.252	126	55	54.524	-67
29	10	11	11	15	31	37	31	5.252	126	55	54.524	-67
30	10	11	11	15	32	37	31	5.252	126	55	54.524	-67
31	10	11	11	15	33	37	31	5.252	126	55	54.524	-67
32	10	11	11	15	34	37	31	5.252	126	55	54.524	-66
33	10	11	11	15	35	37	31	5.252	126	55	54.524	-66
34	10	11	11	15	36	37	31	5.252	126	55	54.524	-66
평균 전계 강도												-67.29




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(-30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	16	12	37	31	5.216	126	55	54.488	-76
2	10	11	11	16	13	37	31	5.216	126	55	54.488	-84
3	10	11	11	16	14	37	31	5.216	126	55	54.488	-84
4	10	11	11	16	15	37	31	5.216	126	55	54.488	-84
5	10	11	11	16	16	37	31	5.216	126	55	54.488	-77
6	10	11	11	16	17	37	31	5.216	126	55	54.488	-77
7	10	11	11	16	18	37	31	5.216	126	55	54.488	-77
8	10	11	11	16	19	37	31	5.216	126	55	54.488	-75
9	10	11	11	16	20	37	31	5.216	126	55	54.488	-75
10	10	11	11	16	21	37	31	5.216	126	55	54.488	-75
11	10	11	11	16	22	37	31	5.216	126	55	54.488	-71
12	10	11	11	16	23	37	31	5.216	126	55	54.488	-71
13	10	11	11	16	24	37	31	5.216	126	55	54.488	-71
평균 전계 강도												-76.69




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(-30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	16	35	37	31	5.216	126	55	54.452	-71
2	10	11	11	16	36	37	31	5.216	126	55	54.452	-71
3	10	11	11	16	37	37	31	5.216	126	55	54.452	-69
4	10	11	11	16	38	37	31	5.216	126	55	54.452	-69
5	10	11	11	16	39	37	31	5.216	126	55	54.452	-69
6	10	11	11	16	40	37	31	5.216	126	55	54.452	-68
7	10	11	11	16	41	37	31	5.216	126	55	54.452	-68
8	10	11	11	16	42	37	31	5.216	126	55	54.452	-68
9	10	11	11	16	43	37	31	5.216	126	55	54.452	-69
10	10	11	11	16	44	37	31	5.216	126	55	54.452	-69
11	10	11	11	16	45	37	31	5.216	126	55	54.452	-69
12	10	11	11	16	46	37	31	5.216	126	55	54.452	-63
13	10	11	11	16	47	37	31	5.180	126	55	54.452	-63
14	10	11	11	16	48	37	31	5.180	126	55	54.452	-63
15	10	11	11	16	49	37	31	5.180	126	55	54.452	-66
16	10	11	11	16	50	37	31	5.180	126	55	54.452	-66
17	10	11	11	16	51	37	31	5.180	126	55	54.452	-66
18	10	11	11	16	52	37	31	5.180	126	55	54.452	-66
19	10	11	11	16	53	37	31	5.180	126	55	54.452	-66
20	10	11	11	16	54	37	31	5.180	126	55	54.452	-66
21	10	11	11	16	55	37	31	5.180	126	55	54.452	-70
22	10	11	11	16	56	37	31	5.180	126	55	54.452	-70
평균 전계 강도												-67.50




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(-30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	17	17	37	31	5.180	126	55	54.452	-71
2	10	11	11	17	18	37	31	5.180	126	55	54.452	-71
3	10	11	11	17	19	37	31	5.180	126	55	54.452	-68
4	10	11	11	17	20	37	31	5.180	126	55	54.452	-68
5	10	11	11	17	21	37	31	5.180	126	55	54.452	-68
6	10	11	11	17	22	37	31	5.180	126	55	54.452	-71
7	10	11	11	17	23	37	31	5.180	126	55	54.452	-71
8	10	11	11	17	24	37	31	5.180	126	55	54.452	-71
9	10	11	11	17	25	37	31	5.180	126	55	54.452	-70
10	10	11	11	17	26	37	31	5.180	126	55	54.452	-70
11	10	11	11	17	27	37	31	5.180	126	55	54.452	-70
12	10	11	11	17	28	37	31	5.180	126	55	54.452	-74
13	10	11	11	17	29	37	31	5.180	126	55	54.452	-74
14	10	11	11	17	30	37	31	5.180	126	55	54.452	-74
15	10	11	11	17	31	37	31	5.180	126	55	54.452	-69
16	10	11	11	17	32	37	31	5.180	126	55	54.452	-69
17	10	11	11	17	33	37	31	5.180	126	55	54.452	-69
18	10	11	11	17	34	37	31	5.180	126	55	54.452	-74
19	10	11	11	17	35	37	31	5.180	126	55	54.452	-74
20	10	11	11	17	36	37	31	5.180	126	55	54.452	-74
평균 전계 강도												-71.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(-30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	17	52	37	31	5.144	126	55	54.416	-66
2	10	11	11	17	53	37	31	5.144	126	55	54.416	-66
3	10	11	11	17	54	37	31	5.144	126	55	54.416	-66
4	10	11	11	17	55	37	31	5.144	126	55	54.416	-71
5	10	11	11	17	56	37	31	5.144	126	55	54.416	-71
6	10	11	11	17	57	37	31	5.144	126	55	54.416	-71
7	10	11	11	17	58	37	31	5.144	126	55	54.416	-75
8	10	11	11	17	59	37	31	5.144	126	55	54.416	-75
9	10	11	11	18	0	37	31	5.144	126	55	54.416	-75
10	10	11	11	18	1	37	31	5.144	126	55	54.416	-65
11	10	11	11	18	2	37	31	5.144	126	55	54.416	-65
12	10	11	11	18	3	37	31	5.144	126	55	54.416	-65
13	10	11	11	18	4	37	31	5.144	126	55	54.416	-72
14	10	11	11	18	5	37	31	5.144	126	55	54.416	-72
15	10	11	11	18	6	37	31	5.144	126	55	54.416	-72
16	10	11	11	18	7	37	31	5.144	126	55	54.416	-72
17	10	11	11	18	8	37	31	5.144	126	55	54.416	-72
18	10	11	11	18	9	37	31	5.144	126	55	54.416	-72
19	10	11	11	18	10	37	31	5.144	126	55	54.416	-69
20	10	11	11	18	11	37	31	5.144	126	55	54.416	-69
평균 전계 강도												-70.05




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(-30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	18	25	37	31	5.144	126	55	54.416	-72
2	10	11	11	18	26	37	31	5.144	126	55	54.416	-72
3	10	11	11	18	27	37	31	5.144	126	55	54.416	-72
4	10	11	11	18	28	37	31	5.144	126	55	54.416	-78
5	10	11	11	18	29	37	31	5.144	126	55	54.416	-78
6	10	11	11	18	30	37	31	5.144	126	55	54.416	-78
7	10	11	11	18	31	37	31	5.144	126	55	54.416	-69
8	10	11	11	18	32	37	31	5.144	126	55	54.416	-69
9	10	11	11	18	33	37	31	5.144	126	55	54.416	-69
10	10	11	11	18	34	37	31	5.144	126	55	54.416	-68
11	10	11	11	18	35	37	31	5.144	126	55	54.416	-68
12	10	11	11	18	36	37	31	5.144	126	55	54.416	-68
13	10	11	11	18	37	37	31	5.144	126	55	54.416	-69
14	10	11	11	18	38	37	31	5.144	126	55	54.416	-69
15	10	11	11	18	39	37	31	5.144	126	55	54.416	-69
16	10	11	11	18	40	37	31	5.144	126	55	54.416	-68
평균 전계 강도												-71.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(-30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	18	47	37	31	5.108	126	55	54.416	-73
2	10	11	11	18	48	37	31	5.108	126	55	54.416	-73
3	10	11	11	18	49	37	31	5.108	126	55	54.416	-74
4	10	11	11	18	50	37	31	5.108	126	55	54.416	-74
5	10	11	11	18	51	37	31	5.108	126	55	54.416	-74
6	10	11	11	18	52	37	31	5.108	126	55	54.416	-76
7	10	11	11	18	53	37	31	5.108	126	55	54.416	-76
8	10	11	11	18	54	37	31	5.108	126	55	54.416	-76
9	10	11	11	18	55	37	31	5.108	126	55	54.416	-75
10	10	11	11	18	56	37	31	5.108	126	55	54.380	-75
11	10	11	11	18	57	37	31	5.108	126	55	54.380	-75
12	10	11	11	18	58	37	31	5.108	126	55	54.380	-71
13	10	11	11	18	59	37	31	5.108	126	55	54.380	-71
14	10	11	11	19	0	37	31	5.108	126	55	54.380	-71
15	10	11	11	19	1	37	31	5.108	126	55	54.380	-77
평균 전계 강도												-74.07




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(+30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	19	11	37	31	5.108	126	55	54.380	-71
2	10	11	11	19	12	37	31	5.108	126	55	54.380	-71
3	10	11	11	19	13	37	31	5.108	126	55	54.380	-71
4	10	11	11	19	14	37	31	5.108	126	55	54.380	-71
5	10	11	11	19	15	37	31	5.108	126	55	54.380	-71
6	10	11	11	19	16	37	31	5.108	126	55	54.380	-73
7	10	11	11	19	17	37	31	5.108	126	55	54.380	-73
8	10	11	11	19	18	37	31	5.108	126	55	54.380	-73
9	10	11	11	19	19	37	31	5.108	126	55	54.380	-72
10	10	11	11	19	20	37	31	5.108	126	55	54.380	-72
11	10	11	11	19	21	37	31	5.108	126	55	54.380	-72
12	10	11	11	19	22	37	31	5.108	126	55	54.380	-66
13	10	11	11	19	23	37	31	5.108	126	55	54.380	-66
14	10	11	11	19	24	37	31	5.108	126	55	54.380	-66
평균 전계 강도												-70.57




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(+30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	19	39	37	31	5.072	126	55	54.380	-66
2	10	11	11	19	40	37	31	5.072	126	55	54.380	-64
3	10	11	11	19	41	37	31	5.072	126	55	54.380	-64
4	10	11	11	19	42	37	31	5.072	126	55	54.380	-64
5	10	11	11	19	43	37	31	5.072	126	55	54.380	-66
6	10	11	11	19	44	37	31	5.072	126	55	54.380	-66
7	10	11	11	19	45	37	31	5.072	126	55	54.380	-66
8	10	11	11	19	46	37	31	5.072	126	55	54.380	-64
9	10	11	11	19	47	37	31	5.072	126	55	54.380	-64
10	10	11	11	19	48	37	31	5.072	126	55	54.380	-64
11	10	11	11	19	49	37	31	5.072	126	55	54.380	-64
12	10	11	11	19	50	37	31	5.072	126	55	54.380	-64
13	10	11	11	19	51	37	31	5.072	126	55	54.380	-64
평균 전계 강도												-64.62




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(+30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	20	0	37	31	5.072	126	55	54.380	-74
2	10	11	11	20	1	37	31	5.072	126	55	54.380	-72
3	10	11	11	20	2	37	31	5.072	126	55	54.380	-72
4	10	11	11	20	3	37	31	5.072	126	55	54.380	-72
5	10	11	11	20	4	37	31	5.072	126	55	54.380	-72
6	10	11	11	20	5	37	31	5.072	126	55	54.380	-72
7	10	11	11	20	6	37	31	5.072	126	55	54.380	-72
8	10	11	11	20	7	37	31	5.072	126	55	54.380	-70
9	10	11	11	20	8	37	31	5.072	126	55	54.380	-70
10	10	11	11	20	9	37	31	5.072	126	55	54.380	-70
11	10	11	11	20	10	37	31	5.072	126	55	54.380	-75
12	10	11	11	20	11	37	31	5.072	126	55	54.380	-75
13	10	11	11	20	12	37	31	5.072	126	55	54.380	-75
14	10	11	11	20	13	37	31	5.072	126	55	54.380	-76
15	10	11	11	20	14	37	31	5.072	126	55	54.380	-76
16	10	11	11	20	15	37	31	5.072	126	55	54.380	-76
17	10	11	11	20	16	37	31	5.072	126	55	54.380	-73
18	10	11	11	20	17	37	31	5.072	126	55	54.380	-73
평균 전계 강도												-73.06




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(+30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	20	27	37	31	5.072	126	55	54.380	-80
2	10	11	11	20	28	37	31	5.072	126	55	54.380	-77
3	10	11	11	20	29	37	31	5.072	126	55	54.380	-77
4	10	11	11	20	30	37	31	5.072	126	55	54.380	-77
5	10	11	11	20	31	37	31	5.072	126	55	54.380	-74
6	10	11	11	20	32	37	31	5.072	126	55	54.380	-74
7	10	11	11	20	33	37	31	5.072	126	55	54.380	-74
8	10	11	11	20	34	37	31	5.072	126	55	54.380	-74
9	10	11	11	20	35	37	31	5.072	126	55	54.380	-74
10	10	11	11	20	36	37	31	5.072	126	55	54.380	-74
11	10	11	11	20	37	37	31	5.072	126	55	54.380	-80
12	10	11	11	20	38	37	31	5.072	126	55	54.380	-80
13	10	11	11	20	39	37	31	5.072	126	55	54.380	-80
14	10	11	11	20	40	37	31	5.072	126	55	54.380	-79
15	10	11	11	20	41	37	31	5.072	126	55	54.380	-79
평균 전계 강도												-76.87




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(+30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	20	51	37	31	5.072	126	55	54.380	-73
2	10	11	11	20	52	37	31	5.072	126	55	54.380	-72
3	10	11	11	20	53	37	31	5.072	126	55	54.380	-72
4	10	11	11	20	54	37	31	5.072	126	55	54.380	-72
5	10	11	11	20	55	37	31	5.072	126	55	54.380	-72
6	10	11	11	20	56	37	31	5.072	126	55	54.380	-72
7	10	11	11	20	57	37	31	5.072	126	55	54.380	-72
8	10	11	11	20	58	37	31	5.072	126	55	54.380	-74
9	10	11	11	20	59	37	31	5.072	126	55	54.380	-74
10	10	11	11	21	0	37	31	5.072	126	55	54.380	-74
11	10	11	11	21	1	37	31	5.072	126	55	54.380	-69
12	10	11	11	21	2	37	31	5.072	126	55	54.380	-69
13	10	11	11	21	3	37	31	5.072	126	55	54.380	-69
14	10	11	11	21	4	37	31	5.072	126	55	54.380	-69
15	10	11	11	21	5	37	31	5.072	126	55	54.380	-69
평균 전계 강도												-71.47




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(+30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	21	15	37	31	5.072	126	55	54.380	-63
2	10	11	11	21	16	37	31	5.072	126	55	54.380	-61
3	10	11	11	21	17	37	31	5.072	126	55	54.380	-61
4	10	11	11	21	18	37	31	5.072	126	55	54.380	-61
5	10	11	11	21	19	37	31	5.072	126	55	54.380	-62
6	10	11	11	21	20	37	31	5.072	126	55	54.380	-62
7	10	11	11	21	21	37	31	5.072	126	55	54.380	-62
8	10	11	11	21	22	37	31	5.072	126	55	54.380	-66
9	10	11	11	21	23	37	31	5.072	126	55	54.380	-66
10	10	11	11	21	24	37	31	5.072	126	55	54.380	-66
11	10	11	11	21	25	37	31	5.072	126	55	54.380	-65
12	10	11	11	21	26	37	31	5.072	126	55	54.380	-65
13	10	11	11	21	27	37	31	5.072	126	55	54.380	-65
14	10	11	11	21	28	37	31	5.072	126	55	54.380	-68
15	10	11	11	21	29	37	31	5.072	126	55	54.380	-68
평균 전계 강도												-64.07




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(+30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	21	39	37	31	5.072	126	55	54.380	-64
2	10	11	11	21	40	37	31	5.072	126	55	54.380	-64
3	10	11	11	21	41	37	31	5.072	126	55	54.380	-64
4	10	11	11	21	42	37	31	5.072	126	55	54.380	-71
5	10	11	11	21	43	37	31	5.072	126	55	54.380	-71
6	10	11	11	21	44	37	31	5.072	126	55	54.380	-71
7	10	11	11	21	45	37	31	5.072	126	55	54.380	-71
8	10	11	11	21	46	37	31	5.072	126	55	54.380	-68
9	10	11	11	21	47	37	31	5.072	126	55	54.380	-68
10	10	11	11	21	48	37	31	5.072	126	55	54.380	-68
11	10	11	11	21	49	37	31	5.072	126	55	54.380	-69
12	10	11	11	21	50	37	31	5.072	126	55	54.380	-69
13	10	11	11	21	51	37	31	5.072	126	55	54.380	-69
14	10	11	11	21	52	37	31	5.072	126	55	54.380	-76
15	10	11	11	21	53	37	31	5.072	126	55	54.380	-76
16	10	11	11	21	54	37	31	5.072	126	55	54.380	-76
17	10	11	11	21	55	37	31	5.072	126	55	54.380	-65
18	10	11	11	21	56	37	31	5.072	126	55	54.380	-65
19	10	11	11	21	57	37	31	5.072	126	55	54.380	-65
20	10	11	11	21	58	37	31	5.072	126	55	54.380	-74
21	10	11	11	21	59	37	31	5.072	126	55	54.380	-74
22	10	11	11	22	0	37	31	5.072	126	55	54.380	-74
23	10	11	11	22	1	37	31	5.036	126	55	54.380	-63
24	10	11	11	22	2	37	31	5.036	126	55	54.380	-63
25	10	11	11	22	3	37	31	5.036	126	55	54.380	-63
26	10	11	11	22	4	37	31	5.036	126	55	54.380	-66
27	10	11	11	22	5	37	31	5.036	126	55	54.380	-66
평균 전계 강도												-68.63




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(+30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	22	13	37	31	5.036	126	55	54.380	-61
2	10	11	11	22	14	37	31	5.036	126	55	54.380	-61
3	10	11	11	22	15	37	31	5.036	126	55	54.380	-61
4	10	11	11	22	16	37	31	5.036	126	55	54.380	-61
5	10	11	11	22	17	37	31	5.036	126	55	54.380	-61
6	10	11	11	22	18	37	31	5.036	126	55	54.380	-61
7	10	11	11	22	19	37	31	5.036	126	55	54.380	-66
8	10	11	11	22	20	37	31	5.036	126	55	54.380	-66
9	10	11	11	22	21	37	31	5.036	126	55	54.380	-66
10	10	11	11	22	22	37	31	5.036	126	55	54.380	-63
11	10	11	11	22	23	37	31	5.036	126	55	54.380	-63
12	10	11	11	22	24	37	31	5.036	126	55	54.380	-63
13	10	11	11	22	25	37	31	5.036	126	55	54.380	-65
14	10	11	11	22	26	37	31	5.036	126	55	54.380	-65
15	10	11	11	22	27	37	31	5.036	126	55	54.380	-65
16	10	11	11	22	28	37	31	5.036	126	55	54.380	-63
17	10	11	11	22	29	37	31	5.036	126	55	54.380	-63
18	10	11	11	22	30	37	31	5.036	126	55	54.380	-63
19	10	11	11	22	31	37	31	5.036	126	55	54.380	-63
20	10	11	11	22	32	37	31	5.036	126	55	54.380	-63
21	10	11	11	22	33	37	31	5.036	126	55	54.380	-63
22	10	11	11	22	34	37	31	5.036	126	55	54.380	-63
23	10	11	11	22	35	37	31	5.036	126	55	54.380	-63
24	10	11	11	22	36	37	31	5.036	126	55	54.380	-63
25	10	11	11	22	37	37	31	5.036	126	55	54.380	-63
26	10	11	11	22	38	37	31	5.036	126	55	54.380	-63
27	10	11	11	22	39	37	31	5.036	126	55	54.380	-63
평균 전계 강도												-63.11




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(Tx4 MAX)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	24	1	37	31	5.036	126	55	54.380	-57
2	10	11	11	24	2	37	31	5.036	126	55	54.380	-57
3	10	11	11	24	3	37	31	5.036	126	55	54.380	-57
4	10	11	11	24	4	37	31	5.036	126	55	54.380	-57
5	10	11	11	24	5	37	31	5.036	126	55	54.380	-57
6	10	11	11	24	6	37	31	5.036	126	55	54.380	-57
7	10	11	11	24	7	37	31	5.036	126	55	54.380	-56
8	10	11	11	24	8	37	31	5.036	126	55	54.380	-56
9	10	11	11	24	9	37	31	5.036	126	55	54.380	-56
10	10	11	11	24	10	37	31	5.036	126	55	54.380	-56
11	10	11	11	24	11	37	31	5.036	126	55	54.380	-56
12	10	11	11	24	12	37	31	5.036	126	55	54.380	-56
13	10	11	11	24	13	37	31	5.036	126	55	54.380	-63
14	10	11	11	24	14	37	31	5.036	126	55	54.380	-63
15	10	11	11	24	15	37	31	5.036	126	55	54.380	-63
16	10	11	11	24	16	37	31	5.036	126	55	54.380	-57
17	10	11	11	24	17	37	31	5.036	126	55	54.380	-57
18	10	11	11	24	18	37	31	5.036	126	55	54.380	-57
19	10	11	11	24	19	37	31	5.036	126	55	54.380	-54
20	10	11	11	24	20	37	31	5.036	126	55	54.380	-54
21	10	11	11	24	21	37	31	5.036	126	55	54.380	-54
22	10	11	11	24	22	37	31	5.036	126	55	54.380	-57
23	10	11	11	24	23	37	31	5.036	126	55	54.380	-57
24	10	11	11	24	24	37	31	5.036	126	55	54.380	-57
25	10	11	11	24	25	37	31	5.036	126	55	54.380	-55
26	10	11	11	24	26	37	31	5.036	126	55	54.380	-55
27	10	11	11	24	27	37	31	5.036	126	55	54.380	-55
28	10	11	11	24	28	37	31	5.036	126	55	54.380	-55
29	10	11	11	24	29	37	31	5.036	126	55	54.380	-55
30	10	11	11	24	30	37	31	5.036	126	55	54.380	-55
31	10	11	11	24	31	37	31	5.036	126	55	54.380	-55
평균 전계 강도												-56.65




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx2(4)(Tx4 OMNI)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	24	51	37	31	5.000	126	55	54.380	-69
2	10	11	11	24	52	37	31	5.000	126	55	54.380	-68
3	10	11	11	24	53	37	31	5.000	126	55	54.380	-68
4	10	11	11	24	54	37	31	5.000	126	55	54.380	-68
5	10	11	11	24	56	37	31	5.000	126	55	54.380	-64
6	10	11	11	24	56	37	31	5.000	126	55	54.380	-64
7	10	11	11	24	57	37	31	5.000	126	55	54.380	-64
8	10	11	11	24	59	37	31	5.000	126	55	54.380	-69
9	10	11	11	24	59	37	31	5.000	126	55	54.380	-69
10	10	11	11	25	0	37	31	5.000	126	55	54.380	-69
11	10	11	11	25	1	37	31	5.000	126	55	54.380	-64
12	10	11	11	25	2	37	31	5.000	126	55	54.380	-64
13	10	11	11	25	3	37	31	5.000	126	55	54.380	-64
14	10	11	11	25	4	37	31	5.000	126	55	54.380	-65
15	10	11	11	25	5	37	31	5.000	126	55	54.380	-65
16	10	11	11	25	6	37	31	5.000	126	55	54.380	-65
17	10	11	11	25	7	37	31	5.000	126	55	54.380	-69
18	10	11	11	25	8	37	31	5.000	126	55	54.380	-69
19	10	11	11	25	9	37	31	5.000	126	55	54.380	-69
20	10	11	11	25	10	37	31	5.000	126	55	54.380	-76
21	10	11	11	25	11	37	31	5.000	126	55	54.380	-76
평균 전계 강도												-67.52




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(0_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	34	4	37	31	2.083	126	55	55.568	-71
2	10	7	16	34	5	37	31	2.083	126	55	55.568	-71
3	10	7	16	34	6	37	31	2.083	126	55	55.568	-75
4	10	7	16	34	7	37	31	2.083	126	55	55.568	-75
5	10	7	16	34	8	37	31	2.083	126	55	55.568	-75
6	10	7	16	34	9	37	31	2.083	126	55	55.568	-73
7	10	7	16	34	10	37	31	2.083	126	55	55.568	-73
8	10	7	16	34	11	37	31	2.083	126	55	55.568	-73
9	10	7	16	34	12	37	31	2.083	126	55	55.568	-74
10	10	7	16	34	13	37	31	2.083	126	55	55.568	-74
11	10	7	16	34	14	37	31	2.083	126	55	55.568	-74
12	10	7	16	34	15	37	31	2.083	126	55	55.568	-73
13	10	7	16	34	16	37	31	2.083	126	55	55.568	-73
14	10	7	16	34	17	37	31	2.083	126	55	55.568	-73
15	10	7	16	34	18	37	31	2.083	126	55	55.568	-79
16	10	7	16	34	19	37	31	2.083	126	55	55.568	-79
17	10	7	16	34	20	37	31	2.083	126	55	55.568	-79
18	10	7	16	34	21	37	31	2.083	126	55	55.568	-75
19	10	7	16	34	22	37	31	2.083	126	55	55.568	-75
20	10	7	16	34	23	37	31	2.083	126	55	55.568	-75
21	10	7	16	34	24	37	31	2.083	126	55	55.568	-72
22	10	7	16	34	25	37	31	2.083	126	55	55.568	-72
23	10	7	16	34	26	37	31	2.083	126	55	55.568	-72
24	10	7	16	34	27	37	31	2.083	126	55	55.568	-74
25	10	7	16	34	28	37	31	2.083	126	55	55.568	-74
평균 전계 강도												-74.12




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(0_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	34	51	37	31	2.083	126	55	55.568	-90
2	10	7	16	34	52	37	31	2.083	126	55	55.568	-90
3	10	7	16	34	53	37	31	2.083	126	55	55.568	-90
4	10	7	16	34	54	37	31	2.083	126	55	55.568	-89
5	10	7	16	34	55	37	31	2.083	126	55	55.568	-89
6	10	7	16	34	56	37	31	2.083	126	55	55.568	-89
7	10	7	16	34	57	37	31	2.083	126	55	55.568	-83
8	10	7	16	34	58	37	31	2.083	126	55	55.568	-83
9	10	7	16	34	59	37	31	2.083	126	55	55.568	-83
10	10	7	16	35	0	37	31	2.083	126	55	55.568	-83
11	10	7	16	35	1	37	31	2.083	126	55	55.568	-83
12	10	7	16	35	2	37	31	2.083	126	55	55.568	-83
13	10	7	16	35	3	37	31	2.083	126	55	55.568	-83
14	10	7	16	35	4	37	31	2.083	126	55	55.568	-83
15	10	7	16	35	5	37	31	2.083	126	55	55.568	-83
16	10	7	16	35	6	37	31	2.083	126	55	55.568	-87
17	10	7	16	35	7	37	31	2.083	126	55	55.568	-87
18	10	7	16	35	8	37	31	2.083	126	55	55.568	-87
19	10	7	16	35	9	37	31	2.083	126	55	55.568	-85
20	10	7	16	35	10	37	31	2.083	126	55	55.568	-85
21	10	7	16	35	11	37	31	2.083	126	55	55.568	-85
22	10	7	16	35	12	37	31	2.083	126	55	55.568	-88
23	10	7	16	35	13	37	31	2.083	126	55	55.568	-88
24	10	7	16	35	14	37	31	2.083	126	55	55.568	-88
25	10	7	16	35	15	37	31	2.083	126	55	55.568	-82
26	10	7	16	35	16	37	31	2.083	126	55	55.568	-82
27	10	7	16	35	17	37	31	2.083	126	55	55.568	-82
평균 전계 강도												-85.56




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(0_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	35	35	37	31	2.083	126	55	55.568	-85
2	10	7	16	35	36	37	31	2.083	126	55	55.568	-89
3	10	7	16	35	37	37	31	2.083	126	55	55.568	-89
4	10	7	16	35	38	37	31	2.083	126	55	55.568	-89
5	10	7	16	35	39	37	31	2.083	126	55	55.568	-94
6	10	7	16	35	40	37	31	2.083	126	55	55.568	-94
7	10	7	16	35	41	37	31	2.083	126	55	55.568	-94
8	10	7	16	35	42	37	31	2.083	126	55	55.568	-94
9	10	7	16	35	43	37	31	2.083	126	55	55.568	-94
10	10	7	16	35	44	37	31	2.083	126	55	55.568	-94
11	10	7	16	35	45	37	31	2.083	126	55	55.568	-87
12	10	7	16	35	46	37	31	2.083	126	55	55.568	-87
13	10	7	16	35	47	37	31	2.083	126	55	55.568	-87
14	10	7	16	35	48	37	31	2.083	126	55	55.568	-84
15	10	7	16	35	49	37	31	2.083	126	55	55.568	-84
16	10	7	16	35	50	37	31	2.083	126	55	55.568	-84
17	10	7	16	35	51	37	31	2.083	126	55	55.568	-86
18	10	7	16	35	52	37	31	2.083	126	55	55.568	-86
19	10	7	16	35	53	37	31	2.083	126	55	55.568	-86
20	10	7	16	35	54	37	31	2.083	126	55	55.568	-86
21	10	7	16	35	55	37	31	2.083	126	55	55.568	-86
22	10	7	16	35	56	37	31	2.083	126	55	55.568	-86
23	10	7	16	35	57	37	31	2.083	126	55	55.568	-84
24	10	7	16	35	58	37	31	2.083	126	55	55.568	-84
25	10	7	16	35	59	37	31	2.083	126	55	55.568	-84
26	10	7	16	36	0	37	31	2.083	126	55	55.568	-93
27	10	7	16	36	1	37	31	2.083	126	55	55.568	-93
28	10	7	16	36	2	37	31	2.083	126	55	55.568	-93
평균 전계 강도												-88.43




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(0_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	36	21	37	31	2.083	126	55	55.568	-78
2	10	7	16	36	22	37	31	2.083	126	55	55.568	-78
3	10	7	16	36	23	37	31	2.083	126	55	55.568	-78
4	10	7	16	36	24	37	31	2.083	126	55	55.568	-78
5	10	7	16	36	25	37	31	2.083	126	55	55.568	-78
6	10	7	16	36	26	37	31	2.083	126	55	55.568	-78
7	10	7	16	36	27	37	31	2.083	126	55	55.568	-81
8	10	7	16	36	28	37	31	2.083	126	55	55.568	-81
9	10	7	16	36	29	37	31	2.083	126	55	55.568	-81
10	10	7	16	36	30	37	31	2.083	126	55	55.568	-81
11	10	7	16	36	31	37	31	2.083	126	55	55.568	-81
12	10	7	16	36	32	37	31	2.083	126	55	55.568	-81
13	10	7	16	36	33	37	31	2.083	126	55	55.568	-77
14	10	7	16	36	34	37	31	2.083	126	55	55.568	-77
15	10	7	16	36	35	37	31	2.083	126	55	55.568	-77
16	10	7	16	36	36	37	31	2.083	126	55	55.568	-78
17	10	7	16	36	37	37	31	2.083	126	55	55.568	-78
18	10	7	16	36	38	37	31	2.083	126	55	55.568	-78
19	10	7	16	36	39	37	31	2.083	126	55	55.568	-82
평균 전계 강도												-79.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(0_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	36	57	37	31	2.083	126	55	55.568	-78
2	10	7	16	36	58	37	31	2.083	126	55	55.568	-78
3	10	7	16	36	59	37	31	2.083	126	55	55.568	-78
4	10	7	16	37	0	37	31	2.083	126	55	55.568	-72
5	10	7	16	37	1	37	31	2.083	126	55	55.568	-72
6	10	7	16	37	2	37	31	2.083	126	55	55.568	-72
7	10	7	16	37	3	37	31	2.083	126	55	55.568	-72
8	10	7	16	37	4	37	31	2.083	126	55	55.568	-72
9	10	7	16	37	5	37	31	2.083	126	55	55.568	-72
10	10	7	16	37	6	37	31	2.083	126	55	55.568	-75
11	10	7	16	37	7	37	31	2.083	126	55	55.568	-75
12	10	7	16	37	8	37	31	2.083	126	55	55.568	-75
13	10	7	16	37	9	37	31	2.083	126	55	55.568	-73
14	10	7	16	37	10	37	31	2.083	126	55	55.568	-73
15	10	7	16	37	11	37	31	2.083	126	55	55.568	-73
16	10	7	16	37	12	37	31	2.083	126	55	55.568	-73
17	10	7	16	37	13	37	31	2.083	126	55	55.568	-73
18	10	7	16	37	14	37	31	2.083	126	55	55.568	-73
19	10	7	16	37	15	37	31	2.083	126	55	55.568	-75
평균 전계 강도												-73.89




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(0_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	37	30	37	31	2.083	126	55	55.568	-67
2	10	7	16	37	31	37	31	2.083	126	55	55.568	-67
3	10	7	16	37	32	37	31	2.083	126	55	55.568	-67
4	10	7	16	37	33	37	31	2.083	126	55	55.568	-65
5	10	7	16	37	34	37	31	2.083	126	55	55.568	-65
6	10	7	16	37	35	37	31	2.083	126	55	55.568	-65
7	10	7	16	37	36	37	31	2.083	126	55	55.568	-65
8	10	7	16	37	37	37	31	2.083	126	55	55.568	-65
9	10	7	16	37	38	37	31	2.083	126	55	55.568	-65
10	10	7	16	37	39	37	31	2.083	126	55	55.568	-67
11	10	7	16	37	40	37	31	2.083	126	55	55.568	-67
12	10	7	16	37	41	37	31	2.083	126	55	55.568	-67
13	10	7	16	37	42	37	31	2.083	126	55	55.568	-65
14	10	7	16	37	43	37	31	2.083	126	55	55.568	-65
15	10	7	16	37	44	37	31	2.083	126	55	55.568	-65
16	10	7	16	37	45	37	31	2.083	126	55	55.568	-72
17	10	7	16	37	46	37	31	2.083	126	55	55.568	-72
18	10	7	16	37	47	37	31	2.083	126	55	55.568	-72
19	10	7	16	37	48	37	31	2.083	126	55	55.568	-66
20	10	7	16	37	49	37	31	2.083	126	55	55.568	-66
21	10	7	16	37	50	37	31	2.083	126	55	55.568	-66
평균 전계 강도												-66.71




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(0_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	38	7	37	31	2.083	126	55	55.568	-84
2	10	7	16	38	8	37	31	2.083	126	55	55.568	-84
3	10	7	16	38	9	37	31	2.083	126	55	55.568	-85
4	10	7	16	38	10	37	31	2.083	126	55	55.568	-85
5	10	7	16	38	11	37	31	2.083	126	55	55.568	-85
6	10	7	16	38	12	37	31	2.083	126	55	55.568	-82
7	10	7	16	38	13	37	31	2.083	126	55	55.568	-82
8	10	7	16	38	14	37	31	2.083	126	55	55.568	-82
9	10	7	16	38	15	37	31	2.083	126	55	55.568	-80
10	10	7	16	38	16	37	31	2.083	126	55	55.568	-80
11	10	7	16	38	17	37	31	2.083	126	55	55.568	-80
12	10	7	16	38	18	37	31	2.083	126	55	55.568	-88
13	10	7	16	38	19	37	31	2.083	126	55	55.568	-88
14	10	7	16	38	20	37	31	2.083	126	55	55.568	-88
15	10	7	16	38	21	37	31	2.083	126	55	55.568	-81
16	10	7	16	38	22	37	31	2.083	126	55	55.568	-81
17	10	7	16	38	23	37	31	2.083	126	55	55.568	-81
18	10	7	16	38	24	37	31	2.083	126	55	55.568	-83
19	10	7	16	38	25	37	31	2.083	126	55	55.568	-83
20	10	7	16	38	26	37	31	2.083	126	55	55.568	-83
21	10	7	16	38	27	37	31	2.083	126	55	55.568	-82
평균 전계 강도												-83.19




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(0_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	38	43	37	31	2.083	126	55	55.568	-79
2	10	7	16	38	44	37	31	2.083	126	55	55.568	-79
3	10	7	16	38	45	37	31	2.083	126	55	55.568	-80
4	10	7	16	38	46	37	31	2.083	126	55	55.568	-80
5	10	7	16	38	47	37	31	2.083	126	55	55.568	-80
6	10	7	16	38	48	37	31	2.083	126	55	55.568	-81
7	10	7	16	38	49	37	31	2.083	126	55	55.568	-81
8	10	7	16	38	50	37	31	2.083	126	55	55.568	-81
9	10	7	16	38	51	37	31	2.083	126	55	55.568	-78
10	10	7	16	38	52	37	31	2.083	126	55	55.568	-78
11	10	7	16	38	53	37	31	2.083	126	55	55.568	-78
12	10	7	16	38	54	37	31	2.083	126	55	55.568	-79
13	10	7	16	38	55	37	31	2.083	126	55	55.568	-79
14	10	7	16	38	56	37	31	2.083	126	55	55.568	-79
15	10	7	16	38	57	37	31	2.083	126	55	55.568	-80
16	10	7	16	38	58	37	31	2.083	126	55	55.568	-80
17	10	7	16	38	59	37	31	2.083	126	55	55.568	-80
18	10	7	16	39	0	37	31	2.083	126	55	55.568	-81
19	10	7	16	39	1	37	31	2.083	126	55	55.568	-81
20	10	7	16	39	2	37	31	2.083	126	55	55.568	-81
21	10	7	16	39	3	37	31	2.083	126	55	55.568	-84
22	10	7	16	39	4	37	31	2.083	126	55	55.568	-84
평균 전계 강도												-80.14




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(-30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	39	20	37	31	2.083	126	55	55.568	-80
2	10	7	16	39	21	37	31	2.083	126	55	55.568	-81
3	10	7	16	39	22	37	31	2.083	126	55	55.568	-81
4	10	7	16	39	23	37	31	2.083	126	55	55.568	-81
5	10	7	16	39	24	37	31	2.083	126	55	55.568	-79
6	10	7	16	39	25	37	31	2.083	126	55	55.568	-79
7	10	7	16	39	26	37	31	2.083	126	55	55.568	-79
8	10	7	16	39	27	37	31	2.083	126	55	55.568	-81
9	10	7	16	39	28	37	31	2.083	126	55	55.568	-81
10	10	7	16	39	29	37	31	2.083	126	55	55.568	-81
11	10	7	16	39	30	37	31	2.083	126	55	55.568	-82
12	10	7	16	39	31	37	31	2.083	126	55	55.568	-82
13	10	7	16	39	32	37	31	2.083	126	55	55.568	-82
14	10	7	16	39	33	37	31	2.083	126	55	55.568	-83
평균 전계 강도												-80.86




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(-30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	39	45	37	31	2.083	126	55	55.568	-82
2	10	7	16	39	46	37	31	2.083	126	55	55.568	-82
3	10	7	16	39	47	37	31	2.083	126	55	55.568	-82
4	10	7	16	39	48	37	31	2.083	126	55	55.568	-80
5	10	7	16	39	49	37	31	2.083	126	55	55.568	-80
6	10	7	16	39	50	37	31	2.083	126	55	55.568	-80
7	10	7	16	39	51	37	31	2.083	126	55	55.568	-81
8	10	7	16	39	52	37	31	2.083	126	55	55.568	-81
9	10	7	16	39	53	37	31	2.083	126	55	55.568	-81
10	10	7	16	39	54	37	31	2.083	126	55	55.568	-83
11	10	7	16	39	55	37	31	2.083	126	55	55.568	-83
12	10	7	16	39	56	37	31	2.083	126	55	55.568	-83
13	10	7	16	39	57	37	31	2.083	126	55	55.568	-83
14	10	7	16	39	58	37	31	2.083	126	55	55.568	-83
15	10	7	16	39	59	37	31	2.083	126	55	55.568	-83
16	10	7	16	40	0	37	31	2.083	126	55	55.568	-85
평균 전계 강도												-82.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(-30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	40	15	37	31	2.083	126	55	55.568	-85
2	10	7	16	40	16	37	31	2.083	126	55	55.568	-90
3	10	7	16	40	17	37	31	2.083	126	55	55.568	-90
4	10	7	16	40	18	37	31	2.083	126	55	55.568	-90
5	10	7	16	40	19	37	31	2.083	126	55	55.568	-95
6	10	7	16	40	20	37	31	2.083	126	55	55.568	-95
7	10	7	16	40	21	37	31	2.083	126	55	55.568	-95
8	10	7	16	40	22	37	31	2.083	126	55	55.568	-106
9	10	7	16	40	23	37	31	2.083	126	55	55.568	-106
10	10	7	16	40	24	37	31	2.083	126	55	55.568	-106
11	10	7	16	40	25	37	31	2.083	126	55	55.568	-91
12	10	7	16	40	26	37	31	2.083	126	55	55.568	-91
13	10	7	16	40	27	37	31	2.083	126	55	55.568	-91
14	10	7	16	40	28	37	31	2.083	126	55	55.568	-86
15	10	7	16	40	29	37	31	2.083	126	55	55.568	-86
16	10	7	16	40	30	37	31	2.083	126	55	55.568	-86
평균 전계 강도												-93.06




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(-30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	40	44	37	31	2.083	126	55	55.568	-80
2	10	7	16	40	45	37	31	2.083	126	55	55.568	-80
3	10	7	16	40	46	37	31	2.083	126	55	55.568	-78
4	10	7	16	40	47	37	31	2.083	126	55	55.568	-78
5	10	7	16	40	48	37	31	2.083	126	55	55.568	-78
6	10	7	16	40	49	37	31	2.083	126	55	55.568	-89
7	10	7	16	40	50	37	31	2.083	126	55	55.568	-89
8	10	7	16	40	51	37	31	2.083	126	55	55.568	-89
9	10	7	16	40	52	37	31	2.083	126	55	55.568	-77
10	10	7	16	40	53	37	31	2.083	126	55	55.568	-77
11	10	7	16	40	54	37	31	2.083	126	55	55.568	-77
12	10	7	16	40	55	37	31	2.083	126	55	55.568	-82
13	10	7	16	40	56	37	31	2.083	126	55	55.568	-82
14	10	7	16	40	57	37	31	2.083	126	55	55.568	-82
15	10	7	16	40	58	37	31	2.083	126	55	55.568	-84
16	10	7	16	40	59	37	31	2.083	126	55	55.568	-84
17	10	7	16	41	0	37	31	2.083	126	55	55.568	-84
18	10	7	16	41	1	37	31	2.083	126	55	55.568	-82
19	10	7	16	41	2	37	31	2.083	126	55	55.568	-82
20	10	7	16	41	3	37	31	2.083	126	55	55.568	-82
21	10	7	16	41	4	37	31	2.083	126	55	55.568	-88
22	10	7	16	41	5	37	31	2.083	126	55	55.568	-88
평균 전계 강도												-82.36




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(-30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	41	24	37	31	2.083	126	55	55.568	-71
2	10	7	16	41	25	37	31	2.083	126	55	55.568	-73
3	10	7	16	41	26	37	31	2.083	126	55	55.568	-73
4	10	7	16	41	27	37	31	2.083	126	55	55.568	-73
5	10	7	16	41	28	37	31	2.083	126	55	55.568	-73
6	10	7	16	41	29	37	31	2.083	126	55	55.568	-73
7	10	7	16	41	30	37	31	2.083	126	55	55.568	-73
8	10	7	16	41	31	37	31	2.083	126	55	55.568	-77
9	10	7	16	41	32	37	31	2.083	126	55	55.568	-77
10	10	7	16	41	33	37	31	2.083	126	55	55.568	-77
11	10	7	16	41	34	37	31	2.083	126	55	55.568	-73
12	10	7	16	41	35	37	31	2.083	126	55	55.568	-73
13	10	7	16	41	36	37	31	2.083	126	55	55.568	-73
14	10	7	16	41	37	37	31	2.083	126	55	55.568	-74
15	10	7	16	41	38	37	31	2.083	126	55	55.568	-74
16	10	7	16	41	39	37	31	2.083	126	55	55.568	-74
17	10	7	16	41	40	37	31	2.083	126	55	55.568	-76
평균 전계 강도												-73.94




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(-30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	41	54	37	31	2.083	126	55	55.568	-75
2	10	7	16	41	55	37	31	2.083	126	55	55.568	-76
3	10	7	16	41	56	37	31	2.083	126	55	55.568	-76
4	10	7	16	41	57	37	31	2.083	126	55	55.568	-76
5	10	7	16	41	58	37	31	2.083	126	55	55.568	-78
6	10	7	16	41	59	37	31	2.083	126	55	55.568	-78
7	10	7	16	42	0	37	31	2.083	126	55	55.568	-78
8	10	7	16	42	1	37	31	2.083	126	55	55.568	-72
9	10	7	16	42	2	37	31	2.083	126	55	55.568	-72
10	10	7	16	42	3	37	31	2.083	126	55	55.568	-72
11	10	7	16	42	4	37	31	2.083	126	55	55.568	-74
12	10	7	16	42	5	37	31	2.083	126	55	55.568	-74
13	10	7	16	42	6	37	31	2.083	126	55	55.568	-74
14	10	7	16	42	7	37	31	2.083	126	55	55.568	-74
15	10	7	16	42	8	37	31	2.083	126	55	55.568	-74
16	10	7	16	42	9	37	31	2.083	126	55	55.568	-74
17	10	7	16	42	10	37	31	2.083	126	55	55.568	-71
18	10	7	16	42	11	37	31	2.083	126	55	55.568	-71
평균 전계 강도												-74.39




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(-30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	42	23	37	31	2.083	126	55	55.568	-85
2	10	7	16	42	24	37	31	2.083	126	55	55.568	-85
3	10	7	16	42	25	37	31	2.083	126	55	55.568	-83
4	10	7	16	42	26	37	31	2.083	126	55	55.568	-83
5	10	7	16	42	27	37	31	2.083	126	55	55.568	-83
6	10	7	16	42	28	37	31	2.083	126	55	55.568	-85
7	10	7	16	42	29	37	31	2.083	126	55	55.568	-85
8	10	7	16	42	30	37	31	2.083	126	55	55.568	-85
9	10	7	16	42	31	37	31	2.083	126	55	55.568	-90
10	10	7	16	42	32	37	31	2.083	126	55	55.568	-90
11	10	7	16	42	33	37	31	2.083	126	55	55.568	-90
12	10	7	16	42	34	37	31	2.083	126	55	55.568	-82
13	10	7	16	42	35	37	31	2.083	126	55	55.568	-82
14	10	7	16	42	36	37	31	2.083	126	55	55.568	-82
15	10	7	16	42	37	37	31	2.083	126	55	55.568	-93
16	10	7	16	42	38	37	31	2.083	126	55	55.568	-93
17	10	7	16	42	39	37	31	2.083	126	55	55.568	-93
18	10	7	16	42	40	37	31	2.083	126	55	55.568	-88
평균 전계 강도												-86.50




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(-30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	42	54	37	31	2.083	126	55	55.568	-81
2	10	7	16	42	55	37	31	2.083	126	55	55.568	-84
3	10	7	16	42	56	37	31	2.083	126	55	55.568	-84
4	10	7	16	42	57	37	31	2.083	126	55	55.568	-84
5	10	7	16	42	58	37	31	2.083	126	55	55.568	-80
6	10	7	16	42	59	37	31	2.083	126	55	55.568	-80
7	10	7	16	43	0	37	31	2.083	126	55	55.568	-80
8	10	7	16	43	1	37	31	2.083	126	55	55.568	-84
9	10	7	16	43	2	37	31	2.083	126	55	55.568	-84
10	10	7	16	43	3	37	31	2.083	126	55	55.568	-84
11	10	7	16	43	4	37	31	2.083	126	55	55.568	-81
12	10	7	16	43	5	37	31	2.083	126	55	55.568	-81
13	10	7	16	43	6	37	31	2.083	126	55	55.568	-81
14	10	7	16	43	7	37	31	2.083	126	55	55.568	-83
15	10	7	16	43	8	37	31	2.083	126	55	55.568	-83
16	10	7	16	43	9	37	31	2.083	126	55	55.568	-83
17	10	7	16	43	10	37	31	2.083	126	55	55.568	-83
18	10	7	16	43	11	37	31	2.083	126	55	55.568	-83
19	10	7	16	43	12	37	31	2.083	126	55	55.568	-83
20	10	7	16	43	13	37	31	2.083	126	55	55.568	-82
21	10	7	16	43	14	37	31	2.083	126	55	55.568	-82
평균 전계 강도												-82.38




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(+30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	43	27	37	31	2.083	126	55	55.568	-82
2	10	7	16	43	28	37	31	2.083	126	55	55.568	-82
3	10	7	16	43	29	37	31	2.083	126	55	55.568	-82
4	10	7	16	43	30	37	31	2.083	126	55	55.568	-82
5	10	7	16	43	31	37	31	2.083	126	55	55.568	-80
6	10	7	16	43	32	37	31	2.083	126	55	55.568	-80
7	10	7	16	43	33	37	31	2.083	126	55	55.568	-80
8	10	7	16	43	34	37	31	2.083	126	55	55.568	-82
9	10	7	16	43	35	37	31	2.083	126	55	55.568	-82
10	10	7	16	43	36	37	31	2.083	126	55	55.568	-82
11	10	7	16	43	37	37	31	2.083	126	55	55.568	-83
12	10	7	16	43	38	37	31	2.083	126	55	55.568	-83
13	10	7	16	43	39	37	31	2.083	126	55	55.568	-83
14	10	7	16	43	40	37	31	2.083	126	55	55.568	-83
15	10	7	16	43	41	37	31	2.083	126	55	55.568	-83
16	10	7	16	43	42	37	31	2.083	126	55	55.568	-83
17	10	7	16	43	43	37	31	2.083	126	55	55.568	-89
18	10	7	16	43	44	37	31	2.083	126	55	55.568	-89
19	10	7	16	43	45	37	31	2.083	126	55	55.568	-89
20	10	7	16	43	46	37	31	2.083	126	55	55.568	-92
21	10	7	16	43	47	37	31	2.083	126	55	55.568	-92
22	10	7	16	43	48	37	31	2.083	126	55	55.568	-92
23	10	7	16	43	49	37	31	2.083	126	55	55.568	-88
24	10	7	16	43	50	37	31	2.083	126	55	55.568	-88
25	10	7	16	43	51	37	31	2.083	126	55	55.568	-88
26	10	7	16	43	52	37	31	2.083	126	55	55.568	-78
27	10	7	16	43	53	37	31	2.083	126	55	55.568	-78
28	10	7	16	43	54	37	31	2.083	126	55	55.568	-78
29	10	7	16	43	55	37	31	2.083	126	55	55.568	-82
30	10	7	16	43	56	37	31	2.083	126	55	55.568	-82
평균 전계 강도												-83.90




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(+30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	44	9	37	31	2.083	126	55	55.568	-87
2	10	7	16	44	10	37	31	2.083	126	55	55.568	-101
3	10	7	16	44	11	37	31	2.083	126	55	55.568	-101
4	10	7	16	44	12	37	31	2.083	126	55	55.568	-101
5	10	7	16	44	13	37	31	2.083	126	55	55.568	-92
6	10	7	16	44	14	37	31	2.083	126	55	55.568	-92
7	10	7	16	44	15	37	31	2.083	126	55	55.568	-92
8	10	7	16	44	16	37	31	2.083	126	55	55.568	-91
9	10	7	16	44	17	37	31	2.083	126	55	55.568	-91
10	10	7	16	44	18	37	31	2.083	126	55	55.568	-91
11	10	7	16	44	19	37	31	2.083	126	55	55.568	-91
12	10	7	16	44	20	37	31	2.083	126	55	55.568	-91
13	10	7	16	44	21	37	31	2.083	126	55	55.568	-91
14	10	7	16	44	22	37	31	2.083	126	55	55.568	-92
15	10	7	16	44	23	37	31	2.083	126	55	55.568	-92
16	10	7	16	44	24	37	31	2.083	126	55	55.568	-92
17	10	7	16	44	25	37	31	2.083	126	55	55.568	-88
18	10	7	16	44	26	37	31	2.083	126	55	55.568	-88
19	10	7	16	44	27	37	31	2.083	126	55	55.568	-88
20	10	7	16	44	28	37	31	2.083	126	55	55.568	-89
21	10	7	16	44	29	37	31	2.083	126	55	55.568	-89
22	10	7	16	44	30	37	31	2.083	126	55	55.568	-89
23	10	7	16	44	31	37	31	2.083	126	55	55.568	-85
24	10	7	16	44	32	37	31	2.083	126	55	55.568	-85
25	10	7	16	44	33	37	31	2.083	126	55	55.568	-85
26	10	7	16	44	34	37	31	2.083	126	55	55.568	-92
27	10	7	16	44	35	37	31	2.083	126	55	55.568	-92
28	10	7	16	44	36	37	31	2.083	126	55	55.568	-92
29	10	7	16	44	37	37	31	2.083	126	55	55.568	-84
30	10	7	16	44	38	37	31	2.083	126	55	55.568	-84
평균 전계 강도												-90.60




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(+30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	44	52	37	31	2.083	126	55	55.568	-82
2	10	7	16	44	53	37	31	2.083	126	55	55.568	-82
3	10	7	16	44	54	37	31	2.083	126	55	55.568	-82
4	10	7	16	44	55	37	31	2.083	126	55	55.568	-85
5	10	7	16	44	56	37	31	2.083	126	55	55.568	-85
6	10	7	16	44	57	37	31	2.083	126	55	55.568	-85
7	10	7	16	44	58	37	31	2.083	126	55	55.568	-88
8	10	7	16	44	59	37	31	2.083	126	55	55.568	-88
9	10	7	16	45	0	37	31	2.083	126	55	55.568	-88
10	10	7	16	45	1	37	31	2.083	126	55	55.568	-81
11	10	7	16	45	2	37	31	2.083	126	55	55.568	-81
12	10	7	16	45	3	37	31	2.083	126	55	55.568	-81
13	10	7	16	45	4	37	31	2.083	126	55	55.568	-85
14	10	7	16	45	5	37	31	2.083	126	55	55.568	-85
15	10	7	16	45	6	37	31	2.083	126	55	55.568	-85
16	10	7	16	45	7	37	31	2.083	126	55	55.568	-86
평균 전계 강도												-84.31




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(+30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	45	24	37	31	2.083	126	55	55.568	-78
2	10	7	16	45	25	37	31	2.083	126	55	55.568	-81
3	10	7	16	45	26	37	31	2.083	126	55	55.568	-81
4	10	7	16	45	27	37	31	2.083	126	55	55.568	-81
5	10	7	16	45	28	37	31	2.083	126	55	55.568	-80
6	10	7	16	45	29	37	31	2.083	126	55	55.568	-80
7	10	7	16	45	30	37	31	2.083	126	55	55.568	-80
8	10	7	16	45	31	37	31	2.083	126	55	55.568	-81
9	10	7	16	45	32	37	31	2.083	126	55	55.568	-81
10	10	7	16	45	33	37	31	2.083	126	55	55.568	-81
11	10	7	16	45	34	37	31	2.083	126	55	55.568	-81
12	10	7	16	45	35	37	31	2.083	126	55	55.568	-81
13	10	7	16	45	36	37	31	2.083	126	55	55.568	-81
14	10	7	16	45	37	37	31	2.083	126	55	55.568	-78
15	10	7	16	45	38	37	31	2.083	126	55	55.568	-78
16	10	7	16	45	39	37	31	2.083	126	55	55.568	-78
17	10	7	16	45	40	37	31	2.083	126	55	55.568	-78
18	10	7	16	45	41	37	31	2.083	126	55	55.568	-78
19	10	7	16	45	42	37	31	2.083	126	55	55.568	-78
20	10	7	16	45	43	37	31	2.083	126	55	55.568	-87
평균 전계 강도												-80.10




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(+30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	45	59	37	31	2.083	126	55	55.568	-77
2	10	7	16	46	0	37	31	2.083	126	55	55.568	-77
3	10	7	16	46	1	37	31	2.083	126	55	55.568	-73
4	10	7	16	46	2	37	31	2.083	126	55	55.568	-73
5	10	7	16	46	3	37	31	2.083	126	55	55.568	-73
6	10	7	16	46	4	37	31	2.083	126	55	55.568	-76
7	10	7	16	46	5	37	31	2.083	126	55	55.568	-76
8	10	7	16	46	6	37	31	2.083	126	55	55.568	-76
9	10	7	16	46	7	37	31	2.083	126	55	55.568	-77
10	10	7	16	46	8	37	31	2.083	126	55	55.568	-77
11	10	7	16	46	9	37	31	2.083	126	55	55.568	-77
12	10	7	16	46	10	37	31	2.083	126	55	55.568	-73
13	10	7	16	46	11	37	31	2.083	126	55	55.568	-73
14	10	7	16	46	12	37	31	2.083	126	55	55.568	-73
15	10	7	16	46	13	37	31	2.083	126	55	55.568	-75
16	10	7	16	46	14	37	31	2.083	126	55	55.568	-75
17	10	7	16	46	15	37	31	2.083	126	55	55.568	-75
18	10	7	16	46	16	37	31	2.083	126	55	55.568	-81
19	10	7	16	46	17	37	31	2.083	126	55	55.568	-81
평균 전계 강도												-75.68




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(+30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	46	36	37	31	2.083	126	55	55.568	-72
2	10	7	16	46	37	37	31	2.083	126	55	55.568	-71
3	10	7	16	46	38	37	31	2.083	126	55	55.568	-71
4	10	7	16	46	39	37	31	2.083	126	55	55.568	-71
5	10	7	16	46	40	37	31	2.083	126	55	55.568	-72
6	10	7	16	46	41	37	31	2.083	126	55	55.568	-72
7	10	7	16	46	42	37	31	2.083	126	55	55.568	-72
8	10	7	16	46	43	37	31	2.083	126	55	55.568	-71
9	10	7	16	46	44	37	31	2.083	126	55	55.568	-71
10	10	7	16	46	45	37	31	2.083	126	55	55.568	-71
11	10	7	16	46	46	37	31	2.083	126	55	55.568	-72
12	10	7	16	46	47	37	31	2.083	126	55	55.568	-72
13	10	7	16	46	48	37	31	2.083	126	55	55.568	-72
14	10	7	16	46	49	37	31	2.083	126	55	55.568	-72
15	10	7	16	46	50	37	31	2.083	126	55	55.568	-72
16	10	7	16	46	51	37	31	2.083	126	55	55.568	-72
17	10	7	16	46	52	37	31	2.083	126	55	55.568	-71
18	10	7	16	46	53	37	31	2.083	126	55	55.568	-71
19	10	7	16	46	54	37	31	2.083	126	55	55.568	-71
20	10	7	16	46	55	37	31	2.083	126	55	55.568	-70
21	10	7	16	46	56	37	31	2.083	126	55	55.568	-70
22	10	7	16	46	57	37	31	2.083	126	55	55.568	-70
23	10	7	16	46	58	37	31	2.083	126	55	55.568	-71
24	10	7	16	46	59	37	31	2.083	126	55	55.568	-71
25	10	7	16	47	0	37	31	2.083	126	55	55.568	-71
26	10	7	16	47	1	37	31	2.083	126	55	55.568	-73
27	10	7	16	47	2	37	31	2.083	126	55	55.568	-73
28	10	7	16	47	3	37	31	2.083	126	55	55.568	-73
29	10	7	16	47	4	37	31	2.083	126	55	55.568	-73
30	10	7	16	47	5	37	31	2.083	126	55	55.568	-73
31	10	7	16	47	6	37	31	2.083	126	55	55.568	-73
32	10	7	16	47	7	37	31	2.083	126	55	55.568	-81
평균 전계 강도												-71.91




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(+30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	47	14	37	31	2.083	126	55	55.568	-76
2	10	7	16	47	15	37	31	2.083	126	55	55.568	-76
3	10	7	16	47	16	37	31	2.083	126	55	55.568	-78
4	10	7	16	47	17	37	31	2.083	126	55	55.568	-78
5	10	7	16	47	18	37	31	2.083	126	55	55.568	-78
6	10	7	16	47	19	37	31	2.083	126	55	55.568	-78
7	10	7	16	47	20	37	31	2.083	126	55	55.568	-78
8	10	7	16	47	21	37	31	2.083	126	55	55.568	-78
9	10	7	16	47	22	37	31	2.083	126	55	55.568	-78
10	10	7	16	47	23	37	31	2.083	126	55	55.568	-78
11	10	7	16	47	24	37	31	2.083	126	55	55.568	-78
12	10	7	16	47	25	37	31	2.083	126	55	55.568	-78
13	10	7	16	47	26	37	31	2.083	126	55	55.568	-78
14	10	7	16	47	27	37	31	2.083	126	55	55.568	-78
15	10	7	16	47	28	37	31	2.083	126	55	55.568	-78
16	10	7	16	47	29	37	31	2.083	126	55	55.568	-78
17	10	7	16	47	30	37	31	2.083	126	55	55.568	-78
18	10	7	16	47	31	37	31	2.083	126	55	55.568	-78
19	10	7	16	47	32	37	31	2.083	126	55	55.568	-78
20	10	7	16	47	33	37	31	2.083	126	55	55.568	-78
21	10	7	16	47	34	37	31	2.083	126	55	55.568	-80
22	10	7	16	47	35	37	31	2.083	126	55	55.568	-80
23	10	7	16	47	36	37	31	2.083	126	55	55.568	-80
24	10	7	16	47	37	37	31	2.083	126	55	55.568	-78
25	10	7	16	47	38	37	31	2.083	126	55	55.568	-78
26	10	7	16	47	39	37	31	2.083	126	55	55.568	-78
27	10	7	16	47	40	37	31	2.083	126	55	55.568	-80
28	10	7	16	47	41	37	31	2.083	126	55	55.568	-80
29	10	7	16	47	42	37	31	2.083	126	55	55.568	-80
평균 전계 강도												-78.28



- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(8)(+30_315)


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	47	58	37	31	2.083	126	55	55.568	-80
2	10	7	16	47	59	37	31	2.083	126	55	55.568	-80
3	10	7	16	48	0	37	31	2.083	126	55	55.568	-80
4	10	7	16	48	1	37	31	2.083	126	55	55.568	-79
5	10	7	16	48	2	37	31	2.083	126	55	55.568	-79
6	10	7	16	48	3	37	31	2.083	126	55	55.568	-79
7	10	7	16	48	4	37	31	2.083	126	55	55.568	-79
8	10	7	16	48	5	37	31	2.083	126	55	55.568	-79
9	10	7	16	48	6	37	31	2.083	126	55	55.568	-79
10	10	7	16	48	7	37	31	2.083	126	55	55.568	-78
11	10	7	16	48	8	37	31	2.083	126	55	55.568	-78
12	10	7	16	48	9	37	31	2.083	126	55	55.568	-78
13	10	7	16	48	10	37	31	2.083	126	55	55.568	-76
14	10	7	16	48	11	37	31	2.083	126	55	55.568	-76
15	10	7	16	48	12	37	31	2.083	126	55	55.568	-76
16	10	7	16	48	13	37	31	2.083	126	55	55.568	-79
17	10	7	16	48	14	37	31	2.083	126	55	55.568	-79
18	10	7	16	48	15	37	31	2.083	126	55	55.568	-79
19	10	7	16	48	16	37	31	2.083	126	55	55.568	-79
20	10	7	16	48	17	37	31	2.083	126	55	55.568	-79
21	10	7	16	48	18	37	31	2.083	126	55	55.568	-79
22	10	7	16	48	19	37	31	2.083	126	55	55.568	-81
23	10	7	16	48	20	37	31	2.083	126	55	55.568	-81
24	10	7	16	48	21	37	31	2.083	126	55	55.568	-81
25	10	7	16	48	22	37	31	2.083	126	55	55.568	-81
26	10	7	16	48	23	37	31	2.083	126	55	55.568	-81
27	10	7	16	48	24	37	31	2.083	126	55	55.568	-81
28	10	7	16	48	25	37	31	2.083	126	55	55.568	-80
29	10	7	16	48	26	37	31	2.083	126	55	55.568	-80
30	10	7	16	48	27	37	31	2.083	126	55	55.568	-80
31	10	7	16	48	28	37	31	2.083	126	55	55.568	-80
32	10	7	16	48	29	37	31	2.083	126	55	55.568	-80
33	10	7	16	48	30	37	31	2.083	126	55	55.568	-80
34	10	7	16	48	31	37	31	2.083	126	55	55.568	-79
35	10	7	16	48	32	37	31	2.083	126	55	55.568	-79
36	10	7	16	48	33	37	31	2.083	126	55	55.568	-79
37	10	7	16	48	34	37	31	2.083	126	55	55.568	-83
38	10	7	16	48	35	37	31	2.083	126	55	55.568	-83
39	10	7	16	48	36	37	31	2.083	126	55	55.568	-83
40	10	7	16	48	37	37	31	2.083	126	55	55.568	-81
41	10	7	16	48	38	37	31	2.083	126	55	55.568	-81
42	10	7	16	48	39	37	31	2.083	126	55	55.568	-81
43	10	7	16	48	40	37	31	2.083	126	55	55.568	-80
44	10	7	16	48	41	37	31	2.083	126	55	55.568	-80
45	10	7	16	48	42	37	31	2.083	126	55	55.568	-80
평균 전계 강도												-79.67



- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 07일
- 측정장소 : 여의도 Rx1(Tx8 MAX)


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	7	16	49	23	37	31	2.083	126	55	55.568	-67
2	10	7	16	49	24	37	31	2.083	126	55	55.568	-67
3	10	7	16	49	25	37	31	2.083	126	55	55.568	-68
4	10	7	16	49	26	37	31	2.083	126	55	55.568	-68
5	10	7	16	49	27	37	31	2.083	126	55	55.568	-68
6	10	7	16	49	28	37	31	2.083	126	55	55.568	-68
7	10	7	16	49	29	37	31	2.083	126	55	55.568	-68
8	10	7	16	49	30	37	31	2.083	126	55	55.568	-68
9	10	7	16	49	31	37	31	2.083	126	55	55.568	-70
10	10	7	16	49	32	37	31	2.083	126	55	55.568	-70
11	10	7	16	49	33	37	31	2.083	126	55	55.568	-70
12	10	7	16	49	34	37	31	2.083	126	55	55.568	-66
13	10	7	16	49	35	37	31	2.083	126	55	55.568	-66
14	10	7	16	49	36	37	31	2.083	126	55	55.568	-66
15	10	7	16	49	37	37	31	2.083	126	55	55.568	-72
16	10	7	16	49	38	37	31	2.083	126	55	55.568	-72
17	10	7	16	49	39	37	31	2.083	126	55	55.568	-72
18	10	7	16	49	40	37	31	2.083	126	55	55.568	-67
19	10	7	16	49	41	37	31	2.083	126	55	55.568	-67
20	10	7	16	49	42	37	31	2.083	126	55	55.568	-67
21	10	7	16	49	43	37	31	2.083	126	55	55.568	-66
22	10	7	16	49	44	37	31	2.083	126	55	55.568	-66
23	10	7	16	49	45	37	31	2.083	126	55	55.568	-66
24	10	7	16	49	46	37	31	2.083	126	55	55.568	-70
25	10	7	16	49	47	37	31	2.083	126	55	55.568	-70
26	10	7	16	49	48	37	31	2.083	126	55	55.568	-70
27	10	7	16	49	49	37	31	2.083	126	55	55.568	-67
28	10	7	16	49	50	37	31	2.083	126	55	55.568	-67
29	10	7	16	49	51	37	31	2.083	126	55	55.568	-67
30	10	7	16	49	52	37	31	2.083	126	55	55.568	-67
31	10	7	16	49	53	37	31	2.083	126	55	55.568	-67
32	10	7	16	49	54	37	31	2.083	126	55	55.568	-67
33	10	7	16	49	55	37	31	2.083	126	55	55.568	-65
34	10	7	16	49	56	37	31	2.083	126	55	55.568	-65
35	10	7	16	49	57	37	31	2.083	126	55	55.568	-65
36	10	7	16	49	58	37	31	2.083	126	55	55.568	-67
37	10	7	16	49	59	37	31	2.083	126	55	55.568	-67
38	10	7	16	50	0	37	31	2.083	126	55	55.568	-67
39	10	7	16	50	1	37	31	2.083	126	55	55.568	-67
40	10	7	16	50	2	37	31	2.083	126	55	55.568	-67
41	10	7	16	50	3	37	31	2.083	126	55	55.568	-67
42	10	7	16	50	4	37	31	2.083	126	55	55.568	-66
43	10	7	16	50	5	37	31	2.083	126	55	55.568	-66
44	10	7	16	50	6	37	31	2.083	126	55	55.568	-66
45	10	7	16	50	7	37	31	2.083	126	55	55.568	-66
46	10	7	16	50	8	37	31	2.083	126	55	55.568	-66
47	10	7	16	50	9	37	31	2.083	126	55	55.568	-66
48	10	7	16	50	10	37	31	2.083	126	55	55.568	-66
49	10	7	16	50	11	37	31	2.083	126	55	55.568	-66
50	10	7	16	50	12	37	31	2.083	126	55	55.568	-66
51	10	7	16	50	13	37	31	2.083	126	55	55.568	-64
52	10	7	16	50	14	37	31	2.083	126	55	55.568	-64

53	10	7	16	50	15	37	31	2.083	126	55	55.568	-64
54	10	7	16	50	16	37	31	2.083	126	55	55.568	-65
55	10	7	16	50	17	37	31	2.083	126	55	55.568	-65
56	10	7	16	50	18	37	31	2.083	126	55	55.568	-65
57	10	7	16	50	19	37	31	2.083	126	55	55.568	-65
58	10	7	16	50	20	37	31	2.083	126	55	55.568	-65
59	10	7	16	50	21	37	31	2.083	126	55	55.568	-65
60	10	7	16	50	22	37	31	2.083	126	55	55.568	-66
61	10	7	16	50	23	37	31	2.083	126	55	55.568	-66
62	10	7	16	50	24	37	31	2.083	126	55	55.568	-66
63	10	7	16	50	26	37	31	2.083	126	55	55.568	-66
64	10	7	16	50	26	37	31	2.083	126	55	55.568	-64
65	10	7	16	50	27	37	31	2.083	126	55	55.568	-64
66	10	7	16	50	28	37	31	2.083	126	55	55.568	-66
67	10	7	16	50	29	37	31	2.083	126	55	55.568	-66
68	10	7	16	50	30	37	31	2.083	126	55	55.568	-66
69	10	7	16	50	31	37	31	2.083	126	55	55.568	-65
70	10	7	16	50	32	37	31	2.083	126	55	55.568	-65
71	10	7	16	50	33	37	31	2.083	126	55	55.568	-65
72	10	7	16	50	34	37	31	2.083	126	55	55.568	-65
73	10	7	16	50	35	37	31	2.083	126	55	55.568	-65
평균 전계 강도												-66.64




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(-30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	37	44	37	31	2.191	126	55	55.784	-97
2	10	11	11	37	45	37	31	2.191	126	55	55.784	-97
3	10	11	11	37	46	37	31	2.191	126	55	55.784	-89
4	10	11	11	37	47	37	31	2.191	126	55	55.784	-89
5	10	11	11	37	48	37	31	2.191	126	55	55.784	-89
6	10	11	11	37	49	37	31	2.191	126	55	55.784	-102
7	10	11	11	37	50	37	31	2.191	126	55	55.784	-102
8	10	11	11	37	51	37	31	2.191	126	55	55.784	-102
9	10	11	11	37	52	37	31	2.191	126	55	55.784	-106
10	10	11	11	37	53	37	31	2.191	126	55	55.784	-106
11	10	11	11	37	54	37	31	2.191	126	55	55.784	-106
12	10	11	11	37	55	37	31	2.191	126	55	55.784	-102
13	10	11	11	37	56	37	31	2.191	126	55	55.784	-102
14	10	11	11	37	57	37	31	2.191	126	55	55.784	-102
15	10	11	11	37	58	37	31	2.191	126	55	55.784	-90
16	10	11	11	37	59	37	31	2.191	126	55	55.784	-90
17	10	11	11	38	0	37	31	2.191	126	55	55.784	-90
18	10	11	11	38	1	37	31	2.191	126	55	55.784	-93
19	10	11	11	38	2	37	31	2.191	126	55	55.820	-93
20	10	11	11	38	3	37	31	2.191	126	55	55.820	-93
21	10	11	11	38	4	37	31	2.191	126	55	55.820	-95
22	10	11	11	38	5	37	31	2.191	126	55	55.820	-95
23	10	11	11	38	6	37	31	2.191	126	55	55.820	-95
24	10	11	11	38	7	37	31	2.191	126	55	55.820	-94
25	10	11	11	38	8	37	31	2.191	126	55	55.820	-94
평균 전계 강도												-96.52




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(0_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	29	51	37	31	2.695	126	55	56.000	-87
2	10	11	11	29	52	37	31	2.695	126	55	56.000	-87
3	10	11	11	29	53	37	31	2.659	126	55	55.964	-87
4	10	11	11	29	55	37	31	2.659	126	55	55.964	-83
5	10	11	11	29	56	37	31	2.659	126	55	55.964	-83
6	10	11	11	29	57	37	31	2.659	126	55	55.964	-83
7	10	11	11	29	58	37	31	2.659	126	55	55.928	-86
8	10	11	11	29	59	37	31	2.659	126	55	55.928	-86
9	10	11	11	30	0	37	31	2.659	126	55	55.928	-86
10	10	11	11	30	1	37	31	2.659	126	55	55.928	-84
11	10	11	11	30	2	37	31	2.659	126	55	55.928	-84
12	10	11	11	30	3	37	31	2.659	126	55	55.928	-84
13	10	11	11	30	4	37	31	2.659	126	55	55.928	-86
14	10	11	11	30	5	37	31	2.659	126	55	55.928	-86
15	10	11	11	30	6	37	31	2.659	126	55	55.928	-86
16	10	11	11	30	7	37	31	2.659	126	55	55.928	-86
17	10	11	11	30	8	37	31	2.659	126	55	55.928	-86
18	10	11	11	30	9	37	31	2.659	126	55	55.928	-86
19	10	11	11	30	10	37	31	2.659	126	55	55.928	-81
20	10	11	11	30	11	37	31	2.659	126	55	55.928	-81
평균 전계 강도												-84.90




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(0_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	30	25	37	31	2.623	126	55	55.928	-88
2	10	11	11	30	26	37	31	2.623	126	55	55.928	-88
3	10	11	11	30	27	37	31	2.623	126	55	55.928	-88
4	10	11	11	30	28	37	31	2.623	126	55	55.928	-91
5	10	11	11	30	29	37	31	2.623	126	55	55.928	-91
6	10	11	11	30	30	37	31	2.623	126	55	55.928	-91
7	10	11	11	30	31	37	31	2.623	126	55	55.928	-97
8	10	11	11	30	32	37	31	2.623	126	55	55.928	-97
9	10	11	11	30	33	37	31	2.623	126	55	55.928	-97
10	10	11	11	30	34	37	31	2.623	126	55	55.928	-83
11	10	11	11	30	35	37	31	2.623	126	55	55.928	-83
12	10	11	11	30	36	37	31	2.623	126	55	55.928	-83
13	10	11	11	30	37	37	31	2.623	126	55	55.928	-93
14	10	11	11	30	38	37	31	2.623	126	55	55.928	-93
15	10	11	11	30	39	37	31	2.623	126	55	55.928	-93
16	10	11	11	30	40	37	31	2.623	126	55	55.928	-89
평균 전계 강도												-90




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(0_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	30	49	37	31	2.623	126	55	56.000	-87
2	10	11	11	30	50	37	31	2.587	126	55	56.000	-87
3	10	11	11	30	51	37	31	2.587	126	55	56.000	-87
4	10	11	11	30	52	37	31	2.587	126	55	56.000	-82
5	10	11	11	30	53	37	31	2.587	126	55	56.000	-82
6	10	11	11	30	54	37	31	2.587	126	55	56.000	-82
7	10	11	11	30	55	37	31	2.587	126	55	56.000	-84
8	10	11	11	30	56	37	31	2.587	126	55	56.000	-84
9	10	11	11	30	57	37	31	2.587	126	55	56.000	-84
10	10	11	11	30	58	37	31	2.587	126	55	56.000	-83
11	10	11	11	30	59	37	31	2.587	126	55	56.000	-83
12	10	11	11	31	0	37	31	2.587	126	55	56.000	-83
13	10	11	11	31	1	37	31	2.587	126	55	56.000	-83
14	10	11	11	31	2	37	31	2.587	126	55	56.000	-83
15	10	11	11	31	3	37	31	2.587	126	55	56.000	-83
16	10	11	11	31	4	37	31	2.587	126	55	56.000	-87
17	10	11	11	31	5	37	31	2.587	126	55	56.000	-87
18	10	11	11	31	6	37	31	2.587	126	55	55.964	-87
19	10	11	11	31	7	37	31	2.587	126	55	55.964	-94
56	10	11	11	31	8	37	31	2.587	126	55	55.964	-94
평균 전계 강도												-85.30




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(0_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	31	28	37	31	2.587	126	55	55.964	-75
2	10	11	11	31	29	37	31	2.587	126	55	55.964	-75
3	10	11	11	31	30	37	31	2.587	126	55	55.964	-75
4	10	11	11	31	31	37	31	2.587	126	55	55.964	-86
5	10	11	11	31	32	37	31	2.587	126	55	55.964	-86
6	10	11	11	31	33	37	31	2.551	126	55	55.964	-86
7	10	11	11	31	34	37	31	2.551	126	55	55.964	-80
8	10	11	11	31	35	37	31	2.551	126	55	55.964	-80
9	10	11	11	31	36	37	31	2.551	126	55	55.964	-80
10	10	11	11	31	37	37	31	2.551	126	55	55.964	-79
11	10	11	11	31	38	37	31	2.551	126	55	55.964	-79
12	10	11	11	31	39	37	31	2.551	126	55	55.964	-79
13	10	11	11	31	40	37	31	2.551	126	55	55.964	-85
14	10	11	11	31	41	37	31	2.551	126	55	55.964	-85
15	10	11	11	31	42	37	31	2.551	126	55	55.964	-85
16	10	11	11	31	43	37	31	2.551	126	55	56.000	-86
17	10	11	11	31	44	37	31	2.551	126	55	55.964	-86
18	10	11	11	31	45	37	31	2.551	126	55	56.000	-86
19	10	11	11	31	46	37	31	2.551	126	55	55.964	-81
20	10	11	11	31	47	37	31	2.551	126	55	55.964	-81
21	10	11	11	31	48	37	31	2.551	126	55	55.964	-81
22	10	11	11	31	49	37	31	2.551	126	55	55.964	-84
23	10	11	11	31	50	37	31	2.551	126	55	55.964	-84
24	10	11	11	31	51	37	31	2.551	126	55	55.964	-84
평균 전계 강도												-82.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(0_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	32	6	37	31	2.551	126	55	55.964	-66
2	10	11	11	32	7	37	31	2.551	126	55	55.964	-64
3	10	11	11	32	8	37	31	2.551	126	55	55.964	-64
4	10	11	11	32	9	37	31	2.551	126	55	55.964	-64
5	10	11	11	32	10	37	31	2.551	126	55	55.964	-64
6	10	11	11	32	11	37	31	2.551	126	55	55.964	-64
7	10	11	11	32	12	37	31	2.551	126	55	55.964	-64
8	10	11	11	32	13	37	31	2.551	126	55	55.964	-63
9	10	11	11	32	14	37	31	2.551	126	55	55.964	-63
10	10	11	11	32	15	37	31	2.551	126	55	55.964	-63
11	10	11	11	32	16	37	31	2.551	126	55	55.964	-64
12	10	11	11	32	17	37	31	2.551	126	55	55.964	-64
13	10	11	11	32	18	37	31	2.551	126	55	55.964	-64
14	10	11	11	32	19	37	31	2.551	126	55	55.964	-65
15	10	11	11	32	20	37	31	2.515	126	55	55.928	-65
16	10	11	11	32	21	37	31	2.515	126	55	55.928	-65
17	10	11	11	32	22	37	31	2.515	126	55	55.928	-65
18	10	11	11	32	23	37	31	2.515	126	55	55.928	-65
19	10	11	11	32	24	37	31	2.515	126	55	55.928	-65
20	10	11	11	32	25	37	31	2.515	126	55	55.928	-62
21	10	11	11	32	26	37	31	2.515	126	55	55.928	-62
평균 전계 강도												-64.05




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(0_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	32	37	37	31	2.515	126	55	55.928	-78
2	10	11	11	32	38	37	31	2.515	126	55	55.928	-78
3	10	11	11	32	39	37	31	2.515	126	55	55.928	-78
4	10	11	11	32	40	37	31	2.515	126	55	55.928	-77
5	10	11	11	32	41	37	31	2.515	126	55	55.928	-77
6	10	11	11	32	42	37	31	2.515	126	55	55.928	-77
7	10	11	11	32	43	37	31	2.515	126	55	55.928	-77
8	10	11	11	32	44	37	31	2.515	126	55	55.928	-77
9	10	11	11	32	45	37	31	2.515	126	55	55.928	-77
10	10	11	11	32	46	37	31	2.515	126	55	55.928	-72
11	10	11	11	32	47	37	31	2.515	126	55	55.928	-72
12	10	11	11	32	48	37	31	2.515	126	55	55.928	-72
13	10	11	11	32	49	37	31	2.515	126	55	55.928	-74
14	10	11	11	32	50	37	31	2.515	126	55	55.928	-74
15	10	11	11	32	51	37	31	2.515	126	55	55.928	-74
16	10	11	11	32	52	37	31	2.515	126	55	55.928	-76
17	10	11	11	32	53	37	31	2.515	126	55	55.928	-76
18	10	11	11	32	54	37	31	2.515	126	55	55.928	-76
19	10	11	11	32	55	37	31	2.515	126	55	55.892	-81
20	10	11	11	32	56	37	31	2.515	126	55	55.892	-81
21	10	11	11	32	57	37	31	2.515	126	55	55.892	-81
평균 전계 강도												-76.43




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(0_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	33	9	37	31	2.479	126	55	55.892	-80
2	10	11	11	33	10	37	31	2.479	126	55	55.892	-81
3	10	11	11	33	11	37	31	2.479	126	55	55.856	-81
4	10	11	11	33	12	37	31	2.479	126	55	55.856	-81
5	10	11	11	33	13	37	31	2.479	126	55	55.856	-81
6	10	11	11	33	14	37	31	2.479	126	55	55.856	-81
7	10	11	11	33	15	37	31	2.479	126	55	55.856	-81
8	10	11	11	33	16	37	31	2.479	126	55	55.856	-85
9	10	11	11	33	17	37	31	2.479	126	55	55.856	-85
10	10	11	11	33	18	37	31	2.479	126	55	55.856	-85
11	10	11	11	33	19	37	31	2.479	126	55	55.856	-83
12	10	11	11	33	20	37	31	2.479	126	55	55.856	-83
13	10	11	11	33	21	37	31	2.479	126	55	55.856	-83
14	10	11	11	33	22	37	31	2.479	126	55	55.856	-85
15	10	11	11	33	23	37	31	2.479	126	55	55.856	-85
16	10	11	11	33	24	37	31	2.479	126	55	55.856	-85
17	10	11	11	33	25	37	31	2.479	126	55	55.856	-83
18	10	11	11	33	26	37	31	2.479	126	55	55.856	-83
평균 전계 강도												-83




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(0_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	33	37	37	31	2.479	126	55	55.820	-92
2	10	11	11	33	38	37	31	2.479	126	55	55.820	-92
3	10	11	11	33	39	37	31	2.443	126	55	55.820	-92
4	10	11	11	33	40	37	31	2.443	126	55	55.820	-83
5	10	11	11	33	41	37	31	2.443	126	55	55.820	-83
6	10	11	11	33	42	37	31	2.443	126	55	55.820	-83
7	10	11	11	33	43	37	31	2.443	126	55	55.820	-90
8	10	11	11	33	44	37	31	2.443	126	55	55.820	-90
9	10	11	11	33	45	37	31	2.443	126	55	55.820	-90
10	10	11	11	33	46	37	31	2.443	126	55	55.820	-93
11	10	11	11	33	47	37	31	2.443	126	55	55.820	-93
12	10	11	11	33	48	37	31	2.443	126	55	55.820	-93
13	10	11	11	33	49	37	31	2.443	126	55	55.820	-89
14	10	11	11	33	50	37	31	2.443	126	55	55.820	-89
15	10	11	11	33	51	37	31	2.443	126	55	55.820	-89
16	10	11	11	33	52	37	31	2.443	126	55	55.820	-85
17	10	11	11	33	53	37	31	2.443	126	55	55.820	-85
18	10	11	11	33	54	37	31	2.443	126	55	55.820	-85
19	10	11	11	33	55	37	31	2.443	126	55	55.820	-85
평균 전계 강도												-88.47




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(-30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	34	3	37	31	2.443	126	55	55.856	-83
2	10	11	11	34	4	37	31	2.443	126	55	55.856	-80
3	10	11	11	34	5	37	31	2.443	126	55	55.856	-80
4	10	11	11	34	6	37	31	2.443	126	55	55.856	-80
5	10	11	11	34	7	37	31	2.443	126	55	55.856	-80
6	10	11	11	34	8	37	31	2.443	126	55	55.856	-80
7	10	11	11	34	9	37	31	2.443	126	55	55.856	-80
8	10	11	11	34	10	37	31	2.443	126	55	55.856	-80
9	10	11	11	34	11	37	31	2.443	126	55	55.856	-80
10	10	11	11	34	12	37	31	2.443	126	55	55.820	-80
11	10	11	11	34	13	37	31	2.443	126	55	55.820	-83
12	10	11	11	34	14	37	31	2.443	126	55	55.820	-83
13	10	11	11	34	15	37	31	2.407	126	55	55.820	-83
14	10	11	11	34	16	37	31	2.407	126	55	55.820	-90
15	10	11	11	34	17	37	31	2.407	126	55	55.820	-90
16	10	11	11	34	18	37	31	2.407	126	55	55.820	-90
17	10	11	11	34	19	37	31	2.407	126	55	55.820	-83
18	10	11	11	34	20	37	31	2.407	126	55	55.820	-83
19	10	11	11	34	21	37	31	2.407	126	55	55.820	-83
20	10	11	11	34	22	37	31	2.407	126	55	55.820	-81
21	10	11	11	34	23	37	31	2.407	126	55	55.820	-81
22	10	11	11	34	24	37	31	2.407	126	55	55.820	-81
평균 전계 강도												-82.45




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(-30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	34	35	37	31	2.407	126	55	55.820	-84
2	10	11	11	34	36	37	31	2.407	126	55	55.820	-84
3	10	11	11	34	37	37	31	2.407	126	55	55.820	-85
4	10	11	11	34	38	37	31	2.407	126	55	55.820	-85
5	10	11	11	34	39	37	31	2.407	126	55	55.820	-85
6	10	11	11	34	40	37	31	2.407	126	55	55.820	-89
7	10	11	11	34	41	37	31	2.407	126	55	55.820	-89
8	10	11	11	34	42	37	31	2.407	126	55	55.820	-89
9	10	11	11	34	43	37	31	2.407	126	55	55.820	-87
10	10	11	11	34	44	37	31	2.407	126	55	55.820	-87
11	10	11	11	34	45	37	31	2.407	126	55	55.820	-87
12	10	11	11	34	46	37	31	2.407	126	55	55.820	-89
13	10	11	11	34	47	37	31	2.407	126	55	55.820	-89
14	10	11	11	34	48	37	31	2.407	126	55	55.820	-89
15	10	11	11	34	49	37	31	2.407	126	55	55.820	-96
16	10	11	11	34	50	37	31	2.407	126	55	55.820	-96
평균 전계 강도												-88.13




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(-30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	35	11	37	31	2.371	126	55	55.820	-87
2	10	11	11	35	12	37	31	2.371	126	55	55.820	-87
3	10	11	11	35	13	37	31	2.371	126	55	55.820	-87
4	10	11	11	35	14	37	31	2.371	126	55	55.820	-87
5	10	11	11	35	15	37	31	2.371	126	55	55.820	-87
6	10	11	11	35	16	37	31	2.371	126	55	55.820	-87
7	10	11	11	35	17	37	31	2.371	126	55	55.820	-87
8	10	11	11	35	18	37	31	2.371	126	55	55.820	-87
9	10	11	11	35	19	37	31	2.371	126	55	55.820	-83
10	10	11	11	35	20	37	31	2.371	126	55	55.820	-83
11	10	11	11	35	21	37	31	2.371	126	55	55.820	-83
12	10	11	11	35	22	37	31	2.371	126	55	55.820	-86
13	10	11	11	35	23	37	31	2.371	126	55	55.820	-86
14	10	11	11	35	24	37	31	2.371	126	55	55.820	-86
15	10	11	11	35	25	37	31	2.371	126	55	55.820	-92
16	10	11	11	35	26	37	31	2.371	126	55	55.820	-92
17	10	11	11	35	27	37	31	2.371	126	55	55.820	-92
18	10	11	11	35	28	37	31	2.371	126	55	55.820	-89
19	10	11	11	35	29	37	31	2.371	126	55	55.820	-89
20	10	11	11	35	30	37	31	2.371	126	55	55.820	-89
평균 전계 강도												-87.30




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(-30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	35	40	37	31	2.335	126	55	55.820	-82
2	10	11	11	35	41	37	31	2.335	126	55	55.820	-82
3	10	11	11	35	42	37	31	2.335	126	55	55.820	-82
4	10	11	11	35	43	37	31	2.335	126	55	55.820	-80
5	10	11	11	35	44	37	31	2.335	126	55	55.820	-80
6	10	11	11	35	45	37	31	2.335	126	55	55.820	-80
7	10	11	11	35	46	37	31	2.335	126	55	55.820	-78
8	10	11	11	35	47	37	31	2.335	126	55	55.820	-78
9	10	11	11	35	48	37	31	2.335	126	55	55.820	-78
10	10	11	11	35	49	37	31	2.335	126	55	55.820	-78
11	10	11	11	35	50	37	31	2.335	126	55	55.820	-78
12	10	11	11	35	51	37	31	2.335	126	55	55.820	-78
13	10	11	11	35	52	37	31	2.335	126	55	55.820	-80
14	10	11	11	35	53	37	31	2.335	126	55	55.820	-80
15	10	11	11	35	54	37	31	2.335	126	55	55.820	-80
16	10	11	11	35	55	37	31	2.335	126	55	55.784	-83
17	10	11	11	35	56	37	31	2.335	126	55	55.784	-83
18	10	11	11	35	57	37	31	2.335	126	55	55.784	-83
19	10	11	11	35	58	37	31	2.335	126	55	55.784	-78
20	10	11	11	35	59	37	31	2.335	126	55	55.784	-78
21	10	11	11	36	0	37	31	2.335	126	55	55.784	-78
22	10	11	11	36	1	37	31	2.299	126	55	55.784	-79
평균 전계 강도												-79.82




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(-30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	36	13	37	31	2.263	126	55	55.784	-68
2	10	11	11	36	14	37	31	2.263	126	55	55.784	-68
3	10	11	11	36	15	37	31	2.263	126	55	55.748	-68
4	10	11	11	36	16	37	31	2.263	126	55	55.748	-68
5	10	11	11	36	17	37	31	2.263	126	55	55.748	-68
6	10	11	11	36	18	37	31	2.263	126	55	55.748	-68
7	10	11	11	36	19	37	31	2.263	126	55	55.748	-68
8	10	11	11	36	20	37	31	2.263	126	55	55.748	-68
9	10	11	11	36	21	37	31	2.227	126	55	55.748	-68
10	10	11	11	36	22	37	31	2.227	126	55	55.712	-69
11	10	11	11	36	23	37	31	2.227	126	55	55.712	-69
12	10	11	11	36	24	37	31	2.227	126	55	55.712	-69
13	10	11	11	36	25	37	31	2.227	126	55	55.712	-69
14	10	11	11	36	26	37	31	2.227	126	55	55.712	-69
15	10	11	11	36	27	37	31	2.227	126	55	55.712	-69
16	10	11	11	36	28	37	31	2.227	126	55	55.712	-70
17	10	11	11	36	29	37	31	2.227	126	55	55.712	-70
18	10	11	11	36	30	37	31	2.227	126	55	55.712	-70
19	10	11	11	36	31	37	31	2.227	126	55	55.712	-68
20	10	11	11	36	32	37	31	2.227	126	55	55.712	-68
21	10	11	11	36	33	37	31	2.227	126	55	55.712	-68
261	10	11	11	36	34	37	31	2.227	126	55	55.712	-71
평균 전계 강도												-68.68




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(-30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	36	45	37	31	2.191	126	55	55.712	-71
2	10	11	11	36	46	37	31	2.191	126	55	55.712	-70
3	10	11	11	36	47	37	31	2.191	126	55	55.712	-70
4	10	11	11	36	48	37	31	2.191	126	55	55.712	-70
5	10	11	11	36	49	37	31	2.191	126	55	55.712	-72
6	10	11	11	36	50	37	31	2.191	126	55	55.712	-72
7	10	11	11	36	51	37	31	2.191	126	55	55.712	-72
8	10	11	11	36	52	37	31	2.191	126	55	55.712	-71
9	10	11	11	36	53	37	31	2.191	126	55	55.712	-71
10	10	11	11	36	54	37	31	2.191	126	55	55.712	-71
11	10	11	11	36	55	37	31	2.191	126	55	55.712	-73
12	10	11	11	36	56	37	31	2.191	126	55	55.712	-73
13	10	11	11	36	57	37	31	2.191	126	55	55.748	-73
14	10	11	11	36	58	37	31	2.191	126	55	55.748	-71
15	10	11	11	36	59	37	31	2.191	126	55	55.748	-71
16	10	11	11	37	0	37	31	2.191	126	55	55.748	-71
17	10	11	11	37	1	37	31	2.191	126	55	55.748	-72
18	10	11	11	37	2	37	31	2.191	126	55	55.748	-72
평균 전계 강도												-71.44




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(-30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	37	11	37	31	2.191	126	55	55.748	-79
2	10	11	11	37	12	37	31	2.191	126	55	55.748	-79
3	10	11	11	37	13	37	31	2.191	126	55	55.748	-78
4	10	11	11	37	14	37	31	2.191	126	55	55.748	-78
5	10	11	11	37	15	37	31	2.191	126	55	55.748	-78
6	10	11	11	37	16	37	31	2.191	126	55	55.748	-78
7	10	11	11	37	17	37	31	2.191	126	55	55.748	-78
8	10	11	11	37	18	37	31	2.191	126	55	55.748	-78
9	10	11	11	37	19	37	31	2.191	126	55	55.748	-76
10	10	11	11	37	20	37	31	2.191	126	55	55.748	-76
11	10	11	11	37	21	37	31	2.191	126	55	55.748	-76
12	10	11	11	37	22	37	31	2.191	126	55	55.784	-80
13	10	11	11	37	23	37	31	2.191	126	55	55.784	-80
14	10	11	11	37	24	37	31	2.191	126	55	55.784	-80
15	10	11	11	37	25	37	31	2.191	126	55	55.784	-78
16	10	11	11	37	26	37	31	2.191	126	55	55.784	-78
17	10	11	11	37	27	37	31	2.191	126	55	55.784	-78
18	10	11	11	37	28	37	31	2.191	126	55	55.784	-78
19	10	11	11	37	29	37	31	2.191	126	55	55.784	-78
20	10	11	11	37	30	37	31	2.191	126	55	55.784	-78
21	10	11	11	37	31	37	31	2.191	126	55	55.784	-78
22	10	11	11	37	32	37	31	2.191	126	55	55.784	-78
평균 전계 강도												-78.09




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(+30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	38	21	37	31	2.191	126	55	55.820	-81
2	10	11	11	38	22	37	31	2.191	126	55	55.820	-81
3	10	11	11	38	23	37	31	2.191	126	55	55.820	-81
4	10	11	11	38	24	37	31	2.191	126	55	55.820	-81
5	10	11	11	38	25	37	31	2.191	126	55	55.820	-79
6	10	11	11	38	26	37	31	2.191	126	55	55.820	-79
7	10	11	11	38	27	37	31	2.191	126	55	55.856	-79
8	10	11	11	38	28	37	31	2.191	126	55	55.856	-81
9	10	11	11	38	29	37	31	2.191	126	55	55.856	-81
10	10	11	11	38	30	37	31	2.191	126	55	55.856	-81
11	10	11	11	38	31	37	31	2.191	126	55	55.856	-83
12	10	11	11	38	32	37	31	2.191	126	55	55.856	-83
13	10	11	11	38	33	37	31	2.191	126	55	55.856	-83
14	10	11	11	38	34	37	31	2.191	126	55	55.856	-81
15	10	11	11	38	35	37	31	2.191	126	55	55.856	-81
16	10	11	11	38	36	37	31	2.191	126	55	55.856	-81
17	10	11	11	38	37	37	31	2.191	126	55	55.856	-84
평균 전계 강도												-81.18




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(+30_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	38	51	37	31	2.191	126	55	55.856	-84
2	10	11	11	38	52	37	31	2.191	126	55	55.856	-87
3	10	11	11	38	53	37	31	2.191	126	55	55.892	-87
4	10	11	11	38	54	37	31	2.191	126	55	55.892	-87
5	10	11	11	38	55	37	31	2.191	126	55	55.892	-93
6	10	11	11	38	56	37	31	2.191	126	55	55.892	-93
7	10	11	11	38	57	37	31	2.191	126	55	55.892	-93
8	10	11	11	38	58	37	31	2.191	126	55	55.892	-88
9	10	11	11	38	59	37	31	2.191	126	55	55.892	-88
10	10	11	11	39	0	37	31	2.191	126	55	55.892	-88
11	10	11	11	39	1	37	31	2.191	126	55	55.892	-88
12	10	11	11	39	2	37	31	2.191	126	55	55.892	-88
13	10	11	11	39	3	37	31	2.191	126	55	55.892	-88
14	10	11	11	39	4	37	31	2.191	126	55	55.892	-98
15	10	11	11	39	5	37	31	2.191	126	55	55.892	-98
16	10	11	11	39	6	37	31	2.191	126	55	55.892	-98
17	10	11	11	39	7	37	31	2.191	126	55	55.892	-89
18	10	11	11	39	8	37	31	2.191	126	55	55.892	-89
19	10	11	11	39	9	37	31	2.191	126	55	55.892	-89
20	10	11	11	39	10	37	31	2.191	126	55	55.892	-84
21	10	11	11	39	11	37	31	2.191	126	55	55.856	-84
평균 전계 강도												-89.57




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(+30_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	39	22	37	31	2.191	126	55	55.856	-84
2	10	11	11	39	23	37	31	2.155	126	55	55.856	-84
3	10	11	11	39	24	37	31	2.155	126	55	55.892	-84
4	10	11	11	39	25	37	31	2.155	126	55	55.892	-104
5	10	11	11	39	26	37	31	2.155	126	55	55.892	-104
6	10	11	11	39	27	37	31	2.155	126	55	55.892	-104
7	10	11	11	39	28	37	31	2.155	126	55	55.892	-87
8	10	11	11	39	29	37	31	2.155	126	55	55.892	-87
9	10	11	11	39	30	37	31	2.155	126	55	55.892	-87
10	10	11	11	39	31	37	31	2.155	126	55	55.892	-84
11	10	11	11	39	32	37	31	2.155	126	55	55.892	-84
12	10	11	11	39	33	37	31	2.155	126	55	55.892	-84
13	10	11	11	39	34	37	31	2.155	126	55	55.892	-82
14	10	11	11	39	35	37	31	2.155	126	55	55.892	-82
15	10	11	11	39	36	37	31	2.155	126	55	55.892	-82
16	10	11	11	39	37	37	31	2.155	126	55	55.892	-86
17	10	11	11	39	38	37	31	2.155	126	55	55.892	-86
18	10	11	11	39	39	37	31	2.155	126	55	55.892	-86
19	10	11	11	39	40	37	31	2.155	126	55	55.892	-89
20	10	11	11	39	41	37	31	2.155	126	55	55.892	-89
21	10	11	11	39	42	37	31	2.155	126	55	55.892	-89
22	10	11	11	39	43	37	31	2.155	126	55	55.892	-87
평균 전계 강도												-87.95




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(+30_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	39	56	37	31	2.155	126	55	55.892	-86
2	10	11	11	39	57	37	31	2.155	126	55	55.892	-86
3	10	11	11	39	58	37	31	2.155	126	55	55.892	-79
4	10	11	11	39	59	37	31	2.155	126	55	55.892	-79
5	10	11	11	40	0	37	31	2.155	126	55	55.892	-79
6	10	11	11	40	1	37	31	2.155	126	55	55.892	-76
7	10	11	11	40	2	37	31	2.155	126	55	55.892	-76
8	10	11	11	40	3	37	31	2.155	126	55	55.892	-76
9	10	11	11	40	4	37	31	2.155	126	55	55.892	-78
10	10	11	11	40	5	37	31	2.155	126	55	55.892	-78
11	10	11	11	40	6	37	31	2.155	126	55	55.892	-78
12	10	11	11	40	7	37	31	2.155	126	55	55.892	-78
13	10	11	11	40	8	37	31	2.155	126	55	55.892	-78
14	10	11	11	40	9	37	31	2.155	126	55	55.892	-78
15	10	11	11	40	10	37	31	2.155	126	55	55.892	-79
16	10	11	11	40	11	37	31	2.155	126	55	55.892	-79
17	10	11	11	40	12	37	31	2.155	126	55	55.892	-79
18	10	11	11	40	13	37	31	2.155	126	55	55.892	-83
19	10	11	11	40	14	37	31	2.155	126	55	55.892	-83
20	10	11	11	40	15	37	31	2.155	126	55	55.892	-83
21	10	11	11	40	16	37	31	2.155	126	55	55.892	-79
22	10	11	11	40	17	37	31	2.155	126	55	55.892	-79
평균 전계 강도												-79.50




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(+30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	40	25	37	31	2.155	126	55	55.892	-73
2	10	11	11	40	26	37	31	2.155	126	55	55.892	-73
3	10	11	11	40	27	37	31	2.155	126	55	55.892	-73
4	10	11	11	40	28	37	31	2.155	126	55	55.892	-73
5	10	11	11	40	29	37	31	2.155	126	55	55.892	-73
6	10	11	11	40	30	37	31	2.155	126	55	55.892	-73
7	10	11	11	40	31	37	31	2.155	126	55	55.892	-72
8	10	11	11	40	32	37	31	2.155	126	55	55.892	-72
9	10	11	11	40	33	37	31	2.155	126	55	55.892	-72
10	10	11	11	40	34	37	31	2.155	126	55	55.892	-68
11	10	11	11	40	35	37	31	2.155	126	55	55.892	-68
12	10	11	11	40	36	37	31	2.155	126	55	55.892	-68
13	10	11	11	40	37	37	31	2.155	126	55	55.892	-71
14	10	11	11	40	38	37	31	2.155	126	55	55.892	-71
15	10	11	11	40	39	37	31	2.155	126	55	55.892	-71
16	10	11	11	40	40	37	31	2.155	126	55	55.892	-69
17	10	11	11	40	41	37	31	2.155	126	55	55.892	-69
18	10	11	11	40	42	37	31	2.155	126	55	55.892	-69
평균 전계 강도												-71.00




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(+30_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	40	52	37	31	2.155	126	55	55.892	-75
2	10	11	11	40	53	37	31	2.155	126	55	55.892	-75
3	10	11	11	40	54	37	31	2.155	126	55	55.892	-75
4	10	11	11	40	55	37	31	2.155	126	55	55.892	-83
5	10	11	11	40	56	37	31	2.155	126	55	55.892	-83
6	10	11	11	40	57	37	31	2.155	126	55	55.892	-83
7	10	11	11	40	58	37	31	2.155	126	55	55.892	-76
8	10	11	11	40	59	37	31	2.155	126	55	55.892	-76
9	10	11	11	41	0	37	31	2.155	126	55	55.892	-76
10	10	11	11	41	1	37	31	2.155	126	55	55.892	-87
11	10	11	11	41	2	37	31	2.155	126	55	55.892	-87
12	10	11	11	41	3	37	31	2.155	126	55	55.892	-87
13	10	11	11	41	4	37	31	2.155	126	55	55.892	-89
14	10	11	11	41	5	37	31	2.155	126	55	55.892	-89
15	10	11	11	41	6	37	31	2.155	126	55	55.892	-89
16	10	11	11	41	7	37	31	2.155	126	55	55.892	-79
17	10	11	11	41	8	37	31	2.155	126	55	55.892	-79
18	10	11	11	41	9	37	31	2.155	126	55	55.892	-79
19	10	11	11	41	10	37	31	2.155	126	55	55.892	-82
20	10	11	11	41	11	37	31	2.155	126	55	55.892	-82
21	10	11	11	41	12	37	31	2.155	126	55	55.892	-82
평균 전계 강도												-81.57




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(+30_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	41	20	37	31	2.155	126	55	55.928	-81
2	10	11	11	41	21	37	31	2.155	126	55	55.928	-81
3	10	11	11	41	22	37	31	2.155	126	55	55.928	-83
4	10	11	11	41	23	37	31	2.155	126	55	55.928	-83
5	10	11	11	41	24	37	31	2.155	126	55	55.928	-83
6	10	11	11	41	25	37	31	2.155	126	55	55.928	-84
7	10	11	11	41	26	37	31	2.155	126	55	55.928	-84
8	10	11	11	41	27	37	31	2.155	126	55	55.928	-84
9	10	11	11	41	28	37	31	2.155	126	55	55.928	-83
10	10	11	11	41	30	37	31	2.155	126	55	55.928	-83
11	10	11	11	41	31	37	31	2.155	126	55	55.928	-83
12	10	11	11	41	32	37	31	2.155	126	55	55.928	-83
13	10	11	11	41	33	37	31	2.155	126	55	55.928	-83
14	10	11	11	41	34	37	31	2.155	126	55	55.928	-83
15	10	11	11	41	35	37	31	2.155	126	55	55.928	-88
16	10	11	11	41	36	37	31	2.155	126	55	55.928	-88
평균 전계 강도												-83.56




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(4)(+30_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	41	49	37	31	2.155	126	55	55.928	-88
2	10	11	11	41	50	37	31	2.155	126	55	55.928	-89
3	10	11	11	41	51	37	31	2.155	126	55	55.928	-89
4	10	11	11	41	52	37	31	2.155	126	55	55.928	-89
5	10	11	11	41	53	37	31	2.155	126	55	55.928	-87
6	10	11	11	41	54	37	31	2.155	126	55	55.928	-87
7	10	11	11	41	55	37	31	2.155	126	55	55.928	-87
8	10	11	11	41	56	37	31	2.155	126	55	55.928	-88
9	10	11	11	41	57	37	31	2.155	126	55	55.928	-88
10	10	11	11	41	58	37	31	2.155	126	55	55.928	-88
11	10	11	11	41	59	37	31	2.155	126	55	55.928	-89
12	10	11	11	42	0	37	31	2.155	126	55	55.928	-89
13	10	11	11	42	1	37	31	2.155	126	55	55.928	-89
14	10	11	11	42	2	37	31	2.155	126	55	55.928	-96
15	10	11	11	42	3	37	31	2.155	126	55	55.928	-96
16	10	11	11	42	4	37	31	2.155	126	55	55.928	-96
17	10	11	11	42	5	37	31	2.155	126	55	55.928	-100
18	10	11	11	42	6	37	31	2.155	126	55	55.928	-100
19	10	11	11	42	7	37	31	2.119	126	55	55.928	-100
20	10	11	11	42	8	37	31	2.119	126	55	55.928	-94
21	10	11	11	42	9	37	31	2.119	126	55	55.928	-94
22	10	11	11	42	10	37	31	2.119	126	55	55.928	-94
23	10	11	11	42	11	37	31	2.119	126	55	55.928	-91
24	10	11	11	42	12	37	31	2.119	126	55	55.928	-91
25	10	11	11	42	13	37	31	2.119	126	55	55.928	-91
26	10	11	11	42	14	37	31	2.119	126	55	55.928	-92
27	10	11	11	42	15	37	31	2.119	126	55	55.928	-92
28	10	11	11	42	16	37	31	2.119	126	55	55.928	-92
29	10	11	11	42	17	37	31	2.119	126	55	55.928	-89
평균 전계 강도												-91.55




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(Tx4 MAX)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	42	44	37	31	2.119	126	55	55.928	-66
2	10	11	11	42	45	37	31	2.119	126	55	55.928	-66
3	10	11	11	42	46	37	31	2.119	126	55	55.928	-66
4	10	11	11	42	47	37	31	2.119	126	55	55.928	-63
5	10	11	11	42	48	37	31	2.119	126	55	55.928	-63
6	10	11	11	42	49	37	31	2.119	126	55	55.928	-63
7	10	11	11	42	50	37	31	2.119	126	55	55.928	-65
8	10	11	11	42	51	37	31	2.119	126	55	55.928	-65
9	10	11	11	42	52	37	31	2.119	126	55	55.928	-65
10	10	11	11	42	53	37	31	2.119	126	55	55.928	-66
11	10	11	11	42	54	37	31	2.119	126	55	55.928	-66
12	10	11	11	42	55	37	31	2.119	126	55	55.928	-66
13	10	11	11	42	56	37	31	2.119	126	55	55.928	-64
14	10	11	11	42	57	37	31	2.119	126	55	55.928	-64
15	10	11	11	42	58	37	31	2.119	126	55	55.928	-64
16	10	11	11	42	59	37	31	2.119	126	55	55.928	-67
17	10	11	11	43	0	37	31	2.119	126	55	55.928	-67
18	10	11	11	43	1	37	31	2.119	126	55	55.928	-67
19	10	11	11	43	2	37	31	2.119	126	55	55.928	-66
20	10	11	11	43	3	37	31	2.119	126	55	55.928	-66
21	10	11	11	43	4	37	31	2.119	126	55	55.928	-66
22	10	11	11	43	5	37	31	2.119	126	55	55.928	-66
23	10	11	11	43	6	37	31	2.119	126	55	55.928	-66
평균 전계 강도												-65.35




- 서비스 : NWA Street-canyon
- 측정일 : 2003년 10월 11일
- 측정장소 : 여의도 Rx1(Tx4 OMNI)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	11	11	43	31	37	31	2.119	126	55	55.964	-72
2	10	11	11	43	32	37	31	2.119	126	55	55.964	-70
3	10	11	11	43	33	37	31	2.119	126	55	55.964	-70
4	10	11	11	43	34	37	31	2.119	126	55	55.964	-70
5	10	11	11	43	35	37	31	2.119	126	55	55.964	-67
6	10	11	11	43	36	37	31	2.119	126	55	55.964	-67
7	10	11	11	43	37	37	31	2.119	126	55	55.964	-67
8	10	11	11	43	38	37	31	2.119	126	55	55.964	-70
9	10	11	11	43	39	37	31	2.119	126	55	55.964	-70
10	10	11	11	43	40	37	31	2.119	126	55	55.964	-70
11	10	11	11	43	41	37	31	2.119	126	55	55.964	-76
12	10	11	11	43	42	37	31	2.119	126	55	55.964	-76
13	10	11	11	43	43	37	31	2.119	126	55	55.964	-76
14	10	11	11	43	44	37	31	2.119	126	55	55.964	-68
15	10	11	11	43	45	37	31	2.119	126	55	55.964	-68
16	10	11	11	43	46	37	31	2.119	126	55	55.964	-68
17	10	11	11	43	47	37	31	2.119	126	55	55.964	-75
18	10	11	11	43	48	37	31	2.119	126	55	55.964	-75
19	10	11	11	43	49	37	31	2.119	126	55	55.964	-75
20	10	11	11	43	50	37	31	2.119	126	55	55.964	-67
21	10	11	11	43	51	37	31	2.119	126	55	55.964	-67
22	10	11	11	43	52	37	31	2.119	126	55	55.964	-67
23	10	11	11	43	53	37	31	2.119	126	55	55.964	-68
24	10	11	11	43	54	37	31	2.119	126	55	55.964	-68
25	10	11	11	43	55	37	31	2.119	126	55	55.964	-68
26	10	11	11	43	56	37	31	2.119	126	55	55.964	-68
평균 전계 강도												-70.12



- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx5(Omni(Edge))


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
220	10	9	16	39	21	37	31	14.036	126	56	12.886	-60
221	10	9	16	39	22	37	31	14.036	126	56	12.886	-60
222	10	9	16	39	23	37	31	14.036	126	56	12.886	-60
223	10	9	16	39	24	37	31	14.036	126	56	12.886	-63
224	10	9	16	39	25	37	31	14.036	126	56	12.886	-63
225	10	9	16	39	26	37	31	14.036	126	56	12.886	-63
226	10	9	16	39	27	37	31	14.036	126	56	12.886	-61
227	10	9	16	39	28	37	31	14.036	126	56	12.886	-61
228	10	9	16	39	29	37	31	14.036	126	56	12.886	-61
229	10	9	16	39	30	37	31	14.036	126	56	12.886	-61
230	10	9	16	39	31	37	31	14.036	126	56	12.886	-61
231	10	9	16	39	32	37	31	14.036	126	56	12.886	-61
232	10	9	16	39	33	37	31	14.036	126	56	12.886	-60
233	10	9	16	39	34	37	31	14.036	126	56	12.886	-60
234	10	9	16	39	35	37	31	14.036	126	56	12.886	-60
235	10	9	16	39	36	37	31	14.036	126	56	12.886	-61
236	10	9	16	39	37	37	31	14.036	126	56	12.886	-61
237	10	9	16	39	38	37	31	14.036	126	56	12.886	-61
238	10	9	16	39	39	37	31	14.036	126	56	12.886	-61
239	10	9	16	39	40	37	31	14.036	126	56	12.886	-61
240	10	9	16	39	41	37	31	14.036	126	56	12.886	-61
241	10	9	16	39	42	37	31	14.036	126	56	12.886	-62
242	10	9	16	39	43	37	31	14.036	126	56	12.886	-62
243	10	9	16	39	44	37	31	14.036	126	56	12.886	-62
244	10	9	16	39	45	37	31	14.036	126	56	12.886	-63
245	10	9	16	39	46	37	31	14.036	126	56	12.886	-63
246	10	9	16	39	47	37	31	14.036	126	56	12.886	-63
247	10	9	16	39	48	37	31	14.036	126	56	12.886	-64
248	10	9	16	39	49	37	31	14.036	126	56	12.886	-64
249	10	9	16	39	50	37	31	14.036	126	56	12.886	-64
250	10	9	16	39	51	37	31	14.036	126	56	12.886	-64
251	10	9	16	39	52	37	31	14.036	126	56	12.886	-64
252	10	9	16	39	53	37	31	14.036	126	56	12.886	-64
253	10	9	16	39	54	37	31	14.036	126	56	12.886	-64
254	10	9	16	39	55	37	31	14.036	126	56	12.886	-64
255	10	9	16	39	56	37	31	14.036	126	56	12.886	-64
256	10	9	16	39	57	37	31	14.036	126	56	12.886	-64
257	10	9	16	39	58	37	31	14.036	126	56	12.886	-64
258	10	9	16	39	59	37	31	14.036	126	56	12.886	-64
평균 전계 레벨												-62.15



- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx5(0_0)


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	16	24	17	37	31	14.072	126	56	12.886	-53
2	10	9	16	24	18	37	31	14.072	126	56	12.886	-53
3	10	9	16	24	19	37	31	14.072	126	56	12.886	-53
4	10	9	16	24	20	37	31	14.072	126	56	12.886	-53
5	10	9	16	24	21	37	31	14.072	126	56	12.886	-53
6	10	9	16	24	22	37	31	14.072	126	56	12.886	-53
7	10	9	16	24	23	37	31	14.072	126	56	12.886	-52
8	10	9	16	24	24	37	31	14.072	126	56	12.886	-52
9	10	9	16	24	25	37	31	14.072	126	56	12.886	-52
10	10	9	16	24	26	37	31	14.072	126	56	12.886	-53
11	10	9	16	24	27	37	31	14.072	126	56	12.886	-53
12	10	9	16	24	28	37	31	14.072	126	56	12.886	-53
13	10	9	16	24	29	37	31	14.072	126	56	12.886	-53
14	10	9	16	24	30	37	31	14.072	126	56	12.886	-53
15	10	9	16	24	31	37	31	14.072	126	56	12.886	-53
16	10	9	16	24	32	37	31	14.072	126	56	12.886	-53
17	10	9	16	24	33	37	31	14.072	126	56	12.886	-53
18	10	9	16	24	34	37	31	14.072	126	56	12.886	-53
19	10	9	16	24	35	37	31	14.072	126	56	12.886	-53
20	10	9	16	24	36	37	31	14.072	126	56	12.886	-53
21	10	9	16	24	37	37	31	14.072	126	56	12.886	-53
22	10	9	16	24	38	37	31	14.072	126	56	12.886	-53
23	10	9	16	24	39	37	31	14.072	126	56	12.886	-53
24	10	9	16	24	40	37	31	14.072	126	56	12.886	-53
25	10	9	16	24	41	37	31	14.072	126	56	12.886	-53
26	10	9	16	24	42	37	31	14.072	126	56	12.886	-53
27	10	9	16	24	43	37	31	14.072	126	56	12.886	-53
28	10	9	16	24	44	37	31	14.072	126	56	12.886	-53
29	10	9	16	24	45	37	31	14.072	126	56	12.886	-53
30	10	9	16	24	46	37	31	14.072	126	56	12.886	-53
31	10	9	16	24	47	37	31	14.072	126	56	12.886	-53
32	10	9	16	24	48	37	31	14.072	126	56	12.886	-53
33	10	9	16	24	49	37	31	14.072	126	56	12.886	-53
34	10	9	16	24	50	37	31	14.072	126	56	12.886	-52
35	10	9	16	24	51	37	31	14.072	126	56	12.886	-52
36	10	9	16	24	52	37	31	14.072	126	56	12.886	-52
37	10	9	16	24	53	37	31	14.072	126	56	12.886	-56
38	10	9	16	24	54	37	31	14.072	126	56	12.886	-56
39	10	9	16	24	55	37	31	14.072	126	56	12.886	-56
40	10	9	16	24	56	37	31	14.072	126	56	12.886	-57
41	10	9	16	24	57	37	31	14.072	126	56	12.886	-57
42	10	9	16	24	58	37	31	14.072	126	56	12.886	-57
43	10	9	16	24	59	37	31	14.072	126	56	12.886	-56
44	10	9	16	25	0	37	31	14.072	126	56	12.886	-56
45	10	9	16	25	1	37	31	14.072	126	56	12.886	-56
46	10	9	16	25	2	37	31	14.072	126	56	12.886	-59
47	10	9	16	25	3	37	31	14.072	126	56	12.886	-59
48	10	9	16	25	4	37	31	14.072	126	56	12.886	-59
49	10	9	16	25	5	37	31	14.072	126	56	12.886	-52
50	10	9	16	25	6	37	31	14.072	126	56	12.886	-52
51	10	9	16	25	7	37	31	14.072	126	56	12.886	-52
52	10	9	16	25	8	37	31	14.072	126	56	12.886	-52

53	10	9	16	25	9	37	31	14.072	126	56	12.886	-53
54	10	9	16	25	10	37	31	14.072	126	56	12.886	-53
55	10	9	16	25	11	37	31	14.072	126	56	12.886	-53
56	10	9	16	25	12	37	31	14.072	126	56	12.886	-53
57	10	9	16	25	13	37	31	14.072	126	56	12.886	-53
58	10	9	16	25	14	37	31	14.072	126	56	12.886	-53
59	10	9	16	25	15	37	31	14.072	126	56	12.886	-53
60	10	9	16	25	16	37	31	14.072	126	56	12.886	-53
61	10	9	16	25	17	37	31	14.072	126	56	12.886	-53
62	10	9	16	25	18	37	31	14.072	126	56	12.886	-53
63	10	9	16	25	19	37	31	14.072	126	56	12.886	-53
64	10	9	16	25	20	37	31	14.072	126	56	12.886	-53
평균 전계 레벨												-53.61




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx5(0_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
65	10	9	16	25	34	37	31	14.072	126	56	12.886	-71
66	10	9	16	25	35	37	31	14.072	126	56	12.886	-71
67	10	9	16	25	36	37	31	14.072	126	56	12.886	-71
68	10	9	16	25	37	37	31	14.072	126	56	12.886	-71
69	10	9	16	25	38	37	31	14.072	126	56	12.886	-70
70	10	9	16	25	39	37	31	14.072	126	56	12.886	-70
71	10	9	16	25	40	37	31	14.072	126	56	12.886	-70
72	10	9	16	25	41	37	31	14.072	126	56	12.886	-73
73	10	9	16	25	42	37	31	14.072	126	56	12.886	-73
74	10	9	16	25	43	37	31	14.072	126	56	12.886	-73
75	10	9	16	25	44	37	31	14.072	126	56	12.886	-69
76	10	9	16	25	45	37	31	14.072	126	56	12.886	-69
77	10	9	16	25	46	37	31	14.072	126	56	12.886	-69
78	10	9	16	25	47	37	31	14.072	126	56	12.886	-72
79	10	9	16	25	48	37	31	14.072	126	56	12.886	-72
80	10	9	16	25	49	37	31	14.072	126	56	12.886	-72
81	10	9	16	25	50	37	31	14.072	126	56	12.886	-71
82	10	9	16	25	51	37	31	14.072	126	56	12.886	-71
83	10	9	16	25	52	37	31	14.072	126	56	12.886	-71
84	10	9	16	25	53	37	31	14.072	126	56	12.886	-73
85	10	9	16	25	54	37	31	14.072	126	56	12.886	-73
86	10	9	16	25	55	37	31	14.072	126	56	12.886	-73
87	10	9	16	25	56	37	31	14.072	126	56	12.886	-73
88	10	9	16	25	57	37	31	14.072	126	56	12.886	-73
89	10	9	16	25	58	37	31	14.072	126	56	12.886	-73
90	10	9	16	25	59	37	31	14.072	126	56	12.886	-73
91	10	9	16	26	0	37	31	14.072	126	56	12.886	-73
92	10	9	16	26	1	37	31	14.072	126	56	12.886	-73
93	10	9	16	26	2	37	31	14.072	126	56	12.886	-74
94	10	9	16	26	3	37	31	14.072	126	56	12.886	-74
95	10	9	16	26	4	37	31	14.072	126	56	12.886	-74
96	10	9	16	26	5	37	31	14.072	126	56	12.886	-75
97	10	9	16	26	6	37	31	14.072	126	56	12.886	-75
98	10	9	16	26	7	37	31	14.072	126	56	12.886	-75
99	10	9	16	26	8	37	31	14.072	126	56	12.886	-73
100	10	9	16	26	9	37	31	14.072	126	56	12.886	-73
101	10	9	16	26	10	37	31	14.072	126	56	12.886	-73
102	10	9	16	26	11	37	31	14.072	126	56	12.886	-72
103	10	9	16	26	12	37	31	14.072	126	56	12.886	-72
104	10	9	16	26	13	37	31	14.072	126	56	12.886	-72
105	10	9	16	26	14	37	31	14.072	126	56	12.886	-74
106	10	9	16	26	15	37	31	14.072	126	56	12.886	-74
107	10	9	16	26	16	37	31	14.072	126	56	12.886	-74
평균 전계 레벨												-72.33




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx5(0_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
108	10	9	16	27	18	37	31	14.072	126	56	12.886	-70
109	10	9	16	27	19	37	31	14.072	126	56	12.886	-70
110	10	9	16	27	20	37	31	14.072	126	56	12.886	-68
111	10	9	16	27	21	37	31	14.072	126	56	12.886	-68
112	10	9	16	27	22	37	31	14.072	126	56	12.886	-68
113	10	9	16	27	23	37	31	14.072	126	56	12.886	-71
114	10	9	16	27	24	37	31	14.072	126	56	12.886	-71
115	10	9	16	27	25	37	31	14.072	126	56	12.886	-71
116	10	9	16	27	26	37	31	14.072	126	56	12.886	-71
117	10	9	16	27	27	37	31	14.072	126	56	12.886	-71
118	10	9	16	27	28	37	31	14.072	126	56	12.886	-71
119	10	9	16	27	29	37	31	14.072	126	56	12.886	-70
120	10	9	16	27	30	37	31	14.072	126	56	12.886	-70
121	10	9	16	27	31	37	31	14.072	126	56	12.886	-70
122	10	9	16	27	32	37	31	14.072	126	56	12.886	-74
123	10	9	16	27	33	37	31	14.072	126	56	12.886	-74
124	10	9	16	27	34	37	31	14.072	126	56	12.886	-74
125	10	9	16	27	35	37	31	14.072	126	56	12.886	-70
126	10	9	16	27	36	37	31	14.072	126	56	12.886	-70
127	10	9	16	27	37	37	31	14.072	126	56	12.886	-70
128	10	9	16	27	38	37	31	14.072	126	56	12.886	-70
129	10	9	16	27	39	37	31	14.072	126	56	12.886	-70
130	10	9	16	27	40	37	31	14.072	126	56	12.886	-70
평균 전계 레벨												-70.52




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx5(0_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
131	10	9	16	28	3	37	31	14.072	126	56	12.886	-72
132	10	9	16	28	4	37	31	14.072	126	56	12.886	-72
133	10	9	16	28	5	37	31	14.072	126	56	12.886	-73
134	10	9	16	28	6	37	31	14.072	126	56	12.886	-73
135	10	9	16	28	7	37	31	14.072	126	56	12.886	-73
136	10	9	16	28	8	37	31	14.072	126	56	12.886	-70
137	10	9	16	28	9	37	31	14.072	126	56	12.886	-70
138	10	9	16	28	10	37	31	14.072	126	56	12.886	-70
139	10	9	16	28	11	37	31	14.072	126	56	12.886	-69
140	10	9	16	28	12	37	31	14.072	126	56	12.886	-69
141	10	9	16	28	13	37	31	14.072	126	56	12.886	-69
142	10	9	16	28	14	37	31	14.072	126	56	12.886	-72
143	10	9	16	28	15	37	31	14.072	126	56	12.886	-72
144	10	9	16	28	16	37	31	14.072	126	56	12.886	-72
145	10	9	16	28	17	37	31	14.072	126	56	12.886	-74
146	10	9	16	28	18	37	31	14.072	126	56	12.886	-74
147	10	9	16	28	19	37	31	14.072	126	56	12.886	-74
148	10	9	16	28	20	37	31	14.072	126	56	12.886	-74
149	10	9	16	28	21	37	31	14.072	126	56	12.886	-74
150	10	9	16	28	22	37	31	14.072	126	56	12.886	-74
151	10	9	16	28	23	37	31	14.072	126	56	12.886	-73
152	10	9	16	28	24	37	31	14.072	126	56	12.886	-73
153	10	9	16	28	25	37	31	14.072	126	56	12.886	-73
154	10	9	16	28	26	37	31	14.072	126	56	12.886	-72
155	10	9	16	28	27	37	31	14.072	126	56	12.886	-72
156	10	9	16	28	28	37	31	14.072	126	56	12.886	-72
157	10	9	16	28	29	37	31	14.072	126	56	12.886	-73
158	10	9	16	28	30	37	31	14.072	126	56	12.886	-73
159	10	9	16	28	31	37	31	14.072	126	56	12.886	-73
160	10	9	16	28	32	37	31	14.072	126	56	12.886	-73
161	10	9	16	28	33	37	31	14.072	126	56	12.886	-73
162	10	9	16	28	34	37	31	14.072	126	56	12.886	-73
163	10	9	16	28	35	37	31	14.072	126	56	12.886	-72
164	10	9	16	28	36	37	31	14.072	126	56	12.886	-72
165	10	9	16	28	37	37	31	14.072	126	56	12.886	-72
166	10	9	16	28	38	37	31	14.072	126	56	12.886	-73
평균 전계 레벨												-72.28




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx5(0_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
167	10	9	16	29	37	37	31	14.072	126	56	12.886	-79
168	10	9	16	29	38	37	31	14.072	126	56	12.886	-79
169	10	9	16	29	39	37	31	14.072	126	56	12.886	-85
170	10	9	16	29	40	37	31	14.036	126	56	12.886	-85
171	10	9	16	29	41	37	31	14.036	126	56	12.886	-85
172	10	9	16	29	42	37	31	14.036	126	56	12.886	-77
173	10	9	16	29	43	37	31	14.036	126	56	12.886	-77
174	10	9	16	29	44	37	31	14.036	126	56	12.886	-77
175	10	9	16	29	45	37	31	14.036	126	56	12.886	-78
176	10	9	16	29	46	37	31	14.036	126	56	12.886	-78
177	10	9	16	29	47	37	31	14.036	126	56	12.886	-78
178	10	9	16	29	48	37	31	14.036	126	56	12.886	-82
179	10	9	16	29	49	37	31	14.036	126	56	12.886	-82
180	10	9	16	29	50	37	31	14.036	126	56	12.886	-82
181	10	9	16	29	51	37	31	14.036	126	56	12.886	-78
182	10	9	16	29	52	37	31	14.036	126	56	12.886	-78
183	10	9	16	29	53	37	31	14.036	126	56	12.886	-78
184	10	9	16	29	54	37	31	14.036	126	56	12.886	-78
185	10	9	16	29	55	37	31	14.036	126	56	12.886	-78
186	10	9	16	29	56	37	31	14.036	126	56	12.886	-78
187	10	9	16	29	57	37	31	14.036	126	56	12.886	-77
188	10	9	16	29	58	37	31	14.036	126	56	12.886	-77
189	10	9	16	29	59	37	31	14.036	126	56	12.886	-77
190	10	9	16	30	0	37	31	14.036	126	56	12.886	-78
191	10	9	16	30	1	37	31	14.036	126	56	12.886	-78
192	10	9	16	30	2	37	31	14.036	126	56	12.886	-78
193	10	9	16	30	3	37	31	14.036	126	56	12.886	-78
194	10	9	16	30	4	37	31	14.036	126	56	12.886	-78
195	10	9	16	30	5	37	31	14.036	126	56	12.886	-78
196	10	9	16	30	6	37	31	14.036	126	56	12.886	-81
197	10	9	16	30	7	37	31	14.036	126	56	12.886	-81
198	10	9	16	30	8	37	31	14.036	126	56	12.886	-81
199	10	9	16	30	9	37	31	14.036	126	56	12.886	-83
200	10	9	16	30	10	37	31	14.036	126	56	12.886	-83
201	10	9	16	30	11	37	31	14.036	126	56	12.886	-83
202	10	9	16	30	12	37	31	14.036	126	56	12.886	-83
203	10	9	16	30	13	37	31	14.036	126	56	12.886	-83
204	10	9	16	30	14	37	31	14.036	126	56	12.886	-83
205	10	9	16	30	15	37	31	14.036	126	56	12.886	-85
206	10	9	16	30	16	37	31	14.036	126	56	12.886	-85
207	10	9	16	30	17	37	31	14.036	126	56	12.886	-85
평균 전계 레벨												-80.17



- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx5(0_225)


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
208	10	9	16	30	44	37	31	14.036	126	56	12.886	-91
209	10	9	16	30	45	37	31	14.036	126	56	12.886	-86
210	10	9	16	30	46	37	31	14.036	126	56	12.886	-86
211	10	9	16	30	47	37	31	14.036	126	56	12.886	-86
212	10	9	16	30	48	37	31	14.036	126	56	12.886	-86
213	10	9	16	30	49	37	31	14.036	126	56	12.886	-86
214	10	9	16	30	50	37	31	14.036	126	56	12.886	-86
215	10	9	16	30	51	37	31	14.036	126	56	12.886	-78
216	10	9	16	30	52	37	31	14.036	126	56	12.886	-78
217	10	9	16	30	53	37	31	14.036	126	56	12.886	-78
218	10	9	16	30	54	37	31	14.036	126	56	12.886	-79
219	10	9	16	30	55	37	31	14.036	126	56	12.886	-79
220	10	9	16	30	56	37	31	14.036	126	56	12.886	-79
221	10	9	16	30	57	37	31	14.036	126	56	12.886	-80
222	10	9	16	30	58	37	31	14.036	126	56	12.886	-80
223	10	9	16	30	59	37	31	14.036	126	56	12.886	-80
224	10	9	16	31	0	37	31	14.036	126	56	12.886	-82
225	10	9	16	31	1	37	31	14.036	126	56	12.886	-82
226	10	9	16	31	2	37	31	14.036	126	56	12.886	-82
227	10	9	16	31	3	37	31	14.036	126	56	12.886	-86
228	10	9	16	31	4	37	31	14.036	126	56	12.886	-86
229	10	9	16	31	5	37	31	14.036	126	56	12.886	-86
230	10	9	16	31	6	37	31	14.036	126	56	12.886	-79
231	10	9	16	31	7	37	31	14.036	126	56	12.886	-79
232	10	9	16	31	8	37	31	14.036	126	56	12.886	-79
233	10	9	16	31	9	37	31	14.036	126	56	12.886	-80
234	10	9	16	31	10	37	31	14.036	126	56	12.886	-80
235	10	9	16	31	11	37	31	14.036	126	56	12.886	-80
236	10	9	16	31	12	37	31	14.036	126	56	12.886	-81
237	10	9	16	31	13	37	31	14.036	126	56	12.886	-81
238	10	9	16	31	14	37	31	14.036	126	56	12.886	-81
239	10	9	16	31	15	37	31	14.036	126	56	12.886	-80
240	10	9	16	31	16	37	31	14.036	126	56	12.886	-80
241	10	9	16	31	17	37	31	14.036	126	56	12.886	-80
242	10	9	16	31	18	37	31	14.036	126	56	12.886	-79
243	10	9	16	31	19	37	31	14.036	126	56	12.886	-79
244	10	9	16	31	20	37	31	14.036	126	56	12.886	-79
평균 전계 레벨												-81.59



- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx5(0_270)


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
245	10	9	16	31	40	37	31	14.036	126	56	12.886	-67
246	10	9	16	31	41	37	31	14.036	126	56	12.886	-67
247	10	9	16	31	42	37	31	14.036	126	56	12.886	-70
248	10	9	16	31	43	37	31	14.036	126	56	12.886	-70
249	10	9	16	31	44	37	31	14.036	126	56	12.886	-70
250	10	9	16	31	45	37	31	14.036	126	56	12.886	-70
251	10	9	16	31	46	37	31	14.036	126	56	12.886	-70
252	10	9	16	31	47	37	31	14.036	126	56	12.886	-70
253	10	9	16	31	48	37	31	14.036	126	56	12.886	-71
254	10	9	16	31	49	37	31	14.036	126	56	12.886	-71
255	10	9	16	31	50	37	31	14.036	126	56	12.886	-71
256	10	9	16	31	51	37	31	14.036	126	56	12.886	-71
257	10	9	16	31	52	37	31	14.036	126	56	12.886	-71
258	10	9	16	31	53	37	31	14.036	126	56	12.886	-71
259	10	9	16	31	54	37	31	14.036	126	56	12.886	-68
260	10	9	16	31	55	37	31	14.036	126	56	12.886	-68
261	10	9	16	31	56	37	31	14.036	126	56	12.886	-68
262	10	9	16	31	57	37	31	14.036	126	56	12.886	-67
263	10	9	16	31	58	37	31	14.036	126	56	12.886	-67
264	10	9	16	31	59	37	31	14.036	126	56	12.886	-67
265	10	9	16	32	0	37	31	14.036	126	56	12.886	-67
266	10	9	16	32	1	37	31	14.036	126	56	12.886	-67
267	10	9	16	32	2	37	31	14.036	126	56	12.886	-67
268	10	9	16	32	3	37	31	14.036	126	56	12.886	-68
269	10	9	16	32	4	37	31	14.036	126	56	12.886	-68
270	10	9	16	32	5	37	31	14.036	126	56	12.886	-68
271	10	9	16	32	6	37	31	14.036	126	56	12.886	-67
272	10	9	16	32	7	37	31	14.036	126	56	12.886	-67
273	10	9	16	32	8	37	31	14.036	126	56	12.886	-67
274	10	9	16	32	9	37	31	14.036	126	56	12.886	-68
275	10	9	16	32	10	37	31	14.036	126	56	12.886	-68
276	10	9	16	32	11	37	31	14.036	126	56	12.886	-68
277	10	9	16	32	12	37	31	14.036	126	56	12.886	-67
278	10	9	16	32	13	37	31	14.036	126	56	12.886	-67
279	10	9	16	32	14	37	31	14.036	126	56	12.886	-67
280	10	9	16	32	15	37	31	14.036	126	56	12.886	-67
281	10	9	16	32	16	37	31	14.036	126	56	12.886	-67
282	10	9	16	32	17	37	31	14.036	126	56	12.886	-67
283	10	9	16	32	18	37	31	14.036	126	56	12.886	-68
284	10	9	16	32	19	37	31	14.036	126	56	12.886	-68
285	10	9	16	32	20	37	31	14.036	126	56	12.886	-68
286	10	9	16	32	21	37	31	14.036	126	56	12.886	-64
287	10	9	16	32	22	37	31	14.036	126	56	12.886	-64
288	10	9	16	32	23	37	31	14.036	126	56	12.886	-64
289	10	9	16	32	24	37	31	14.036	126	56	12.886	-63
290	10	9	16	32	25	37	31	14.036	126	56	12.886	-63
291	10	9	16	32	26	37	31	14.036	126	56	12.886	-63
292	10	9	16	32	27	37	31	14.036	126	56	12.886	-62
293	10	9	16	32	28	37	31	14.036	126	56	12.886	-62
294	10	9	16	32	29	37	31	14.036	126	56	12.886	-62
295	10	9	16	32	30	37	31	14.036	126	56	12.886	-64
296	10	9	16	32	31	37	31	14.036	126	56	12.886	-64

297	10	9	16	32	32	37	31	14.036	126	56	12.886	-64
298	10	9	16	32	33	37	31	14.036	126	56	12.886	-64
299	10	9	16	32	34	37	31	14.036	126	56	12.886	-64
300	10	9	16	32	35	37	31	14.036	126	56	12.886	-64
301	10	9	16	32	36	37	31	14.036	126	56	12.886	-64
302	10	9	16	32	37	37	31	14.036	126	56	12.886	-64
303	10	9	16	32	38	37	31	14.036	126	56	12.886	-64
304	10	9	16	32	39	37	31	14.036	126	56	12.886	-64
평균 전계 레벨												-66.80




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx5(0_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	16	33	48	37	31	14.036	126	56	12.886	-64
2	10	9	16	33	49	37	31	14.036	126	56	12.886	-64
3	10	9	16	33	50	37	31	14.036	126	56	12.886	-64
4	10	9	16	33	51	37	31	14.036	126	56	12.886	-64
5	10	9	16	33	52	37	31	14.036	126	56	12.886	-64
6	10	9	16	33	53	37	31	14.036	126	56	12.886	-64
7	10	9	16	33	54	37	31	14.036	126	56	12.886	-64
8	10	9	16	33	55	37	31	14.036	126	56	12.886	-64
9	10	9	16	33	56	37	31	14.036	126	56	12.886	-64
10	10	9	16	33	57	37	31	14.036	126	56	12.886	-64
11	10	9	16	33	58	37	31	14.036	126	56	12.886	-64
12	10	9	16	33	59	37	31	14.036	126	56	12.886	-64
13	10	9	16	34	0	37	31	14.036	126	56	12.886	-64
14	10	9	16	34	1	37	31	14.036	126	56	12.886	-64
15	10	9	16	34	2	37	31	14.036	126	56	12.886	-64
16	10	9	16	34	3	37	31	14.036	126	56	12.886	-64
17	10	9	16	34	4	37	31	14.036	126	56	12.886	-64
18	10	9	16	34	5	37	31	14.036	126	56	12.886	-64
19	10	9	16	34	6	37	31	14.036	126	56	12.886	-64
20	10	9	16	34	7	37	31	14.036	126	56	12.886	-64
21	10	9	16	34	8	37	31	14.036	126	56	12.886	-64
22	10	9	16	34	9	37	31	14.036	126	56	12.886	-64
23	10	9	16	34	10	37	31	14.036	126	56	12.886	-64
24	10	9	16	34	11	37	31	14.036	126	56	12.886	-64
25	10	9	16	34	12	37	31	14.036	126	56	12.886	-64
26	10	9	16	34	13	37	31	14.036	126	56	12.886	-64
27	10	9	16	34	14	37	31	14.036	126	56	12.886	-64
28	10	9	16	34	15	37	31	14.036	126	56	12.886	-63
29	10	9	16	34	16	37	31	14.036	126	56	12.886	-63
30	10	9	16	34	17	37	31	14.036	126	56	12.886	-63
31	10	9	16	34	18	37	31	14.036	126	56	12.886	-64
32	10	9	16	34	19	37	31	14.036	126	56	12.886	-64
33	10	9	16	34	20	37	31	14.036	126	56	12.886	-64
34	10	9	16	34	21	37	31	14.036	126	56	12.886	-63
35	10	9	16	34	22	37	31	14.036	126	56	12.886	-63
36	10	9	16	34	23	37	31	14.036	126	56	12.886	-63
37	10	9	16	34	24	37	31	14.036	126	56	12.886	-64
38	10	9	16	34	25	37	31	14.036	126	56	12.886	-64
39	10	9	16	34	26	37	31	14.036	126	56	12.886	-64
40	10	9	16	34	27	37	31	14.036	126	56	12.886	-63
41	10	9	16	34	28	37	31	14.036	126	56	12.886	-63
42	10	9	16	34	29	37	31	14.036	126	56	12.886	-63
43	10	9	16	34	30	37	31	14.036	126	56	12.886	-64
44	10	9	16	34	31	37	31	14.036	126	56	12.886	-64
45	10	9	16	34	32	37	31	14.036	126	56	12.886	-64
46	10	9	16	34	33	37	31	14.036	126	56	12.886	-64
47	10	9	16	34	34	37	31	14.036	126	56	12.886	-64
평균 전계 레벨												-63.81




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx5(-30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
48	10	9	16	34	51	37	31	14.036	126	56	12.886	-59
49	10	9	16	34	52	37	31	14.036	126	56	12.886	-59
50	10	9	16	34	53	37	31	14.036	126	56	12.886	-59
51	10	9	16	34	54	37	31	14.036	126	56	12.886	-59
52	10	9	16	34	55	37	31	14.036	126	56	12.886	-59
53	10	9	16	34	56	37	31	14.036	126	56	12.886	-59
54	10	9	16	34	57	37	31	14.036	126	56	12.886	-59
55	10	9	16	34	58	37	31	14.036	126	56	12.886	-59
56	10	9	16	34	59	37	31	14.036	126	56	12.886	-59
57	10	9	16	35	0	37	31	14.036	126	56	12.886	-59
58	10	9	16	35	1	37	31	14.036	126	56	12.886	-59
59	10	9	16	35	2	37	31	14.036	126	56	12.886	-59
60	10	9	16	35	3	37	31	14.036	126	56	12.886	-59
61	10	9	16	35	4	37	31	14.036	126	56	12.886	-59
62	10	9	16	35	5	37	31	14.036	126	56	12.886	-59
63	10	9	16	35	6	37	31	14.036	126	56	12.886	-59
64	10	9	16	35	7	37	31	14.036	126	56	12.886	-59
65	10	9	16	35	8	37	31	14.036	126	56	12.886	-59
66	10	9	16	35	9	37	31	14.036	126	56	12.886	-59
67	10	9	16	35	10	37	31	14.036	126	56	12.886	-59
68	10	9	16	35	11	37	31	14.036	126	56	12.886	-59
69	10	9	16	35	12	37	31	14.036	126	56	12.886	-59
70	10	9	16	35	13	37	31	14.036	126	56	12.886	-59
71	10	9	16	35	14	37	31	14.036	126	56	12.886	-59
72	10	9	16	35	15	37	31	14.036	126	56	12.886	-59
73	10	9	16	35	16	37	31	14.036	126	56	12.886	-59
74	10	9	16	35	17	37	31	14.036	126	56	12.886	-59
75	10	9	16	35	18	37	31	14.036	126	56	12.886	-59
76	10	9	16	35	19	37	31	14.036	126	56	12.886	-59
77	10	9	16	35	20	37	31	14.036	126	56	12.886	-59
78	10	9	16	35	21	37	31	14.036	126	56	12.886	-59
79	10	9	16	35	22	37	31	14.036	126	56	12.886	-59
80	10	9	16	35	23	37	31	14.036	126	56	12.886	-59
81	10	9	16	35	24	37	31	14.036	126	56	12.886	-59
82	10	9	16	35	25	37	31	14.036	126	56	12.886	-59
83	10	9	16	35	26	37	31	14.036	126	56	12.886	-59
84	10	9	16	35	27	37	31	14.036	126	56	12.886	-59
85	10	9	16	35	28	37	31	14.036	126	56	12.886	-59
86	10	9	16	35	29	37	31	14.036	126	56	12.886	-59
87	10	9	16	35	30	37	31	14.036	126	56	12.886	-59
88	10	9	16	35	31	37	31	14.036	126	56	12.886	-59
89	10	9	16	35	32	37	31	14.036	126	56	12.886	-59
90	10	9	16	35	33	37	31	14.036	126	56	12.886	-59
91	10	9	16	35	34	37	31	14.036	126	56	12.886	-59
92	10	9	16	35	35	37	31	14.036	126	56	12.886	-59
93	10	9	16	35	36	37	31	14.036	126	56	12.886	-60
94	10	9	16	35	37	37	31	14.036	126	56	12.886	-60
95	10	9	16	35	38	37	31	14.036	126	56	12.886	-60
평균 전계 레벨												-59.06




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx5(30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
96	10	9	16	35	53	37	31	14.036	126	56	12.886	-60
97	10	9	16	35	54	37	31	14.036	126	56	12.886	-60
98	10	9	16	35	55	37	31	14.036	126	56	12.886	-60
99	10	9	16	35	56	37	31	14.036	126	56	12.886	-60
100	10	9	16	35	57	37	31	14.036	126	56	12.886	-60
101	10	9	16	35	58	37	31	14.036	126	56	12.886	-60
102	10	9	16	35	59	37	31	14.036	126	56	12.886	-60
103	10	9	16	36	0	37	31	14.036	126	56	12.886	-59
104	10	9	16	36	1	37	31	14.036	126	56	12.886	-59
105	10	9	16	36	2	37	31	14.036	126	56	12.886	-59
106	10	9	16	36	3	37	31	14.036	126	56	12.886	-60
107	10	9	16	36	4	37	31	14.036	126	56	12.886	-60
108	10	9	16	36	5	37	31	14.036	126	56	12.886	-60
109	10	9	16	36	6	37	31	14.036	126	56	12.886	-60
110	10	9	16	36	7	37	31	14.036	126	56	12.886	-60
111	10	9	16	36	8	37	31	14.036	126	56	12.886	-60
112	10	9	16	36	9	37	31	14.036	126	56	12.886	-60
113	10	9	16	36	10	37	31	14.036	126	56	12.886	-60
114	10	9	16	36	11	37	31	14.036	126	56	12.886	-60
115	10	9	16	36	12	37	31	14.036	126	56	12.886	-60
116	10	9	16	36	13	37	31	14.036	126	56	12.886	-60
117	10	9	16	36	14	37	31	14.036	126	56	12.886	-60
118	10	9	16	36	15	37	31	14.036	126	56	12.886	-60
119	10	9	16	36	16	37	31	14.036	126	56	12.886	-60
120	10	9	16	36	17	37	31	14.036	126	56	12.886	-60
121	10	9	16	36	18	37	31	14.036	126	56	12.886	-60
122	10	9	16	36	19	37	31	14.036	126	56	12.886	-60
123	10	9	16	36	20	37	31	14.036	126	56	12.886	-60
124	10	9	16	36	21	37	31	14.036	126	56	12.886	-61
125	10	9	16	36	22	37	31	14.036	126	56	12.886	-61
126	10	9	16	36	23	37	31	14.036	126	56	12.886	-61
127	10	9	16	36	24	37	31	14.036	126	56	12.886	-61
128	10	9	16	36	25	37	31	14.036	126	56	12.886	-61
129	10	9	16	36	26	37	31	14.036	126	56	12.886	-61
130	10	9	16	36	27	37	31	14.036	126	56	12.886	-61
평균 전계 레벨												-60.11




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx5(0_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
131	10	9	16	37	6	37	31	14.036	126	56	12.886	-54
132	10	9	16	37	7	37	31	14.036	126	56	12.886	-54
133	10	9	16	37	8	37	31	14.036	126	56	12.886	-54
134	10	9	16	37	9	37	31	14.036	126	56	12.886	-54
135	10	9	16	37	10	37	31	14.036	126	56	12.886	-54
136	10	9	16	37	11	37	31	14.036	126	56	12.886	-54
137	10	9	16	37	12	37	31	14.036	126	56	12.886	-54
138	10	9	16	37	13	37	31	14.036	126	56	12.886	-54
139	10	9	16	37	14	37	31	14.036	126	56	12.886	-54
140	10	9	16	37	15	37	31	14.036	126	56	12.886	-54
141	10	9	16	37	16	37	31	14.036	126	56	12.886	-54
142	10	9	16	37	17	37	31	14.036	126	56	12.886	-54
143	10	9	16	37	18	37	31	14.036	126	56	12.886	-54
144	10	9	16	37	19	37	31	14.036	126	56	12.886	-54
145	10	9	16	37	20	37	31	14.036	126	56	12.886	-54
146	10	9	16	37	21	37	31	14.036	126	56	12.886	-54
147	10	9	16	37	22	37	31	14.036	126	56	12.886	-54
148	10	9	16	37	23	37	31	14.036	126	56	12.886	-54
149	10	9	16	37	24	37	31	14.036	126	56	12.886	-54
150	10	9	16	37	25	37	31	14.036	126	56	12.886	-54
151	10	9	16	37	26	37	31	14.036	126	56	12.886	-54
152	10	9	16	37	27	37	31	14.036	126	56	12.886	-54
153	10	9	16	37	28	37	31	14.036	126	56	12.886	-54
154	10	9	16	37	29	37	31	14.036	126	56	12.886	-54
155	10	9	16	37	30	37	31	14.036	126	56	12.886	-54
156	10	9	16	37	31	37	31	14.036	126	56	12.886	-54
157	10	9	16	37	32	37	31	14.036	126	56	12.886	-54
158	10	9	16	37	33	37	31	14.036	126	56	12.886	-54
159	10	9	16	37	34	37	31	14.036	126	56	12.886	-54
160	10	9	16	37	35	37	31	14.036	126	56	12.886	-54
161	10	9	16	37	36	37	31	14.036	126	56	12.886	-54
162	10	9	16	37	37	37	31	14.036	126	56	12.886	-54
163	10	9	16	37	38	37	31	14.036	126	56	12.886	-54
164	10	9	16	37	39	37	31	14.036	126	56	12.886	-54
165	10	9	16	37	40	37	31	14.036	126	56	12.886	-54
166	10	9	16	37	41	37	31	14.036	126	56	12.886	-54
167	10	9	16	37	42	37	31	14.036	126	56	12.886	-54
168	10	9	16	37	43	37	31	14.036	126	56	12.886	-54
169	10	9	16	37	44	37	31	14.036	126	56	12.886	-54
170	10	9	16	37	45	37	31	14.036	126	56	12.886	-54
171	10	9	16	37	46	37	31	14.036	126	56	12.886	-54
172	10	9	16	37	47	37	31	14.036	126	56	12.886	-54
173	10	9	16	37	48	37	31	14.036	126	56	12.886	-54
174	10	9	16	37	49	37	31	14.036	126	56	12.886	-54
175	10	9	16	37	50	37	31	14.036	126	56	12.886	-54
176	10	9	16	37	51	37	31	14.036	126	56	12.886	-54
177	10	9	16	37	52	37	31	14.036	126	56	12.886	-54
178	10	9	16	37	53	37	31	14.036	126	56	12.886	-54
179	10	9	16	37	54	37	31	14.036	126	56	12.886	-54
180	10	9	16	37	55	37	31	14.036	126	56	12.886	-54
181	10	9	16	37	56	37	31	14.036	126	56	12.886	-54
평균 전계 레벨												-54.00




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx5(Omni(Antenna))

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
182	10	9	16	38	24	37	31	14.036	126	56	12.886	-60
183	10	9	16	38	25	37	31	14.036	126	56	12.886	-60
184	10	9	16	38	26	37	31	14.036	126	56	12.886	-60
185	10	9	16	38	27	37	31	14.036	126	56	12.886	-60
186	10	9	16	38	28	37	31	14.036	126	56	12.886	-60
187	10	9	16	38	29	37	31	14.036	126	56	12.886	-60
188	10	9	16	38	30	37	31	14.036	126	56	12.886	-60
189	10	9	16	38	31	37	31	14.036	126	56	12.886	-60
190	10	9	16	38	32	37	31	14.036	126	56	12.886	-60
191	10	9	16	38	33	37	31	14.036	126	56	12.886	-60
192	10	9	16	38	34	37	31	14.036	126	56	12.886	-60
193	10	9	16	38	35	37	31	14.036	126	56	12.886	-60
194	10	9	16	38	36	37	31	14.036	126	56	12.886	-58
195	10	9	16	38	37	37	31	14.036	126	56	12.886	-58
196	10	9	16	38	38	37	31	14.036	126	56	12.886	-58
197	10	9	16	38	39	37	31	14.036	126	56	12.886	-58
198	10	9	16	38	40	37	31	14.036	126	56	12.886	-58
199	10	9	16	38	41	37	31	14.036	126	56	12.886	-58
200	10	9	16	38	42	37	31	14.036	126	56	12.886	-59
201	10	9	16	38	43	37	31	14.036	126	56	12.886	-59
202	10	9	16	38	44	37	31	14.036	126	56	12.886	-59
203	10	9	16	38	45	37	31	14.036	126	56	12.886	-59
204	10	9	16	38	46	37	31	14.036	126	56	12.886	-59
205	10	9	16	38	47	37	31	14.036	126	56	12.886	-59
206	10	9	16	38	48	37	31	14.036	126	56	12.886	-60
207	10	9	16	38	49	37	31	14.036	126	56	12.886	-60
208	10	9	16	38	50	37	31	14.036	126	56	12.886	-60
209	10	9	16	38	51	37	31	14.036	126	56	12.886	-59
210	10	9	16	38	52	37	31	14.036	126	56	12.886	-59
211	10	9	16	38	53	37	31	14.036	126	56	12.886	-59
212	10	9	16	38	54	37	31	14.036	126	56	12.886	-59
213	10	9	16	38	55	37	31	14.036	126	56	12.886	-59
214	10	9	16	38	56	37	31	14.036	126	56	12.886	-59
215	10	9	16	38	57	37	31	14.036	126	56	12.886	-59
216	10	9	16	38	58	37	31	14.036	126	56	12.886	-59
217	10	9	16	38	59	37	31	14.036	126	56	12.886	-59
218	10	9	16	39	0	37	31	14.036	126	56	12.886	-58
219	10	9	16	39	1	37	31	14.036	126	56	12.886	-58
평균 전계 레벨												-59.18



- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx4(Omni(Edge))


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
482	10	9	15	46	27	37	31	12.776	126	56	10.833	-58
483	10	9	15	46	28	37	31	12.776	126	56	10.833	-58
484	10	9	15	46	29	37	31	12.776	126	56	10.833	-58
485	10	9	15	46	30	37	31	12.776	126	56	10.833	-58
486	10	9	15	46	31	37	31	12.776	126	56	10.833	-58
487	10	9	15	46	32	37	31	12.776	126	56	10.833	-58
488	10	9	15	46	33	37	31	12.776	126	56	10.833	-58
489	10	9	15	46	34	37	31	12.776	126	56	10.833	-58
490	10	9	15	46	35	37	31	12.776	126	56	10.833	-58
491	10	9	15	46	36	37	31	12.776	126	56	10.833	-58
492	10	9	15	46	37	37	31	12.776	126	56	10.833	-58
493	10	9	15	46	38	37	31	12.776	126	56	10.833	-58
494	10	9	15	46	39	37	31	12.776	126	56	10.833	-58
495	10	9	15	46	40	37	31	12.776	126	56	10.833	-58
496	10	9	15	46	41	37	31	12.776	126	56	10.833	-58
497	10	9	15	46	42	37	31	12.776	126	56	10.833	-58
498	10	9	15	46	43	37	31	12.776	126	56	10.833	-58
499	10	9	15	46	44	37	31	12.776	126	56	10.833	-58
500	10	9	15	46	45	37	31	12.776	126	56	10.833	-58
501	10	9	15	46	46	37	31	12.776	126	56	10.833	-58
502	10	9	15	46	47	37	31	12.776	126	56	10.833	-58
503	10	9	15	46	48	37	31	12.776	126	56	10.833	-58
504	10	9	15	46	49	37	31	12.776	126	56	10.833	-57
505	10	9	15	46	50	37	31	12.776	126	56	10.833	-57
506	10	9	15	46	51	37	31	12.776	126	56	10.833	-57
507	10	9	15	46	52	37	31	12.776	126	56	10.833	-57
508	10	9	15	46	53	37	31	12.776	126	56	10.833	-57
509	10	9	15	46	54	37	31	12.776	126	56	10.833	-57
510	10	9	15	46	55	37	31	12.776	126	56	10.833	-57
평균 전계 레벨												-57.76



- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx4(0_0)


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	15	33	30	37	31	12.704	126	56	10.797	-50
2	10	9	15	33	31	37	31	12.704	126	56	10.797	-50
3	10	9	15	33	32	37	31	12.704	126	56	10.797	-50
4	10	9	15	33	33	37	31	12.704	126	56	10.797	-50
5	10	9	15	33	34	37	31	12.704	126	56	10.797	-50
6	10	9	15	33	35	37	31	12.704	126	56	10.797	-50
7	10	9	15	33	36	37	31	12.704	126	56	10.797	-49
8	10	9	15	33	37	37	31	12.704	126	56	10.797	-49
9	10	9	15	33	38	37	31	12.704	126	56	10.797	-49
10	10	9	15	33	39	37	31	12.704	126	56	10.797	-51
11	10	9	15	33	40	37	31	12.704	126	56	10.797	-51
12	10	9	15	33	41	37	31	12.704	126	56	10.797	-51
13	10	9	15	33	42	37	31	12.704	126	56	10.797	-51
14	10	9	15	33	43	37	31	12.704	126	56	10.797	-51
15	10	9	15	33	44	37	31	12.704	126	56	10.797	-51
16	10	9	15	33	45	37	31	12.704	126	56	10.797	-50
17	10	9	15	33	46	37	31	12.704	126	56	10.797	-50
18	10	9	15	33	47	37	31	12.704	126	56	10.797	-50
19	10	9	15	33	48	37	31	12.704	126	56	10.797	-50
20	10	9	15	33	49	37	31	12.704	126	56	10.797	-50
21	10	9	15	33	50	37	31	12.704	126	56	10.797	-50
22	10	9	15	33	51	37	31	12.704	126	56	10.797	-50
23	10	9	15	33	52	37	31	12.704	126	56	10.797	-50
24	10	9	15	33	53	37	31	12.704	126	56	10.797	-50
25	10	9	15	33	54	37	31	12.704	126	56	10.797	-50
26	10	9	15	33	55	37	31	12.704	126	56	10.797	-50
27	10	9	15	33	56	37	31	12.704	126	56	10.797	-50
28	10	9	15	33	57	37	31	12.704	126	56	10.797	-50
29	10	9	15	33	58	37	31	12.704	126	56	10.797	-50
30	10	9	15	33	59	37	31	12.704	126	56	10.797	-50
31	10	9	15	34	0	37	31	12.704	126	56	10.797	-50
32	10	9	15	34	1	37	31	12.704	126	56	10.797	-50
33	10	9	15	34	2	37	31	12.704	126	56	10.797	-50
34	10	9	15	34	3	37	31	12.704	126	56	10.797	-51
35	10	9	15	34	4	37	31	12.704	126	56	10.797	-51
36	10	9	15	34	5	37	31	12.704	126	56	10.797	-51
37	10	9	15	34	6	37	31	12.704	126	56	10.797	-50
38	10	9	15	34	7	37	31	12.704	126	56	10.797	-50
39	10	9	15	34	8	37	31	12.704	126	56	10.797	-50
40	10	9	15	34	9	37	31	12.74	126	56	10.797	-50
41	10	9	15	34	10	37	31	12.74	126	56	10.797	-50
42	10	9	15	34	11	37	31	12.74	126	56	10.797	-50
43	10	9	15	34	12	37	31	12.74	126	56	10.797	-50
44	10	9	15	34	13	37	31	12.74	126	56	10.797	-50
45	10	9	15	34	14	37	31	12.74	126	56	10.797	-50
46	10	9	15	34	15	37	31	12.74	126	56	10.797	-51
47	10	9	15	34	16	37	31	12.74	126	56	10.797	-51
48	10	9	15	34	17	37	31	12.74	126	56	10.797	-51
49	10	9	15	34	18	37	31	12.74	126	56	10.797	-50
50	10	9	15	34	19	37	31	12.74	126	56	10.797	-50
51	10	9	15	34	20	37	31	12.74	126	56	10.797	-50
52	10	9	15	34	21	37	31	12.74	126	56	10.797	-51

53	10	9	15	34	22	37	31	12.74	126	56	10.797	-51
54	10	9	15	34	23	37	31	12.74	126	56	10.797	-51
55	10	9	15	34	24	37	31	12.74	126	56	10.797	-51
56	10	9	15	34	25	37	31	12.74	126	56	10.797	-51
57	10	9	15	34	26	37	31	12.74	126	56	10.797	-51
58	10	9	15	34	27	37	31	12.74	126	56	10.797	-51
평균 전계 레벨												-50.28




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx4(0_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
59	10	9	15	35	2	37	31	12.74	126	56	10.797	-65
60	10	9	15	35	3	37	31	12.74	126	56	10.797	-70
61	10	9	15	35	4	37	31	12.74	126	56	10.797	-70
62	10	9	15	35	5	37	31	12.74	126	56	10.797	-70
63	10	9	15	35	6	37	31	12.74	126	56	10.797	-70
64	10	9	15	35	7	37	31	12.74	126	56	10.797	-70
65	10	9	15	35	8	37	31	12.74	126	56	10.797	-70
66	10	9	15	35	9	37	31	12.74	126	56	10.797	-71
67	10	9	15	35	10	37	31	12.74	126	56	10.797	-71
68	10	9	15	35	11	37	31	12.74	126	56	10.797	-71
69	10	9	15	35	12	37	31	12.74	126	56	10.797	-72
70	10	9	15	35	13	37	31	12.74	126	56	10.797	-72
71	10	9	15	35	14	37	31	12.74	126	56	10.797	-72
72	10	9	15	35	15	37	31	12.74	126	56	10.797	-69
73	10	9	15	35	16	37	31	12.74	126	56	10.797	-69
74	10	9	15	35	17	37	31	12.74	126	56	10.797	-69
75	10	9	15	35	18	37	31	12.74	126	56	10.797	-71
76	10	9	15	35	19	37	31	12.74	126	56	10.797	-71
77	10	9	15	35	20	37	31	12.74	126	56	10.797	-71
78	10	9	15	35	21	37	31	12.74	126	56	10.797	-70
79	10	9	15	35	22	37	31	12.74	126	56	10.797	-70
80	10	9	15	35	23	37	31	12.74	126	56	10.797	-70
81	10	9	15	35	24	37	31	12.74	126	56	10.797	-72
82	10	9	15	35	25	37	31	12.74	126	56	10.797	-72
83	10	9	15	35	26	37	31	12.74	126	56	10.797	-72
84	10	9	15	35	27	37	31	12.74	126	56	10.797	-71
85	10	9	15	35	28	37	31	12.74	126	56	10.797	-71
86	10	9	15	35	29	37	31	12.74	126	56	10.797	-71
87	10	9	15	35	30	37	31	12.74	126	56	10.797	-71
88	10	9	15	35	31	37	31	12.74	126	56	10.797	-71
평균 전계 레벨												-70.50




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx4(0_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
89	10	9	15	35	52	37	31	12.74	126	56	10.797	-69
90	10	9	15	35	53	37	31	12.74	126	56	10.797	-69
91	10	9	15	35	54	37	31	12.74	126	56	10.797	-66
92	10	9	15	35	55	37	31	12.74	126	56	10.797	-66
93	10	9	15	35	56	37	31	12.74	126	56	10.797	-66
94	10	9	15	35	57	37	31	12.74	126	56	10.797	-67
95	10	9	15	35	58	37	31	12.74	126	56	10.797	-67
96	10	9	15	35	59	37	31	12.74	126	56	10.797	-67
97	10	9	15	36	0	37	31	12.74	126	56	10.797	-69
98	10	9	15	36	1	37	31	12.74	126	56	10.797	-69
99	10	9	15	36	2	37	31	12.74	126	56	10.797	-69
100	10	9	15	36	3	37	31	12.74	126	56	10.797	-69
101	10	9	15	36	4	37	31	12.74	126	56	10.797	-69
102	10	9	15	36	5	37	31	12.74	126	56	10.797	-69
103	10	9	15	36	6	37	31	12.74	126	56	10.797	-70
104	10	9	15	36	7	37	31	12.74	126	56	10.797	-70
105	10	9	15	36	8	37	31	12.74	126	56	10.797	-70
106	10	9	15	36	9	37	31	12.74	126	56	10.797	-68
107	10	9	15	36	10	37	31	12.74	126	56	10.797	-68
108	10	9	15	36	11	37	31	12.74	126	56	10.797	-68
109	10	9	15	36	12	37	31	12.74	126	56	10.797	-73
110	10	9	15	36	13	37	31	12.74	126	56	10.797	-73
111	10	9	15	36	14	37	31	12.74	126	56	10.797	-73
112	10	9	15	36	15	37	31	12.74	126	56	10.797	-67
113	10	9	15	36	16	37	31	12.74	126	56	10.797	-67
114	10	9	15	36	17	37	31	12.74	126	56	10.797	-67
115	10	9	15	36	18	37	31	12.74	126	56	10.797	-68
116	10	9	15	36	19	37	31	12.74	126	56	10.797	-68
117	10	9	15	36	20	37	31	12.74	126	56	10.797	-68
118	10	9	15	36	21	37	31	12.74	126	56	10.797	-71
119	10	9	15	36	22	37	31	12.74	126	56	10.797	-71
120	10	9	15	36	23	37	31	12.74	126	56	10.797	-71
121	10	9	15	36	24	37	31	12.74	126	56	10.797	-84
122	10	9	15	36	25	37	31	12.74	126	56	10.797	-84
123	10	9	15	36	26	37	31	12.74	126	56	10.797	-84
124	10	9	15	36	27	37	31	12.74	126	56	10.797	-71
125	10	9	15	36	28	37	31	12.74	126	56	10.797	-71
평균 전계 레벨												-70.16




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx4(0_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
126	10	9	15	37	3	37	31	12.74	126	56	10.797	-65
127	10	9	15	37	4	37	31	12.74	126	56	10.797	-65
128	10	9	15	37	5	37	31	12.74	126	56	10.797	-65
129	10	9	15	37	6	37	31	12.74	126	56	10.797	-63
130	10	9	15	37	7	37	31	12.74	126	56	10.797	-63
131	10	9	15	37	8	37	31	12.74	126	56	10.797	-63
132	10	9	15	37	9	37	31	12.74	126	56	10.797	-62
133	10	9	15	37	10	37	31	12.74	126	56	10.797	-62
134	10	9	15	37	11	37	31	12.74	126	56	10.797	-62
135	10	9	15	37	12	37	31	12.74	126	56	10.797	-67
136	10	9	15	37	13	37	31	12.74	126	56	10.797	-67
137	10	9	15	37	14	37	31	12.74	126	56	10.797	-67
138	10	9	15	37	15	37	31	12.74	126	56	10.797	-71
139	10	9	15	37	16	37	31	12.74	126	56	10.797	-71
140	10	9	15	37	17	37	31	12.74	126	56	10.797	-71
141	10	9	15	37	18	37	31	12.74	126	56	10.797	-72
142	10	9	15	37	19	37	31	12.74	126	56	10.797	-72
143	10	9	15	37	20	37	31	12.74	126	56	10.797	-72
144	10	9	15	37	21	37	31	12.74	126	56	10.797	-71
145	10	9	15	37	22	37	31	12.74	126	56	10.797	-71
146	10	9	15	37	23	37	31	12.74	126	56	10.797	-71
147	10	9	15	37	24	37	31	12.74	126	56	10.797	-74
148	10	9	15	37	25	37	31	12.74	126	56	10.797	-74
149	10	9	15	37	26	37	31	12.74	126	56	10.797	-74
150	10	9	15	37	27	37	31	12.74	126	56	10.797	-78
151	10	9	15	37	28	37	31	12.74	126	56	10.797	-78
152	10	9	15	37	29	37	31	12.74	126	56	10.797	-78
153	10	9	15	37	30	37	31	12.74	126	56	10.797	-68
154	10	9	15	37	31	37	31	12.74	126	56	10.797	-68
155	10	9	15	37	32	37	31	12.74	126	56	10.797	-68
156	10	9	15	37	33	37	31	12.74	126	56	10.797	-70
157	10	9	15	37	34	37	31	12.74	126	56	10.797	-70
158	10	9	15	37	35	37	31	12.74	126	56	10.797	-70
159	10	9	15	37	36	37	31	12.74	126	56	10.797	-82
160	10	9	15	37	37	37	31	12.74	126	56	10.797	-82
161	10	9	15	37	38	37	31	12.74	126	56	10.797	-82
162	10	9	15	37	39	37	31	12.74	126	56	10.797	-71
163	10	9	15	37	40	37	31	12.74	126	56	10.797	-71
164	10	9	15	37	41	37	31	12.74	126	56	10.797	-71
165	10	9	15	37	42	37	31	12.74	126	56	10.797	-69
166	10	9	15	37	43	37	31	12.74	126	56	10.797	-69
167	10	9	15	37	44	37	31	12.74	126	56	10.797	-69
168	10	9	15	37	45	37	31	12.74	126	56	10.797	-69
169	10	9	15	37	46	37	31	12.74	126	56	10.797	-69
170	10	9	15	37	47	37	31	12.74	126	56	10.797	-69
평균 전계 레벨												-70.13




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx4(0_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
171	10	9	15	38	18	37	31	12.74	126	56	10.797	-72
172	10	9	15	38	19	37	31	12.74	126	56	10.797	-72
173	10	9	15	38	20	37	31	12.74	126	56	10.797	-72
174	10	9	15	38	21	37	31	12.74	126	56	10.797	-72
175	10	9	15	38	22	37	31	12.74	126	56	10.797	-72
176	10	9	15	38	23	37	31	12.74	126	56	10.797	-72
177	10	9	15	38	24	37	31	12.74	126	56	10.797	-72
178	10	9	15	38	25	37	31	12.74	126	56	10.797	-72
179	10	9	15	38	26	37	31	12.74	126	56	10.797	-72
180	10	9	15	38	27	37	31	12.74	126	56	10.797	-71
181	10	9	15	38	28	37	31	12.74	126	56	10.797	-71
182	10	9	15	38	29	37	31	12.74	126	56	10.797	-71
183	10	9	15	38	30	37	31	12.74	126	56	10.797	-70
184	10	9	15	38	31	37	31	12.74	126	56	10.797	-70
185	10	9	15	38	32	37	31	12.74	126	56	10.797	-70
186	10	9	15	38	33	37	31	12.74	126	56	10.797	-71
187	10	9	15	38	34	37	31	12.74	126	56	10.797	-71
188	10	9	15	38	35	37	31	12.74	126	56	10.797	-71
189	10	9	15	38	36	37	31	12.74	126	56	10.797	-70
190	10	9	15	38	37	37	31	12.74	126	56	10.797	-70
191	10	9	15	38	38	37	31	12.74	126	56	10.797	-70
192	10	9	15	38	39	37	31	12.74	126	56	10.797	-70
193	10	9	15	38	40	37	31	12.74	126	56	10.797	-70
194	10	9	15	38	41	37	31	12.74	126	56	10.797	-70
195	10	9	15	38	42	37	31	12.74	126	56	10.797	-71
196	10	9	15	38	43	37	31	12.74	126	56	10.797	-71
197	10	9	15	38	44	37	31	12.74	126	56	10.797	-71
198	10	9	15	38	45	37	31	12.74	126	56	10.797	-71
199	10	9	15	38	46	37	31	12.74	126	56	10.797	-71
200	10	9	15	38	47	37	31	12.74	126	56	10.797	-71
201	10	9	15	38	48	37	31	12.74	126	56	10.797	-72
202	10	9	15	38	49	37	31	12.74	126	56	10.797	-72
203	10	9	15	38	50	37	31	12.74	126	56	10.797	-72
평균 전계 레벨												-71.09




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx4(0_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
204	10	9	15	39	15	37	31	12.74	126	56	10.797	-83
205	10	9	15	39	16	37	31	12.74	126	56	10.797	-83
206	10	9	15	39	17	37	31	12.74	126	56	10.797	-83
207	10	9	15	39	18	37	31	12.74	126	56	10.797	-78
208	10	9	15	39	19	37	31	12.74	126	56	10.797	-78
209	10	9	15	39	20	37	31	12.74	126	56	10.797	-78
210	10	9	15	39	21	37	31	12.74	126	56	10.797	-77
211	10	9	15	39	22	37	31	12.74	126	56	10.797	-77
212	10	9	15	39	23	37	31	12.74	126	56	10.797	-77
213	10	9	15	39	24	37	31	12.74	126	56	10.797	-75
214	10	9	15	39	25	37	31	12.74	126	56	10.797	-75
215	10	9	15	39	26	37	31	12.74	126	56	10.797	-75
216	10	9	15	39	27	37	31	12.74	126	56	10.797	-75
217	10	9	15	39	28	37	31	12.74	126	56	10.797	-75
218	10	9	15	39	29	37	31	12.74	126	56	10.797	-75
219	10	9	15	39	30	37	31	12.74	126	56	10.797	-75
220	10	9	15	39	31	37	31	12.74	126	56	10.797	-75
221	10	9	15	39	32	37	31	12.74	126	56	10.797	-75
222	10	9	15	39	33	37	31	12.74	126	56	10.797	-75
223	10	9	15	39	34	37	31	12.74	126	56	10.797	-75
224	10	9	15	39	35	37	31	12.74	126	56	10.797	-75
225	10	9	15	39	36	37	31	12.74	126	56	10.797	-73
226	10	9	15	39	37	37	31	12.74	126	56	10.797	-73
227	10	9	15	39	38	37	31	12.74	126	56	10.797	-73
228	10	9	15	39	39	37	31	12.74	126	56	10.797	-72
229	10	9	15	39	40	37	31	12.74	126	56	10.797	-72
230	10	9	15	39	41	37	31	12.74	126	56	10.797	-72
231	10	9	15	39	42	37	31	12.74	126	56	10.797	-72
232	10	9	15	39	43	37	31	12.74	126	56	10.797	-72
233	10	9	15	39	44	37	31	12.74	126	56	10.797	-72
234	10	9	15	39	45	37	31	12.74	126	56	10.797	-78
235	10	9	15	39	46	37	31	12.74	126	56	10.797	-78
236	10	9	15	39	47	37	31	12.74	126	56	10.797	-78
237	10	9	15	39	48	37	31	12.74	126	56	10.797	-76
238	10	9	15	39	49	37	31	12.74	126	56	10.797	-76
239	10	9	15	39	50	37	31	12.74	126	56	10.797	-76
240	10	9	15	39	51	37	31	12.74	126	56	10.797	-77
평균 전계 레벨												-75.78




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx4(0_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
241	10	9	15	40	16	37	31	12.74	126	56	10.797	-78
242	10	9	15	40	17	37	31	12.74	126	56	10.797	-78
243	10	9	15	40	18	37	31	12.74	126	56	10.797	-76
244	10	9	15	40	19	37	31	12.74	126	56	10.797	-76
245	10	9	15	40	20	37	31	12.74	126	56	10.797	-76
246	10	9	15	40	22	37	31	12.74	126	56	10.797	-75
247	10	9	15	40	23	37	31	12.74	126	56	10.797	-75
248	10	9	15	40	24	37	31	12.74	126	56	10.797	-75
249	10	9	15	40	25	37	31	12.74	126	56	10.797	-74
250	10	9	15	40	26	37	31	12.74	126	56	10.797	-74
251	10	9	15	40	27	37	31	12.74	126	56	10.797	-74
252	10	9	15	40	28	37	31	12.74	126	56	10.797	-69
253	10	9	15	40	29	37	31	12.74	126	56	10.797	-69
254	10	9	15	40	30	37	31	12.74	126	56	10.797	-69
255	10	9	15	40	31	37	31	12.74	126	56	10.797	-72
256	10	9	15	40	32	37	31	12.74	126	56	10.797	-72
257	10	9	15	40	33	37	31	12.74	126	56	10.797	-72
258	10	9	15	40	34	37	31	12.74	126	56	10.797	-74
259	10	9	15	40	35	37	31	12.74	126	56	10.797	-74
260	10	9	15	40	36	37	31	12.74	126	56	10.797	-74
261	10	9	15	40	37	37	31	12.74	126	56	10.797	-75
262	10	9	15	40	38	37	31	12.74	126	56	10.797	-75
263	10	9	15	40	39	37	31	12.74	126	56	10.797	-75
264	10	9	15	40	40	37	31	12.74	126	56	10.797	-73
265	10	9	15	40	41	37	31	12.74	126	56	10.797	-73
266	10	9	15	40	42	37	31	12.74	126	56	10.797	-73
267	10	9	15	40	43	37	31	12.74	126	56	10.797	-76
268	10	9	15	40	44	37	31	12.74	126	56	10.797	-76
269	10	9	15	40	45	37	31	12.74	126	56	10.797	-76
270	10	9	15	40	46	37	31	12.74	126	56	10.797	-77
271	10	9	15	40	47	37	31	12.74	126	56	10.797	-77
평균 전계 레벨												-74.26




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx4(0_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
272	10	9	15	41	1	37	31	12.74	126	56	10.797	-70
273	10	9	15	41	2	37	31	12.74	126	56	10.797	-70
274	10	9	15	41	3	37	31	12.74	126	56	10.797	-70
275	10	9	15	41	4	37	31	12.74	126	56	10.797	-73
276	10	9	15	41	5	37	31	12.74	126	56	10.797	-73
277	10	9	15	41	6	37	31	12.74	126	56	10.797	-73
278	10	9	15	41	7	37	31	12.74	126	56	10.797	-71
279	10	9	15	41	8	37	31	12.74	126	56	10.797	-71
280	10	9	15	41	9	37	31	12.74	126	56	10.797	-71
281	10	9	15	41	10	37	31	12.74	126	56	10.797	-71
282	10	9	15	41	11	37	31	12.74	126	56	10.797	-71
283	10	9	15	41	12	37	31	12.74	126	56	10.797	-71
284	10	9	15	41	13	37	31	12.74	126	56	10.797	-70
285	10	9	15	41	14	37	31	12.74	126	56	10.797	-70
286	10	9	15	41	15	37	31	12.74	126	56	10.797	-70
287	10	9	15	41	16	37	31	12.74	126	56	10.797	-71
288	10	9	15	41	17	37	31	12.74	126	56	10.797	-71
289	10	9	15	41	18	37	31	12.74	126	56	10.797	-71
290	10	9	15	41	19	37	31	12.74	126	56	10.797	-70
291	10	9	15	41	20	37	31	12.74	126	56	10.797	-70
292	10	9	15	41	21	37	31	12.74	126	56	10.797	-70
293	10	9	15	41	22	37	31	12.74	126	56	10.797	-71
294	10	9	15	41	23	37	31	12.74	126	56	10.797	-71
295	10	9	15	41	24	37	31	12.74	126	56	10.797	-71
296	10	9	15	41	25	37	31	12.74	126	56	10.797	-70
297	10	9	15	41	26	37	31	12.74	126	56	10.797	-70
298	10	9	15	41	27	37	31	12.74	126	56	10.797	-70
299	10	9	15	41	28	37	31	12.74	126	56	10.797	-70
300	10	9	15	41	29	37	31	12.74	126	56	10.797	-70
301	10	9	15	41	30	37	31	12.74	126	56	10.797	-70
302	10	9	15	41	31	37	31	12.74	126	56	10.797	-70
303	10	9	15	41	32	37	31	12.74	126	56	10.797	-70
304	10	9	15	41	33	37	31	12.74	126	56	10.797	-70
305	10	9	15	41	34	37	31	12.74	126	56	10.797	-70
306	10	9	15	41	35	37	31	12.74	126	56	10.797	-70
307	10	9	15	41	36	37	31	12.74	126	56	10.797	-70
308	10	9	15	41	37	37	31	12.74	126	56	10.797	-70
309	10	9	15	41	38	37	31	12.74	126	56	10.797	-70
310	10	9	15	41	39	37	31	12.74	126	56	10.797	-70
311	10	9	15	41	40	37	31	12.74	126	56	10.797	-70
312	10	9	15	41	41	37	31	12.74	126	56	10.797	-70
313	10	9	15	41	42	37	31	12.74	126	56	10.797	-70
314	10	9	15	41	43	37	31	12.74	126	56	10.797	-70
315	10	9	15	41	44	37	31	12.74	126	56	10.797	-70
평균 전계 레벨												-70.4




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx4(-30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
316	10	9	15	41	58	37	31	12.74	126	56	10.797	-55
317	10	9	15	41	59	37	31	12.74	126	56	10.797	-55
318	10	9	15	42	0	37	31	12.74	126	56	10.797	-55
319	10	9	15	42	1	37	31	12.74	126	56	10.797	-56
320	10	9	15	42	2	37	31	12.74	126	56	10.797	-56
321	10	9	15	42	3	37	31	12.74	126	56	10.797	-56
322	10	9	15	42	4	37	31	12.74	126	56	10.797	-56
323	10	9	15	42	5	37	31	12.74	126	56	10.797	-56
324	10	9	15	42	6	37	31	12.74	126	56	10.797	-56
325	10	9	15	42	7	37	31	12.74	126	56	10.797	-55
326	10	9	15	42	8	37	31	12.74	126	56	10.797	-55
327	10	9	15	42	9	37	31	12.74	126	56	10.797	-55
328	10	9	15	42	10	37	31	12.74	126	56	10.797	-55
329	10	9	15	42	11	37	31	12.74	126	56	10.797	-55
330	10	9	15	42	12	37	31	12.74	126	56	10.797	-55
331	10	9	15	42	13	37	31	12.74	126	56	10.797	-55
332	10	9	15	42	14	37	31	12.74	126	56	10.797	-55
333	10	9	15	42	15	37	31	12.74	126	56	10.797	-55
334	10	9	15	42	16	37	31	12.74	126	56	10.797	-56
335	10	9	15	42	17	37	31	12.74	126	56	10.797	-56
336	10	9	15	42	18	37	31	12.74	126	56	10.797	-56
337	10	9	15	42	19	37	31	12.74	126	56	10.797	-56
338	10	9	15	42	20	37	31	12.74	126	56	10.797	-56
339	10	9	15	42	21	37	31	12.74	126	56	10.797	-56
340	10	9	15	42	22	37	31	12.74	126	56	10.797	-55
341	10	9	15	42	23	37	31	12.74	126	56	10.797	-55
342	10	9	15	42	24	37	31	12.74	126	56	10.797	-55
343	10	9	15	42	25	37	31	12.74	126	56	10.797	-55
344	10	9	15	42	26	37	31	12.74	126	56	10.797	-55
345	10	9	15	42	27	37	31	12.74	126	56	10.797	-55
346	10	9	15	42	28	37	31	12.74	126	56	10.797	-55
347	10	9	15	42	29	37	31	12.74	126	56	10.797	-55
348	10	9	15	42	30	37	31	12.74	126	56	10.797	-55
349	10	9	15	42	31	37	31	12.74	126	56	10.797	-55
평균 전계 레벨												-55.35



- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx4(30_0)


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
350	10	9	15	42	47	37	31	12.74	126	56	10.797	-56
351	10	9	15	42	48	37	31	12.74	126	56	10.797	-56
352	10	9	15	42	49	37	31	12.74	126	56	10.797	-56
353	10	9	15	42	50	37	31	12.74	126	56	10.797	-56
354	10	9	15	42	51	37	31	12.74	126	56	10.797	-56
355	10	9	15	42	52	37	31	12.74	126	56	10.797	-56
356	10	9	15	42	53	37	31	12.74	126	56	10.797	-56
357	10	9	15	42	54	37	31	12.74	126	56	10.797	-56
358	10	9	15	42	55	37	31	12.74	126	56	10.797	-56
359	10	9	15	42	56	37	31	12.74	126	56	10.797	-56
360	10	9	15	42	57	37	31	12.74	126	56	10.797	-56
361	10	9	15	42	58	37	31	12.74	126	56	10.797	-56
362	10	9	15	42	59	37	31	12.74	126	56	10.797	-56
363	10	9	15	43	0	37	31	12.74	126	56	10.797	-56
364	10	9	15	43	1	37	31	12.74	126	56	10.797	-56
365	10	9	15	43	2	37	31	12.74	126	56	10.797	-56
366	10	9	15	43	3	37	31	12.74	126	56	10.797	-56
367	10	9	15	43	4	37	31	12.74	126	56	10.797	-55
368	10	9	15	43	5	37	31	12.74	126	56	10.797	-55
369	10	9	15	43	6	37	31	12.74	126	56	10.797	-55
370	10	9	15	43	7	37	31	12.74	126	56	10.797	-56
371	10	9	15	43	8	37	31	12.74	126	56	10.797	-56
372	10	9	15	43	9	37	31	12.74	126	56	10.797	-56
373	10	9	15	43	10	37	31	12.74	126	56	10.797	-55
374	10	9	15	43	11	37	31	12.74	126	56	10.797	-55
375	10	9	15	43	12	37	31	12.74	126	56	10.797	-55
376	10	9	15	43	13	37	31	12.74	126	56	10.797	-56
377	10	9	15	43	14	37	31	12.74	126	56	10.797	-56
378	10	9	15	43	15	37	31	12.74	126	56	10.797	-56
379	10	9	15	43	16	37	31	12.74	126	56	10.797	-56
380	10	9	15	43	17	37	31	12.74	126	56	10.797	-56
381	10	9	15	43	18	37	31	12.74	126	56	10.797	-56
382	10	9	15	43	19	37	31	12.74	126	56	10.797	-55
383	10	9	15	43	20	37	31	12.74	126	56	10.797	-55
384	10	9	15	43	21	37	31	12.74	126	56	10.797	-55
385	10	9	15	43	22	37	31	12.74	126	56	10.797	-56
386	10	9	15	43	23	37	31	12.74	126	56	10.797	-56
387	10	9	15	43	24	37	31	12.74	126	56	10.797	-56
388	10	9	15	43	25	37	31	12.74	126	56	10.797	-55
389	10	9	15	43	26	37	31	12.74	126	56	10.797	-55
390	10	9	15	43	27	37	31	12.74	126	56	10.797	-55
391	10	9	15	43	28	37	31	12.74	126	56	10.797	-55
평균 전계 레벨												-55.6



- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx4(0_0)


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
392	10	9	15	44	6	37	31	12.776	126	56	10.797	-51
393	10	9	15	44	7	37	31	12.776	126	56	10.797	-51
394	10	9	15	44	8	37	31	12.776	126	56	10.797	-51
395	10	9	15	44	9	37	31	12.776	126	56	10.797	-51
396	10	9	15	44	10	37	31	12.776	126	56	10.797	-51
397	10	9	15	44	11	37	31	12.776	126	56	10.797	-51
398	10	9	15	44	12	37	31	12.776	126	56	10.797	-51
399	10	9	15	44	13	37	31	12.776	126	56	10.797	-51
400	10	9	15	44	14	37	31	12.776	126	56	10.797	-51
401	10	9	15	44	15	37	31	12.776	126	56	10.797	-51
402	10	9	15	44	16	37	31	12.776	126	56	10.797	-51
403	10	9	15	44	17	37	31	12.776	126	56	10.797	-51
404	10	9	15	44	18	37	31	12.776	126	56	10.797	-51
405	10	9	15	44	19	37	31	12.776	126	56	10.797	-51
406	10	9	15	44	20	37	31	12.776	126	56	10.797	-51
407	10	9	15	44	21	37	31	12.776	126	56	10.797	-51
408	10	9	15	44	22	37	31	12.776	126	56	10.797	-51
409	10	9	15	44	23	37	31	12.776	126	56	10.797	-51
410	10	9	15	44	24	37	31	12.776	126	56	10.797	-51
411	10	9	15	44	25	37	31	12.776	126	56	10.797	-51
412	10	9	15	44	26	37	31	12.776	126	56	10.797	-51
413	10	9	15	44	27	37	31	12.776	126	56	10.797	-51
414	10	9	15	44	28	37	31	12.776	126	56	10.797	-52
415	10	9	15	44	29	37	31	12.776	126	56	10.797	-52
416	10	9	15	44	30	37	31	12.776	126	56	10.797	-52
417	10	9	15	44	31	37	31	12.776	126	56	10.797	-52
418	10	9	15	44	32	37	31	12.776	126	56	10.797	-52
419	10	9	15	44	33	37	31	12.776	126	56	10.797	-52
420	10	9	15	44	34	37	31	12.776	126	56	10.797	-52
421	10	9	15	44	35	37	31	12.776	126	56	10.797	-52
422	10	9	15	44	36	37	31	12.776	126	56	10.797	-52
423	10	9	15	44	37	37	31	12.776	126	56	10.797	-52
424	10	9	15	44	38	37	31	12.776	126	56	10.797	-52
425	10	9	15	44	39	37	31	12.776	126	56	10.797	-52
426	10	9	15	44	40	37	31	12.776	126	56	10.797	-51
427	10	9	15	44	41	37	31	12.776	126	56	10.797	-51
428	10	9	15	44	42	37	31	12.776	126	56	10.797	-51
429	10	9	15	44	43	37	31	12.776	126	56	10.797	-52
430	10	9	15	44	44	37	31	12.776	126	56	10.797	-52
431	10	9	15	44	45	37	31	12.776	126	56	10.797	-52
432	10	9	15	44	46	37	31	12.776	126	56	10.797	-52
433	10	9	15	44	47	37	31	12.776	126	56	10.797	-52
434	10	9	15	44	48	37	31	12.776	126	56	10.797	-52
435	10	9	15	44	49	37	31	12.776	126	56	10.797	-52
436	10	9	15	44	50	37	31	12.776	126	56	10.797	-52
437	10	9	15	44	51	37	31	12.776	126	56	10.797	-52
438	10	9	15	44	52	37	31	12.776	126	56	10.797	-52
439	10	9	15	44	53	37	31	12.776	126	56	10.797	-52
440	10	9	15	44	54	37	31	12.776	126	56	10.797	-52
441	10	9	15	44	55	37	31	12.776	126	56	10.797	-51
442	10	9	15	44	56	37	31	12.776	126	56	10.797	-51
443	10	9	15	44	57	37	31	12.776	126	56	10.797	-51

444	10	9	15	44	58	37	31	12.776	126	56	10.797	-51
445	10	9	15	44	59	37	31	12.776	126	56	10.797	-51
446	10	9	15	45	0	37	31	12.776	126	56	10.797	-51
447	10	9	15	45	1	37	31	12.776	126	56	10.797	-51
448	10	9	15	45	2	37	31	12.776	126	56	10.797	-51
449	10	9	15	45	3	37	31	12.776	126	56	10.797	-51
450	10	9	15	45	4	37	31	12.776	126	56	10.797	-51
451	10	9	15	45	5	37	31	12.776	126	56	10.797	-51
452	10	9	15	45	6	37	31	12.776	126	56	10.797	-51
평균 전계 레벨												-51.39




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx4(Omni(Antenna))

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
453	10	9	15	45	41	37	31	12.776	126	56	10.797	-58
454	10	9	15	45	42	37	31	12.776	126	56	10.797	-58
455	10	9	15	45	43	37	31	12.776	126	56	10.797	-60
456	10	9	15	45	44	37	31	12.776	126	56	10.797	-60
457	10	9	15	45	45	37	31	12.776	126	56	10.797	-60
458	10	9	15	45	46	37	31	12.776	126	56	10.797	-59
459	10	9	15	45	47	37	31	12.776	126	56	10.797	-59
460	10	9	15	45	48	37	31	12.776	126	56	10.797	-59
461	10	9	15	45	49	37	31	12.776	126	56	10.797	-57
462	10	9	15	45	50	37	31	12.776	126	56	10.797	-57
463	10	9	15	45	51	37	31	12.776	126	56	10.797	-57
464	10	9	15	45	52	37	31	12.776	126	56	10.797	-59
465	10	9	15	45	53	37	31	12.776	126	56	10.797	-59
466	10	9	15	45	54	37	31	12.776	126	56	10.797	-59
467	10	9	15	45	55	37	31	12.776	126	56	10.797	-61
468	10	9	15	45	56	37	31	12.776	126	56	10.797	-61
469	10	9	15	45	57	37	31	12.776	126	56	10.833	-61
470	10	9	15	45	58	37	31	12.776	126	56	10.833	-59
471	10	9	15	45	59	37	31	12.776	126	56	10.833	-59
472	10	9	15	46	0	37	31	12.776	126	56	10.833	-59
473	10	9	15	46	1	37	31	12.776	126	56	10.833	-59
474	10	9	15	46	2	37	31	12.776	126	56	10.833	-59
475	10	9	15	46	3	37	31	12.776	126	56	10.833	-59
476	10	9	15	46	4	37	31	12.776	126	56	10.833	-59
477	10	9	15	46	5	37	31	12.776	126	56	10.833	-59
478	10	9	15	46	6	37	31	12.776	126	56	10.833	-59
479	10	9	15	46	7	37	31	12.776	126	56	10.833	-59
480	10	9	15	46	8	37	31	12.776	126	56	10.833	-59
481	10	9	15	46	9	37	31	12.776	126	56	10.833	-59
평균 전계 레벨												-59.03




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx3(0_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
183	10	9	14	51	2	37	31	11.912	126	56	8.997	-62
184	10	9	14	51	3	37	31	11.912	126	56	8.997	-62
185	10	9	14	51	4	37	31	11.912	126	56	8.997	-62
186	10	9	14	51	5	37	31	11.912	126	56	8.997	-62
187	10	9	14	51	6	37	31	11.912	126	56	8.997	-62
188	10	9	14	51	7	37	31	11.912	126	56	8.997	-62
189	10	9	14	51	8	37	31	11.912	126	56	8.997	-62
190	10	9	14	51	9	37	31	11.912	126	56	8.997	-62
191	10	9	14	51	10	37	31	11.912	126	56	8.997	-62
192	10	9	14	51	11	37	31	11.912	126	56	8.997	-62
193	10	9	14	51	12	37	31	11.912	126	56	8.997	-62
194	10	9	14	51	13	37	31	11.912	126	56	8.997	-62
195	10	9	14	51	14	37	31	11.912	126	56	8.997	-63
196	10	9	14	51	15	37	31	11.912	126	56	8.997	-63
197	10	9	14	51	16	37	31	11.912	126	56	8.997	-63
198	10	9	14	51	17	37	31	11.912	126	56	8.997	-63
199	10	9	14	51	18	37	31	11.912	126	56	8.997	-63
200	10	9	14	51	19	37	31	11.912	126	56	8.997	-63
201	10	9	14	51	20	37	31	11.912	126	56	8.997	-63
202	10	9	14	51	21	37	31	11.912	126	56	8.997	-63
203	10	9	14	51	22	37	31	11.912	126	56	8.997	-63
204	10	9	14	51	23	37	31	11.912	126	56	8.997	-63
205	10	9	14	51	24	37	31	11.912	126	56	8.997	-63
206	10	9	14	51	25	37	31	11.912	126	56	8.997	-63
207	10	9	14	51	26	37	31	11.912	126	56	8.997	-63
208	10	9	14	51	27	37	31	11.912	126	56	8.997	-63
209	10	9	14	51	28	37	31	11.912	126	56	8.997	-63
평균 전계 레벨												-62.56




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx3(0_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	14	45	47	37	31	11.948	126	56	8.961	-54
2	10	9	14	45	48	37	31	11.948	126	56	8.961	-54
3	10	9	14	45	49	37	31	11.948	126	56	8.961	-54
4	10	9	14	45	50	37	31	11.948	126	56	8.961	-53
5	10	9	14	45	51	37	31	11.948	126	56	8.961	-53
6	10	9	14	45	52	37	31	11.948	126	56	8.961	-53
7	10	9	14	45	53	37	31	11.948	126	56	8.961	-53
8	10	9	14	45	54	37	31	11.948	126	56	8.961	-53
9	10	9	14	45	55	37	31	11.948	126	56	8.961	-53
10	10	9	14	45	56	37	31	11.948	126	56	8.961	-53
11	10	9	14	45	57	37	31	11.948	126	56	8.961	-53
12	10	9	14	45	58	37	31	11.948	126	56	8.961	-53
13	10	9	14	45	59	37	31	11.948	126	56	8.961	-53
14	10	9	14	46	0	37	31	11.948	126	56	8.961	-53
15	10	9	14	46	1	37	31	11.948	126	56	8.961	-53
16	10	9	14	46	2	37	31	11.948	126	56	8.961	-53
17	10	9	14	46	3	37	31	11.948	126	56	8.961	-53
18	10	9	14	46	4	37	31	11.948	126	56	8.961	-53
19	10	9	14	46	5	37	31	11.948	126	56	8.961	-53
20	10	9	14	46	6	37	31	11.948	126	56	8.961	-53
21	10	9	14	46	7	37	31	11.948	126	56	8.961	-53
22	10	9	14	46	8	37	31	11.948	126	56	8.961	-53
23	10	9	14	46	9	37	31	11.948	126	56	8.961	-53
24	10	9	14	46	10	37	31	11.948	126	56	8.961	-53
25	10	9	14	46	11	37	31	11.948	126	56	8.961	-53
26	10	9	14	46	12	37	31	11.948	126	56	8.961	-53
27	10	9	14	46	13	37	31	11.948	126	56	8.961	-53
28	10	9	14	46	14	37	31	11.948	126	56	8.961	-53
29	10	9	14	46	15	37	31	11.948	126	56	8.961	-53
30	10	9	14	46	16	37	31	11.948	126	56	8.961	-53
31	10	9	14	46	17	37	31	11.948	126	56	8.961	-53
32	10	9	14	46	18	37	31	11.948	126	56	8.961	-53
33	10	9	14	46	19	37	31	11.948	126	56	8.961	-53
34	10	9	14	46	20	37	31	11.948	126	56	8.961	-54
35	10	9	14	46	21	37	31	11.948	126	56	8.961	-54
36	10	9	14	46	22	37	31	11.948	126	56	8.961	-54
37	10	9	14	46	23	37	31	11.948	126	56	8.961	-53
38	10	9	14	46	24	37	31	11.948	126	56	8.961	-53
평균 전계 레벨												-53.16




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx3(0_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
39	10	9	14	46	43	37	31	11.948	126	56	8.961	-72
40	10	9	14	46	44	37	31	11.948	126	56	8.961	-71
41	10	9	14	46	45	37	31	11.948	126	56	8.961	-71
42	10	9	14	46	46	37	31	11.948	126	56	8.961	-71
43	10	9	14	46	47	37	31	11.948	126	56	8.961	-73
44	10	9	14	46	48	37	31	11.948	126	56	8.961	-73
45	10	9	14	46	49	37	31	11.948	126	56	8.961	-73
46	10	9	14	46	50	37	31	11.948	126	56	8.961	-74
47	10	9	14	46	51	37	31	11.948	126	56	8.961	-74
48	10	9	14	46	52	37	31	11.948	126	56	8.961	-74
49	10	9	14	46	53	37	31	11.948	126	56	8.961	-72
50	10	9	14	46	54	37	31	11.948	126	56	8.961	-72
51	10	9	14	46	55	37	31	11.948	126	56	8.961	-72
52	10	9	14	46	56	37	31	11.948	126	56	8.961	-72
53	10	9	14	46	57	37	31	11.948	126	56	8.961	-72
54	10	9	14	46	58	37	31	11.948	126	56	8.961	-72
55	10	9	14	46	59	37	31	11.948	126	56	8.961	-71
56	10	9	14	47	0	37	31	11.948	126	56	8.961	-71
57	10	9	14	47	1	37	31	11.948	126	56	8.961	-71
58	10	9	14	47	2	37	31	11.948	126	56	8.961	-73
59	10	9	14	47	3	37	31	11.948	126	56	8.961	-73
60	10	9	14	47	4	37	31	11.948	126	56	8.961	-73
61	10	9	14	47	5	37	31	11.948	126	56	8.961	-73
62	10	9	14	47	6	37	31	11.948	126	56	8.961	-73
63	10	9	14	47	7	37	31	11.948	126	56	8.961	-73
64	10	9	14	47	8	37	31	11.948	126	56	8.961	-81
65	10	9	14	47	9	37	31	11.948	126	56	8.961	-81
66	10	9	14	47	10	37	31	11.948	126	56	8.961	-81
67	10	9	14	47	11	37	31	11.948	126	56	8.961	-73
68	10	9	14	47	12	37	31	11.948	126	56	8.961	-73
69	10	9	14	47	13	37	31	11.948	126	56	8.961	-73
70	10	9	14	47	14	37	31	11.948	126	56	8.961	-72
평균 전계 레벨												-73.22




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx3(0_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
71	10	9	14	48	5	37	31	11.948	126	56	8.961	-71
72	10	9	14	48	6	37	31	11.948	126	56	8.961	-71
73	10	9	14	48	7	37	31	11.948	126	56	8.961	-71
74	10	9	14	48	8	37	31	11.948	126	56	8.961	-73
75	10	9	14	48	9	37	31	11.948	126	56	8.961	-73
76	10	9	14	48	10	37	31	11.948	126	56	8.961	-73
77	10	9	14	48	11	37	31	11.948	126	56	8.961	-81
78	10	9	14	48	12	37	31	11.948	126	56	8.961	-81
79	10	9	14	48	13	37	31	11.948	126	56	8.961	-81
80	10	9	14	48	14	37	31	11.948	126	56	8.961	-73
81	10	9	14	48	15	37	31	11.948	126	56	8.961	-73
82	10	9	14	48	16	37	31	11.948	126	56	8.961	-73
83	10	9	14	48	17	37	31	11.948	126	56	8.961	-77
84	10	9	14	48	18	37	31	11.948	126	56	8.961	-77
85	10	9	14	48	19	37	31	11.948	126	56	8.961	-77
86	10	9	14	48	20	37	31	11.948	126	56	8.961	-81
87	10	9	14	48	21	37	31	11.948	126	56	8.961	-81
88	10	9	14	48	22	37	31	11.948	126	56	8.961	-81
89	10	9	14	48	23	37	31	11.948	126	56	8.961	-74
90	10	9	14	48	24	37	31	11.948	126	56	8.961	-74
91	10	9	14	48	25	37	31	11.948	126	56	8.961	-74
92	10	9	14	48	26	37	31	11.948	126	56	8.961	-75
평균 전계 레벨												-75.68




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx3(0_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
93	10	9	14	48	46	37	31	11.948	126	56	8.961	-68
94	10	9	14	48	47	37	31	11.948	126	56	8.961	-73
95	10	9	14	48	48	37	31	11.948	126	56	8.961	-73
96	10	9	14	48	49	37	31	11.948	126	56	8.961	-73
97	10	9	14	48	50	37	31	11.948	126	56	8.961	-73
98	10	9	14	48	51	37	31	11.948	126	56	8.961	-73
99	10	9	14	48	52	37	31	11.948	126	56	8.961	-73
100	10	9	14	48	53	37	31	11.948	126	56	8.961	-71
101	10	9	14	48	54	37	31	11.948	126	56	8.961	-71
102	10	9	14	48	55	37	31	11.948	126	56	8.961	-71
103	10	9	14	48	56	37	31	11.948	126	56	8.961	-72
104	10	9	14	48	57	37	31	11.948	126	56	8.961	-72
105	10	9	14	48	58	37	31	11.948	126	56	8.961	-72
106	10	9	14	48	59	37	31	11.948	126	56	8.961	-73
107	10	9	14	49	0	37	31	11.948	126	56	8.961	-73
108	10	9	14	49	1	37	31	11.948	126	56	8.961	-73
109	10	9	14	49	2	37	31	11.948	126	56	8.961	-77
110	10	9	14	49	3	37	31	11.948	126	56	8.961	-77
111	10	9	14	49	4	37	31	11.948	126	56	8.961	-77
112	10	9	14	49	5	37	31	11.948	126	56	8.961	-70
113	10	9	14	49	6	37	31	11.948	126	56	8.961	-70
114	10	9	14	49	7	37	31	11.948	126	56	8.961	-70
115	10	9	14	49	8	37	31	11.948	126	56	8.961	-93
116	10	9	14	49	9	37	31	11.948	126	56	8.961	-93
117	10	9	14	49	10	37	31	11.948	126	56	8.961	-93
118	10	9	14	49	11	37	31	11.948	126	56	8.961	-73
119	10	9	14	49	12	37	31	11.948	126	56	8.961	-73
120	10	9	14	49	13	37	31	11.948	126	56	8.961	-73
121	10	9	14	49	14	37	31	11.948	126	56	8.997	-72
122	10	9	14	49	15	37	31	11.948	126	56	8.997	-72
123	10	9	14	49	16	37	31	11.948	126	56	8.997	-72
124	10	9	14	49	17	37	31	11.948	126	56	8.997	-69
125	10	9	14	49	18	37	31	11.948	126	56	8.997	-69
126	10	9	14	49	19	37	31	11.948	126	56	8.997	-69
127	10	9	14	49	20	37	31	11.948	126	56	8.997	-76
128	10	9	14	49	21	37	31	11.948	126	56	8.997	-76
129	10	9	14	49	22	37	31	11.948	126	56	8.997	-76
130	10	9	14	49	23	37	31	11.948	126	56	8.997	-71
131	10	9	14	49	24	37	31	11.948	126	56	8.997	-71
132	10	9	14	49	25	37	31	11.948	126	56	8.997	-71
133	10	9	14	49	26	37	31	11.948	126	56	8.997	-71
134	10	9	14	49	27	37	31	11.948	126	56	8.997	-71
135	10	9	14	49	28	37	31	11.948	126	56	8.997	-71
136	10	9	14	49	29	37	31	11.948	126	56	8.997	-69
137	10	9	14	49	30	37	31	11.948	126	56	8.997	-69
138	10	9	14	49	31	37	31	11.912	126	56	8.997	-69
139	10	9	14	49	32	37	31	11.912	126	56	8.997	-70
평균 전계 레벨												-73.34




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx3(0_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
144	10	9	14	49	56	37	31	11.912	126	56	8.997	-51
145	10	9	14	49	57	37	31	11.912	126	56	8.997	-51
146	10	9	14	49	58	37	31	11.912	126	56	8.997	-51
147	10	9	14	49	59	37	31	11.912	126	56	8.997	-50
148	10	9	14	50	0	37	31	11.912	126	56	8.997	-50
149	10	9	14	50	1	37	31	11.912	126	56	8.997	-50
150	10	9	14	50	2	37	31	11.912	126	56	8.997	-50
151	10	9	14	50	3	37	31	11.912	126	56	8.997	-50
152	10	9	14	50	4	37	31	11.912	126	56	8.997	-50
153	10	9	14	50	5	37	31	11.912	126	56	8.997	-50
154	10	9	14	50	6	37	31	11.912	126	56	8.997	-50
155	10	9	14	50	7	37	31	11.912	126	56	8.997	-50
156	10	9	14	50	8	37	31	11.912	126	56	8.997	-50
157	10	9	14	50	9	37	31	11.912	126	56	8.997	-50
158	10	9	14	50	10	37	31	11.912	126	56	8.997	-50
159	10	9	14	50	11	37	31	11.912	126	56	8.997	-50
160	10	9	14	50	12	37	31	11.912	126	56	8.997	-50
161	10	9	14	50	13	37	31	11.912	126	56	8.997	-50
162	10	9	14	50	14	37	31	11.912	126	56	8.997	-51
163	10	9	14	50	15	37	31	11.912	126	56	8.997	-51
164	10	9	14	50	16	37	31	11.912	126	56	8.997	-51
165	10	9	14	50	17	37	31	11.912	126	56	8.997	-50
166	10	9	14	50	18	37	31	11.912	126	56	8.997	-50
167	10	9	14	50	19	37	31	11.912	126	56	8.997	-50
168	10	9	14	50	20	37	31	11.912	126	56	8.997	-52
169	10	9	14	50	21	37	31	11.912	126	56	8.997	-52
170	10	9	14	50	22	37	31	11.912	126	56	8.997	-52
171	10	9	14	50	23	37	31	11.912	126	56	8.997	-53
172	10	9	14	50	24	37	31	11.912	126	56	8.997	-53
173	10	9	14	50	25	37	31	11.912	126	56	8.997	-53
174	10	9	14	50	26	37	31	11.912	126	56	8.997	-53
175	10	9	14	50	27	37	31	11.912	126	56	8.997	-53
176	10	9	14	50	28	37	31	11.912	126	56	8.997	-53
177	10	9	14	50	29	37	31	11.912	126	56	8.997	-50
178	10	9	14	50	30	37	31	11.912	126	56	8.997	-50
평균 전계 레벨												-50.86




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx3(0_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
210	10	9	14	51	43	37	31	11.912	126	56	8.997	-67
211	10	9	14	51	44	37	31	11.912	126	56	8.997	-66
212	10	9	14	51	45	37	31	11.912	126	56	8.997	-66
213	10	9	14	51	46	37	31	11.912	126	56	8.997	-66
214	10	9	14	51	47	37	31	11.912	126	56	8.997	-67
215	10	9	14	51	48	37	31	11.912	126	56	8.997	-67
216	10	9	14	51	49	37	31	11.912	126	56	8.997	-67
217	10	9	14	51	50	37	31	11.912	126	56	8.997	-69
218	10	9	14	51	51	37	31	11.912	126	56	8.997	-69
219	10	9	14	51	52	37	31	11.912	126	56	8.997	-69
220	10	9	14	51	53	37	31	11.912	126	56	8.997	-69
221	10	9	14	51	54	37	31	11.912	126	56	8.997	-69
222	10	9	14	51	55	37	31	11.912	126	56	8.997	-69
223	10	9	14	51	56	37	31	11.912	126	56	8.997	-71
224	10	9	14	51	57	37	31	11.912	126	56	8.997	-71
225	10	9	14	51	58	37	31	11.912	126	56	8.997	-71
226	10	9	14	51	59	37	31	11.912	126	56	8.997	-70
227	10	9	14	52	0	37	31	11.912	126	56	8.997	-70
228	10	9	14	52	1	37	31	11.912	126	56	8.997	-70
229	10	9	14	52	2	37	31	11.912	126	56	8.997	-70
230	10	9	14	52	3	37	31	11.912	126	56	8.997	-70
231	10	9	14	52	4	37	31	11.912	126	56	8.997	-70
232	10	9	14	52	5	37	31	11.912	126	56	8.997	-71
233	10	9	14	52	6	37	31	11.912	126	56	8.997	-71
234	10	9	14	52	7	37	31	11.912	126	56	8.997	-71
235	10	9	14	52	8	37	31	11.912	126	56	8.997	-66
236	10	9	14	52	9	37	31	11.912	126	56	8.997	-66
237	10	9	14	52	10	37	31	11.912	126	56	8.997	-66
238	10	9	14	52	11	37	31	11.912	126	56	8.997	-70
239	10	9	14	52	12	37	31	11.912	126	56	8.997	-70
240	10	9	14	52	13	37	31	11.912	126	56	8.997	-70
241	10	9	14	52	14	37	31	11.912	126	56	8.997	-69
242	10	9	14	52	15	37	31	11.912	126	56	8.997	-69
243	10	9	14	52	16	37	31	11.912	126	56	8.997	-69
244	10	9	14	52	17	37	31	11.912	126	56	8.997	-72
245	10	9	14	52	18	37	31	11.912	126	56	8.997	-72
246	10	9	14	52	19	37	31	11.912	126	56	8.997	-72
평균 전계 레벨												-69.11




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx3(0_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
247	10	9	14	52	26	37	31	11.912	126	56	8.997	-74
248	10	9	14	52	27	37	31	11.912	126	56	8.997	-74
249	10	9	14	52	28	37	31	11.912	126	56	8.997	-74
250	10	9	14	52	29	37	31	11.912	126	56	8.997	-76
251	10	9	14	52	30	37	31	11.912	126	56	8.997	-76
252	10	9	14	52	31	37	31	11.912	126	56	8.997	-76
253	10	9	14	52	32	37	31	11.912	126	56	8.997	-77
254	10	9	14	52	33	37	31	11.912	126	56	8.997	-77
255	10	9	14	52	34	37	31	11.912	126	56	8.997	-77
256	10	9	14	52	35	37	31	11.912	126	56	8.997	-75
257	10	9	14	52	36	37	31	11.912	126	56	8.997	-75
258	10	9	14	52	37	37	31	11.912	126	56	8.997	-75
259	10	9	14	52	38	37	31	11.912	126	56	8.997	-73
260	10	9	14	52	39	37	31	11.912	126	56	8.997	-73
261	10	9	14	52	40	37	31	11.912	126	56	8.997	-73
262	10	9	14	52	41	37	31	11.912	126	56	8.997	-74
263	10	9	14	52	42	37	31	11.912	126	56	8.997	-74
264	10	9	14	52	43	37	31	11.912	126	56	8.997	-74
265	10	9	14	52	44	37	31	11.912	126	56	8.997	-74
266	10	9	14	52	45	37	31	11.912	126	56	8.997	-74
267	10	9	14	52	46	37	31	11.912	126	56	8.997	-74
268	10	9	14	52	47	37	31	11.912	126	56	8.997	-74
269	10	9	14	52	48	37	31	11.912	126	56	8.997	-74
270	10	9	14	52	49	37	31	11.912	126	56	8.997	-74
271	10	9	14	52	50	37	31	11.912	126	56	8.997	-73
272	10	9	14	52	51	37	31	11.912	126	56	8.997	-73
273	10	9	14	52	52	37	31	11.912	126	56	8.997	-73
274	10	9	14	52	53	37	31	11.912	126	56	8.997	-74
275	10	9	14	52	54	37	31	11.912	126	56	8.997	-74
276	10	9	14	52	55	37	31	11.912	126	56	8.997	-74
277	10	9	14	52	56	37	31	11.912	126	56	8.997	-73
278	10	9	14	52	57	37	31	11.912	126	56	8.997	-73
279	10	9	14	52	58	37	31	11.912	126	56	8.997	-73
280	10	9	14	52	59	37	31	11.912	126	56	8.997	-75
평균 전계 레벨												-74.29




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx3(-30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
281	10	9	14	53	12	37	31	11.912	126	56	8.997	-56
282	10	9	14	53	13	37	31	11.912	126	56	8.997	-56
283	10	9	14	53	14	37	31	11.912	126	56	8.997	-55
284	10	9	14	53	15	37	31	11.912	126	56	8.997	-55
285	10	9	14	53	16	37	31	11.912	126	56	8.997	-55
286	10	9	14	53	17	37	31	11.912	126	56	8.997	-55
287	10	9	14	53	18	37	31	11.912	126	56	8.997	-55
288	10	9	14	53	19	37	31	11.912	126	56	8.997	-55
289	10	9	14	53	20	37	31	11.912	126	56	8.997	-54
290	10	9	14	53	21	37	31	11.912	126	56	8.997	-54
291	10	9	14	53	22	37	31	11.912	126	56	8.997	-54
292	10	9	14	53	23	37	31	11.912	126	56	8.997	-55
293	10	9	14	53	24	37	31	11.912	126	56	8.997	-55
294	10	9	14	53	25	37	31	11.912	126	56	8.997	-55
295	10	9	14	53	26	37	31	11.912	126	56	8.997	-55
296	10	9	14	53	27	37	31	11.912	126	56	8.997	-55
297	10	9	14	53	28	37	31	11.912	126	56	8.997	-55
298	10	9	14	53	29	37	31	11.912	126	56	8.997	-55
299	10	9	14	53	30	37	31	11.912	126	56	8.997	-55
300	10	9	14	53	31	37	31	11.912	126	56	8.997	-55
301	10	9	14	53	32	37	31	11.912	126	56	8.997	-55
302	10	9	14	53	33	37	31	11.912	126	56	8.997	-55
303	10	9	14	53	34	37	31	11.912	126	56	8.997	-55
304	10	9	14	53	35	37	31	11.912	126	56	8.997	-55
305	10	9	14	53	36	37	31	11.912	126	56	8.997	-55
306	10	9	14	53	37	37	31	11.912	126	56	8.997	-55
307	10	9	14	53	38	37	31	11.912	126	56	8.997	-55
308	10	9	14	53	39	37	31	11.912	126	56	8.997	-55
309	10	9	14	53	40	37	31	11.912	126	56	8.997	-55
310	10	9	14	53	41	37	31	11.912	126	56	8.997	-54
311	10	9	14	53	42	37	31	11.912	126	56	8.997	-54
312	10	9	14	53	43	37	31	11.912	126	56	8.997	-54
평균 전계 레벨												-54.88




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx3(30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
313	10	9	14	53	57	37	31	11.912	126	56	8.997	-56
314	10	9	14	53	58	37	31	11.912	126	56	8.997	-56
315	10	9	14	53	59	37	31	11.912	126	56	8.997	-56
316	10	9	14	54	0	37	31	11.912	126	56	8.997	-56
317	10	9	14	54	1	37	31	11.912	126	56	8.997	-56
318	10	9	14	54	2	37	31	11.912	126	56	8.997	-56
319	10	9	14	54	3	37	31	11.912	126	56	8.997	-56
320	10	9	14	54	4	37	31	11.912	126	56	8.997	-56
321	10	9	14	54	5	37	31	11.912	126	56	8.997	-56
322	10	9	14	54	6	37	31	11.912	126	56	8.997	-56
323	10	9	14	54	7	37	31	11.912	126	56	8.997	-56
324	10	9	14	54	8	37	31	11.912	126	56	8.997	-56
325	10	9	14	54	9	37	31	11.912	126	56	8.997	-56
326	10	9	14	54	10	37	31	11.912	126	56	8.997	-56
327	10	9	14	54	11	37	31	11.912	126	56	8.997	-56
328	10	9	14	54	12	37	31	11.912	126	56	8.997	-56
329	10	9	14	54	13	37	31	11.912	126	56	8.997	-56
330	10	9	14	54	14	37	31	11.912	126	56	8.997	-56
331	10	9	14	54	15	37	31	11.912	126	56	8.997	-56
332	10	9	14	54	16	37	31	11.912	126	56	8.997	-56
333	10	9	14	54	17	37	31	11.912	126	56	8.997	-56
334	10	9	14	54	18	37	31	11.912	126	56	8.997	-56
335	10	9	14	54	19	37	31	11.912	126	56	8.997	-56
336	10	9	14	54	20	37	31	11.912	126	56	8.997	-56
337	10	9	14	54	21	37	31	11.912	126	56	8.997	-56
338	10	9	14	54	22	37	31	11.912	126	56	8.997	-56
339	10	9	14	54	23	37	31	11.912	126	56	8.997	-56
340	10	9	14	54	24	37	31	11.912	126	56	8.997	-56
341	10	9	14	54	25	37	31	11.912	126	56	8.997	-56
평균 전계 레벨												-56.00




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx3(-30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
342	10	9	14	55	12	37	31	11.912	126	56	8.997	-54
343	10	9	14	55	14	37	31	11.912	126	56	9.033	-54
344	10	9	14	55	15	37	31	11.912	126	56	9.033	-54
345	10	9	14	55	16	37	31	11.912	126	56	9.033	-54
346	10	9	14	55	17	37	31	11.912	126	56	9.033	-54
347	10	9	14	55	18	37	31	11.912	126	56	9.033	-53
348	10	9	14	55	19	37	31	11.912	126	56	9.033	-53
349	10	9	14	55	20	37	31	11.912	126	56	9.033	-53
350	10	9	14	55	21	37	31	11.912	126	56	9.033	-53
351	10	9	14	55	22	37	31	11.912	126	56	9.033	-53
352	10	9	14	55	23	37	31	11.912	126	56	9.033	-53
353	10	9	14	55	24	37	31	11.912	126	56	9.033	-54
354	10	9	14	55	25	37	31	11.912	126	56	9.033	-54
355	10	9	14	55	26	37	31	11.912	126	56	9.033	-54
356	10	9	14	55	27	37	31	11.912	126	56	9.033	-54
357	10	9	14	55	28	37	31	11.912	126	56	9.033	-54
358	10	9	14	55	29	37	31	11.912	126	56	9.033	-54
359	10	9	14	55	30	37	31	11.912	126	56	9.033	-54
360	10	9	14	55	31	37	31	11.912	126	56	9.033	-54
평균 전계 레벨												-53.68




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx3(30_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
361	10	9	14	55	51	37	31	11.912	126	56	9.033	-56
362	10	9	14	55	52	37	31	11.912	126	56	9.033	-56
363	10	9	14	55	53	37	31	11.912	126	56	9.033	-56
364	10	9	14	55	54	37	31	11.912	126	56	9.033	-56
365	10	9	14	55	55	37	31	11.912	126	56	9.033	-56
366	10	9	14	55	56	37	31	11.912	126	56	9.033	-56
367	10	9	14	55	57	37	31	11.912	126	56	9.033	-56
368	10	9	14	55	58	37	31	11.912	126	56	9.033	-56
369	10	9	14	55	59	37	31	11.912	126	56	9.033	-56
370	10	9	14	56	0	37	31	11.912	126	56	9.033	-56
371	10	9	14	56	1	37	31	11.912	126	56	9.033	-56
372	10	9	14	56	2	37	31	11.912	126	56	9.033	-56
373	10	9	14	56	3	37	31	11.912	126	56	9.033	-57
374	10	9	14	56	4	37	31	11.912	126	56	9.033	-57
375	10	9	14	56	5	37	31	11.912	126	56	9.033	-57
376	10	9	14	56	6	37	31	11.912	126	56	9.033	-57
377	10	9	14	56	7	37	31	11.912	126	56	9.033	-57
378	10	9	14	56	8	37	31	11.912	126	56	9.033	-57
379	10	9	14	56	9	37	31	11.912	126	56	9.033	-56
380	10	9	14	56	10	37	31	11.912	126	56	9.033	-56
381	10	9	14	56	11	37	31	11.912	126	56	9.033	-56
382	10	9	14	56	12	37	31	11.912	126	56	9.033	-56
383	10	9	14	56	13	37	31	11.912	126	56	9.033	-56
384	10	9	14	56	14	37	31	11.912	126	56	9.033	-56
평균 전계 레벨												-56.25




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx3(0_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
385	10	9	14	56	41	37	31	11.912	126	56	9.033	-50
386	10	9	14	56	42	37	31	11.912	126	56	9.033	-50
387	10	9	14	56	43	37	31	11.912	126	56	9.033	-50
388	10	9	14	56	44	37	31	11.912	126	56	9.033	-50
389	10	9	14	56	45	37	31	11.912	126	56	9.033	-50
390	10	9	14	56	46	37	31	11.912	126	56	9.033	-50
391	10	9	14	56	47	37	31	11.912	126	56	9.033	-50
392	10	9	14	56	48	37	31	11.912	126	56	9.033	-52
393	10	9	14	56	49	37	31	11.912	126	56	9.033	-52
394	10	9	14	56	50	37	31	11.912	126	56	9.033	-52
395	10	9	14	56	51	37	31	11.912	126	56	9.033	-50
396	10	9	14	56	52	37	31	11.912	126	56	9.033	-50
397	10	9	14	56	53	37	31	11.876	126	56	9.033	-50
398	10	9	14	56	54	37	31	11.876	126	56	9.033	-50
399	10	9	14	56	55	37	31	11.876	126	56	9.033	-50
400	10	9	14	56	56	37	31	11.876	126	56	9.033	-50
401	10	9	14	56	57	37	31	11.876	126	56	9.033	-50
402	10	9	14	56	58	37	31	11.876	126	56	9.033	-50
403	10	9	14	56	59	37	31	11.876	126	56	9.033	-50
404	10	9	14	57	0	37	31	11.876	126	56	9.033	-52
405	10	9	14	57	1	37	31	11.876	126	56	9.033	-52
406	10	9	14	57	2	37	31	11.876	126	56	9.033	-52
407	10	9	14	57	3	37	31	11.876	126	56	9.033	-53
408	10	9	14	57	4	37	31	11.876	126	56	9.033	-53
409	10	9	14	57	5	37	31	11.876	126	56	9.033	-53
410	10	9	14	57	6	37	31	11.876	126	56	9.033	-52
411	10	9	14	57	7	37	31	11.876	126	56	9.033	-52
412	10	9	14	57	8	37	31	11.876	126	56	9.033	-52
413	10	9	14	57	9	37	31	11.876	126	56	9.033	-53
414	10	9	14	57	10	37	31	11.876	126	56	9.033	-53
415	10	9	14	57	11	37	31	11.876	126	56	9.033	-53
416	10	9	14	57	12	37	31	11.876	126	56	9.033	-53
417	10	9	14	57	13	37	31	11.876	126	56	9.033	-53
418	10	9	14	57	14	37	31	11.876	126	56	9.033	-53
419	10	9	14	57	15	37	31	11.876	126	56	9.033	-53
420	10	9	14	57	16	37	31	11.876	126	56	9.033	-53
421	10	9	14	57	17	37	31	11.876	126	56	9.033	-53
422	10	9	14	57	18	37	31	11.876	126	56	9.033	-52
423	10	9	14	57	19	37	31	11.876	126	56	9.033	-52
424	10	9	14	57	20	37	31	11.876	126	56	9.033	-52
425	10	9	14	57	21	37	31	11.876	126	56	9.033	-51
평균 전계 레벨												-51.49




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx3(Omni(A))

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
426	10	9	14	58	5	37	31	11.876	126	56	9.033	-54
427	10	9	14	58	6	37	31	11.876	126	56	9.033	-55
428	10	9	14	58	7	37	31	11.876	126	56	9.033	-55
429	10	9	14	58	8	37	31	11.876	126	56	9.033	-55
430	10	9	14	58	9	37	31	11.876	126	56	9.033	-54
431	10	9	14	58	10	37	31	11.876	126	56	9.033	-54
432	10	9	14	58	11	37	31	11.876	126	56	9.033	-54
433	10	9	14	58	12	37	31	11.876	126	56	9.033	-55
434	10	9	14	58	13	37	31	11.876	126	56	9.033	-55
435	10	9	14	58	14	37	31	11.876	126	56	9.033	-55
436	10	9	14	58	15	37	31	11.876	126	56	9.033	-56
437	10	9	14	58	16	37	31	11.876	126	56	9.033	-56
438	10	9	14	58	17	37	31	11.876	126	56	9.033	-56
439	10	9	14	58	18	37	31	11.876	126	56	9.033	-55
440	10	9	14	58	19	37	31	11.876	126	56	9.033	-55
441	10	9	14	58	20	37	31	11.876	126	56	9.033	-55
442	10	9	14	58	21	37	31	11.876	126	56	9.033	-55
443	10	9	14	58	22	37	31	11.876	126	56	9.033	-55
444	10	9	14	58	23	37	31	11.876	126	56	9.033	-55
445	10	9	14	58	24	37	31	11.876	126	56	9.033	-55
446	10	9	14	58	25	37	31	11.876	126	56	9.033	-55
447	10	9	14	58	26	37	31	11.876	126	56	9.033	-55
448	10	9	14	58	27	37	31	11.876	126	56	9.033	-55
449	10	9	14	58	28	37	31	11.876	126	56	9.033	-55
450	10	9	14	58	29	37	31	11.876	126	56	9.033	-55
451	10	9	14	58	30	37	31	11.876	126	56	9.033	-54
452	10	9	14	58	31	37	31	11.876	126	56	9.033	-54
453	10	9	14	58	32	37	31	11.876	126	56	9.033	-54
454	10	9	14	58	33	37	31	11.876	126	56	9.033	-54
455	10	9	14	58	34	37	31	11.876	126	56	9.033	-54
456	10	9	14	58	35	37	31	11.876	126	56	9.033	-54
457	10	9	14	58	36	37	31	11.876	126	56	9.033	-55
458	10	9	14	58	37	37	31	11.876	126	56	9.033	-55
459	10	9	14	58	38	37	31	11.876	126	56	9.033	-55
460	10	9	14	58	39	37	31	11.876	126	56	9.033	-53
평균 전계 레벨												-54.74



- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx3(Omni(E))


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
461	10	9	14	58	40	37	31	11.876	126	56	9.033	-53
462	10	9	14	58	53	37	31	11.876	126	56	9.033	-75
463	10	9	14	58	54	37	31	11.876	126	56	9.033	-63
464	10	9	14	58	55	37	31	11.876	126	56	9.033	-63
465	10	9	14	58	56	37	31	11.876	126	56	9.033	-63
466	10	9	14	58	57	37	31	11.876	126	56	9.033	-60
467	10	9	14	58	58	37	31	11.876	126	56	9.033	-60
468	10	9	14	58	59	37	31	11.876	126	56	9.033	-60
469	10	9	14	59	0	37	31	11.876	126	56	9.033	-60
470	10	9	14	59	1	37	31	11.876	126	56	9.033	-60
471	10	9	14	59	2	37	31	11.876	126	56	9.033	-60
472	10	9	14	59	3	37	31	11.876	126	56	9.033	-59
473	10	9	14	59	4	37	31	11.876	126	56	9.033	-59
474	10	9	14	59	5	37	31	11.876	126	56	9.033	-59
475	10	9	14	59	6	37	31	11.876	126	56	9.033	-59
476	10	9	14	59	7	37	31	11.876	126	56	9.033	-59
477	10	9	14	59	8	37	31	11.876	126	56	9.033	-59
478	10	9	14	59	9	37	31	11.876	126	56	9.033	-60
479	10	9	14	59	10	37	31	11.876	126	56	9.033	-60
480	10	9	14	59	11	37	31	11.876	126	56	9.033	-60
481	10	9	14	59	12	37	31	11.876	126	56	9.033	-60
482	10	9	14	59	13	37	31	11.876	126	56	9.033	-60
483	10	9	14	59	14	37	31	11.876	126	56	9.033	-60
484	10	9	14	59	15	37	31	11.876	126	56	9.033	-64
485	10	9	14	59	16	37	31	11.876	126	56	9.033	-64
486	10	9	14	59	17	37	31	11.876	126	56	9.033	-64
487	10	9	14	59	18	37	31	11.876	126	56	9.033	-61
평균 전계 레벨												-60.89



- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx2(Omni)


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
333	10	9	13	1	51	37	31	10.364	126	56	7.377	-53
334	10	9	13	1	52	37	31	10.364	126	56	7.377	-53
335	10	9	13	1	53	37	31	10.364	126	56	7.377	-53
336	10	9	13	1	54	37	31	10.364	126	56	7.377	-52
337	10	9	13	1	55	37	31	10.364	126	56	7.377	-52
338	10	9	13	1	56	37	31	10.364	126	56	7.377	-52
339	10	9	13	1	57	37	31	10.364	126	56	7.377	-52
340	10	9	13	1	58	37	31	10.364	126	56	7.377	-52
341	10	9	13	1	59	37	31	10.364	126	56	7.377	-52
342	10	9	13	2	0	37	31	10.364	126	56	7.377	-53
343	10	9	13	2	1	37	31	10.364	126	56	7.377	-53
344	10	9	13	2	2	37	31	10.364	126	56	7.377	-53
345	10	9	13	2	3	37	31	10.364	126	56	7.377	-53
346	10	9	13	2	4	37	31	10.364	126	56	7.377	-53
347	10	9	13	2	5	37	31	10.364	126	56	7.377	-53
348	10	9	13	2	6	37	31	10.364	126	56	7.377	-53
349	10	9	13	2	7	37	31	10.364	126	56	7.377	-53
350	10	9	13	2	8	37	31	10.364	126	56	7.377	-53
351	10	9	13	2	9	37	31	10.364	126	56	7.377	-54
352	10	9	13	2	10	37	31	10.364	126	56	7.377	-54
353	10	9	13	2	11	37	31	10.364	126	56	7.377	-54
354	10	9	13	2	12	37	31	10.364	126	56	7.377	-54
355	10	9	13	2	13	37	31	10.364	126	56	7.377	-54
356	10	9	13	2	14	37	31	10.364	126	56	7.377	-54
357	10	9	13	2	15	37	31	10.364	126	56	7.377	-54
358	10	9	13	2	16	37	31	10.364	126	56	7.377	-54
359	10	9	13	2	17	37	31	10.364	126	56	7.377	-54
360	10	9	13	2	18	37	31	10.364	126	56	7.377	-55
361	10	9	13	2	19	37	31	10.364	126	56	7.377	-55
362	10	9	13	2	20	37	31	10.364	126	56	7.377	-55
363	10	9	13	2	21	37	31	10.364	126	56	7.377	-55
364	10	9	13	2	22	37	31	10.364	126	56	7.377	-55
365	10	9	13	2	23	37	31	10.364	126	56	7.377	-55
366	10	9	13	2	24	37	31	10.364	126	56	7.377	-59
367	10	9	13	2	25	37	31	10.364	126	56	7.377	-59
368	10	9	13	2	46	37	31	10.364	126	56	7.377	-61
369	10	9	13	2	47	37	31	10.364	126	56	7.377	-61
370	10	9	13	2	48	37	31	10.364	126	56	7.377	-59
371	10	9	13	2	49	37	31	10.364	126	56	7.377	-59
372	10	9	13	2	50	37	31	10.364	126	56	7.377	-59
373	10	9	13	2	51	37	31	10.364	126	56	7.377	-58
374	10	9	13	2	52	37	31	10.364	126	56	7.377	-58
375	10	9	13	2	53	37	31	10.364	126	56	7.377	-58
376	10	9	13	2	54	37	31	10.364	126	56	7.377	-58
377	10	9	13	2	55	37	31	10.364	126	56	7.377	-58
378	10	9	13	2	56	37	31	10.364	126	56	7.377	-58
379	10	9	13	2	57	37	31	10.364	126	56	7.377	-58
380	10	9	13	2	58	37	31	10.364	126	56	7.377	-58
381	10	9	13	2	59	37	31	10.364	126	56	7.377	-58
382	10	9	13	3	0	37	31	10.364	126	56	7.377	-59
383	10	9	13	3	1	37	31	10.364	126	56	7.377	-59
384	10	9	13	3	2	37	31	10.364	126	56	7.377	-59

385	10	9	13	3	3	37	31	10.364	126	56	7.377	-58
386	10	9	13	3	4	37	31	10.364	126	56	7.377	-58
387	10	9	13	3	5	37	31	10.364	126	56	7.377	-58
388	10	9	13	3	6	37	31	10.364	126	56	7.377	-57
389	10	9	13	3	7	37	31	10.364	126	56	7.377	-57
390	10	9	13	3	8	37	31	10.364	126	56	7.377	-57
391	10	9	13	3	9	37	31	10.364	126	56	7.377	-57
392	10	9	13	3	10	37	31	10.364	126	56	7.377	-57
393	10	9	13	3	11	37	31	10.364	126	56	7.377	-57
394	10	9	13	3	12	37	31	10.364	126	56	7.377	-59
395	10	9	13	3	13	37	31	10.364	126	56	7.377	-59
396	10	9	13	3	14	37	31	10.364	126	56	7.377	-59
평균 전계 레벨												-55.83




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx2(0_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	12	51	35	37	31	10.328	126	56	7.377	-52
2	10	9	12	51	36	37	31	10.328	126	56	7.377	-52
3	10	9	12	51	37	37	31	10.328	126	56	7.377	-52
4	10	9	12	51	38	37	31	10.328	126	56	7.377	-52
5	10	9	12	51	39	37	31	10.328	126	56	7.377	-52
6	10	9	12	51	40	37	31	10.328	126	56	7.377	-52
7	10	9	12	51	41	37	31	10.328	126	56	7.377	-52
8	10	9	12	51	42	37	31	10.328	126	56	7.377	-52
9	10	9	12	51	43	37	31	10.328	126	56	7.377	-52
10	10	9	12	51	44	37	31	10.328	126	56	7.377	-52
11	10	9	12	51	45	37	31	10.328	126	56	7.377	-52
12	10	9	12	51	46	37	31	10.328	126	56	7.377	-52
13	10	9	12	51	47	37	31	10.328	126	56	7.377	-52
14	10	9	12	51	48	37	31	10.328	126	56	7.377	-52
15	10	9	12	51	49	37	31	10.328	126	56	7.377	-52
16	10	9	12	51	50	37	31	10.328	126	56	7.377	-52
17	10	9	12	51	51	37	31	10.328	126	56	7.377	-52
18	10	9	12	51	52	37	31	10.328	126	56	7.377	-52
19	10	9	12	51	53	37	31	10.328	126	56	7.377	-52
20	10	9	12	51	54	37	31	10.328	126	56	7.377	-52
21	10	9	12	51	55	37	31	10.328	126	56	7.377	-52
22	10	9	12	51	56	37	31	10.328	126	56	7.377	-52
23	10	9	12	51	57	37	31	10.328	126	56	7.377	-52
24	10	9	12	51	58	37	31	10.328	126	56	7.377	-52
25	10	9	12	51	59	37	31	10.328	126	56	7.377	-52
26	10	9	12	52	0	37	31	10.328	126	56	7.377	-52
27	10	9	12	52	1	37	31	10.328	126	56	7.377	-52
28	10	9	12	52	2	37	31	10.328	126	56	7.377	-52
29	10	9	12	52	3	37	31	10.328	126	56	7.377	-52
30	10	9	12	52	4	37	31	10.328	126	56	7.377	-52
평균 전계 레벨												-52.00




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx2(0_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
31	10	9	12	52	35	37	31	10.364	126	56	7.377	-60
32	10	9	12	52	36	37	31	10.364	126	56	7.377	-60
33	10	9	12	52	37	37	31	10.364	126	56	7.377	-60
34	10	9	12	52	38	37	31	10.364	126	56	7.377	-60
35	10	9	12	52	39	37	31	10.364	126	56	7.377	-60
36	10	9	12	52	40	37	31	10.364	126	56	7.377	-60
37	10	9	12	52	41	37	31	10.364	126	56	7.377	-61
38	10	9	12	52	42	37	31	10.364	126	56	7.377	-61
39	10	9	12	52	43	37	31	10.364	126	56	7.377	-61
40	10	9	12	52	44	37	31	10.364	126	56	7.377	-61
41	10	9	12	52	45	37	31	10.364	126	56	7.377	-61
42	10	9	12	52	46	37	31	10.364	126	56	7.377	-61
43	10	9	12	52	47	37	31	10.364	126	56	7.377	-60
44	10	9	12	52	48	37	31	10.364	126	56	7.377	-60
45	10	9	12	52	49	37	31	10.364	126	56	7.377	-60
46	10	9	12	52	50	37	31	10.364	126	56	7.377	-61
47	10	9	12	52	51	37	31	10.364	126	56	7.377	-61
48	10	9	12	52	52	37	31	10.364	126	56	7.377	-61
49	10	9	12	52	53	37	31	10.364	126	56	7.377	-60
50	10	9	12	52	54	37	31	10.364	126	56	7.377	-60
51	10	9	12	52	55	37	31	10.364	126	56	7.377	-60
52	10	9	12	52	56	37	31	10.364	126	56	7.377	-60
53	10	9	12	52	57	37	31	10.364	126	56	7.377	-60
54	10	9	12	52	58	37	31	10.364	126	56	7.377	-60
55	10	9	12	52	59	37	31	10.364	126	56	7.377	-61
56	10	9	12	53	0	37	31	10.364	126	56	7.377	-61
57	10	9	12	53	1	37	31	10.364	126	56	7.377	-61
58	10	9	12	53	2	37	31	10.364	126	56	7.377	-60
59	10	9	12	53	3	37	31	10.364	126	56	7.377	-60
60	10	9	12	53	4	37	31	10.364	126	56	7.377	-60
61	10	9	12	53	5	37	31	10.364	126	56	7.377	-60
평균 전계 레벨												-60.39




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx2(0_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
62	10	9	12	53	20	37	31	10.364	126	56	7.377	-77
63	10	9	12	53	21	37	31	10.364	126	56	7.377	-77
64	10	9	12	53	22	37	31	10.364	126	56	7.377	-77
65	10	9	12	53	23	37	31	10.364	126	56	7.377	-74
66	10	9	12	53	24	37	31	10.364	126	56	7.377	-74
67	10	9	12	53	25	37	31	10.364	126	56	7.377	-74
68	10	9	12	53	26	37	31	10.364	126	56	7.377	-71
69	10	9	12	53	27	37	31	10.364	126	56	7.377	-71
70	10	9	12	53	28	37	31	10.364	126	56	7.377	-71
71	10	9	12	53	29	37	31	10.364	126	56	7.377	-75
72	10	9	12	53	30	37	31	10.364	126	56	7.377	-75
73	10	9	12	53	31	37	31	10.364	126	56	7.377	-75
74	10	9	12	53	32	37	31	10.364	126	56	7.377	-84
75	10	9	12	53	33	37	31	10.364	126	56	7.377	-84
76	10	9	12	53	34	37	31	10.364	126	56	7.377	-84
77	10	9	12	53	35	37	31	10.364	126	56	7.377	-76
78	10	9	12	53	36	37	31	10.364	126	56	7.377	-76
79	10	9	12	53	37	37	31	10.364	126	56	7.377	-76
80	10	9	12	53	38	37	31	10.364	126	56	7.377	-76
81	10	9	12	53	39	37	31	10.364	126	56	7.377	-76
82	10	9	12	53	40	37	31	10.364	126	56	7.377	-76
83	10	9	12	53	41	37	31	10.364	126	56	7.377	-75
84	10	9	12	53	42	37	31	10.364	126	56	7.377	-75
85	10	9	12	53	43	37	31	10.364	126	56	7.377	-75
86	10	9	12	53	44	37	31	10.364	126	56	7.377	-84
87	10	9	12	53	45	37	31	10.364	126	56	7.377	-84
88	10	9	12	53	46	37	31	10.364	126	56	7.377	-84
89	10	9	12	53	47	37	31	10.364	126	56	7.377	-90
90	10	9	12	53	48	37	31	10.364	126	56	7.377	-90
91	10	9	12	53	49	37	31	10.364	126	56	7.377	-90
92	10	9	12	53	50	37	31	10.364	126	56	7.377	-78
93	10	9	12	53	51	37	31	10.364	126	56	7.377	-78
94	10	9	12	53	52	37	31	10.364	126	56	7.377	-78
95	10	9	12	53	53	37	31	10.364	126	56	7.377	-73
96	10	9	12	53	54	37	31	10.364	126	56	7.377	-73
97	10	9	12	53	55	37	31	10.364	126	56	7.377	-73
98	10	9	12	53	56	37	31	10.364	126	56	7.377	-72
99	10	9	12	53	57	37	31	10.364	126	56	7.377	-72
100	10	9	12	53	58	37	31	10.364	126	56	7.377	-72
101	10	9	12	53	59	37	31	10.364	126	56	7.377	-72
평균 전계 레벨												-77.18




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx2(0_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
102	10	9	12	54	21	37	31	10.364	126	56	7.377	-76
103	10	9	12	54	22	37	31	10.364	126	56	7.377	-76
104	10	9	12	54	23	37	31	10.364	126	56	7.377	-73
105	10	9	12	54	24	37	31	10.364	126	56	7.377	-73
106	10	9	12	54	25	37	31	10.364	126	56	7.377	-73
107	10	9	12	54	26	37	31	10.364	126	56	7.377	-74
108	10	9	12	54	27	37	31	10.364	126	56	7.377	-74
109	10	9	12	54	28	37	31	10.364	126	56	7.377	-74
110	10	9	12	54	29	37	31	10.364	126	56	7.377	-79
111	10	9	12	54	30	37	31	10.364	126	56	7.377	-79
112	10	9	12	54	31	37	31	10.364	126	56	7.377	-79
113	10	9	12	54	32	37	31	10.364	126	56	7.377	-77
114	10	9	12	54	33	37	31	10.364	126	56	7.377	-77
115	10	9	12	54	34	37	31	10.364	126	56	7.377	-77
116	10	9	12	54	35	37	31	10.364	126	56	7.377	-74
117	10	9	12	54	36	37	31	10.364	126	56	7.377	-74
118	10	9	12	54	37	37	31	10.364	126	56	7.377	-74
119	10	9	12	54	38	37	31	10.364	126	56	7.377	-75
120	10	9	12	54	39	37	31	10.364	126	56	7.377	-75
121	10	9	12	54	40	37	31	10.364	126	56	7.377	-75
122	10	9	12	54	41	37	31	10.364	126	56	7.377	-73
123	10	9	12	54	42	37	31	10.364	126	56	7.377	-73
124	10	9	12	54	43	37	31	10.364	126	56	7.377	-73
125	10	9	12	54	44	37	31	10.364	126	56	7.377	-77
126	10	9	12	54	45	37	31	10.364	126	56	7.377	-77
127	10	9	12	54	46	37	31	10.364	126	56	7.377	-77
평균 전계 레벨												-75.31




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx2(0_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
128	10	9	12	55	11	37	31	10.364	126	56	7.377	-59
129	10	9	12	55	12	37	31	10.364	126	56	7.377	-59
130	10	9	12	55	13	37	31	10.364	126	56	7.377	-59
131	10	9	12	55	14	37	31	10.364	126	56	7.377	-59
132	10	9	12	55	15	37	31	10.364	126	56	7.377	-59
133	10	9	12	55	16	37	31	10.364	126	56	7.377	-59
134	10	9	12	55	17	37	31	10.364	126	56	7.377	-58
135	10	9	12	55	18	37	31	10.364	126	56	7.377	-58
136	10	9	12	55	19	37	31	10.364	126	56	7.377	-58
137	10	9	12	55	20	37	31	10.364	126	56	7.377	-59
138	10	9	12	55	21	37	31	10.364	126	56	7.377	-59
139	10	9	12	55	22	37	31	10.364	126	56	7.377	-59
140	10	9	12	55	23	37	31	10.364	126	56	7.377	-58
141	10	9	12	55	24	37	31	10.364	126	56	7.377	-58
142	10	9	12	55	25	37	31	10.364	126	56	7.377	-58
143	10	9	12	55	26	37	31	10.364	126	56	7.377	-59
144	10	9	12	55	27	37	31	10.364	126	56	7.377	-59
145	10	9	12	55	28	37	31	10.364	126	56	7.377	-59
146	10	9	12	55	29	37	31	10.364	126	56	7.377	-59
147	10	9	12	55	30	37	31	10.364	126	56	7.377	-59
148	10	9	12	55	31	37	31	10.364	126	56	7.377	-59
149	10	9	12	55	32	37	31	10.364	126	56	7.377	-58
평균 전계 레벨												-58.68




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx2(0_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
150	10	9	12	55	55	37	31	10.364	126	56	7.377	-73
151	10	9	12	55	56	37	31	10.364	126	56	7.377	-71
152	10	9	12	55	57	37	31	10.364	126	56	7.377	-71
153	10	9	12	55	58	37	31	10.364	126	56	7.377	-71
154	10	9	12	55	59	37	31	10.364	126	56	7.377	-75
155	10	9	12	56	0	37	31	10.364	126	56	7.377	-75
156	10	9	12	56	1	37	31	10.364	126	56	7.377	-75
157	10	9	12	56	2	37	31	10.364	126	56	7.377	-73
158	10	9	12	56	3	37	31	10.364	126	56	7.377	-73
159	10	9	12	56	4	37	31	10.364	126	56	7.377	-73
160	10	9	12	56	5	37	31	10.364	126	56	7.377	-72
161	10	9	12	56	6	37	31	10.364	126	56	7.377	-72
162	10	9	12	56	7	37	31	10.364	126	56	7.377	-72
163	10	9	12	56	8	37	31	10.364	126	56	7.377	-72
164	10	9	12	56	9	37	31	10.364	126	56	7.377	-72
165	10	9	12	56	10	37	31	10.364	126	56	7.377	-72
166	10	9	12	56	11	37	31	10.364	126	56	7.377	-70
167	10	9	12	56	12	37	31	10.364	126	56	7.377	-70
168	10	9	12	56	13	37	31	10.364	126	56	7.377	-70
169	10	9	12	56	14	37	31	10.364	126	56	7.377	-70
170	10	9	12	56	15	37	31	10.364	126	56	7.377	-70
171	10	9	12	56	16	37	31	10.364	126	56	7.377	-70
172	10	9	12	56	17	37	31	10.364	126	56	7.377	-72
173	10	9	12	56	18	37	31	10.364	126	56	7.377	-72
174	10	9	12	56	19	37	31	10.364	126	56	7.377	-72
175	10	9	12	56	20	37	31	10.364	126	56	7.377	-73
176	10	9	12	56	21	37	31	10.364	126	56	7.377	-73
177	10	9	12	56	22	37	31	10.364	126	56	7.377	-73
178	10	9	12	56	23	37	31	10.364	126	56	7.377	-71
179	10	9	12	56	24	37	31	10.364	126	56	7.377	-71
180	10	9	12	56	25	37	31	10.364	126	56	7.377	-71
181	10	9	12	56	26	37	31	10.364	126	56	7.377	-72
182	10	9	12	56	27	37	31	10.364	126	56	7.377	-72
183	10	9	12	56	28	37	31	10.364	126	56	7.377	-72
184	10	9	12	56	29	37	31	10.364	126	56	7.377	-72
평균 전계 레벨												-71.94




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx2(0_270)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
185	10	9	12	56	47	37	31	10.364	126	56	7.377	-65
186	10	9	12	56	48	37	31	10.364	126	56	7.377	-65
187	10	9	12	56	49	37	31	10.364	126	56	7.377	-65
188	10	9	12	56	50	37	31	10.364	126	56	7.377	-65
189	10	9	12	56	51	37	31	10.364	126	56	7.377	-65
190	10	9	12	56	52	37	31	10.364	126	56	7.377	-65
191	10	9	12	56	53	37	31	10.364	126	56	7.377	-65
192	10	9	12	56	54	37	31	10.364	126	56	7.377	-65
193	10	9	12	56	55	37	31	10.364	126	56	7.377	-65
194	10	9	12	56	56	37	31	10.364	126	56	7.377	-66
195	10	9	12	56	57	37	31	10.364	126	56	7.377	-66
196	10	9	12	56	58	37	31	10.364	126	56	7.377	-66
197	10	9	12	56	59	37	31	10.364	126	56	7.377	-65
198	10	9	12	57	0	37	31	10.364	126	56	7.377	-65
199	10	9	12	57	1	37	31	10.364	126	56	7.377	-65
200	10	9	12	57	2	37	31	10.364	126	56	7.377	-64
201	10	9	12	57	3	37	31	10.364	126	56	7.377	-64
202	10	9	12	57	4	37	31	10.364	126	56	7.377	-64
203	10	9	12	57	5	37	31	10.364	126	56	7.377	-64
204	10	9	12	57	6	37	31	10.364	126	56	7.377	-64
205	10	9	12	57	7	37	31	10.364	126	56	7.377	-64
206	10	9	12	57	8	37	31	10.364	126	56	7.377	-65
207	10	9	12	57	9	37	31	10.364	126	56	7.377	-65
평균 전계 레벨												-64.87




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx2(0_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
208	10	9	12	57	28	37	31	10.364	126	56	7.377	-66
209	10	9	12	57	29	37	31	10.364	126	56	7.377	-66
210	10	9	12	57	30	37	31	10.364	126	56	7.377	-66
211	10	9	12	57	31	37	31	10.364	126	56	7.377	-66
212	10	9	12	57	32	37	31	10.364	126	56	7.377	-67
213	10	9	12	57	33	37	31	10.364	126	56	7.377	-67
214	10	9	12	57	34	37	31	10.364	126	56	7.377	-67
215	10	9	12	57	35	37	31	10.364	126	56	7.377	-67
216	10	9	12	57	36	37	31	10.364	126	56	7.377	-67
217	10	9	12	57	37	37	31	10.364	126	56	7.377	-67
218	10	9	12	57	38	37	31	10.364	126	56	7.377	-67
219	10	9	12	57	39	37	31	10.364	126	56	7.377	-67
220	10	9	12	57	40	37	31	10.364	126	56	7.377	-67
221	10	9	12	57	41	37	31	10.364	126	56	7.377	-67
222	10	9	12	57	42	37	31	10.364	126	56	7.377	-67
223	10	9	12	57	43	37	31	10.364	126	56	7.377	-67
224	10	9	12	57	44	37	31	10.364	126	56	7.377	-67
225	10	9	12	0	45	37	31	10.364	126	56	7.377	-67
226	10	9	12	57	46	37	31	10.364	126	56	7.377	-67
227	10	9	12	57	47	37	31	10.364	126	56	7.377	-66
228	10	9	12	57	48	37	31	10.364	126	56	7.377	-66
229	10	9	12	57	49	37	31	10.364	126	56	7.377	-66
230	10	9	12	57	50	37	31	10.364	126	56	7.377	-66
231	10	9	12	57	51	37	31	10.364	126	56	7.377	-66
232	10	9	12	57	52	37	31	10.364	126	56	7.377	-66
233	10	9	12	57	53	37	31	10.364	126	56	7.377	-66
234	10	9	12	57	54	37	31	10.364	126	56	7.377	-66
평균 전계 레벨												-66.56




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx2(-30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
235	10	9	12	58	17	37	31	10.364	126	56	7.377	-54
236	10	9	12	58	18	37	31	10.364	126	56	7.377	-54
237	10	9	12	58	19	37	31	10.364	126	56	7.377	-54
238	10	9	12	58	20	37	31	10.364	126	56	7.377	-54
239	10	9	12	58	21	37	31	10.364	126	56	7.377	-54
240	10	9	12	58	22	37	31	10.364	126	56	7.377	-54
241	10	9	12	58	23	37	31	10.364	126	56	7.377	-54
242	10	9	12	58	24	37	31	10.364	126	56	7.377	-54
243	10	9	12	58	25	37	31	10.364	126	56	7.377	-54
244	10	9	12	58	26	37	31	10.364	126	56	7.377	-54
245	10	9	12	58	27	37	31	10.364	126	56	7.377	-54
246	10	9	12	58	28	37	31	10.364	126	56	7.377	-54
247	10	9	12	58	29	37	31	10.364	126	56	7.377	-53
248	10	9	12	58	30	37	31	10.364	126	56	7.377	-53
249	10	9	12	58	31	37	31	10.364	126	56	7.377	-53
250	10	9	12	58	32	37	31	10.364	126	56	7.377	-54
251	10	9	12	58	33	37	31	10.364	126	56	7.377	-54
252	10	9	12	58	34	37	31	10.364	126	56	7.377	-54
253	10	9	12	58	35	37	31	10.364	126	56	7.377	-53
254	10	9	12	58	36	37	31	10.364	126	56	7.377	-53
255	10	9	12	58	37	37	31	10.364	126	56	7.377	-53
256	10	9	12	58	38	37	31	10.364	126	56	7.377	-54
257	10	9	12	58	39	37	31	10.364	126	56	7.377	-54
258	10	9	12	58	40	37	31	10.364	126	56	7.377	-54
259	10	9	12	58	41	37	31	10.364	126	56	7.377	-54
260	10	9	12	58	42	37	31	10.364	126	56	7.377	-54
평균 전계 레벨												-53.77




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx2(30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
261	10	9	12	58	57	37	31	10.364	126	56	7.377	-55
262	10	9	12	58	58	37	31	10.364	126	56	7.377	-55
263	10	9	12	58	59	37	31	10.364	126	56	7.377	-55
264	10	9	12	59	0	37	31	10.364	126	56	7.377	-55
265	10	9	12	59	1	37	31	10.364	126	56	7.377	-55
266	10	9	12	59	2	37	31	10.364	126	56	7.377	-55
267	10	9	12	59	3	37	31	10.364	126	56	7.377	-55
268	10	9	12	59	4	37	31	10.364	126	56	7.377	-55
269	10	9	12	59	5	37	31	10.364	126	56	7.377	-55
270	10	9	12	59	6	37	31	10.364	126	56	7.377	-55
271	10	9	12	59	7	37	31	10.364	126	56	7.377	-55
272	10	9	12	59	8	37	31	10.364	126	56	7.377	-55
273	10	9	12	59	9	37	31	10.364	126	56	7.377	-55
274	10	9	12	59	10	37	31	10.364	126	56	7.377	-55
275	10	9	12	59	12	37	31	10.364	126	56	7.377	-55
276	10	9	12	59	13	37	31	10.364	126	56	7.377	-55
277	10	9	12	59	14	37	31	10.364	126	56	7.377	-55
278	10	9	12	59	15	37	31	10.364	126	56	7.377	-55
279	10	9	12	59	16	37	31	10.364	126	56	7.377	-55
280	10	9	12	59	17	37	31	10.364	126	56	7.377	-55
281	10	9	12	59	18	37	31	10.364	126	56	7.377	-55
282	10	9	12	59	19	37	31	10.364	126	56	7.377	-55
283	10	9	12	59	20	37	31	10.364	126	56	7.377	-55
284	10	9	12	59	21	37	31	10.364	126	56	7.377	-55
285	10	9	12	59	22	37	31	10.364	126	56	7.377	-55
평균 전계 레벨												-55.00



- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx2(0_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
286	10	9	13	0	10	37	31	10.364	126	56	7.377	-52
287	10	9	13	0	11	37	31	10.364	126	56	7.377	-52
288	10	9	13	0	12	37	31	10.364	126	56	7.377	-52
289	10	9	13	0	13	37	31	10.364	126	56	7.377	-52
290	10	9	13	0	14	37	31	10.364	126	56	7.377	-52
291	10	9	13	0	15	37	31	10.364	126	56	7.377	-52
292	10	9	13	0	16	37	31	10.364	126	56	7.377	-52
293	10	9	13	0	17	37	31	10.364	126	56	7.377	-52
294	10	9	13	0	18	37	31	10.364	126	56	7.377	-52
295	10	9	13	0	19	37	31	10.364	126	56	7.377	-52
296	10	9	13	0	20	37	31	10.364	126	56	7.377	-52
297	10	9	13	0	21	37	31	10.364	126	56	7.377	-52
298	10	9	13	0	22	37	31	10.364	126	56	7.377	-52
299	10	9	13	0	23	37	31	10.364	126	56	7.377	-52
300	10	9	13	0	24	37	31	10.364	126	56	7.377	-52
301	10	9	13	0	25	37	31	10.364	126	56	7.377	-52
302	10	9	13	0	26	37	31	10.364	126	56	7.377	-52
303	10	9	13	0	27	37	31	10.364	126	56	7.377	-52
304	10	9	13	0	28	37	31	10.364	126	56	7.377	-52
305	10	9	13	0	29	37	31	10.364	126	56	7.377	-52
306	10	9	13	0	30	37	31	10.364	126	56	7.377	-52
307	10	9	13	0	31	37	31	10.364	126	56	7.377	-52
308	10	9	13	0	32	37	31	10.364	126	56	7.377	-52
309	10	9	13	0	33	37	31	10.364	126	56	7.377	-52
310	10	9	13	0	34	37	31	10.364	126	56	7.377	-52
311	10	9	13	0	35	37	31	10.364	126	56	7.377	-52
312	10	9	13	0	36	37	31	10.364	126	56	7.377	-52
313	10	9	13	0	37	37	31	10.364	126	56	7.377	-52
314	10	9	13	0	38	37	31	10.364	126	56	7.377	-52
315	10	9	13	0	39	37	31	10.364	126	56	7.377	-52
316	10	9	13	0	40	37	31	10.364	126	56	7.377	-52
317	10	9	13	0	41	37	31	10.364	126	56	7.377	-52
318	10	9	13	0	42	37	31	10.364	126	56	7.377	-52
319	10	9	13	0	43	37	31	10.364	126	56	7.377	-52
320	10	9	13	0	44	37	31	10.364	126	56	7.377	-52
321	10	9	13	0	45	37	31	10.364	126	56	7.377	-51
322	10	9	13	0	46	37	31	10.364	126	56	7.377	-51
323	10	9	13	0	47	37	31	10.364	126	56	7.377	-51
324	10	9	13	0	48	37	31	10.364	126	56	7.377	-52
325	10	9	13	0	49	37	31	10.364	126	56	7.377	-52
326	10	9	13	0	50	37	31	10.364	126	56	7.377	-52
327	10	9	13	0	51	37	31	10.364	126	56	7.377	-52
328	10	9	13	0	52	37	31	10.364	126	56	7.377	-52
329	10	9	13	0	53	37	31	10.364	126	56	7.377	-52
330	10	9	13	0	54	37	31	10.364	126	56	7.377	-50
331	10	9	13	0	55	37	31	10.364	126	56	7.377	-50
332	10	9	13	0	56	37	31	10.364	126	56	7.377	-50
평균 전계 레벨												-51.81




- 서비스 : NWA Street-canyon(Tx80)
- 측정일 : 2003년 10월 21일
- 측정장소 : 여의도 PATH4


순서	시간					측정위치		전계강도(dBm)
	월	일	시	분	초	위도	경도	
1	10	21	4	19	25	37:31:13.160	126:55:50.627	-88
2	10	21	4	19	26	37:31:13.127	126:55:50.587	-87
3	10	21	4	19	27	37:31:13.093	126:55:50.547	-88
4	10	21	4	19	28	37:31:13.093	126:55:50.506	-86
5	10	21	4	19	29	37:31:13.060	126:55:50.467	-86
6	10	21	4	19	30	37:31:13.026	126:55:50.427	-85
7	10	21	4	19	31	37:31:12.993	126:55:50.387	-85
8	10	21	4	19	32	37:31:12.993	126:55:50.346	-85
9	10	21	4	19	33	37:31:12.959	126:55:50.306	-83
10	10	21	4	19	34	37:31:12.926	126:55:50.226	-83
11	10	21	4	19	35	37:31:12.892	126:55:50.186	-83
12	10	21	4	19	36	37:31:12.892	126:55:50.145	-83
13	10	21	4	19	37	37:31:12.859	126:55:50.106	-73
14	10	21	4	19	38	37:31:12.825	126:55:50.066	-73
15	10	21	4	19	39	37:31:12.792	126:55:50.026	-77
16	10	21	4	19	40	37:31:12.759	126:55:49.986	-77
17	10	21	4	19	41	37:31:12.758	126:55:49.945	-77
18	10	21	4	19	42	37:31:12.725	126:55:49.906	-71
19	10	21	4	19	43	37:31:12.692	126:55:49.866	-71
20	10	21	4	19	44	37:31:12.659	126:55:49.826	-71
21	10	21	4	19	45	37:31:12.658	126:55:49.785	-78
22	10	21	4	19	46	37:31:12.625	126:55:49.745	-78
23	10	21	4	19	47	37:31:12.592	126:55:49.706	-78
24	10	21	4	19	48	37:31:12.559	126:55:49.666	-87
25	10	21	4	19	49	37:31:12.558	126:55:49.625	-87
26	10	21	4	19	50	37:31:12.524	126:55:49.545	-74
27	10	21	4	19	51	37:31:12.491	126:55:49.505	-74
28	10	21	4	19	52	37:31:12.458	126:55:49.465	-67
29	10	21	4	19	53	37:31:12.425	126:55:49.425	-67
30	10	21	4	19	54	37:31:12.424	126:55:49.384	-67
31	10	21	4	19	55	37:31:12.391	126:55:49.345	-74
32	10	21	4	19	56	37:31:12.358	126:55:49.305	-74
33	10	21	4	19	57	37:31:12.325	126:55:49.265	-74
34	10	21	4	19	58	37:31:12.324	126:55:49.224	-74
35	10	21	4	19	59	37:31:12.291	126:55:49.184	-74
36	10	21	4	20	0	37:31:12.258	126:55:49.145	-74
37	10	21	4	20	1	37:31:12.225	126:55:49.105	-70
38	10	21	4	20	2	37:31:12.224	126:55:49.064	-70
39	10	21	4	20	3	37:31:12.191	126:55:49.024	-70
40	10	21	4	20	4	37:31:12.158	126:55:48.984	-79
41	10	21	4	20	5	37:31:12.124	126:55:48.945	-79
42	10	21	4	20	6	37:31:12.091	126:55:48.905	-79
43	10	21	4	20	7	37:31:12.090	126:55:48.823	-74
44	10	21	4	20	8	37:31:12.057	126:55:48.784	-74
45	10	21	4	20	9	37:31:12.024	126:55:48.744	-88
46	10	21	4	20	10	37:31:11.990	126:55:48.704	-88
47	10	21	4	20	11	37:31:11.990	126:55:48.663	-76
48	10	21	4	20	12	37:31:11.957	126:55:48.623	-76
49	10	21	4	20	13	37:31:11.923	126:55:48.584	-76
50	10	21	4	20	14	37:31:11.890	126:55:48.544	-74
51	10	21	4	20	15	37:31:11.890	126:55:48.503	-74
52	10	21	4	20	16	37:31:11.856	126:55:48.463	-74

53	10	21	4	20	17	37:31:11.823	126:55:48.423	-69
54	10	21	4	20	18	37:31:11.790	126:55:48.384	-69
55	10	21	4	20	19	37:31:11.757	126:55:48.344	-69
56	10	21	4	20	20	37:31:11.756	126:55:48.303	-74
57	10	21	4	20	21	37:31:11.723	126:55:48.263	-74
58	10	21	4	20	22	37:31:11.690	126:55:48.223	-74
59	10	21	4	20	23	37:31:11.656	126:55:48.143	-65
60	10	21	4	20	24	37:31:11.655	126:55:48.102	-65
61	10	21	4	20	25	37:31:11.622	126:55:48.062	-65
62	10	21	4	20	26	37:31:11.589	126:55:48.023	-66
63	10	21	4	20	27	37:31:11.556	126:55:47.983	-66
64	10	21	4	20	28	37:31:11.555	126:55:47.942	-66
65	10	21	4	20	29	37:31:11.522	126:55:47.902	-72
66	10	21	4	20	30	37:31:11.489	126:55:47.862	-72
67	10	21	4	20	31	37:31:11.456	126:55:47.823	-72
68	10	21	4	20	32	37:31:11.423	126:55:47.783	-59
69	10	21	4	20	33	37:31:11.422	126:55:47.742	-59
70	10	21	4	20	34	37:31:11.389	126:55:47.702	-59
71	10	21	4	20	35	37:31:11.356	126:55:47.662	-53
72	10	21	4	20	36	37:31:11.323	126:55:47.623	-53
73	10	21	4	20	37	37:31:11.322	126:55:47.582	-53
74	10	21	4	20	38	37:31:11.289	126:55:47.542	-58
75	10	21	4	20	39	37:31:11.256	126:55:47.502	-58
76	10	21	4	20	40	37:31:11.222	126:55:47.422	-58
77	10	21	4	20	41	37:31:11.221	126:55:47.381	-56
78	10	21	4	20	42	37:31:11.188	126:55:47.341	-56
79	10	21	4	20	43	37:31:11.155	126:55:47.301	-56
80	10	21	4	20	44	37:31:11.122	126:55:47.262	-59
81	10	21	4	20	45	37:31:11.089	126:55:47.222	-59
82	10	21	4	20	46	37:31:11.088	126:55:47.181	-59
83	10	21	4	20	47	37:31:11.055	126:55:47.141	-55
84	10	21	4	20	48	37:31:11.022	126:55:47.101	-55
85	10	21	4	20	49	37:31:10.988	126:55:47.062	-55
86	10	21	4	20	50	37:31:10.988	126:55:47.021	-48
87	10	21	4	20	51	37:31:10.955	126:55:46.981	-48
88	10	21	4	20	52	37:31:10.921	126:55:46.941	-48
89	10	21	4	20	53	37:31:10.888	126:55:46.901	-42
90	10	21	4	20	54	37:31:10.888	126:55:46.861	-42
91	10	21	4	20	55	37:31:10.854	126:55:46.821	-42
92	10	21	4	20	56	37:31:10.821	126:55:46.781	-47
93	10	21	4	20	57	37:31:10.787	126:55:46.701	-47
94	10	21	4	20	58	37:31:10.754	126:55:46.661	-47
95	10	21	4	20	59	37:31:10.754	126:55:46.620	-63
96	10	21	4	21	0	37:31:10.720	126:55:46.580	-63
97	10	21	4	21	1	37:31:10.687	126:55:46.540	-63
98	10	21	4	21	2	37:31:10.654	126:55:46.501	-48
99	10	21	4	21	3	37:31:10.653	126:55:46.460	-48
100	10	21	4	21	4	37:31:10.620	126:55:46.420	-48
101	10	21	4	21	5	37:31:10.587	126:55:46.380	-62
102	10	21	4	21	6	37:31:10.554	126:55:46.340	-62
103	10	21	4	21	7	37:31:10.553	126:55:46.300	-62
104	10	21	4	21	8	37:31:10.520	126:55:46.260	-63
105	10	21	4	21	9	37:31:10.487	126:55:46.220	-63
106	10	21	4	21	10	37:31:10.454	126:55:46.180	-63
107	10	21	4	21	11	37:31:10.421	126:55:46.140	-70
108	10	21	4	21	12	37:31:10.420	126:55:46.100	-70
109	10	21	4	21	13	37:31:10.386	126:55:46.019	-70
110	10	21	4	21	14	37:31:10.353	126:55:45.979	-60

111	10	21	4	21	15	37:31:10.320	126:55:45.940	-60
112	10	21	4	21	16	37:31:10.319	126:55:45.899	-60
113	10	21	4	21	17	37:31:10.286	126:55:45.859	-62
114	10	21	4	21	18	37:31:10.253	126:55:45.819	-62
115	10	21	4	21	19	37:31:10.220	126:55:45.779	-62
116	10	21	4	21	20	37:31:10.219	126:55:45.739	-80
117	10	21	4	21	21	37:31:10.186	126:55:45.699	-80
118	10	21	4	21	22	37:31:10.153	126:55:45.659	-80
119	10	21	4	21	23	37:31:10.120	126:55:45.619	-69
120	10	21	4	21	24	37:31:10.086	126:55:45.579	-69
121	10	21	4	21	25	37:31:10.086	126:55:45.539	-69
122	10	21	4	21	26	37:31:10.053	126:55:45.499	-75
123	10	21	4	21	27	37:31:10.019	126:55:45.459	-75
124	10	21	4	21	28	37:31:9.986	126:55:45.419	-75
125	10	21	4	21	29	37:31:9.986	126:55:45.379	-77
126	10	21	4	21	30	37:31:9.952	126:55:45.298	-77
127	10	21	4	21	31	37:31:9.919	126:55:45.258	-77
128	10	21	4	21	32	37:31:9.885	126:55:45.218	-74
129	10	21	4	21	33	37:31:9.885	126:55:45.178	-74
130	10	21	4	21	34	37:31:9.852	126:55:45.138	-74
131	10	21	4	21	35	37:31:9.818	126:55:45.098	-70
132	10	21	4	21	36	37:31:9.785	126:55:45.058	-70
133	10	21	4	21	37	37:31:9.752	126:55:45.018	-70
134	10	21	4	21	38	37:31:9.751	126:55:44.978	-71
135	10	21	4	21	39	37:31:9.718	126:55:44.938	-71
136	10	21	4	21	40	37:31:9.685	126:55:44.898	-71
137	10	21	4	21	41	37:31:9.652	126:55:44.858	-75
138	10	21	4	21	42	37:31:9.651	126:55:44.818	-75
139	10	21	4	21	43	37:31:9.618	126:55:44.778	-75
140	10	21	4	21	44	37:31:9.585	126:55:44.738	-78
141	10	21	4	21	45	37:31:9.552	126:55:44.698	-78
142	10	21	4	21	46	37:31:9.550	126:55:44.617	-78
143	10	21	4	21	47	37:31:9.517	126:55:44.577	-80
144	10	21	4	21	48	37:31:9.484	126:55:44.537	-80
145	10	21	4	21	49	37:31:9.451	126:55:44.497	-80
146	10	21	4	21	50	37:31:9.418	126:55:44.457	-69
147	10	21	4	21	51	37:31:9.417	126:55:44.417	-69
148	10	21	4	21	52	37:31:9.384	126:55:44.377	-69
149	10	21	4	21	53	37:31:9.351	126:55:44.337	-82
150	10	21	4	21	54	37:31:9.318	126:55:44.297	-82
151	10	21	4	21	55	37:31:9.317	126:55:44.257	-82
152	10	21	4	21	56	37:31:9.284	126:55:44.217	-76
153	10	21	4	21	57	37:31:9.251	126:55:44.177	-76
154	10	21	4	21	58	37:31:9.218	126:55:44.137	-76
155	10	21	4	21	59	37:31:9.217	126:55:44.096	-95
156	10	21	4	22	0	37:31:9.184	126:55:44.057	-95
157	10	21	4	22	1	37:31:9.151	126:55:44.017	-95
158	10	21	4	22	2	37:31:9.117	126:55:43.977	-77
159	10	21	4	22	3	37:31:9.084	126:55:43.896	-77
160	10	21	4	22	4	37:31:9.083	126:55:43.856	-77
161	10	21	4	22	5	37:31:9.050	126:55:43.816	-74
162	10	21	4	22	6	37:31:9.017	126:55:43.776	-74
163	10	21	4	22	7	37:31:8.983	126:55:43.736	-74
164	10	21	4	22	8	37:31:8.983	126:55:43.696	-79
165	10	21	4	22	9	37:31:8.950	126:55:43.656	-79
166	10	21	4	22	10	37:31:8.916	126:55:43.616	-79
167	10	21	4	22	11	37:31:8.883	126:55:43.576	-88
168	10	21	4	22	12	37:31:8.883	126:55:43.536	00

169	10	21	4	22	13	37:31:8.849	126:55:43.496	-88
170	10	21	4	22	14	37:31:8.816	126:55:43.456	-77
171	10	21	4	22	15	37:31:8.783	126:55:43.416	-77
172	10	21	4	22	16	37:31:8.750	126:55:43.376	-77
173	10	21	4	22	17	37:31:8.749	126:55:43.335	-90
174	10	21	4	22	18	37:31:8.716	126:55:43.296	-90
175	10	21	4	22	19	37:31:8.682	126:55:43.215	-90
176	10	21	4	22	20	37:31:8.649	126:55:43.175	-99
177	10	21	4	22	21	37:31:8.648	126:55:43.135	-99
178	10	21	4	22	22	37:31:8.615	126:55:43.095	-99
179	10	21	4	22	23	37:31:8.582	126:55:43.055	-78
180	10	21	4	22	24	37:31:8.549	126:55:43.015	-78
181	10	21	4	22	25	37:31:8.548	126:55:42.974	-78
182	10	21	4	22	26	37:31:8.482	126:55:42.895	-84
평균 전계강도								-71.8






- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx1(0_0)


순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
1	10	9	11	31	13	37	31	7.484	126	56	2.048	-45
2	10	9	11	31	14	37	31	7.484	126	56	2.048	-45
3	10	9	11	31	15	37	31	7.484	126	56	2.048	-45
4	10	9	11	31	16	37	31	7.484	126	56	2.048	-45
5	10	9	11	31	17	37	31	7.484	126	56	2.048	-45
6	10	9	11	31	18	37	31	7.484	126	56	2.048	-45
7	10	9	11	31	19	37	31	7.484	126	56	2.048	-45
8	10	9	11	31	20	37	31	7.484	126	56	2.048	-45
9	10	9	11	31	21	37	31	7.484	126	56	2.048	-45
10	10	9	11	31	22	37	31	7.484	126	56	2.048	-45
11	10	9	11	31	23	37	31	7.484	126	56	2.048	-45
12	10	9	11	31	24	37	31	7.484	126	56	2.048	-45
13	10	9	11	31	25	37	31	7.484	126	56	2.048	-45
14	10	9	11	31	26	37	31	7.484	126	56	2.048	-45
15	10	9	11	31	27	37	31	7.484	126	56	2.048	-45
16	10	9	11	31	28	37	31	7.484	126	56	2.048	-45
17	10	9	11	31	29	37	31	7.484	126	56	2.048	-45
18	10	9	11	31	30	37	31	7.484	126	56	2.048	-45
19	10	9	11	31	31	37	31	7.484	126	56	2.048	-45
20	10	9	11	31	32	37	31	7.484	126	56	2.048	-45
21	10	9	11	31	33	37	31	7.484	126	56	2.048	-45
22	10	9	11	31	34	37	31	7.484	126	56	2.048	-45
23	10	9	11	31	35	37	31	7.484	126	56	2.048	-45
24	10	9	11	31	36	37	31	7.484	126	56	2.048	-45
25	10	9	11	31	37	37	31	7.484	126	56	2.048	-45
26	10	9	11	31	38	37	31	7.484	126	56	2.048	-45
27	10	9	11	31	39	37	31	7.484	126	56	2.048	-45
28	10	9	11	31	40	37	31	7.484	126	56	2.048	-45
29	10	9	11	31	41	37	31	7.484	126	56	2.048	-45
30	10	9	11	31	42	37	31	7.484	126	56	2.048	-45
31	10	9	11	31	43	37	31	7.484	126	56	2.048	-45
32	10	9	11	31	44	37	31	7.484	126	56	2.048	-45
33	10	9	11	31	45	37	31	7.484	126	56	2.048	-45
34	10	9	11	31	46	37	31	7.484	126	56	2.048	-45
35	10	9	11	31	47	37	31	7.484	126	56	2.048	-45
36	10	9	11	31	48	37	31	7.484	126	56	2.048	-45
37	10	9	11	31	49	37	31	7.484	126	56	2.048	-45
38	10	9	11	31	50	37	31	7.484	126	56	2.048	-45
39	10	9	11	31	51	37	31	7.484	126	56	2.048	-45
40	10	9	11	31	52	37	31	7.484	126	56	2.048	-45
41	10	9	11	31	53	37	31	7.484	126	56	2.048	-45
42	10	9	11	31	54	37	31	7.484	126	56	2.048	-45
43	10	9	11	31	55	37	31	7.484	126	56	2.048	-45
44	10	9	11	31	56	37	31	7.484	126	56	2.048	-45
45	10	9	11	31	57	37	31	7.484	126	56	2.048	-45
46	10	9	11	31	58	37	31	7.484	126	56	2.048	-45
47	10	9	11	31	59	37	31	7.484	126	56	2.048	-45
48	10	9	11	32	0	37	31	7.484	126	56	2.048	-45

49	10	9	11	32	1	37	31	7.484	126	56	2.048	-45
50	10	9	11	32	2	37	31	7.484	126	56	2.048	-45
51	10	9	11	32	3	37	31	7.484	126	56	2.048	-45
52	10	9	11	32	4	37	31	7.484	126	56	2.048	-45
53	10	9	11	32	5	37	31	7.484	126	56	2.048	-45
54	10	9	11	32	6	37	31	7.484	126	56	2.048	-45
55	10	9	11	32	7	37	31	7.484	126	56	2.048	-45
56	10	9	11	32	8	37	31	7.484	126	56	2.048	-45
57	10	9	11	32	9	37	31	7.484	126	56	2.048	-45
58	10	9	11	32	10	37	31	7.484	126	56	2.048	-45
59	10	9	11	32	11	37	31	7.484	126	56	2.048	-45
60	10	9	11	32	12	37	31	7.484	126	56	2.048	-45
61	10	9	11	32	13	37	31	7.484	126	56	2.048	-45
62	10	9	11	32	14	37	31	7.484	126	56	2.048	-45
63	10	9	11	32	15	37	31	7.484	126	56	2.048	-45
64	10	9	11	32	16	37	31	7.484	126	56	2.048	-45
65	10	9	11	32	17	37	31	7.484	126	56	2.048	-45
66	10	9	11	32	18	37	31	7.484	126	56	2.048	-45
67	10	9	11	32	19	37	31	7.484	126	56	2.048	-45
68	10	9	11	32	20	37	31	7.484	126	56	2.048	-45
69	10	9	11	32	21	37	31	7.484	126	56	2.048	-45
70	10	9	11	32	22	37	31	7.484	126	56	2.012	-45
71	10	9	11	32	23	37	31	7.484	126	56	2.012	-45
72	10	9	11	32	24	37	31	7.484	126	56	2.012	-45
73	10	9	11	32	25	37	31	7.484	126	56	2.012	-46
74	10	9	11	32	26	37	31	7.484	126	56	2.012	-46
75	10	9	11	32	27	37	31	7.484	126	56	2.012	-46
76	10	9	11	32	28	37	31	7.484	126	56	2.012	-45
77	10	9	11	32	29	37	31	7.484	126	56	2.012	-45
78	10	9	11	32	30	37	31	7.484	126	56	2.012	-45
79	10	9	11	32	31	37	31	7.484	126	56	2.012	-45
80	10	9	11	32	32	37	31	7.484	126	56	2.012	-45
81	10	9	11	32	33	37	31	7.484	126	56	2.012	-45
82	10	9	11	32	34	37	31	7.484	126	56	2.012	-45
83	10	9	11	32	35	37	31	7.484	126	56	2.012	-45
84	10	9	11	32	36	37	31	7.484	126	56	2.012	-45
85	10	9	11	32	37	37	31	7.484	126	56	2.012	-45
86	10	9	11	32	38	37	31	7.484	126	56	2.012	-45
87	10	9	11	32	39	37	31	7.484	126	56	2.012	-45
88	10	9	11	32	40	37	31	7.484	126	56	2.012	-45
89	10	9	11	32	41	37	31	7.484	126	56	2.012	-45
90	10	9	11	32	42	37	31	7.484	126	56	2.012	-45
91	10	9	11	32	43	37	31	7.484	126	56	2.012	-45
92	10	9	11	32	44	37	31	7.484	126	56	2.012	-45
93	10	9	11	32	45	37	31	7.484	126	56	2.012	-45
94	10	9	11	32	46	37	31	7.484	126	56	2.012	-45
95	10	9	11	32	47	37	31	7.484	126	56	2.012	-45
96	10	9	11	32	48	37	31	7.484	126	56	2.012	-45
97	10	9	11	32	49	37	31	7.484	126	56	2.012	-45
98	10	9	11	32	50	37	31	7.484	126	56	2.012	-45
99	10	9	11	32	51	37	31	7.484	126	56	2.012	-45
100	10	9	11	32	52	37	31	7.484	126	56	2.012	-45
101	10	9	11	32	53	37	31	7.484	126	56	2.012	-45
평균 전계 레벨												-45.03




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx1(0_45)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
102	10	9	11	33	11	37	31	7.556	126	56	1.976	-61
103	10	9	11	33	12	37	31	7.556	126	56	1.976	-61
104	10	9	11	33	13	37	31	7.556	126	56	1.976	-60
105	10	9	11	33	14	37	31	7.556	126	56	1.976	-60
106	10	9	11	33	15	37	31	7.556	126	56	1.976	-60
107	10	9	11	33	16	37	31	7.556	126	56	1.976	-60
108	10	9	11	33	17	37	31	7.556	126	56	1.976	-60
109	10	9	11	33	18	37	31	7.556	126	56	1.976	-60
110	10	9	11	33	19	37	31	7.556	126	56	1.976	-61
111	10	9	11	33	20	37	31	7.556	126	56	1.976	-61
112	10	9	11	33	21	37	31	7.556	126	56	1.976	-61
113	10	9	11	33	22	37	31	7.556	126	56	1.976	-61
114	10	9	11	33	23	37	31	7.556	126	56	1.976	-61
115	10	9	11	33	24	37	31	7.556	126	56	1.976	-61
116	10	9	11	33	25	37	31	7.556	126	56	1.976	-60
117	10	9	11	33	26	37	31	7.556	126	56	1.976	-60
118	10	9	11	33	27	37	31	7.556	126	56	1.976	-60
119	10	9	11	33	28	37	31	7.556	126	56	1.976	-60
120	10	9	11	33	29	37	31	7.556	126	56	1.976	-60
121	10	9	11	33	30	37	31	7.556	126	56	1.976	-60
122	10	9	11	33	31	37	31	7.556	126	56	1.976	-60
123	10	9	11	33	32	37	31	7.556	126	56	1.976	-60
124	10	9	11	33	33	37	31	7.556	126	56	1.976	-60
125	10	9	11	33	34	37	31	7.556	126	56	1.976	-60
126	10	9	11	33	35	37	31	7.556	126	56	1.976	-60
127	10	9	11	33	36	37	31	7.556	126	56	1.976	-60
128	10	9	11	33	37	37	31	7.556	126	56	1.976	-60
129	10	9	11	33	38	37	31	7.556	126	56	1.976	-60
130	10	9	11	33	39	37	31	7.556	126	56	1.976	-60
131	10	9	11	33	40	37	31	7.556	126	56	1.976	-60
평균 전계 레벨												-60.27




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx1(0_90)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
135	10	9	11	34	0	37	31	7.520	126	56	1.976	-68
136	10	9	11	34	1	37	31	7.520	126	56	1.976	-68
137	10	9	11	34	2	37	31	7.520	126	56	1.976	-68
138	10	9	11	34	3	37	31	7.520	126	56	1.976	-68
139	10	9	11	34	4	37	31	7.520	126	56	1.976	-67
140	10	9	11	34	5	37	31	7.520	126	56	1.976	-67
141	10	9	11	34	6	37	31	7.520	126	56	1.976	-67
142	10	9	11	34	7	37	31	7.520	126	56	1.976	-67
143	10	9	11	34	8	37	31	7.520	126	56	1.976	-67
144	10	9	11	34	9	37	31	7.520	126	56	1.976	-67
145	10	9	11	34	10	37	31	7.520	126	56	1.976	-67
146	10	9	11	34	11	37	31	7.520	126	56	1.976	-67
147	10	9	11	34	12	37	31	7.520	126	56	1.976	-67
148	10	9	11	34	13	37	31	7.520	126	56	1.976	-67
149	10	9	11	34	15	37	31	7.520	126	56	1.976	-67
150	10	9	11	34	16	37	31	7.520	126	56	1.976	-67
151	10	9	11	34	17	37	31	7.520	126	56	1.976	-66
152	10	9	11	34	18	37	31	7.520	126	56	1.976	-66
153	10	9	11	34	19	37	31	7.520	126	56	1.976	-66
154	10	9	11	34	20	37	31	7.520	126	56	1.976	-65
155	10	9	11	34	21	37	31	7.520	126	56	1.976	-65
156	10	9	11	34	22	37	31	7.520	126	56	1.976	-65
157	10	9	11	34	23	37	31	7.520	126	56	1.976	-67
158	10	9	11	34	24	37	31	7.520	126	56	1.976	-67
159	10	9	11	34	25	37	31	7.520	126	56	1.976	-67
160	10	9	11	34	26	37	31	7.520	126	56	1.976	-65
161	10	9	11	34	27	37	31	7.520	126	56	1.976	-65
162	10	9	11	34	28	37	31	7.520	126	56	1.976	-65
163	10	9	11	34	29	37	31	7.520	126	56	1.976	-68
평균 전계 레벨												-66.66




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx1(0_135)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
164	10	9	11	34	47	37	31	7.520	126	56	1.940	-73
165	10	9	11	34	48	37	31	7.520	126	56	1.940	-73
166	10	9	11	34	49	37	31	7.520	126	56	1.940	-73
167	10	9	11	34	50	37	31	7.520	126	56	1.940	-73
168	10	9	11	34	51	37	31	7.520	126	56	1.940	-73
169	10	9	11	34	52	37	31	7.520	126	56	1.940	-73
170	10	9	11	34	53	37	31	7.520	126	56	1.940	-70
171	10	9	11	34	54	37	31	7.520	126	56	1.940	-70
172	10	9	11	34	55	37	31	7.520	126	56	1.940	-70
173	10	9	11	34	56	37	31	7.520	126	56	1.940	-69
174	10	9	11	34	57	37	31	7.520	126	56	1.940	-69
175	10	9	11	34	58	37	31	7.520	126	56	1.940	-69
176	10	9	11	34	59	37	31	7.520	126	56	1.940	-71
177	10	9	11	35	0	37	31	7.520	126	56	1.940	-71
178	10	9	11	35	1	37	31	7.520	126	56	1.940	-71
179	10	9	11	35	2	37	31	7.520	126	56	1.940	-70
180	10	9	11	35	3	37	31	7.520	126	56	1.940	-70
181	10	9	11	35	4	37	31	7.520	126	56	1.940	-70
182	10	9	11	35	5	37	31	7.520	126	56	1.940	-69
183	10	9	11	35	6	37	31	7.520	126	56	1.940	-69
184	10	9	11	35	7	37	31	7.520	126	56	1.940	-69
185	10	9	11	35	8	37	31	7.520	126	56	1.940	-70
186	10	9	11	35	9	37	31	7.520	126	56	1.940	-70
187	10	9	11	35	10	37	31	7.520	126	56	1.940	-70
188	10	9	11	35	11	37	31	7.520	126	56	1.940	-68
189	10	9	11	35	12	37	31	7.520	126	56	1.940	-68
190	10	9	11	35	13	37	31	7.520	126	56	1.940	-68
191	10	9	11	35	14	37	31	7.520	126	56	1.940	-71
192	10	9	11	35	15	37	31	7.520	126	56	1.940	-71
193	10	9	11	35	16	37	31	7.520	126	56	1.940	-71
194	10	9	11	35	17	37	31	7.520	126	56	1.940	-71
195	10	9	11	35	18	37	31	7.520	126	56	1.940	-71
196	10	9	11	35	19	37	31	7.520	126	56	1.940	-71
197	10	9	11	35	20	37	31	7.520	126	56	1.940	-71
198	10	9	11	35	21	37	31	7.520	126	56	1.940	-71
평균 전계 레벨												-70.49




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx1(0_180)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
199	10	9	11	35	46	37	31	7.520	126	56	1.940	-63
200	10	9	11	35	47	37	31	7.520	126	56	1.940	-62
201	10	9	11	35	48	37	31	7.520	126	56	1.940	-62
202	10	9	11	35	49	37	31	7.520	126	56	1.940	-62
203	10	9	11	35	50	37	31	7.520	126	56	1.940	-72
204	10	9	11	35	51	37	31	7.520	126	56	1.940	-72
205	10	9	11	35	52	37	31	7.520	126	56	1.940	-72
206	10	9	11	35	53	37	31	7.520	126	56	1.940	-78
207	10	9	11	35	54	37	31	7.520	126	56	1.940	-78
208	10	9	11	35	55	37	31	7.520	126	56	1.940	-78
209	10	9	11	35	56	37	31	7.520	126	56	1.940	-66
210	10	9	11	35	57	37	31	7.520	126	56	1.940	-66
211	10	9	11	35	58	37	31	7.520	126	56	1.940	-66
212	10	9	11	35	59	37	31	7.520	126	56	1.940	-71
213	10	9	11	36	0	37	31	7.520	126	56	1.940	-71
214	10	9	11	36	1	37	31	7.520	126	56	1.940	-71
215	10	9	11	36	2	37	31	7.520	126	56	1.940	-63
216	10	9	11	36	3	37	31	7.520	126	56	1.940	-63
217	10	9	11	36	4	37	31	7.520	126	56	1.940	-63
218	10	9	11	36	5	37	31	7.520	126	56	1.940	-65
219	10	9	11	36	6	37	31	7.520	126	56	1.940	-65
220	10	9	11	36	7	37	31	7.520	126	56	1.940	-65
221	10	9	11	36	8	37	31	7.520	126	56	1.940	-66
222	10	9	11	36	9	37	31	7.520	126	56	1.940	-66
223	10	9	11	36	10	37	31	7.520	126	56	1.940	-66
224	10	9	11	36	11	37	31	7.520	126	56	1.940	-67
225	10	9	11	36	12	37	31	7.520	126	56	1.940	-67
226	10	9	11	36	13	37	31	7.520	126	56	1.940	-67
227	10	9	11	36	14	37	31	7.520	126	56	1.940	-65
228	10	9	11	36	15	37	31	7.520	126	56	1.940	-65
229	10	9	11	36	16	37	31	7.520	126	56	1.940	-65
230	10	9	11	36	17	37	31	7.520	126	56	1.940	-63
231	10	9	11	36	18	37	31	7.520	126	56	1.940	-63
232	10	9	11	36	19	37	31	7.520	126	56	1.940	-63
233	10	9	11	36	20	37	31	7.520	126	56	1.940	-65
234	10	9	11	36	21	37	31	7.520	126	56	1.940	-65
235	10	9	11	36	22	37	31	7.520	126	56	1.940	-65
236	10	9	11	36	23	37	31	7.520	126	56	1.940	-63
237	10	9	11	36	24	37	31	7.520	126	56	1.940	-63
238	10	9	11	36	25	37	31	7.520	126	56	1.940	-63
239	10	9	11	36	26	37	31	7.520	126	56	1.940	-63
240	10	9	11	36	27	37	31	7.520	126	56	1.940	-63
241	10	9	11	36	28	37	31	7.520	126	56	1.940	-63
242	10	9	11	36	29	37	31	7.520	126	56	1.940	-65
243	10	9	11	36	30	37	31	7.520	126	56	1.940	-65
244	10	9	11	36	31	37	31	7.520	126	56	1.940	-65
245	10	9	11	36	32	37	31	7.520	126	56	1.940	-65
246	10	9	11	36	33	37	31	7.520	126	56	1.940	-65
247	10	9	11	36	34	37	31	7.520	126	56	1.940	-65
248	10	9	11	36	35	37	31	7.520	126	56	1.940	-62
249	10	9	11	36	36	37	31	7.520	126	56	1.940	-62
250	10	9	11	36	37	37	31	7.520	126	56	1.940	-62




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx1(0_225)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
255	10	9	11	37	12	37	31	7.520	126	56	1.940	-74
256	10	9	11	37	13	37	31	7.520	126	56	1.940	-74
257	10	9	11	37	14	37	31	7.520	126	56	1.940	-71
258	10	9	11	37	15	37	31	7.520	126	56	1.940	-71
259	10	9	11	37	16	37	31	7.520	126	56	1.940	-71
260	10	9	11	37	17	37	31	7.520	126	56	1.940	-77
261	10	9	11	37	18	37	31	7.520	126	56	1.940	-77
262	10	9	11	37	19	37	31	7.520	126	56	1.940	-77
263	10	9	11	37	20	37	31	7.520	126	56	1.940	-69
264	10	9	11	37	21	37	31	7.520	126	56	1.940	-69
265	10	9	11	37	22	37	31	7.520	126	56	1.940	-69
266	10	9	11	37	23	37	31	7.520	126	56	1.940	-71
267	10	9	11	37	24	37	31	7.520	126	56	1.940	-71
268	10	9	11	37	25	37	31	7.520	126	56	1.940	-71
269	10	9	11	37	26	37	31	7.520	126	56	1.940	-73
270	10	9	11	37	27	37	31	7.520	126	56	1.940	-73
271	10	9	11	37	28	37	31	7.520	126	56	1.940	-73
272	10	9	11	37	29	37	31	7.520	126	56	1.940	-70
273	10	9	11	37	30	37	31	7.520	126	56	1.940	-70
274	10	9	11	37	31	37	31	7.520	126	56	1.940	-70
275	10	9	11	37	32	37	31	7.520	126	56	1.940	-71
276	10	9	11	37	33	37	31	7.520	126	56	1.940	-71
277	10	9	11	37	34	37	31	7.520	126	56	1.940	-71
278	10	9	11	37	35	37	31	7.520	126	56	1.940	-70
279	10	9	11	37	36	37	31	7.520	126	56	1.940	-70
280	10	9	11	37	37	37	31	7.520	126	56	1.940	-70
281	10	9	11	37	38	37	31	7.520	126	56	1.940	-70
282	10	9	11	37	39	37	31	7.520	126	56	1.940	-70
283	10	9	11	37	40	37	31	7.520	126	56	1.940	-70
284	10	9	11	37	41	37	31	7.520	126	56	1.940	-69
285	10	9	11	37	42	37	31	7.520	126	56	1.940	-69
286	10	9	11	37	43	37	31	7.520	126	56	1.940	-69
287	10	9	11	37	44	37	31	7.520	126	56	1.940	-70
288	10	9	11	37	45	37	31	7.520	126	56	1.940	-70
289	10	9	11	37	46	37	31	7.520	126	56	1.940	-70
290	10	9	11	37	47	37	31	7.520	126	56	1.940	-71
291	10	9	11	37	48	37	31	7.520	126	56	1.940	-71
292	10	9	11	37	49	37	31	7.520	126	56	1.940	-71
293	10	9	11	37	50	37	31	7.520	126	56	1.940	-71
294	10	9	11	37	51	37	31	7.520	126	56	1.940	-71
평균 전계 레벨												-71.15




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx1(0_270)

[illegible]




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx1(0_315)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
333	10	9	11	40	9	37	31	7.484	126	56	1.904	-58
334	10	9	11	40	10	37	31	7.484	126	56	1.904	-58
335	10	9	11	40	11	37	31	7.484	126	56	1.904	-58
336	10	9	11	40	12	37	31	7.484	126	56	1.904	-58
337	10	9	11	40	13	37	31	7.484	126	56	1.904	-58
338	10	9	11	40	14	37	31	7.484	126	56	1.904	-58
339	10	9	11	40	15	37	31	7.484	126	56	1.904	-58
340	10	9	11	40	16	37	31	7.484	126	56	1.904	-58
341	10	9	11	40	17	37	31	7.484	126	56	1.904	-58
342	10	9	11	40	18	37	31	7.484	126	56	1.904	-58
343	10	9	11	40	19	37	31	7.484	126	56	1.904	-58
344	10	9	11	40	20	37	31	7.484	126	56	1.904	-58
345	10	9	11	40	21	37	31	7.484	126	56	1.904	-58
346	10	9	11	40	22	37	31	7.484	126	56	1.904	-58
347	10	9	11	40	23	37	31	7.484	126	56	1.904	-58
348	10	9	11	40	24	37	31	7.484	126	56	1.904	-58
349	10	9	11	40	25	37	31	7.484	126	56	1.904	-58
350	10	9	11	40	26	37	31	7.484	126	56	1.904	-58
351	10	9	11	40	27	37	31	7.484	126	56	1.904	-58
352	10	9	11	40	28	37	31	7.484	126	56	1.904	-58
353	10	9	11	40	29	37	31	7.484	126	56	1.904	-58
354	10	9	11	40	30	37	31	7.484	126	56	1.904	-58
355	10	9	11	40	31	37	31	7.484	126	56	1.904	-58
356	10	9	11	40	32	37	31	7.484	126	56	1.904	-58
357	10	9	11	40	33	37	31	7.484	126	56	1.904	-58
358	10	9	11	40	34	37	31	7.484	126	56	1.904	-58
359	10	9	11	40	35	37	31	7.484	126	56	1.904	-58
360	10	9	11	40	36	37	31	7.484	126	56	1.904	-58
361	10	9	11	40	37	37	31	7.484	126	56	1.904	-58
362	10	9	11	40	38	37	31	7.484	126	56	1.904	-58
363	10	9	11	40	39	37	31	7.484	126	56	1.904	-58
364	10	9	11	40	40	37	31	7.484	126	56	1.904	-58
365	10	9	11	40	41	37	31	7.484	126	56	1.904	-58
366	10	9	11	40	42	37	31	7.484	126	56	1.904	-58
367	10	9	11	40	43	37	31	7.484	126	56	1.904	-58
368	10	9	11	40	44	37	31	7.484	126	56	1.904	-58
369	10	9	11	40	45	37	31	7.484	126	56	1.904	-58
370	10	9	11	40	46	37	31	7.484	126	56	1.904	-58
371	10	9	11	40	47	37	31	7.484	126	56	1.904	-58
372	10	9	11	40	48	37	31	7.484	126	56	1.904	-58
평균 전계 레벨												-58.00




- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx1(-30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
373	10	9	11	41	24	37	31	7.484	126	56	1.904	-51
374	10	9	11	41	25	37	31	7.484	126	56	1.904	-51
375	10	9	11	41	26	37	31	7.484	126	56	1.904	-50
376	10	9	11	41	27	37	31	7.484	126	56	1.904	-50
377	10	9	11	41	28	37	31	7.484	126	56	1.904	-50
378	10	9	11	41	29	37	31	7.484	126	56	1.904	-51
379	10	9	11	41	30	37	31	7.484	126	56	1.904	-51
380	10	9	11	41	31	37	31	7.484	126	56	1.904	-51
381	10	9	11	41	32	37	31	7.484	126	56	1.904	-51
382	10	9	11	41	33	37	31	7.484	126	56	1.904	-51
383	10	9	11	41	34	37	31	7.484	126	56	1.904	-51
384	10	9	11	41	35	37	31	7.484	126	56	1.904	-51
385	10	9	11	41	36	37	31	7.484	126	56	1.904	-51
386	10	9	11	41	37	37	31	7.484	126	56	1.904	-51
387	10	9	11	41	38	37	31	7.484	126	56	1.904	-51
388	10	9	11	41	39	37	31	7.484	126	56	1.904	-51
389	10	9	11	41	40	37	31	7.484	126	56	1.904	-51
390	10	9	11	41	41	37	31	7.484	126	56	1.904	-51
391	10	9	11	41	42	37	31	7.484	126	56	1.904	-51
392	10	9	11	41	43	37	31	7.484	126	56	1.904	-51
393	10	9	11	41	44	37	31	7.484	126	56	1.904	-51
394	10	9	11	41	45	37	31	7.484	126	56	1.904	-51
395	10	9	11	41	46	37	31	7.484	126	56	1.904	-51
396	10	9	11	41	47	37	31	7.484	126	56	1.904	-51
397	10	9	11	41	48	37	31	7.484	126	56	1.904	-51
398	10	9	11	41	49	37	31	7.484	126	56	1.904	-51
평균 전계 레벨												-50.88



- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx1(30_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
399	10	9	11	42	4	37	31	7.484	126	56	1.904	-50
400	10	9	11	42	5	37	31	7.484	126	56	1.904	-50
401	10	9	11	42	6	37	31	7.484	126	56	1.904	-50
402	10	9	11	42	7	37	31	7.484	126	56	1.904	-50
403	10	9	11	42	8	37	31	7.484	126	56	1.904	-50
404	10	9	11	42	9	37	31	7.484	126	56	1.904	-50
405	10	9	11	42	10	37	31	7.484	126	56	1.904	-50
406	10	9	11	42	11	37	31	7.484	126	56	1.904	-50
407	10	9	11	42	12	37	31	7.484	126	56	1.904	-50
408	10	9	11	42	13	37	31	7.484	126	56	1.904	-50
409	10	9	11	42	14	37	31	7.484	126	56	1.904	-50
410	10	9	11	42	15	37	31	7.484	126	56	1.904	-50
411	10	9	11	42	16	37	31	7.484	126	56	1.904	-50
412	10	9	11	42	17	37	31	7.484	126	56	1.904	-51
413	10	9	11	42	18	37	31	7.484	126	56	1.904	-51
414	10	9	11	42	19	37	31	7.484	126	56	1.904	-51
415	10	9	11	42	20	37	31	7.484	126	56	1.904	-50
416	10	9	11	42	21	37	31	7.484	126	56	1.904	-50
417	10	9	11	42	22	37	31	7.484	126	56	1.904	-50
418	10	9	11	42	23	37	31	7.484	126	56	1.904	-50
419	10	9	11	42	24	37	31	7.484	126	56	1.904	-50
420	10	9	11	42	25	37	31	7.484	126	56	1.904	-50
421	10	9	11	42	26	37	31	7.484	126	56	1.904	-50
422	10	9	11	42	27	37	31	7.484	126	56	1.904	-50
423	10	9	11	42	28	37	31	7.484	126	56	1.904	-50
424	10	9	11	42	29	37	31	7.484	126	56	1.904	-50
평균 전계 레벨												-50.12



- 서비스 : FWA
- 측정일 : 2003년 10월 09일
- 측정장소 : 여의도 rx1(0_0)

순서	시간					위도			경도			전계강도 (dBm)
	월	일	시	분	초	도	분	초	도	분	초	
425	10	9	11	44	9	37	31	7.484	126	56	1.904	-47
426	10	9	11	44	10	37	31	7.484	126	56	1.904	-47
427	10	9	11	44	11	37	31	7.484	126	56	1.904	-47
428	10	9	11	44	12	37	31	7.484	126	56	1.904	-47
429	10	9	11	44	13	37	31	7.484	126	56	1.904	-47
430	10	9	11	44	14	37	31	7.484	126	56	1.904	-47
431	10	9	11	44	15	37	31	7.484	126	56	1.904	-47
432	10	9	11	44	16	37	31	7.484	126	56	1.904	-47
433	10	9	11	44	17	37	31	7.484	126	56	1.904	-47
434	10	9	11	44	18	37	31	7.484	126	56	1.904	-47
435	10	9	11	44	19	37	31	7.484	126	56	1.904	-47
436	10	9	11	44	20	37	31	7.484	126	56	1.904	-47
437	10	9	11	44	21	37	31	7.484	126	56	1.904	-47
438	10	9	11	44	22	37	31	7.484	126	56	1.904	-47
439	10	9	11	44	23	37	31	7.484	126	56	1.904	-47
440	10	9	11	44	24	37	31	7.484	126	56	1.904	-47
441	10	9	11	44	25	37	31	7.484	126	56	1.904	-47
442	10	9	11	44	26	37	31	7.484	126	56	1.904	-47
443	10	9	11	44	27	37	31	7.484	126	56	1.904	-47
444	10	9	11	44	28	37	31	7.484	126	56	1.904	-47
445	10	9	11	44	29	37	31	7.484	126	56	1.904	-47
446	10	9	11	44	30	37	31	7.484	126	56	1.904	-47
447	10	9	11	44	31	37	31	7.484	126	56	1.904	-47
448	10	9	11	44	32	37	31	7.484	126	56	1.904	-47
449	10	9	11	44	33	37	31	7.484	126	56	1.904	-47
450	10	9	11	44	34	37	31	7.484	126	56	1.904	-47
451	10	9	11	44	35	37	31	7.484	126	56	1.904	-47
452	10	9	11	44	36	37	31	7.484	126	56	1.904	-47
453	10	9	11	44	37	37	31	7.484	126	56	1.904	-47
454	10	9	11	44	38	37	31	7.484	126	56	1.904	-47
455	10	9	11	44	39	37	31	7.484	126	56	1.904	-47
456	10	9	11	44	41	37	31	7.484	126	56	1.904	-47
457	10	9	11	44	42	37	31	7.484	126	56	1.904	-47
458	10	9	11	44	43	37	31	7.484	126	56	1.904	-47
459	10	9	11	44	44	37	31	7.484	126	56	1.904	-47
460	10	9	11	44	45	37	31	7.484	126	56	1.904	-47
461	10	9	11	44	46	37	31	7.484	126	56	1.904	-47
462	10	9	11	44	47	37	31	7.484	126	56	1.904	-47
463	10	9	11	44	48	37	31	7.484	126	56	1.904	-47
464	10	9	11	44	49	37	31	7.484	126	56	1.904	-47
465	10	9	11	44	50	37	31	7.484	126	56	1.904	-47
466	10	9	11	44	51	37	31	7.484	126	56	1.904	-47
467	10	9	11	44	52	37	31	7.484	126	56	1.904	-47
468	10	9	11	44	53	37	31	7.484	126	56	1.904	-47
469	10	9	11	44	54	37	31	7.484	126	56	1.904	-47
470	10	9	11	44	55	37	31	7.484	126	56	1.904	-47
평균 전계 레벨												-47.00

